

# Index

*Note:* Page numbers in *italics* denote Figures, those in **bold** refer to Tables.

- abrasion 184, 191
- alluvial systems 18–20, 24
  - see also* fluvial systems; sediments
- Alpine debris flows 3, 63–78
  - case studies 73–6
  - conceptual modelling 68–70, 71
  - event volumes 64–6
  - sediment availability 72–3
  - volume thresholds 72
- anisotropic dissolution 50–3, 57–60
- aquatic molluscs **90**
  
- bedload 3, 129–45
  - bed form development 125
  - Cenozoic and Pleistocene rivers 130–4
  - entrainment 120–4
  - erosion 117–27
  - experiments 118–23
  - gravels and sand–gravel 119, 123–5
  - minimum estimates **140**
  - palaeohydraulic data 134–40
  - Rio Cinca 131–2
  - spatial distribution 117–18
  - vertical structures 142
- bedrock river erosion 12–14
- bimodal gravel experiments 121–3
- biochronology 154
- bivergent progenic wedge *10*
- braided river systems 79, 80–5
- buffered landscape 22
  
- canyons, continental slope 183–94
- carbon dioxide dissolution
  - anisotropic 50–3, 57–60
  - isotropic 49–50, 54–7
  - simulations 53–60
- catastrophic events 1–5
  - debris flows 65–6, 67, 71–3, 76
  - experiments 118–23
  - Quaternary 79–104
  - recognition 99–101
  - semi-arid catchment 39
- catchment–fan systems *11*, 15–18, *19*
- catchments
  - Alpine 3, 63–78
  - equilibrium 34
  - event volumes 64–6
  - evolution 12–14
- Cenozoic rivers
  - bedload transport 129–45
  - palaeohydraulic data 134–42, 143
- Cordage intermundane basin *159*
- channel erosion 4, 12–14, 183–94
- channel flow velocities **138**
- channel form
  - cross-section 31
  - dry lands 34–6
  - semi-arid areas 32
  - variation 31
- CHILD landscape evolution model 48–9
  - parameters **57**
  - surface/subsurface flows 51–2, 58, 60
- clays 85
- climate
  - erosion relationship 183
  - fluvial response 79, 97–9
  - pediments relationship 180–1
  - relief relationship 178–81
  - South Africa 167, 168–9, 172–3
- cluster analysis 67–8
- cockpit karts landforms 2–3, 47–62
  - apiarist concept 50–1, 60
  - hydraulic conductivity 52–3, 58
  - simulation comparisons 53–60
  - surface/subsurface flows 51–2, 58, 60
- Coleopteran 91–5
- concave slopes 169, 170–2, 176–7, *178*
- Confluent basin 155, *156*
- conglomerates 131–4, *135*
- continental slope
  - canyons 183–94
  - development model 189–91
- continuous processes 1–5, 63–78
- coupled tectonic–surface process systems 7–9, *10*
  
- Davision theory 148, 163, 164
- debris flows 3, 63–78
  - case studies 73–6
  - catastrophic events 67, 71–3, 76
  - event volumes 64–6
  - modelling 68–70, 71
  - sediment availability 72–3
  - statistical analysis 66–8
- denudation
  - chronology, planar landforms 147–66
  - cockpit karts landscapes 50
- deposition model 48–9
- Devonian 86, 87–9
- dissolution of carbon dioxide
  - CHILD model 49–50
  - fractures in karts 53
  - time–space simulations 50–60
- drainage density
  - rock types 172–4
  - South Africa 169, 176
- drainage patterns 174–5
- dry lands 29–46
  - channel morphology 34–6
  - equilibrium 2, 32–42, 33
  - flood event 39
  - process and form 33–7
  - spatial variability 37–8
  - time 38–40

- Eastern Pyrenees planar landforms 147–66  
 age 153–6  
 formation/palaeoelevation 158–64  
 two generations 150–2  
 uplift 157–8, 163–4
- efficiency of rivers 138–40, 142–3
- elevation  
 digital data base 148–9, 150  
 erosion surfaces 148  
 palaeoelevation 158–64
- entrainment of bed materials 120–4
- epikarst concept 50–1, 60
- equilibrium 2, 29–46  
 definitions 29, **30**  
 drylands 32–42, 33  
*see also* geomorphological equilibrium
- erosion 4, 8–9  
 Alpine catchments 63–4  
 bed materials 117–27  
 bedrock channels 12–14  
 CHILD model 48–9, 60  
 climate relationship 183  
 extreme events 65–6, **66**, 67, 71–3, 76  
 gradual 67, 71–3, 76  
 hillslopes 14–15  
 intermontane basins 154–7  
 muds 185–6  
 oceanographic currents 185–6  
 orogenic scale 9  
 rivers 12–14  
 sheetwash 180  
 submarine channels 183–94  
 turbidity currents 183–5, 191  
 water 179–80
- erosion surfaces 4, 148, 150–1, 153–6  
*see also* pediplanation
- events  
 extreme 33, 35–6, 41, 63, 65–6, 67, 76  
 gradual 67, 71–3, 76  
 single annual floods 80, 82, 99–101  
 volume/catchment area 64–6  
*see also* catastrophic events
- exhumation of submarine sediments 186
- experiments  
 bed load 117–27  
 gravels 120–1  
 sand–gravel 121–3
- extensional faults 9–12, 24
- extreme events 33, 35–6, 41, 63, 65–6, 76
- fans  
 slope 16–17  
*see also* catchment–fan systems
- fault displacements 9–12
- feedbacks 31
- floods  
 effectiveness 63–78  
 experiments 118–23  
 single annual events 80, 82, 99–101  
*see also* catastrophic events; erosion
- flora 86–9
- fluvial solar signals 105–15  
 heliohydrology 107  
 palaeometeorology 107–12  
 solar variability 105–7
- fluvial systems  
 climatic phases 97–9  
 mixed-gravel systems 20  
 Pyrenees 129–45  
 response times 18–20  
 sedimentology **84**  
*see also* rivers
- fold belt planar surfaces 153–6
- footwall topography 9–12
- forcing, tectonic 21–3
- foreland basins 160
- form and process concept 33–7
- fractures in karst 50–3
- France, storm events 35–6
- geochronology, Nene Valley 95–7, 100–1
- geology  
 Pyrenees 129–30  
 South Africa 169, 170–2, 173  
*see also* rock types
- geomorphological equilibrium 29–46  
 constant environmental factors 40  
 drylands 32–42  
 measurement 29–32  
 nonlinearities 40–2  
 process and form 33–7  
 spatial variability 37–8  
 time 38–40
- geomorphology, slope canyons 186–9
- global atmospheric circulation 107–12
- grade concept 31
- graded pediment model 158–64
- gradual erosion 71–3, 76
- grain size distribution 118, 123–5
- grass pollen 86, **88**
- gravels  
 bedload transport rate 139  
 bimodal experiments 121–3  
 laboratory study 117–27  
 Pyrenees 135  
 UK 80–5  
 unimodal experiments 120–1
- gullies 34
- hazard assessment 76
- heliohydrology 107
- herb pollen 86, **87–8**, **89**
- Highveld, South Africa 167, 168, 177
- hillslopes  
 development 33–4  
 erosion 14–15  
 sediment transport 42
- hydraulic conductivity 52–3, 58
- ice-wedge casts 82, 85
- Illgraben catchment 73, 74
- image analysis techniques 119
- inter-flood low flows 118–23
- interfluves  
 South Africa 167–81  
 width 172–3, 174
- intermontane basins 152, 154–7, 159
- isotropic dissolution 49–50, 54–7

- Jamaica, cockpit karst simulations 53–60
- karst landforms 2–3, 47–62  
 fissure fillings 154  
 karstification 49–53  
*see also* cockpit karst landforms
- laboratory study of gravels 117–27
- landscape analysis 168, 169–75, 178–81
- landslides 69, 184
- large flood experiments 118–23
- longitudinal profiles  
 canyons 186, 188, 190  
 Rio Cinca 137  
 river systems 12–14
- mass balance numerical model 16–17
- mass transfer model 48
- mechanical erosion and deposition model  
 48–9, 60
- Mediterranean valley fill 109, **111–12**
- Métin catchment 73–6
- Miocene  
 fluvial systems **140**, 141–3  
 palaeoelevation 161–2, 164
- mixed-gravel fluvial systems 20
- modelling  
 CHILD model 48–9, 51–2, **57**, 58, 60  
 cockpit karst landforms 47–62  
 continental slope canyons 183–94  
 coupled tectonic–surface processes 8–9  
 debris flows 68–70, 71  
 deposition 48–9  
 drylands 43  
 graded pediments 158–64  
 mass balance 16–17  
*see also* laboratory study
- Mollusca 89–91
- morphometric analysis 4
- mountain belt erosion surfaces 148, 153–6
- Mt Canigou, Eastern Pyrenees 155, 157
- mud erosion 185–6
- negative feedbacks 31
- Nene Valley, UK 79–104  
 depositional succession 80–5  
 fluvial response to climate 97–9, 100  
 geochronology 95–7, 100–1  
 palaeontology 85–95, 99–100
- Neogene 152, 154–7
- New Zealand 22, 23
- nonlinearities 40–2
- North Atlantic depressions 108
- oceanographic currents 185–6
- Oligo–Miocene fluvial systems **140**, 141–3
- optically stimulated luminescence 95, **96**, 97, **98**,  
 100, 101
- orogenic scale 9
- Pacific anticyclone 107–8, 109
- palaeodepth estimation 135
- palaeoflow 137–8
- palaeometeorology 107–12
- palaeontology 85–95, 99–100
- palaeoslope 136–7
- palaeohydraulic data  
 error analysis 140–1  
 Pleistocene rivers 134–40, **136**, 143
- palynology 86–9, 108–9
- pediments  
 length 170  
 rock type 170–2  
 South Africa 167–81
- pediplanation 177, 179–80
- permafrost 82
- perturbation 21–3
- piedmont backfilling 158–61
- planar landforms 147–66  
 age 153–6  
 formation/palaeoelevation 158–64  
 two generations 150–2  
 uplift 157–8, 163–4
- plant macrofossils 85–6, **87–8**
- Pleistocene  
 bedload transport 129–45  
 deposits 83  
 palaeohydraulic data 134–42, 143
- Polio–Pleistocene rivers **140**, 141–3
- post-orogenic phase  
 erosion surfaces 153  
 uplift 163–4
- precipitation  
 cockpit karst landforms 47  
 debris flows 69, 76  
 drainage density 172–3, 176  
 South Africa 167, 168–9
- process and form concept 33–7
- process rates 1
- pulse events 63–78
- Pyrenees  
 bedload transport 129–45  
 geology 129–30  
 intermontane basins 152, 154–7  
 planar landforms 147–66  
 structure 149, 152
- Quaternary  
 catastrophic events 79–104  
 flood event recognition 99–101  
 fluvial sequence sedimentology **84**
- radiocarbon  
 Mediterranean valley fill **111–12**  
 Nene Valley, UK 95–7, 100  
 tree rings 106, 109–10
- rainfall *see* precipitation
- reactive landscape 22
- red beds 154, 155
- regional uplift 157–8, 159
- relief  
 climate relationship 178–81  
 land facets **171**  
 South Africa 168–9  
 submarine canyons 184
- residual summit surface 150–1

- response times
  - catchment–fan systems 17
  - river systems 13, *14*, 18–20
  - sediment routing systems 22–5, *24*
- Rio Cinca, Spain 130–1, 134–40
- river systems
  - erosion 12–14
  - longitudinal profile 12–14
  - Pyrenees 129–45
  - response times 18–20
  - terraces 131–2, *134*, 142
  - see also* fluvial systems
- rock types
  - drainage density 173, *174*
  - slope analysis 170–2
  - South Africa 169
- sand–gravel mixtures 117–27
- sandstones 132–4, *135*
- Saxe catchment 73–6
- sedimentary flows *see* turbidity currents
- sedimentology 98
- sediment routing systems 2
  - catchment–fan systems 15–18, *19*
  - response times 22–5, *24*
- sediments
  - debris flows 72–3
  - fluxes 124–5, 129
  - submarine 186
  - suspended 141
  - transport 3–4, 18–20, *42*
  - see also* bedload
- semi-arid landscapes 167–81
  - see also* drylands
- shear failure 184, 190
- sheetwash erosion 180
- short-term events 3
- silts 85
- siltstones 132, *133*
- simulations
  - karst landforms 53–60
  - see also* laboratory study; modelling
- single annual flood events 80, 82, 99–101
- slip rate 16–17
- slopes
  - analysis 169–72
  - canyons 186–9
  - concave 169, 170–2, 176–7, *178*
  - continental 183–94
  - fans 16–17
  - hillslopes 14–15, 33–4, *42*
  - palaeoslope 136–7
- small flood experiments 118–23
- snowmelt flooding 80, 82
- solar signals 3, 105–15
- South Africa
  - Land sat imagery analysis 175–8
  - landscape analysis 169–75, 178–81
  - landscape and rainfall data 167–9
  - pediments and interfluves 167–81
- south central Pyrenees
  - bedload transport 129–45
  - palaeorivers comparison 142–3
- Southern Alps, New Zealand 22, 23
- Spain
  - bedload transport 129–45
  - catchment equilibrium *34*
  - major storm events *33*, *41*
  - Rio Cinca 130–1, 134–40
- spatial patterns
  - anisotropy/isotropy of karst 49–53, 54–60
  - bed load transport 117–18
  - entrainment 120–3
  - equilibrium 37–8, *42*
- steady-state landscape 1, 8, 22, 23, 63, 76, 147
- stratigraphic successions 129–45
- stream power
  - proto-Rio Cinca 134–5, 140, 141
  - rule 12–13, *14*
- STRM digital elevation data base 148–9, *150*
- subarctic nival regime 80, 85
- submarine canyons 4, 183–94
- submarine sediments exhumation 186
- surface runoff
  - CHILD model 51–2, 58, 60
  - simulation 55, 58, 60
- surfaces *see* erosion surfaces
- suspended sediment 141
- Switzerland, debris flows 73–6
- system variables 31
- tectonics
  - active environments 1, 7–28
  - displacement 8–9
  - forcing 21–3
  - inversion 145–66
  - orogenic scale 9
  - perturbation 21–3
  - uplift 147, 157–8, 163–4
- terrestrial molluscs **90**
- timescales
  - anisotropic/isotropic dissolution 50–3, 54–60
  - entrainment 120, 121–2
  - equilibrium 38–40
  - tectonic landscapes 2, 7–28
- topography
  - footwalls 9–12
  - planar landforms 147–66
  - slope canyons 186–7, *190*
  - South Africa 178, *179*
- transient landscape 22, 23
- tree pollen 86, **87**, **89**
- turbidity currents 183–5, 191
- UK, Nene Valley catastrophic events 79–104
- unimodal gravel experiments 120–1, *123*
- uplift 147, 157–8, 163–4
- USA, Atlantic slope canyons 186–9
- valley fill 109, **111–12**
- vegetation 169, 176
- velocity, proto-Rio Cinca 137–8
- water erosion 179–80
- Younger Dryas 91, 97, 99
- younger pediments 151–2