

# Index

- acritarchs 131  
Aeronian, recovery patterns 127–33  
Alaska, graptolites 119–26  
Albian, Late, Albian–Cenomanian oceanic anoxic events (OAEs) 240–1  
ammonites 231  
  Campanian 299–308  
  desmoceratacean, E Russia, Sakhalin 299–308  
  Santonian–Maastrichtian, stratigraphy 300–3  
  see also goniatites  
ammonoids  
  early stages 164–8  
  goniatite survival 163–85  
  Japan 306  
  juvenile ornament 169  
  morphological sequence 169  
  protoconch size 166, 181  
  recovery, Sakhalin 304, 306  
  taxonomic diversity, dynamics 305  
*Amphipora*-bearing limestone 135–61  
angiosperms, origination, extinction and diversity 73  
Anisian Stage 223, 224  
  Lazarus taxa 227  
Annulata Event, Devonian 178  
Apterygota 65  
archaeocyaths 82, 86  
Ashgill, correlation of biotic events 129  
*Atavograptus atavus* Zone 124  
Avalonian plate 125
- bacterial chemosymbioses 49–50  
benthic communities  
  Phanerozoic trends 2, 3  
  tiering 3, 4  
bioturbation, ichnofabrics 5–6  
Botomian, Early–Middle Botomian, Sinsk Event 80–1  
brachiopods  
  first appearances, Europe 233  
  Ordovician mass extinction events 102  
Brazil, Cretaceous–Tertiary boundary (K/T) event,  
  Poty section 318–36  
*Brotzenella*, evolutionary lineage 341  
bryozoans 61
- calcimicrobes 82–5, 87  
Cambrian  
  cyanobacteria, interactions with reef-building organisms 82  
  Early Cambrian mass extinction  
  reef ecosystem recovery 79–96  
  reef-building organisms 82–8  
  Sinsk Event 80–1  
  explosion of phyla, status 9–10  
*Caninia* 187  
Cantabrian Mountains, rugose corals 187–99  
Capitan Limestone, Texas Permian Basin 224–5  
Capitanian Stage 223
- Carbonate Dagestan 259  
carbonate ramps, Frasnian–Famennian 135  
Carboniferous  
  ‘lesser mass extinction event’  
  rugose corals  
  extinction 188–9  
  recovery 192–7  
  survival interval 189–91  
catastrophic mass extinction 54  
Caucasus, N  
  foraminifera, Danian extinctions 337–42  
  locations 337  
Caucasus, NE  
  foraminifera, Cenomanian–Turonian Boundary Event 259–64  
  location map 260  
Cauvery Basin, oceanic anoxic events (OAEs) 238  
Cenomanian–Turonian Boundary Event  
  dinoflagellate cyst assemblages recovery, England,  
  oceanic anoxic events 279–97  
  England, S 267  
  food chain recovery 265–77  
  foraminifera 237–44, 259–64  
  Milankovitch rhythms 246  
  oceanic anoxic events (OAEs)  
  India, SE, Cauvery Basin 237–44  
  NE Caucasus 259–64  
  Spain, Menoyo section 245–58  
  Turonian lithological logs, England, SE 280–2  
Changxingian Stage 223, 224  
Chotec Event, Eifelian 171  
Clementsian ecosystem theories 216–17  
climate and ocean-state, Ordovician, Late, mass  
  extinction event, conodonts 105–18  
climax cut-off model 61–2  
clymeniid ammonoids 163  
coal-balls 202–4, 215–16  
community structure, mass extinction recovery 61–3  
Condros Event, Devonian 178  
conodonts  
  F–F facies 136–7  
  Middle *varcus* Zone 174  
  Ordovician, Late, mass extinction event  
  appearance of new taxa 112–14  
  climate and ocean-state models 105–18  
  per taxon rates of extinction and origination  
  114–15  
coralomorphs 82  
corals 127–8  
  see also reef-building organisms  
corals, rugose  
  Carboniferous ‘lesser mass extinction event’ 187–99  
  morphoecotypes 189  
  morphotypes 187  
*Coronograptus gregarius* Zone 124  
Corsicana Formation, naticid drilling frequencies  
  375–7  
Cretaceous  
  marine food chain model 266

- mollusc species 'fabric', US Atlantic and Gulf coastal plain 309–18  
oceanic anoxic events (OAEs) 238  
Cretaceous–Palaeogene (K/Pg) see Cretaceous–Tertiary boundary (K/T) event  
Cretaceous–Tertiary boundary (K/T) event  
extinction and survivorship selectivity 363–4  
foraminifera  
  Danian, Early 319–35  
  Tethyan, S 343–71  
gastropod predator–prey system 373–86  
insects 74  
North American Coastal Plain 373  
recoveries, mixed and graded communities 62–3  
crinoids 231  
crisis progenitor taxa  
  mass extinction recovery 15–39  
  Phanerozoic examples 20–1, 23–6  
cyanobacteria  
  interactions with reef-building organisms  
  Cambrian 82  
  Lower–Middle Ordovician 89  
cycadophytes, recoveries 62  
Czech Republic, Frasnian–Famennian events 135–61  
*Czekanowska*, recovery 62
- Dakhla Formation, Tunisia 346  
Daleje Event, Emsian 170–1  
Danian extinctions, foraminifera  
  Caucasus, N 337–42  
  K/T boundary event 319–35  
Decorah Shale 97, 102  
Deicke metabentonite 97–104  
  Deicke–K horizon 102  
dendrolites, Cambrian–Lower Ordovician 87  
desmoceratacean ammonites, Russia, E, Sakhalin,  
  Santonian, Campanian boundary event 299–308  
Devonian  
  Annulata Event 178  
  Condroz Event 178  
  Enkeberg Event 178  
  Hangenberg Event 179–81  
  Kellwasser Events 135–61, 163, 177  
Devonian, Late  
  goniatite survival 163–85  
  Nehden Event 177–8  
  reef-building organisms 135–61  
dinoflagellate cyst assemblages recovery  
  England, S  
  Cenomanian–Turonian Boundary Event 279–97  
  list 284  
dinosaurs  
  gigantism tendency 63  
  recoveries 62–3  
disaster species, trophic/life habit 45, 47  
Djulflian Stage 223, 225  
dormancy 49  
Dubuque–Maquoketa boundary, US 102
- ecosystem reconstructions, England, S 268–73  
Edenian, Stewartville Formation 102  
Egypt, K/T foraminifera 346, 348  
Eifelian, Chotec Event 171  
El Kef, Tunisia, K/T foraminifera 343–71  
Elburgan Formation 337  
Elvis-taxa 79  
Emsian  
  Daleje Event 170–1  
  Zlíchov Event 168–70  
England, S  
  ecosystem reconstructions 268–73  
  location maps 279  
  oceanic anoxic events, dinoflagellate cyst  
  assemblages recovery, Cenomanian–Turonian  
  Boundary Event 279–97  
  see also UK  
Enkeberg Event, Devonian 178  
Eocene–Oligocene extinction, Cretaceous–Tertiary  
  extinction, gastropod predator–prey system,  
  naticids 373–86  
Estonia, and Ordovician mass extinction 127–33  
Europe  
  bivalve molluscs 234  
  brachiopods 233–4  
  first appearances 233  
  (end)-Triassic mass extinctions, marine fauna 231–6  
  Frasnian–Famennian–Kellwasser events, Mokrá  
  Section, Moravia 135–61  
  evolutionary palaeoecology  
  comparative approach 6–10  
  Permian–Triassic mass extinction 7–9
- ferns, opportunists 216  
food chain recovery, Cenomanian–Turonian  
  Boundary Event 265–77  
foraminifera 231, 251, 252  
  accumulation rates (PFARs) 348–9  
  benthic K/T boundary, El Kef 349–54  
  Cenomanian–Turonian Boundary Event  
  Britain 265–77  
  Caucasus, N 337–42  
  Caucasus, NE 259–64  
  India 237–44  
  Spain, Menoyo section 245–58  
  Cretaceous–Tertiary boundary (K/T) event  
  Danian, Early 319–35  
  Tethyan, southern 343–71  
  Danian extinctions, Caucasus, N 337–42  
  dynamics of diversification 262–4  
  oceanic anoxic events 259–64  
  India, SE, Cauvery Basin, Cenomanian–Turonian  
  Boundary Event 237–44  
  productivity, Maastrichtian P/B ratios 348  
  zones, rugose corals 189  
Frasnian  
  Frasnes Event 175–6  
  Middlesex Event 176  
  Rhinestreet Event 176–7  
Frasnian–Famennian–Kellwasser events, Mokrá  
  Section, Moravia, Central Europe, extinction  
  recovery gradients 135–61
- gastropods, naticids, predator–prey system,  
  Cretaceous–Tertiary extinction and Eocene–

- Oligocene extinction 373–86  
 Genudewa Event, Frasnian 175  
 gigantism tendency 63  
 Stephanian (Late Pennsylvanian) 213–15  
 Givetian  
 Kacák Event 171–3  
 Pumilio Events 173–4  
 Gleasonian ecosystem theories 216–17  
 Glenwood formation 97, 102  
*Globigerina eugubina* Zone 337  
 Globigerinida 323  
 Globorotalida 323  
 goniatites, juvenile, survival strategies, Devonian extinction events 163–85  
 graptolites  
 Ordovician, Late, mass extinction event, Alaska 119–26  
 Silurian, Early, recovery patterns 128–31  
 Guadaloupian, gastropods 224  
 guilds, Phanerozoic trends 2, 3
- habitats  
 protected or buffered 44  
 refugia species 21–2, 44–5  
 Hangenberg Event, Devonian 163, 179–81  
*Haustator bilira* Assemblage Zone 309  
 Hawke Bay Event 79–96, 81–2  
 herbivores, gigantism tendency 63  
 Hettangian, Lower Jurassic 231–2  
 hexapods *see* insects  
 high-resolution stratigraphy 55–6  
 Hirnantian 130  
 Holometabola 65  
*Homoceras* Zone 187
- ichnofabrics 5–6  
 India, SE, Cauvery Basin  
 Cenomanian–Turonian Boundary Event, oceanic anoxic events (OAEs), foraminifera 237–44  
 Cretaceous rocks distribution 238  
 Indian Ocean, development 237  
 Induan stage 224  
 Triassic recovery 226  
 Inoceramidae, *Mytiloides* 26–34  
*Inoceramus*, displacing *Mytiloides* 33  
*Inoceramus labiatus* Zone 260  
 insects  
 Appendix 1, dating update 76–7  
 apterygotes, origination, extinction and diversity 69, 70  
 Cretaceous–Tertiary extinction 74  
 diversity trends 65–78  
 ordinal diversity 74  
 early evolution 69–75  
 oligoneopteran vs polyneopteran life-cycles 70  
 origination, extinction and diversity  
 families 67, 68  
 genera 68  
 oligoneopterans 72  
 orders 66  
 palaeopterans 71  
 paraneopterans 71  
 Phanerozoic 65–78  
 polyneopterans 71  
 Israel, K/T foraminifera 346, 348
- Jurassic, Lower, Britain, species diversity 232  
 Jurassic–Cretaceous boundary, recoveries, mixed and graded communities 62–3
- Kacák Event, Givetian 171–3  
 Karai–Kulakkainattam, India, SE, Cauvery Basin 237–44  
 Karanaiskaya Formation 260  
 Kellwasser events 163  
 Central Europe 135–61  
 Frasnian–Famennian 135–61, 163, 177  
 Kincaid Formation, naticid drilling frequencies 375–7
- Lagarograptus acinaces* Zone 124  
 Laurentian craton 107, 119  
 Lazarus taxa 21, 41, 55, 223–4  
 Liassic, Britain, species diversity 231–4  
 Llandovery  
 acritarchs 131  
 correlation of biotic events and env/parameters 129  
 recovery patterns 127–33  
 lycopsids, *Chaloneria* 201
- Maastrichtian, Upper, benthic foraminifera, Middle East 355–9  
 Maastrichtian–Danian boundary *see* Cretaceous–Tertiary boundary (K/T) event  
*Manticoceras* Event 175  
 marine fauna, Europe, (end)-Triassic mass extinctions 231–6  
 mass extinctions  
 mass extinction–survival–recovery intervals 15–16  
 stepwise or graded 52, 54  
*see also* recoveries; survivors and survival mechanisms; specific events  
 metabentonite horizons, Ordovician 97–104  
 microbial structures 6  
 Middle East  
 benthic foraminifera 355–60  
 benthic foraminiferal assemblages 355–7  
 Middlesex Event, Frasnian 176  
 models for biotic survival, mass extinction recovery 41–60  
 Mokrá Section, Moravia, Central Europe  
 Frasnian–Famennian–Kellwasser events  
 extinction recovery gradients 135–61  
 interpretation 158–60  
 stratigraphy, data analysis 137–58
- molluscs  
 antipredatory characters, four faunas 384  
 bivalve molluscs 231  
 first appearances, Europe and S America 234  
 gastropod predator–prey system, Cretaceous–Tertiary boundary (K/T) event and Eocene–Oligocene extinction 373–86  
 gastropods, Permo-Triassic mass extinction 223–9

- proportions by habitat, USA 313, 315  
 species 'fabric', Cretaceous, US Atlantic and Gulf coastal plain 309–18
- Monte Carlo simulations 135
- Moodys Branch, molluscan assemblages 374–85
- Mytiloides*, crisis progenitor bivalve 26–34
- naticids  
 drillhole morphology and size 373  
 drillholes through time  
   bivalves 376  
   gastropods 376  
 drilling behaviour, stereotypy 378–82  
 gastropods predator–prey system  
   Cretaceous–Tertiary extinction, Eocene–Oligocene  
     extinction 373–86  
     model of escalation 382–5
- nonismogenesis 305–6
- North America  
 Alaska 122–3  
 Atlantic and Gulf coastal plain, mollusc species 'fabric', Cretaceous 309–18  
 Canadian Cordillera 121–2  
 Coastal Plain, Cretaceous and Palaeogene 373–86  
 Great Basin 120–1  
 metabentonite horizons, Ordovician 97–104  
 molluscan assemblages 374  
 north central USA  
   Ordovician extinction events, Ostracode  
     speciation 97–104  
 ostracode speciation 97–104  
 Ordovician, Late, mass extinction event, graptolites 119–26  
 Ordovician, Middle and Upper, mass extinction event, summary correlation chart 98  
 peat-forming environments, Pennsylvanian, Middle–Late, transition 201–21  
 Pennsylvanian Transition 201–21
- Novaya Zemija, rugose corals, distribution 189, 190, 191
- ocean-state model  
 biotic changes, summary 110  
 composite standard reference section (CSRS) range charts 111–15  
 Ordovician mass extinction events 107–12
- oceanic anoxic events (OAEs)  
 Cenomanian–Turonian Boundary Event, India, SE, Cauvery Basin 237–44  
 and continental productivity, Tethyan, S 362–3  
 dinoflagellate cyst assemblages recovery, England, S, Cenomanian–Turonian Boundary Event 279–97  
 foraminifera 259–64
- Olenekian, Triassic recovery 226–7
- Ordovician, cyanobacteria, interactions with reef-building organisms 89
- Ordovician mass extinction events  
 conodonts  
   climate and ocean-state 105–18  
   IGCP Project 335 model 106
- Estonia 127–33  
 graptolites, North America 119–26  
 Ordovician–Silurian, global sea-levels and ocean-state 106–12  
 Ostracoda, speciation 97–104, 231  
 summary correlation chart 98
- Ostracoda, K/T boundary 359
- Ostracoda, speciation 231  
 Ordovician (Middle) extinction events, United States, north central 97–104  
 Upper Mississippi Valley, stratigraphic distribution 99–101
- paedomorphosis 44
- Palaeocene, Early, S Tethyan 359–60
- palaeoecology, assessment 1–13
- Palaeosmilia* 187
- Parakidograptus acuminatus* Zone 120, 123–4
- Paraorthograptus pacificus* Zone 121–5
- peat-forming environments, North America, Pennsylvanian, Middle–Late, transition 201–21
- Pennsylvanian, Middle–Late, transition, peat-forming environments, North America 201–21
- Permian, percent extinctions 226
- Permian Basin, Texas, Capitan Limestone 224–5
- Permian–Triassic mass extinction 7–9  
 gastropods 223–9
- PFARs (planktonic foraminifera accumulation rates) 348–9
- Phanerozoic  
 insect origination and extinction 65–78  
 palaeoecological trends 1–13  
 patterns of recovery and radiation 22–3  
 trends, benthic communities  
   onshore–offshore patterns 4  
   tiering 3, 4
- plants *see* vascular plants; *named groups*
- Platteville Limestone 97, 102
- Plenus Marl Formation 279
- Pliensbachian Stage 231  
 Lower Jurassic 232
- population dynamics, widespread dispersion 48–9
- Poty section, Brazil, foraminifera, K/T boundary event 319–35
- Praeglobotruncana imbricata* Zone 260
- preadaptation 43, 44
- Prionoceras*  
 differentiation from *Mimimitoceras* 179  
 Stockum Limestone 180–1
- Prosser Formation 102
- Pterygota 65
- Pumilio Events, Givetian 173–4
- recoveries  
 community structure 61–3  
 crisis progenitor taxa 15–39  
 defined 265  
 dinoflagellate cyst assemblages, Cenomanian–Turonian Boundary Event 279–97  
 foraminifera, oceanic anoxic events 237–44  
 gradients, Frasnian–Famennian–Kellwasser events, Central Europe 135–61  
 graptolites, Silurian, Early 128–31

- Jurassic–Cretaceous boundary, mixed and graded communities 62–3  
 models for biotic survival 41–60  
 reef ecosystem, Cambrian, Early, 79–96  
 Silurian, Early 127–33  
 reef-building organisms  
   Early Cambrian extinction  
     ecosystem recovery 79–96  
     generic diversity 80  
   end-Triassic mass extinctions 234  
   Hawke Bay Event 81–2  
   Late Devonian 135–61  
   Lower–Middle Ordovician 88–9  
   organism interactions  
     Late Cambrian reefs 88  
     Middle Cambrian reefs 86–8  
   *see also* corals  
   Sink Event 80–1  
   terminology 160  
 refugia species 21–2  
   habitats 44–5  
   temporal and abundance patterns 46  
 Rhinestreet Event, Frasnian 176–7  
 Rhuddanian Stage 127  
   recovery patterns 127–33  
 rhynchonellid brachiopods 231  
 Rocklandian Stage ash fall 97  
*Rotalipora*, disappearance 260  
*Rotalipora cushmani* Zone 245–58, 259–64  
 rudist bivalves 61  
 Russia, *see also* Caucasus, N and NE  
 Russia, E, Sakhalin, desmoceratacean ammonites, Santonian, Campanian boundary event 299–308  
  
 Santonian, Campanian boundary event, desmoceratacean ammonites, Russia, E, Sakhalin 299–308  
 Santonian–Maastrichtian, stratigraphy 300, 301  
 sea-levels  
   and benthic changes 361–2  
   Cretaceous–Tertiary boundary (K/T) event 360–1  
   Ordovician mass extinction events 106  
   Silurian 120  
*Selaginella*, recoveries 62  
 Shannon–Weaver heterogeneity index H(S) 247  
 shell beds 6  
 Shermanian, Prosser Formation 102  
 Silurian, Early  
   diachronous recovery patterns  
     acritarchs 131  
     corals 127–8  
     graptolites 128–31  
   Llandovery palaeogeography map 120  
   recovery patterns 127–33  
 Sinemurian Stage, Lower Jurassic 231, 232  
 Sink Event 80–1  
*Skolithos*, in ichnofabrics 5–6  
 Spain, Menoyo section  
   Cenomanian–Turonian Boundary Event  
     foraminiferal 245–58  
     lithostratigraphy 246  
   location 245  
 Spain, Zumaya section, Maastrichtian 314  
 Spathian Stage 223  
  
 Stephanian (Late Pennsylvanian) 201  
   gigantism 213–15  
   post-extinction system 210–12  
   Westphalian–Stephanian transition 206–10  
 stepwise or graded mass extinction 52, 54  
 Stewartville Formation 102  
 Stockum Limestone, *Prionoceras* 180–1  
 Strangelove Ocean period 319  
 stromatolites  
   Cambrian–Lower Ordovician 87  
   Late Cambrian 88  
   Lower–Middle Ordovician 88–9  
   trends 6, 8  
 survivors and survival mechanisms 16–18  
   adaptive mechanisms, summary 51–5  
   common groups 18–22  
   crisis progenitors 20–1  
   disaster species 19–20  
   ecological generalists 18, 47–8  
   ecological opportunists 20  
   habitats, protected or buffered 44  
   opportunists 47  
   paedomorphosis 44  
   persistent trophic resource exploiters 48  
   physiological traits  
     bacterial chemosynbioses 49–50  
     dormancy 49  
     reproductive adaptation 50–1  
     skeletonization requirements 50  
   population dynamics 48–9  
   preadaptation 43, 44  
   preadapted survivors 20  
   rapid evolution 43  
   refugia species 21–2  
   stranded populations 21  
   survivorship selectivity, K/T event 363–4  
  
 Taghanic Event, Devonian 174  
 Tatarian stage 224  
 Telychian, recovery patterns 127–33  
 terminology, reef-dwelling fauna 160  
 Tethyan, S  
   benthic communities, stages 357–60  
   continental productivity, and oxygen deficiency 362–3  
   foraminifera, Cretaceous–Tertiary boundary (K/T) 343–71  
   Palane, Early 359–60  
 Texas Coastal plain, naticid drilling frequencies 375–7  
 Texas Permian Basin, Capitan Limestone 224–5  
 thrombolites  
   Late Cambrian 88  
   Lower–Middle Ordovician 88–9  
 Timan, N, rugose corals, distribution 192  
 Toarcian, mass extinctions 231–6  
 Tommotian Stage 79  
 tree ferns 201  
 (end)-Triassic mass extinctions, Europe, marine fauna 231–6  
 Triassic recovery, phases 1–3 226–7  
 trophic/life habit  
   disaster species 45, 47  
   ecological generalists 47–8

- opportunists 47
- persistent trophic resource exploiters 48
- tropical peat-forming environments 201–21
- Tunisia
  - K/T foraminifera 343–71
    - benthic, common taxa 349–54
    - faunal turnover 354
    - productivity 348–9
- Turonian *see* Cenomanian–Turonian Boundary Event
- UK, Ordovician, Middle and Upper, mass extinction event, summary correlation chart 98
- USA *see* North America
  
- vascular plants
  - origination, extinction and diversity
    - angiosperms 73
    - families 73
  
- Vendian–Cambrian *see* Cambrian explosion
  
- Wenlock Stage 127
  - Estonia 130–1
  - recovery patterns 127–33
- Westphalian D mires 204–6
- Westphalian Stage extinction 201
- Westphalian–Stephanian transition 206–10
  - pre-extinction–postextinction landscapes 212–15
- Whiteinella archaeocretacea* Zone 245–58
- Wordian Stage 223–5
  - Lazarus taxa 224
  
- Yazoo Formation, molluscan assemblages 374
  
- Zlichov Event, Emsian 168–70