

Index

- Coalbed methane is referred to as CBM where appropriate
- advanced hydraulic fracture treatment for gas extraction 6
- anthracite 200, 254, 255
methane potential 184–95
- anthracite characterization 213–24
elemental analysis 217, 217
experimental methodology 214–16
mineral particles 214, 215
chemistry 218–20, 218
morphology 219, 220
particle size 215, 216–17
distribution 216
potentiometric titration 216, 222–3
radiofrequency-induced oxygen plasma (RFIP) 215
sample details 214–15, 214
scanning electron microscopy 215, 216
surface area and porosity measurements 214, 216, 220–2, 220, 221
surface charge 214, 222–4, 222, 223
transmission electron microscopy (TEM) 214, 215, 218, 219
X-ray diffraction (XRD) 215, 217, 217, 218
X-ray fluorescence 215, 217
- Anthracosia ovum* lacustrine bed 318
- Appalachian foredeep basins 15–17, 19
- Armutlu Formation 327, 329–31
- aromaticity values 255, 257
- Ayridam coal mine 336
- Baralaba/Rangal Coal Measures 136–48, 152–62
basin analysis for CBM prospectivity 13–14
Beaulieu Member coal thickness distribution 55
Bialy Kamien Formation 261
- bituminous coals
Bohemian and Moravian 249–59
matrix shrinkage 200–3
North Staffordshire 39–41
Point of Ayr 287–99
- Blumenthal Fault (Ruhr District) 70, 71, 72, 77, 86, 87
- Bohemian and Moravian coals 249–59
- Bulgarian coals *see* mineralogy of subbituminous coals
- calcite 154, 158–9, 161–2, 171, 296, 297
- Cannock Coalfield 39
- cavitation techniques for gas extraction 5–6
- CBM potential in Variscan foredeep basins 13–24
basin analysis factors 13–14
coal ranks 13–14, 20, 22, 23
coal thicknesses 14, 20
degassed coal seams, zone of 14–15, 20–1, 22–3, 25
degassing influenced by environment of exposure 23
erosion history related to *in situ* methane content 22–3, 24
factors important in methane production 16
methane content of basins
high 21–2
lateral variations 23
low 20–1
- permeability of coalbeds
determined by drilling 14, 24
influenced by thermal events 13
related to rank and depth of coals 13, 20
subsidence history curves 19–20
- Variscan and Appalachian foredeep basins 13, 15–19
- Variscan thrust belt 17, 18
- CBM in Russia and Ukraine 89–101
coal basin characteristics 93
coal basin locations (map) 91
coal composition and rank 93, 97
coal production associations 94, 95, 96
coalbed methane resources 90–7
Donetsk Basin 93
Kuznetsk Basin 97
L'Vov-Volyn Basin 93–7
energy consumption 89
hardcoal production 90
methane
liberation 93, 97
recovery 99–100
resource estimates 97–9, 97
utilization 100
natural gas 89–90
stratigraphic correlation of coal-bearing formations 92
- CBM technology and worldwide resources 1–11
advanced hydraulic fracture treatments 6
case history of San Juan 32-7 Unit No. 6 well 9–10
causes of well failure 6
cavitation technique development 5–6
dynamic openhole cavitation completions 4–6
enhanced recovery by nitrogen injection 7–8
production from deep wells 8–9
seismic characterization of fractured coalbed reservoirs 6–7
- Celtek Formation 325, 327, 329, 331, 337
- cleat mineralization (Bowen Basin) 151–62
accessory minerals 154, 156, 157, 159
butt cleats 38–40, 154, 156, 157, 158–9, 161–2
calcite 154, 158–9, 161–2
fluid inclusion analysis 159
electron microprobe analysis 152, 155, 157
face cleats 39–40, 154–8, 160, 161–2
illite 154–8, 155
distribution as cleat-fill 156–7
early and late phases 159–60
origin and mechanism of formation 160–1
radiogenic isotope (K/Ar) dating 157–8, 158, 159
stable isotopes 158, 159
- illite-water fractionation curves 160, 160
- joints 154, 159
- location map 152
- methodology 152
- mineral frequency histograms 154
- mineralization by gravity-driven groundwater flow 161, 162
- palaeogeothermal gradients 161, 162
- sample localities 152, 153

- cleat mineralization (Bowen Basin) (*continued*)
 scanning electron microscopy (SEM) 152, 154–5, 155
 structural setting 151–2
 X-ray diffraction (XRD) 152, 155–6, 156
- cleats 129, 136–8
 in coal clasts 112–13
 intensity 38–41
 as macropores 165–6, 167, 176
 mineralized 40, 112, 138–9, 151–62, 171
 orientation 136, 140, 141–6
 origin of 104, 117–18, 146–7, 182–3
 and permeability 7, 9, 14, 38–9, 104
 relative development in bright and dull coals 138, 139, 186
 response to gas desorption 9, 206
 and stress 40, 41, 104, 105, 118
see also cleat mineralization
- coal basins
 Aachen 17
 Appalachian 4, 18
 Arkoma 4, 18
 Black Warrior 4, 11, 13, 15, 16, 17–24, 166, 203
 Bowen 133–48, 151–62, 165–78
 Bristol–Somerset 15, 16, 19–29, 22–3
 Campine 17
 Deep 9
 Donetsk 90, 93, 94, 98, 99
 Kent 15, 16, 19, 20, 22, 23
 Kuznetsk 90, 96, 97, 98–9
 Lower Silesian 261–85
 L'Vov–Volyn 90, 93–7, 95, 98, 99
 North Bohemian 252
 North Staffordshire 27–41
 Oklahoma and Cherokee Basin 4
 Ostrava–Karviná 231–6, 250
 Oxford 15, 16, 19, 20, 22–4
 Pechora 92
 Pernik 301–13
 Piceance 4, 8–9, 11, 20
 Powder River 2, 4
 Raton 138, 146
 Ruhr 16, 17, 19–20, 21, 21, 22–3, 59–64
 Saar 59–64
 San Juan 4–8, 9–11, 13, 74, 146, 166, 203
 Sorgun 325–37
 South Wales 15, 16, 19–24, 103–19, 121–30, 181–95
 Suluova 325–37
 Surat 162
 Uinta 4, 9, 138
 Upper Silesian 15, 227–9, 231–6, 254
- coal beneficiation 287
- coal clasts in South Wales Coal Measures 103–19
 cleat 104, 105, 112, 117–18, 119
 orientation 112–13, 113, 114, 115
- coal clasts 106–19
 age 113–15
 causes of maturation 118, 119
 origins 116–17, 119
 pebbles 107, 109, 113, 115
 petrology 106, 109–12, 111, 112
 rafts 107–9, 109, 113, 114–15, 116
 shape 106–9, 107, 119
 types 117
- coal rank 105–6, 118–19
 geological map 104
 lithofacies 104–6
 maceral groups composition 109, 111, 112, 119
 palaeocurrent data 105
 sample localities, clast type and petrology 106
 size 107
 structural setting 105
 vitrinite reflectance 109–12, 112, 119
 map 105
- coal microstructures and secondary mineralization 165–78
 cleats (macropores) 165–6, 167, 171, 176
 coal structures 166–71
 desorption rates 172–6
 in bright coals 172, 174–6, 174, 175
 in dull coals 172–4, 173, 176
 experimental sorption methodology 171–2
 gas flow 166, 176–8
 four steps of migration 176, 177
 modelled as dual porosity system 165–6, 166, 176
 microcavities in dull coal 168–71, 168, 170, 176
 microfractures in bright coal 166–8, 168, 169, 170, 176
 blocky fractures 168, 168
 conchoidal fractures 168, 168
 microcleats 166, 167, 168
 striae 168, 168
 micropores (matrix) 143, 165
 minerals infilling microstructures 169, 170, 171
 phyteral porosity 168–71, 169, 170
 scanning electron microscopy (SEM) 166, 171, 176, 178
- coal properties of Sorgun and Suluova basins 331–4, 332, 333
- coal resources and production worldwide 1, 10–11
- coal and rock permeability under stress conditions 227–9
 experimental methodology 227–8, 228
 as function of confining pressure 228–9, 228, 229
- coal thickness frequency distributions (UK continental shelf) 43–57
 areas of Carboniferous deposits (map) 45
 areas of Mesozoic deposits (map) 46
 areas of Tertiary deposits (map) 47
 bias in thickness measurements 46–9, 48
 cumulative coal thicknesses 44
 frequency distributions 49–51, 49
 grouped by units 51–6
 methodology 49–51
 stratigraphic and geographical distribution 44–6
- coalbed methane production and resources
 in Russia and Ukraine 90–7
 in United States 2, 3–4, 11
 worldwide 2–3, 11
- coalbed permeability influenced by matrix shrinkage 197–211
 coalbed reservoir modelling 203–11
 elastic behaviour 204–5
 fracture closure strain 205
 fracture width influence on permeability 203–4, 204
 laminar flow assumptions 203
 matrix shrinkage strain 205
 schematic representation 204

- Langmuir isotherm model 202, 203
 measurements of coal matrix shrinkage 200–3
 model results 208, 209–11, 209, 210, 211
 Poisson's ratio 205, 207–8, 210, 211
 sensitivity study of model parameters 205–9, 206
 cleat spacing 206, 210–11
 elastic parameters 206–8, 207, 210
 initial permeability 206, 211, 211
 matrix shrinkage 207, 208, 209–10, 211
 strain during sorption and desorption of gases 198, 199, 200–2, 201
 Young's modulus 205, 206–7, 210, 211
see also permeability
- CP/MAS NMR (¹³C solid-state nuclear magnetic resonance spectrometry) 249, 254–5
- cross-sections
 Donar Mining area 79
 Ruhr 21, 69
 Sorgun coal basin 327
 Suluova coal basin 328
- D'Arcy's law (gas flow) 7, 151, 165, 186
- Darlaston borehole 36
- degassing of coals
 and depth 77, 78
 and fractures 186–95
 influence of environment of exposure 23
 subsurface zone of 14–15, 20–1, 22–3, 25, 36
- diffuse reflectance infra-red Fourier transform spectrometry (DRIFT) 250, 255, 256
- Donetsk coal basin 90, 93, 94, 98, 99, 100
- DRIFT (diffuse reflectance FTIR) 250, 255, 256
- dynamic openhole cavitation completions for gas extraction 4–6
- enhanced gas recovery by nitrogen injection 7–8
- Eocene rock distribution in Turkey 326
- Eski Celtek coal mine 329
- Fick's law (gas diffusion) 165, 186
- Firth Coal Formation coal thickness distribution 52–3
- Fort Union Formation coalbeds 2
- fossils (Sorgun basin green marls) 331
see also palynomorphs; palynostratigraphic correlation
- fracture systems in coal 121–30, 133–48, 182–95
 and matrix shrinkage 203–11
- fractures in Permian coals (Bowen Basin) 133–48
 cleats 137–8, 139, 142–8
 formation of 146–7
 coal fracture systems 137–9, 137
 geometries 139–41, 139, 146
 mineralization 138–9, 143
 regional trends 141–3, 141, 142
 relationship to structure 142, 143, 143,
 144–6, 144, 145, 147–8
 spacing 139, 140, 146
- joints in coal 138, 139–41, 146
- lithofacies 134
- location maps 134
- methodology 136–7
- radiometric dates on cleat minerals 147
- regional geology and structural development 133–4,
 136, 146–7
- Fruitland coals 4, 5–6, 7
- FTIR (Fourier transform infra-red spectrometry) 249
 Bohemian and Moravian coals 250, 255–8, 257, 258,
 259
 Point of Ayr coal 288, 295–7, 295, 296
- gas distribution controls (Ruhr district) 67–87
 adsorption capacity of coals 80, 81, 82
 basin hydrology 85
 Blumenthal Fault 71, 72, 77, 86, 87
 carbon isotopes 82–5, 85, 86
 coal composition 72–3
 degasification 74, 81, 86
 Donar mining area 77, 86
 gas content 80
 location 68
 structural cross-section 79
 exploration wells location map 68
- gas
 biogenic/thermogenic origins 82, 85, 86
 composition 82, 83
 desorbed 75, 76–7
 generation and migration 74, 82, 85
 saturation 81–2
 gas content of coals 75–7, 80, 81, 86
 east–west variation 77, 81, 86
 as function of depth 76, 77, 78
 as function of maturity 77
 influence of stratigraphic height 73, 74, 77, 80
 maturity 73–4, 77
 reservoir temperature and pressure 74–5, 75
 stratigraphy and depositional setting 71–2, 71
 structural cross-sections 69
 structural evolution 70–1
 structural maps 68, 70
 structural setting 67–70
 study area 67
- vitrinite
 content 80
 reflectance 73–4, 73, 77
- gas flow
 and coal microstructure 171–8
 D'Arcy's law 7, 151, 165, 186
 gas production from deep wells 8–9
 gassy coals zone 15, 21
 geological controls on CBM prospectivity
 (N. Staffordshire coalfield) 27–41
 ash content 34–5
 boreholes and mine shafts location 30
 cleats 38–41
 coal quality 34–5
 coal ranks 33–4, 41
 Darlaston borehole 36–7
 gas content 35–8, 39, 41
 Hobgoblin borehole 36
 location of Upper Carboniferous Coalfields 28
 Moss seam volatile matter 34, 37
 net coal thickness 31–2, 36
 number of coals 31–2, 35
 permeability 38–41
 Pie Rough borehole 34, 38
 stratigraphy and depositional environment 27–9, 31,
 33
 structural setting 30–1, 32

- geological maps
 Intrasudetic Basin 262
 Sorgun coal basin 327
 Suluova coal basin 328
- geology and coal characteristics of Turkish
 subbituminous coals 325–37
 Armutlu Formation 327, 329–31
 Artova ophiolitic complex 331
 basement 328
 Cekerek Formation 329–31
 Celtek Formation 325, 327, 329, 337
 coal chemistry 331–2, 337
 maceral analysis 331, 334–6
 methodology of investigation 331
 reflectance measurements 336–7
 sample analysis methods 331
 Sorgun and Suluova coal basins 325–37
 stratigraphic sequences 327–31, 327, 328
- German Creek Coal Measures 136–48, 152–62
- hardcoal resources and coalbed methane assessment
 (West Germany) 59–64
 KVB assessment system 59–61, 60
 blocks (basic unit of system) 60, 60, 61
 coalification 62, 63
 gas content data 62
 seam property data 61–2
 stratigraphy and coal thickness 61
 tectonics 61
- Hobgoblin borehole 36
- hydrogen content of coals influenced by roof lithology
 231–6
 hydrogen content 231
 inertinite macerals 235
 lithofacies 232, 233, 236
 maceral analyses 233
 volatiles 234
- hydrogeological factors in basin analysis 13
- illite 171, 292, 295, 296
 Bulgarian subbituminous coals 302, 313
 cleat mineralization 154–8, 155, 159–60, 160
 radiometric dates 147, 157–8
- image analysis for microlithotype analysis 237–47
 analytical repeatability 237, 238, 240–2
 experimental methodology 238–40
 maceral analysis 237, 23–40
 manual and automated analyses compared 242–3,
 242
 microlithotypes
 classification for automated analysis 246–7
 maceral composition displayed graphically
 243–6, 244, 245, 246
 nomenclature 239
 scanning patterns 240–1, 240
- infrared microscopy 249, 250, 255–8
- Intrasudetic Basin 261–85
 geological map 262
- Karviná Formation 231
- Kötter graticules 238, 239, 243, 247
- Kucukkohne coal mine 329
- Kuznetsk coal basin 90, 96, 97, 98–9, 100
- lignites 54–6, 252–9
- Lista Formation coal thickness distribution 54–5
- lithofacies, Ostrava-Karviná Coalfield 232, 233–6
- Lublin Basin (Poland) 90, 93
- L'vov-Volyn coal basin 90, 93–7, 95, 98, 99, 100
- macerals
 analysis 233–6, 237, 238–40
 application of image analysis systems 237–8,
 239–40
 Bohemian and Moravian coals 250–4, 255–9
 Carboniferous Ruhr District coals 73, 80
 composition in microlithotype classification 237–47
 graphical displays of distribution 243–6, 244, 245,
 246
 in Lower Silesian Zacler Formation 264, 265–7, 268,
 269–70
 Ostrava-Karviná Coalfield seams 233
 photomicrographs 252
 Sorgun and Suluova coals 334–6
- Madsan coal mine (Sorgun basin) 325, 327, 329, 336,
 337
- matrix shrinkage *see* coal bed permeability
- methane desorption in anthracite enhanced by
 fractures (S. Wales) 181–95
 cleat 182–3
 desorption rates 190–5
 correlation with HDP rates 190, 192–3, 192,
 194–5
 correlation with other variables 193–4, 194
 graphical plots 189, 191
 experimental methodology 188–9
 feather fractures 182, 183–4, 184, 185
 friable coal 182, 184, 187
 hand drill penetrometer (HDP) 187, 190, 193
 methane desorption models 186–7
 methane storage (free state and adsorbed) 186,
 188
 sampling procedure 187–8
 slickenside fractures 182, 184, 185, 185
 slip fractures 182
 structural and stratigraphic setting 181–2, 182
 vitrinite reflectance 183, 193–4
see also thrust-related permeability
- methane loss 13–14
- microlithotype analysis 237–47
- mineralogy of subbituminous coals
 (Pernik Basin) 301–13
 determination of pyritic sulphur 309–10
 geochemistry 310–12
 location 301
 methodology of investigation 302
 mineralogy 302–10, 313
 pyrite forms 304–9, 313
 classification 305
 micrographs 303, 305, 306, 307, 308, 309
 pyrite mineralization 302–4
 rare earth element patterns 313
 stratigraphy 301–2
 trace elements 310–12, 311, 313
 cluster analysis 312
- XRD analysis of coal samples 303, 304, 309–10, 313

- minerals in density-separated coal fractions 287–98
 ash distribution in fractions 289–90, 289
 element washability curves 292–5
 elemental concentrations in high-temperature ash
 291–2, 293, 294
 FTIR spectrometry 295–7, 295, 296
 methodology 287–9
 mineralogical analyses 295–7
 minerals in low-temperature ash 295–7
 petrographic analysis 288, 289–90
 weight distribution in fractions 289–90, 289
 XRD analysis 288, 296–7, 297, 298
- miospores 117, 315–16
 assemblages 316–17, 320
 statistical analysis 316
see also palynomorphs; palynostratigraphic correlation
- Murdoch Gas Field 318–21
 location 318
 palynostratigraphic correlations 318–21, 319, 320, 321
 structure and stratigraphy 318
- Ness Formation coal thickness distribution 53
 net coal percentage 14
 Ostrava Formation 231
 Ostrava–Karviná Coalfield 231, 233–6
- palynomorphs 315–16
 Murdoch Gas Field 31–21
 Sorgun and Suluova coals 329
 South Wales Westphalian 113–15, 117
 Zacler Formation 272, 275, 282, 285
- palynostratigraphic correlation in CBM exploration
 315–21
 application to coalbed methane exploration 317–18
 biostratigraphic resolution 316, 319
 effects of lateral edaphic variations 319–21
 historical review 316–17
 Murdoch Gas Field case study 318–21, 320, 321
- Pechora Basin 92
- Pentland Formation coal thickness distribution 53–4
 permeability 5, 6, 7
 anisotropy due to natural fracturing 6–7
 and cleats 7, 9, 14, 38–9, 104
 decreased by presence of minerals 40
 effects of thermal activity 13
 as function of stress 6, 9, 13, 40, 228–9, 228, 229
 relation to depth of coalbeds 8–9, 13, 20, 40
 variation with time 9
see also coal bed permeability influenced by matrix shrinkage; thrust related permeability in S. Wales coalfield
- petrographic composition, Sorgun and Suluova coals
 334–6, 335
- petrological and spectroscopic characteristics of Czech coals 249–59
¹³C CP/MAS NMR spectra 254–5, 254
 coal deposit localities 251
 DRIFT spectroscopy 255, 256
 infrared spectroscopy 249–50, 255–8
 macerals 250–4, 255–8, 257
 photomicrographs 250
- methodology 249–50
 micro-FTIR spectroscopy 255–8, 257, 258, 259
 sample identities and analyses 251
- petrology, facies and palaeoenvironments of coals (Zacler Formation) 261–85
 characteristics of petrological facies 272
 coal facies analysis 268–72, 273, 277, 279, 280, 281, 282
 coal ranks 263–4
Densosporites 282, 283, 285
 Intrasudetic Basin 261, 262, 283, 284
 lithological profiles of Zacler Formation 263
 lithostratigraphy 262
 lithotypes 264
Lycopora 275, 285
 maceral and microlithotype compositions 264, 265–7, 268, 269–70
 methodology 261–3
 palaeoenvironmental interpretations 272–85
 Nowa Ruda region 276–7, 283
 Slupiec region 278–82
 Walbrzych region 272–6
 palynology 272, 275, 282, 285
 petrographic compositions 265, 269, 270
 petrographic facies indices 268–80, 284
 petrological coal facies 274, 275, 276, 284
 TPI and GI indices relationships 272, 273, 274, 275, 276–9, 280, 281, 283
- Point of Ayr coal 287–98
- pyrite 40
 anhedral 308, 309, 313
 euhedral 307, 308, 313
 framboidal 254, 304–6, 305, 306, 307, 336, 313
 infiltrational 308–9, 309, 313
 massive 254, 307–8, 308, 309, 313
 mineralization 302–4
 Pernik basin coals 304–10
 Point of Ayr coal fractions 292, 296, 297
 porously textured 303, 303
 Sorgun and Suluova coals 336
- Rangal Coal Measures 133, 136–48, 152–62
 reflectance measurements, Sorgun and Suluova coals
 336, 336
 roof rocks, related to hydrogen loss 231–6
 Ruhr district *see* coalbed gas distribution in Ruhr district
- Saar coal basin district 61, 62
 San Juan 32–7 Unit No. 6 well (case history) 9–10
 seam sections, Sorgun and Suluova basins 330
 seismic characterization of fractured coalbed reservoirs 6–7
- Sorgun and Suluova coal basins (Turkey) 325–37
 stratigraphic correlation methods 315
 stratigraphic height of seams 61, 73, 74, 77, 80
 subbituminous coals
 Bulgaria 301–13
 Turkey 325–37
 subsidence analysis 19–20, 147
 thrust-related permeability in South Wales Coalfield
 121–30
 chevron folds 126–7, 126, 129
 cleat fractures 129

- thrust-related permeability in South Wales Coalfield
(*continued*)
 cleavage duplexes 125, 126, 127, 128, 129
 geological map 122
 isolated thrusts
 associated strain 124–5
 dilatant extensional veins 124, 127, 127, 128, 128,
 130
 geometry 122–4, 123
 Nant Helen opencast site 125, 128–9, 128
 stress geometry 123
 linked thrusts 130
 permeability pathways 129–30
 shear failure and hydro-fracturing 124–5, 124, 125
 structural setting 121–2
 thrust-related folds 125
 Variscan transpressional rotation 129, 130
see also anthracite desorption affected by
 tectonically induced fractures; permeability
- Van Krevelen diagram, Sorgun and Suluova coals 334
 Vanderbeckei Marine Band 318
- Variscan foredeep basins 15–17
 vitrinite reflectance as measure of maturity 73–4, 73, 77
- Walbrzych Formation 261
 Westphalian coal thickness distribution 51–2
 Westray Group coal thickness distribution 56
- X-ray diffraction 152, 215, 288
 anthracite characterization 217, 217, 218
 cleat-fill illite 155–6, 156
 mineralogy of LTA residues 296–7, 297, 298
 quantitative determination of pyrite 309–10, 313
 subbituminous coals 303, 304
- Yeni Celtek coal mine
 Sorgun basin 327, 328, 331–2, 336
 Suluova Basin 325, 37
- Zacler Formation, Lower Silesian Basin 261–85