

# Index

- Coalbed methane is referred to as CBM where appropriate
- advanced hydraulic fracture treatment for gas extraction 6
- anthracite 200, 254, 255  
methane potential 184–95
- anthracite characterization 213–24  
elemental analysis 217, 217  
experimental methodology 214–16  
mineral particles 214, 215  
chemistry 218–20, 218  
morphology 219, 220  
particle size 215, 216–17  
distribution 216  
potentiometric titration 216, 222–3  
radiofrequency-induced oxygen plasma (RFIP) 215  
sample details 214–15, 214  
scanning electron microscopy 215, 216  
surface area and porosity measurements 214, 216, 220–2, 220, 221  
surface charge 214, 222–4, 222, 223  
transmission electron microscopy (TEM) 214, 215, 218, 219  
X-ray diffraction (XRD) 215, 217, 217, 218  
X-ray fluorescence 215, 217
- Anthracosia ovum* lacustrine bed 318
- Appalachian foredeep basins 15–17, 19
- Armutlu Formation 327, 329–31
- aromaticity values 255, 257
- Ayridam coal mine 336
- Baralaba/Rangal Coal Measures 136–48, 152–62  
basin analysis for CBM prospectivity 13–14  
Beaulieu Member coal thickness distribution 55  
Bialy Kamien Formation 261
- bituminous coals  
Bohemian and Moravian 249–59  
matrix shrinkage 200–3  
North Staffordshire 39–41  
Point of Ayr 287–99
- Blumenthal Fault (Ruhr District) 70, 71, 72, 77, 86, 87
- Bohemian and Moravian coals 249–59
- Bulgarian coals *see* mineralogy of subbituminous coals
- calcite 154, 158–9, 161–2, 171, 296, 297
- Cannock Coalfield 39
- cavitation techniques for gas extraction 5–6
- CBM potential in Variscan foredeep basins 13–24  
basin analysis factors 13–14  
coal ranks 13–14, 20, 22, 23  
coal thicknesses 14, 20  
degassed coal seams, zone of 14–15, 20–1, 22–3, 25  
degassing influenced by environment of exposure 23  
erosion history related to *in situ* methane content 22–3, 24  
factors important in methane production 16  
methane content of basins  
high 21–2  
lateral variations 23  
low 20–1
- permeability of coalbeds  
determined by drilling 14, 24  
influenced by thermal events 13  
related to rank and depth of coals 13, 20  
subsidence history curves 19–20
- Variscan and Appalachian foredeep basins 13, 15–19
- Variscan thrust belt 17, 18
- CBM in Russia and Ukraine 89–101  
coal basin characteristics 93  
coal basin locations (map) 91  
coal composition and rank 93, 97  
coal production associations 94, 95, 96  
coalbed methane resources 90–7  
Donetsk Basin 93  
Kuznetsk Basin 97  
L'Vov-Volyn Basin 93–7  
energy consumption 89  
hardcoal production 90  
methane  
liberation 93, 97  
recovery 99–100  
resource estimates 97–9, 97  
utilization 100  
natural gas 89–90  
stratigraphic correlation of coal-bearing formations 92
- CBM technology and worldwide resources 1–11  
advanced hydraulic fracture treatments 6  
case history of San Juan 32-7 Unit No. 6 well 9–10  
causes of well failure 6  
cavitation technique development 5–6  
dynamic openhole cavitation completions 4–6  
enhanced recovery by nitrogen injection 7–8  
production from deep wells 8–9  
seismic characterization of fractured coalbed reservoirs 6–7
- Celtek Formation 325, 327, 329, 331, 337
- cleat mineralization (Bowen Basin) 151–62  
accessory minerals 154, 156, 157, 159  
butt cleats 38–40, 154, 156, 157, 158–9, 161–2  
calcite 154, 158–9, 161–2  
fluid inclusion analysis 159  
electron microprobe analysis 152, 155, 157  
face cleats 39–40, 154–8, 160, 161–2  
illite 154–8, 155  
distribution as cleat-fill 156–7  
early and late phases 159–60  
origin and mechanism of formation 160–1  
radiogenic isotope (K/Ar) dating 157–8, 158, 159  
stable isotopes 158, 159
- illite-water fractionation curves 160, 160
- joints 154, 159
- location map 152
- methodology 152
- mineral frequency histograms 154
- mineralization by gravity-driven groundwater flow 161, 162
- palaeogeothermal gradients 161, 162
- sample localities 152, 153

- cleat mineralization (Bowen Basin) (*continued*)  
 scanning electron microscopy (SEM) 152, 154–5, 155  
 structural setting 151–2  
 X-ray diffraction (XRD) 152, 155–6, 156
- cleats 129, 136–8  
 in coal clasts 112–13  
 intensity 38–41  
 as macropores 165–6, 167, 176  
 mineralized 40, 112, 138–9, 151–62, 171  
 orientation 136, 140, 141–6  
 origin of 104, 117–18, 146–7, 182–3  
 and permeability 7, 9, 14, 38–9, 104  
 relative development in bright and dull coals 138, 139, 186  
 response to gas desorption 9, 206  
 and stress 40, 41, 104, 105, 118  
*see also* cleat mineralization
- coal basins  
 Aachen 17  
 Appalachian 4, 18  
 Arkoma 4, 18  
 Black Warrior 4, 11, 13, 15, 16, 17–24, 166, 203  
 Bowen 133–48, 151–62, 165–78  
 Bristol–Somerset 15, 16, 19–29, 22–3  
 Campine 17  
 Deep 9  
 Donetsk 90, 93, 94, 98, 99  
 Kent 15, 16, 19, 20, 22, 23  
 Kuznetsk 90, 96, 97, 98–9  
 Lower Silesian 261–85  
 L'Vov–Volyn 90, 93–7, 95, 98, 99  
 North Bohemian 252  
 North Staffordshire 27–41  
 Oklahoma and Cherokee Basin 4  
 Ostrava–Karviná 231–6, 250  
 Oxford 15, 16, 19, 20, 22–4  
 Pechora 92  
 Pernik 301–13  
 Piceance 4, 8–9, 11, 20  
 Powder River 2, 4  
 Raton 138, 146  
 Ruhr 16, 17, 19–20, 21, 21, 22–3, 59–64  
 Saar 59–64  
 San Juan 4–8, 9–11, 13, 74, 146, 166, 203  
 Sorgun 325–37  
 South Wales 15, 16, 19–24, 103–19, 121–30, 181–95  
 Suluova 325–37  
 Surat 162  
 Uinta 4, 9, 138  
 Upper Silesian 15, 227–9, 231–6, 254
- coal beneficiation 287
- coal clasts in South Wales Coal Measures 103–19  
 cleat 104, 105, 112, 117–18, 119  
 orientation 112–13, 113, 114, 115
- coal clasts 106–19  
 age 113–15  
 causes of maturation 118, 119  
 origins 116–17, 119  
 pebbles 107, 109, 113, 115  
 petrology 106, 109–12, 111, 112  
 rafts 107–9, 109, 113, 114–15, 116  
 shape 106–9, 107, 119  
 types 117
- coal rank 105–6, 118–19  
 geological map 104  
 lithofacies 104–6  
 maceral groups composition 109, 111, 112, 119  
 palaeocurrent data 105  
 sample localities, clast type and petrology 106  
 size 107  
 structural setting 105  
 vitrinite reflectance 109–12, 112, 119  
 map 105
- coal microstructures and secondary mineralization 165–78  
 cleats (macropores) 165–6, 167, 171, 176  
 coal structures 166–71  
 desorption rates 172–6  
 in bright coals 172, 174–6, 174, 175  
 in dull coals 172–4, 173, 176  
 experimental sorption methodology 171–2  
 gas flow 166, 176–8  
 four steps of migration 176, 177  
 modelled as dual porosity system 165–6, 166, 176  
 microcavities in dull coal 168–71, 168, 170, 176  
 microfractures in bright coal 166–8, 168, 169, 170, 176  
 blocky fractures 168, 168  
 conchoidal fractures 168, 168  
 microcleats 166, 167, 168  
 striae 168, 168  
 micropores (matrix) 143, 165  
 minerals infilling microstructures 169, 170, 171  
 phyteral porosity 168–71, 169, 170  
 scanning electron microscopy (SEM) 166, 171, 176, 178
- coal properties of Sorgun and Suluova basins 331–4, 332, 333
- coal resources and production worldwide 1, 10–11
- coal and rock permeability under stress conditions 227–9  
 experimental methodology 227–8, 228  
 as function of confining pressure 228–9, 228, 229
- coal thickness frequency distributions (UK continental shelf) 43–57  
 areas of Carboniferous deposits (map) 45  
 areas of Mesozoic deposits (map) 46  
 areas of Tertiary deposits (map) 47  
 bias in thickness measurements 46–9, 48  
 cumulative coal thicknesses 44  
 frequency distributions 49–51, 49  
 grouped by units 51–6  
 methodology 49–51  
 stratigraphic and geographical distribution 44–6
- coalbed methane production and resources  
 in Russia and Ukraine 90–7  
 in United States 2, 3–4, 11  
 worldwide 2–3, 11
- coalbed permeability influenced by matrix shrinkage 197–211  
 coalbed reservoir modelling 203–11  
 elastic behaviour 204–5  
 fracture closure strain 205  
 fracture width influence on permeability 203–4, 204  
 laminar flow assumptions 203  
 matrix shrinkage strain 205  
 schematic representation 204

- Langmuir isotherm model 202, 203  
 measurements of coal matrix shrinkage 200–3  
 model results 208, 209–11, 209, 210, 211  
 Poisson's ratio 205, 207–8, 210, 211  
 sensitivity study of model parameters 205–9, 206  
   cleat spacing 206, 210–11  
   elastic parameters 206–8, 207, 210  
   initial permeability 206, 211, 211  
   matrix shrinkage 207, 208, 209–10, 211  
 strain during sorption and desorption of gases 198, 199, 200–2, 201  
 Young's modulus 205, 206–7, 210, 211  
*see also* permeability
- CP/MAS NMR (<sup>13</sup>C solid-state nuclear magnetic resonance spectrometry) 249, 254–5
- cross-sections  
 Donar Mining area 79  
 Ruhr 21, 69  
 Sorgun coal basin 327  
 Suluova coal basin 328
- D'Arcy's law (gas flow) 7, 151, 165, 186
- Darlaston borehole 36
- degassing of coals  
 and depth 77, 78  
 and fractures 186–95  
 influence of environment of exposure 23  
 subsurface zone of 14–15, 20–1, 22–3, 25, 36
- diffuse reflectance infra-red Fourier transform spectrometry (DRIFT) 250, 255, 256
- Donetsk coal basin 90, 93, 94, 98, 99, 100
- DRIFT (diffuse reflectance FTIR) 250, 255, 256
- dynamic openhole cavitation completions for gas extraction 4–6
- enhanced gas recovery by nitrogen injection 7–8
- Eocene rock distribution in Turkey 326
- Eski Celtek coal mine 329
- Fick's law (gas diffusion) 165, 186
- Firth Coal Formation coal thickness distribution 52–3
- Fort Union Formation coalbeds 2
- fossils (Sorgun basin green marls) 331  
*see also* palynomorphs; palynostratigraphic correlation
- fracture systems in coal 121–30, 133–48, 182–95  
 and matrix shrinkage 203–11
- fractures in Permian coals (Bowen Basin) 133–48  
 cleats 137–8, 139, 142–8  
 formation of 146–7  
 coal fracture systems 137–9, 137  
 geometries 139–41, 139, 146  
 mineralization 138–9, 143  
 regional trends 141–3, 141, 142  
 relationship to structure 142, 143, 143,  
 144–6, 144, 145, 147–8  
 spacing 139, 140, 146
- joints in coal 138, 139–41, 146
- lithofacies 134
- location maps 134
- methodology 136–7
- radiometric dates on cleat minerals 147
- regional geology and structural development 133–4,  
 136, 146–7
- Fruitland coals 4, 5–6, 7
- FTIR (Fourier transform infra-red spectrometry) 249  
 Bohemian and Moravian coals 250, 255–8, 257, 258,  
 259  
 Point of Ayr coal 288, 295–7, 295, 296
- gas distribution controls (Ruhr district) 67–87  
 adsorption capacity of coals 80, 81, 82  
 basin hydrology 85  
 Blumenthal Fault 71, 72, 77, 86, 87  
 carbon isotopes 82–5, 85, 86  
 coal composition 72–3  
 degasification 74, 81, 86  
 Donar mining area 77, 86  
   gas content 80  
   location 68  
   structural cross-section 79  
 exploration wells location map 68
- gas  
 biogenic/thermogenic origins 82, 85, 86  
 composition 82, 83  
 desorbed 75, 76–7  
 generation and migration 74, 82, 85  
 saturation 81–2  
 gas content of coals 75–7, 80, 81, 86  
 east–west variation 77, 81, 86  
 as function of depth 76, 77, 78  
 as function of maturity 77  
 influence of stratigraphic height 73, 74, 77, 80  
 maturity 73–4, 77  
 reservoir temperature and pressure 74–5, 75  
 stratigraphy and depositional setting 71–2, 71  
 structural cross-sections 69  
 structural evolution 70–1  
 structural maps 68, 70  
 structural setting 67–70  
 study area 67
- vitrinite  
 content 80  
 reflectance 73–4, 73, 77
- gas flow  
 and coal microstructure 171–8  
 D'Arcy's law 7, 151, 165, 186  
 gas production from deep wells 8–9  
 gassy coals zone 15, 21  
 geological controls on CBM prospectivity  
 (N. Staffordshire coalfield) 27–41  
 ash content 34–5  
 boreholes and mine shafts location 30  
 cleats 38–41  
 coal quality 34–5  
 coal ranks 33–4, 41  
 Darlaston borehole 36–7  
 gas content 35–8, 39, 41  
 Hobgoblin borehole 36  
 location of Upper Carboniferous Coalfields 28  
 Moss seam volatile matter 34, 37  
 net coal thickness 31–2, 36  
 number of coals 31–2, 35  
 permeability 38–41  
 Pie Rough borehole 34, 38  
 stratigraphy and depositional environment 27–9, 31,  
 33  
 structural setting 30–1, 32

- geological maps  
 Intrasudetic Basin 262  
 Sorgun coal basin 327  
 Suluova coal basin 328
- geology and coal characteristics of Turkish  
 subbituminous coals 325–37  
 Armutlu Formation 327, 329–31  
 Artova ophiolitic complex 331  
 basement 328  
 Cekerek Formation 329–31  
 Celtek Formation 325, 327, 329, 337  
 coal chemistry 331–2, 337  
 maceral analysis 331, 334–6  
 methodology of investigation 331  
 reflectance measurements 336–7  
 sample analysis methods 331  
 Sorgun and Suluova coal basins 325–37  
 stratigraphic sequences 327–31, 327, 328
- German Creek Coal Measures 136–48, 152–62
- hardcoal resources and coalbed methane assessment  
 (West Germany) 59–64  
 KVB assessment system 59–61, 60  
 blocks (basic unit of system) 60, 60, 61  
 coalification 62, 63  
 gas content data 62  
 seam property data 61–2  
 stratigraphy and coal thickness 61  
 tectonics 61
- Hobgoblin borehole 36
- hydrogen content of coals influenced by roof lithology  
 231–6  
 hydrogen content 231  
 inertinite macerals 235  
 lithofacies 232, 233, 236  
 maceral analyses 233  
 volatiles 234
- hydrogeological factors in basin analysis 13
- illite 171, 292, 295, 296  
 Bulgarian subbituminous coals 302, 313  
 cleat mineralization 154–8, 155, 159–60, 160  
 radiometric dates 147, 157–8
- image analysis for microlithotype analysis 237–47  
 analytical repeatability 237, 238, 240–2  
 experimental methodology 238–40  
 maceral analysis 237, 23–40  
 manual and automated analyses compared 242–3,  
 242  
 microlithotypes  
 classification for automated analysis 246–7  
 maceral composition displayed graphically  
 243–6, 244, 245, 246  
 nomenclature 239  
 scanning patterns 240–1, 240
- infrared microscopy 249, 250, 255–8
- Intrasudetic Basin 261–85  
 geological map 262
- Karviná Formation 231
- Kötter graticules 238, 239, 243, 247
- Kucukkohne coal mine 329
- Kuznetsk coal basin 90, 96, 97, 98–9, 100
- lignites 54–6, 252–9
- Lista Formation coal thickness distribution 54–5
- lithofacies, Ostrava-Karviná Coalfield 232, 233–6
- Lublin Basin (Poland) 90, 93
- L'vov-Volyn coal basin 90, 93–7, 95, 98, 99, 100
- macerals  
 analysis 233–6, 237, 238–40  
 application of image analysis systems 237–8,  
 239–40  
 Bohemian and Moravian coals 250–4, 255–9  
 Carboniferous Ruhr District coals 73, 80  
 composition in microlithotype classification 237–47  
 graphical displays of distribution 243–6, 244, 245,  
 246  
 in Lower Silesian Zacler Formation 264, 265–7, 268,  
 269–70  
 Ostrava-Karviná Coalfield seams 233  
 photomicrographs 252  
 Sorgun and Suluova coals 334–6
- Madsan coal mine (Sorgun basin) 325, 327, 329, 336,  
 337
- matrix shrinkage *see* coal bed permeability
- methane desorption in anthracite enhanced by  
 fractures (S. Wales) 181–95  
 cleat 182–3  
 desorption rates 190–5  
 correlation with HDP rates 190, 192–3, 192,  
 194–5  
 correlation with other variables 193–4, 194  
 graphical plots 189, 191  
 experimental methodology 188–9  
 feather fractures 182, 183–4, 184, 185  
 friable coal 182, 184, 187  
 hand drill penetrometer (HDP) 187, 190, 193  
 methane desorption models 186–7  
 methane storage (free state and adsorbed) 186,  
 188  
 sampling procedure 187–8  
 slickenside fractures 182, 184, 185, 185  
 slip fractures 182  
 structural and stratigraphic setting 181–2, 182  
 vitrinite reflectance 183, 193–4  
*see also* thrust-related permeability
- methane loss 13–14
- microlithotype analysis 237–47
- mineralogy of subbituminous coals  
 (Pernik Basin) 301–13  
 determination of pyritic sulphur 309–10  
 geochemistry 310–12  
 location 301  
 methodology of investigation 302  
 mineralogy 302–10, 313  
 pyrite forms 304–9, 313  
 classification 305  
 micrographs 303, 305, 306, 307, 308, 309  
 pyrite mineralization 302–4  
 rare earth element patterns 313  
 stratigraphy 301–2  
 trace elements 310–12, 311, 313  
 cluster analysis 312
- XRD analysis of coal samples 303, 304, 309–10, 313

- minerals in density-separated coal fractions 287–98  
 ash distribution in fractions 289–90, 289  
 element washability curves 292–5  
 elemental concentrations in high-temperature ash  
 291–2, 293, 294  
 FTIR spectrometry 295–7, 295, 296  
 methodology 287–9  
 mineralogical analyses 295–7  
 minerals in low-temperature ash 295–7  
 petrographic analysis 288, 289–90  
 weight distribution in fractions 289–90, 289  
 XRD analysis 288, 296–7, 297, 298
- miospores 117, 315–16  
 assemblages 316–17, 320  
 statistical analysis 316  
*see also* palynomorphs; palynostratigraphic correlation
- Murdoch Gas Field 318–21  
 location 318  
 palynostratigraphic correlations 318–21, 319, 320, 321  
 structure and stratigraphy 318
- Ness Formation coal thickness distribution 53  
 net coal percentage 14  
 Ostrava Formation 231  
 Ostrava–Karviná Coalfield 231, 233–6
- palynomorphs 315–16  
 Murdoch Gas Field 31–21  
 Sorgun and Suluova coals 329  
 South Wales Westphalian 113–15, 117  
 Zacler Formation 272, 275, 282, 285
- palynostratigraphic correlation in CBM exploration  
 315–21  
 application to coalbed methane exploration 317–18  
 biostratigraphic resolution 316, 319  
 effects of lateral edaphic variations 319–21  
 historical review 316–17  
 Murdoch Gas Field case study 318–21, 320, 321
- Pechora Basin 92
- Pentland Formation coal thickness distribution 53–4  
 permeability 5, 6, 7  
 anisotropy due to natural fracturing 6–7  
 and cleats 7, 9, 14, 38–9, 104  
 decreased by presence of minerals 40  
 effects of thermal activity 13  
 as function of stress 6, 9, 13, 40, 228–9, 228, 229  
 relation to depth of coalbeds 8–9, 13, 20, 40  
 variation with time 9  
*see also* coal bed permeability influenced by matrix shrinkage; thrust related permeability in S. Wales coalfield
- petrographic composition, Sorgun and Suluova coals  
 334–6, 335
- petrological and spectroscopic characteristics of Czech coals 249–59  
<sup>13</sup>C CP/MAS NMR spectra 254–5, 254  
 coal deposit localities 251  
 DRIFT spectroscopy 255, 256  
 infrared spectroscopy 249–50, 255–8  
 macerals 250–4, 255–8, 257  
 photomicrographs 250  
 methodology 249–50  
 micro-FTIR spectroscopy 255–8, 257, 258, 259  
 sample identities and analyses 251
- petrology, facies and palaeoenvironments of coals (Zacler Formation) 261–85  
 characteristics of petrological facies 272  
 coal facies analysis 268–72, 273, 277, 279, 280, 281, 282  
 coal ranks 263–4  
*Densosporites* 282, 283, 285  
 Intrasudetic Basin 261, 262, 283, 284  
 lithological profiles of Zacler Formation 263  
 lithostratigraphy 262  
 lithotypes 264  
*Lycopora* 275, 285  
 maceral and microlithotype compositions 264, 265–7, 268, 269–70  
 methodology 261–3  
 palaeoenvironmental interpretations 272–85  
 Nowa Ruda region 276–7, 283  
 Slupiec region 278–82  
 Walbrzych region 272–6  
 palynology 272, 275, 282, 285  
 petrographic compositions 265, 269, 270  
 petrographic facies indices 268–80, 284  
 petrological coal facies 274, 275, 276, 284  
 TPI and GI indices relationships 272, 273, 274, 275, 276–9, 280, 281, 283
- Point of Ayr coal 287–98
- pyrite 40  
 anhedral 308, 309, 313  
 euhedral 307, 308, 313  
 framboidal 254, 304–6, 305, 306, 307, 336, 313  
 infiltrational 308–9, 309, 313  
 massive 254, 307–8, 308, 309, 313  
 mineralization 302–4  
 Pernik basin coals 304–10  
 Point of Ayr coal fractions 292, 296, 297  
 porously textured 303, 303  
 Sorgun and Suluova coals 336
- Rangal Coal Measures 133, 136–48, 152–62  
 reflectance measurements, Sorgun and Suluova coals  
 336, 336  
 roof rocks, related to hydrogen loss 231–6  
 Ruhr district *see* coalbed gas distribution in Ruhr district
- Saar coal basin district 61, 62  
 San Juan 32–7 Unit No. 6 well (case history) 9–10  
 seam sections, Sorgun and Suluova basins 330  
 seismic characterization of fractured coalbed reservoirs 6–7
- Sorgun and Suluova coal basins (Turkey) 325–37  
 stratigraphic correlation methods 315  
 stratigraphic height of seams 61, 73, 74, 77, 80  
 subbituminous coals  
 Bulgaria 301–13  
 Turkey 325–37  
 subsidence analysis 19–20, 147  
 thrust-related permeability in South Wales Coalfield  
 121–30  
 chevron folds 126–7, 126, 129  
 cleat fractures 129

- thrust-related permeability in South Wales Coalfield  
(*continued*)  
 cleavage duplexes 125, 126, 127, 128, 129  
 geological map 122  
 isolated thrusts  
   associated strain 124–5  
   dilatant extensional veins 124, 127, 127, 128, 128,  
   130  
   geometry 122–4, 123  
   Nant Helen opencast site 125, 128–9, 128  
   stress geometry 123  
 linked thrusts 130  
 permeability pathways 129–30  
 shear failure and hydro-fracturing 124–5, 124, 125  
 structural setting 121–2  
 thrust-related folds 125  
 Variscan transpressional rotation 129, 130  
*see also* anthracite desorption affected by  
   tectonically induced fractures; permeability
- Van Krevelen diagram, Sorgun and Suluova coals 334  
 Vanderbeckei Marine Band 318
- Variscan foredeep basins 15–17  
 vitrinite reflectance as measure of maturity 73–4, 73, 77
- Walbrzych Formation 261  
 Westphalian coal thickness distribution 51–2  
 Westray Group coal thickness distribution 56
- X-ray diffraction 152, 215, 288  
 anthracite characterization 217, 217, 218  
 cleat-fill illite 155–6, 156  
 mineralogy of LTA residues 296–7, 297, 298  
 quantitative determination of pyrite 309–10, 313  
 subbituminous coals 303, 304
- Yeni Celtek coal mine  
 Sorgun basin 327, 328, 331–2, 336  
 Suluova Basin 325, 37
- Zacler Formation, Lower Silesian Basin 261–85