

# Index

Figures and Tables are in *italic*.

- Abitibi dykes 215, 235, 237  
Abloviak shear zone 92, 93, 95, 104, 112, 118, 122, 125, 130, 134, 145, 148  
    bend in 105, 107, 130, 132, 147  
    establishment/development of 132, 146  
    structural style 105, 122, 123, 124  
Abloviak transect 120–3  
    cf. Nachvak and Saglek transects 127–8  
accessory minerals 182, 186  
accretionary thrust complex/wedge, Tasiuyuk gneiss 129, 131, 132, 133, 143, 148  
Adirondak Highlands (-Morin) terrane 223, 229, 230, 232, 233, 237  
Adirondak Lowlands terrane 237  
Adirondis, accretion of 210, 213  
Adlavik Brook Fault 170  
Adlavik Intrusive Suite 164, 212  
Aillik Domain 157, 158–62, 169–70  
Alexis River anorthosite 203  
Allochthon Boundary Thrust 237  
Åmål–Horred Belt (supracrustals/volcanics) 222, 224, 242, 262, 263, 269, 298, 309, 310, 311  
Amazonia 237, 239  
AMCG suites 198, 213–14, 215, 235, 292  
Ammassalik Mobile Belt 179, 193  
Åna–Sira massif 355  
Anaktalik Domain 92  
Andean-type arcs 7, 8, 18–19, 174  
anisotropy of susceptibility (AMS), Laanila/Kautokeino/  
    Karasjok dykes 344–5  
Annagh Division 223  
Annagh Gneiss Complex 230, 376  
Apache Group 235  
Apparent Polar Wander Paths 331, 354–5  
appinite suite, Julianehåb batholith 181–2, 185  
Arc Lake Intrusive Suite 213  
arc magmatism 148  
    Narsajuaq magmatic arc 13, 18, 19  
    Rae margin 93, 108  
    Torngat Orogen 109, 110, 148  
    *see also* DTG suite; Killinek charnockite suite  
arc terranes, Labradorian 174  
Arrowhead Lake intrusion 213  
Arvidsjaur volcanics 7, 19  
Askim Granite 226  
Askvoll Group 364  
Atikonak River massif 213  
attenuation 171, 206  
Avalon Composite Terrane 174  
Avayalik dykes 96, 98, 118, 120, 144, 147  
  
BABEL surveys 5, 7, 8  
Baby–Howse zone 139, 140, 147–8  
Baffin Orogen 93  
Baltic Shield 297  
    Archaean–Proterozoic crustal boundary 7–8  
    Belmorian Belt 55–66, 69–88  
    greenstone belt komatiites 43–50  
    Baltic–Bothnian shear zone 249–50  
    Baltica 2, 3, 18, 219, 222–3, 225, 229, 239, 242  
    Labradorian–Gothian accretion 224, 226, 241  
    Mesoproterozoic cratonization of 261–71  
    possible movements of 219–20  
    separation and rotation of 232, 297  
    tectonism and clockwise rotation 230, 231–2  
Baltica–Laurentia 275  
    collision 235–7, 241  
    post-collisional convergence and lateral slip 237–40, 242  
    separation 219–20  
    tectonic significance, bimodal volcanism 291–2  
Baltoscandia, pre-Caledonian evolution 361–2  
Baltoscandian craton 359  
Bancroft terrane 223, 228, 230  
Bandak Group 222, 234, 236, 242, 276, 277, 278  
Bell Lake granite 228  
Belmorian Belt 55–66  
    metamorphism in mafic intrusions 69–88  
    U–Pb isotopic studies 59, 60–1, 62, 63–4, 64, 65  
Belt–Purcell Group 292  
Benedict Fault Zone 164, 167, 170, 201  
Bergen Arcs 224, 359, 361  
    pre-Caledonian evolution of 362–3  
Bergsdalen Nappes 362  
Bjerkreim–Sokndal lopolith 355  
Bläsberget dyke swarm 249  
    felsic dyke, U–Pb zircon dating 254–5  
    geochemistry 251–4, 258  
    mafic/felsic/mixed dykes 250–1, 251–3, 256, 258  
Bläsberget granite massif 251  
    U–Pb zircon dating 255, 257  
Blekinge–Dalarna dyke swarm 234, 354–5  
Blue Ridge terrane (island arc) 235, 237, 239  
Border Zone 170, 174, 180, 181, 192  
Bothnian Basin 5  
Brannigan thrust 124, 147  
Breven–Hällefors dyke swarm 224, 226  
Brien troctolite–anorthosite 213  
Bruce River Group 164  
Burwell Domain 91–112, 118, 120, 130, 145–6, 147  
    northern segment geology 93–107  
    pre-deformational subduction/accretion models 107–10  
  
Caledonides, SW Norwegian, suspect microcontinent model 360, 364  
Canadian Shield 237, 239  
Cape Harrison Domain 157, 162–4, 170, 173  
Cape Harrison Metamorphic Suite (CHMS) 162–3, 166, 170, 173–4  
Cape Smith Belt 13, 19  
Cape Smith Belt/Narsajuaq arc 18  
Carthage–Colton Mylonite Zone 237  
Central Gneiss Belt 223, 225, 228, 232, 237, 238, 239  
Central Granulite Belt 223  
    Central Metasedimentary Belt (CMB) 223, 228, 233, 235, 236, 237, 238  
Central Scandinavian Dolerites/Dolerite Group 230, 354  
Chicoutimi mangerite 214  
Chioak zone 139, 140

- Chukotat Group 13  
 Chupa aluminous gneisses 55, 57–9, 65  
   zircon data 59, 60–1, 62, 63–4, 64, 65  
 clasts, granitoid, in Dalradian tillites 367–76  
 Coldwell alkaline complex 235  
 collisional geometries  
   Svecofennian 8–9  
   Trans-Hudson Orogen 13–14, 15, 17  
 collisional orogenies 69  
   doubly-vergent *see* Torngat Orogen  
   world-wide 241–2  
 collisional tectonism  
   in absence of second cratonic block 174  
   syn- to post-Grenvillian 214  
 continental flood basalts 285–6  
 continental rift zones 287  
 continental-margin arc 215  
   over N-dipping subduction 210, 212  
 Coppermine River basalts 230  
 Cree Lake Zone 15  
 crust  
   continental 69  
   Belmorian 66  
   pre-Caledonian, S Norway 359–65  
   post-Gothian, cratonized 262  
   pre-Labradorian 208, 214  
 crust formation  
   and depletion in granulites 38–9  
   Lewisian TTG gneisses 31–5  
 crustal contamination 48–9, 50, 99, 103  
   Vemork Formation 283, 285  
 crustal shortening 9, 13, 132  
 crustal stabilization, Southwest Scandinavian Domain 268  
 crustal thickening 86, 88, 110, 130, 132, 148, 192, 193, 238, 326  
   in the SSD 310, 311  
   and Trans-Labradorian batholith 209, 212  
 Cut Throat Island thrust 201
- Dal Group supracrustals 222, 234, 238, 242  
 Dala volcanics 224, 242  
 Dalen Formation 277  
 Dalradian tillite clasts, provenance of 367–76  
 Dalsfjord Suite (Nappe) 359, 360, 364  
 Dalsland Boundary Thrust–Göta Älv Zone 222  
 Davy Lake Group 213  
 De Pas batholith 140, 141, 148–9  
 deformation  
   Burwell domain 104–5, 107, 112  
   Julianehåb batholith 182–5  
   Kaipokok Domain 167–9  
   Kaipokok Structural Zone/Aillik Domain 169–70  
   Lake Melville terrane 202–4  
   Rachel zone–Kuujjuaq terrane area 145  
   Telemark Supracrustal Suite 276  
   Torngat Orogen 147, 148, 149  
   Gothian 267–8, 309  
   Grenvillian 170, 201, 203, 238  
   Inverian 223  
   Ketilidian 181  
   Laxfordian 9, 223, 225  
   Seletsk 69–70  
   Sveconorwegian 237, 258, 319, 320, 325, 326  
   amphibolite-facies 98, 107  
   ductile shear 315, 316, 318, 326  
   mylonite–ultramylonite 147  
   strike-slip 76  
 Degerberg granite 251, 253, 258  
   West, U–Pb zircon dating 256, 257  
 delamination 2, 9, 132, 219, 222, 225, 230  
 diatexite 103, 203  
 diorite, Lewisian 26, 28, 29  
 Disappointment Hill complex 212  
 Dome Mountain Intrusive Suite 206  
 Doolough granite 238  
 Dorset fold belt 93  
 Double Island magmatic event 201  
 DTG suite 98, 99, 100, 101, 104, 108, 118, 128, 130, 131  
   in SECP 143  
 Duck Island granitoid suite 98  
 dykes  
   amphibolite 79  
   aplitic 304–5, 306, 308, 309  
   appinite 193  
   diabase 332–3  
   dolerite 318, 320  
   garnetiferous 96  
   Julianehåb batholith 181, 182, 185, 192, 193  
   mafic  
   Avayalik dykes 96  
   Hawke River terrane 204–5  
   Noodleok complex 102  
   Tolstik intrusion 73, 75–86  
   metadolerite 181  
   microgranite 206  
   Psammite Zone 190  
   *see also* named dykes and dyke swarms
- Earl Island granodiorite–diorite domain 204–5  
 East Greenland aulocogen 230–1, 232, 235, 239, 241  
 Eastern Churchill Province 157  
 Eastern Granite–Rhyolite Province (St Francois terrane) 223, 228, 241, 287, 291  
 ECROOT seismic line 140, 144, 145, 148  
 Egersund anorthosite and Egersund farsundite 355  
 Egersund olivine dolerite dyke 355  
 element depletion, TTG gneisses 37–9, 40  
 Elzevir terrane 223, 230, 232, 236  
 Elzevirian Orogeny 213–14, 215, 232, 233, 241  
 exhumation 125  
   Åmål–Horred Belt 310, 311  
 extension 235, 240, 310, 320  
   anorogenic 228  
   Labrador/Greenland/British Isles 229–30, 232  
   lithospheric within-plate 292  
 Exterior Thrust Belt 198
- Falcoz Shear Zone 92, 140, 145  
 Faltungsgraben, tectonic flakes in 359  
 felsic sheets, Lewisian gneisses 26, 28–9, 29  
 Fennoscandian Shield *see* Baltic Shield  
 Fiace Lake slide 169  
 Finland, East, komatiites 43, 44, 47, 52  
 Fjordzone (Oslofjorden) 236, 237, 239, 240, 241  
 flake tectonics 2, 9, 17, 18, 19  
   *see also* Jotun kindred rocks  
 Flannan and W mantle reflectors 9–10, 11  
 Flat-lying Migmatite Zone (Pelite Zone) 172, 180  
 Flinton Group 235

- Flowers River Igneous Suite 213
- Folded Migmatite Zone (Psammite Zone) 171–2, 180
- foliation
- Eastern Segment, Sveconorwegian Orogen 319
  - Katherine River shear zone 107
  - Komartorvik shear zone 107
  - Tolstik intrusion 76, 78
  - axial planar 105
  - pinstripe mylonitic 122
- foreland, Archaean 179
- Four Peaks domain 95, 96, 143–4
- deformation and metamorphism in 104, 105, 146–7
  - uplift of 107, 112
- Fox River Belt 14
- Frontenac terrane 223, 228
- Gardar events 223, 229, 232, 235
- Gardar Province 179, 223, 235
- Gardar Track 242
- garnet 125
- Tolstik intrusion and dykes 82, 83–4, 85
- garnet fractionation 44
- George River shear zone 140, 145
- Gilbert Bay pluton 203
- Gilbert River belt 202, 204
- Gjuve Formation 277
- gneiss
- aluminous, Chupa unit 57–9
  - augen 164
  - 'layered' 167
  - nebulitic 167–8
  - 'straightened' 157, 167, 168
- gneissosity, migmatitic 104
- Göteborg Batholith 264, 269, 298, 310
- calc-alkaline magmatism 267
- Gothian Orogeny 222, 261, 308, 320, 361
- Gothian–Kongsbergian Orogeny 69
- Grady Island intrusion 201
- granite 230
- A-type 164
  - anatexitic 191, 193, 226
  - aplitic 73
  - Caledonian I-type 166
  - high-SiO<sub>2</sub> 166
  - Ketilidian 181
  - Lewisian 29, 29
  - post-tectonic 241, 275
  - potassic 65, 73, 77–8, 158
  - rapakivi 171, 172, 190, 191, 193, 208, 226
  - 'red granites' 268, 269, 271
  - volcanic arc 370
  - within-plate 370
- Granite Zone (Julianehåb batholith) 171, 174, 180
- granite–rhyolite province, US midcontinent, models for 291–2
- granodiorite
- Julianehåb batholith 182, 183–4
  - Lewisian 26, 28, 29
  - Southern Region, formation of 36–7
- granulites, TTG gneisses 30
- depletion in 37–9
- Grästorp granitoid gneiss 267
- Greenland 223, 229, 232, 236, 238, 239
- Labradorian–Gothian accretion 225
- greenstone belt komatiites, Baltic Shield 43–52
- greenstone belts 65, 66, 331, 333
- Grenville Front 141, 145, 157, 163, 199–207, 223, 235, 237, 240
- polyphase shear zone 241
  - a through-crust detachment 237
- Grenville Province 155, 157, 163, 174
- collision with Baltica 220
  - evolution of, E Labrador 197–215
  - granitoid gneisses 164
  - southwest 225, 230, 239
  - anorogenic potassic-alkaline suites 235
  - arc-backarc association 228
  - deformation and metamorphism 232–3
  - Ottawan Orogeny in 236–7
  - terrane accretion 223
  - tonalite formation 229–30
- Grenvillian Ocean 234–5, 292
- Grenvillian Orogeny 223, 239, 261, 297, 354
- Groswater Bay terrane 198, 209, 214
- structures and metamorphism 201–2
- Håland anorthosite-leuconorite 239
- Hallandian Orogeny 361
- Hällsö diorite 265–7, 268, 270, 271
- Håme dykes 224
- Hammarö Shear Zone 302
- Handy thrust 147
- Hardanger–Ryfylke Nappe Complex (HRNC) 224, 359, 364
- Harp dykes 213, 229
- Harp Lake Complex 228
- Hart Jaune terrane 212
- Hästfjorden granites 232
- 'Hastings sequence' 230
- Hautavaara greenstone belt komatiites 43, 47, 50, 51
- Hawke River terrane 198, 202, 204, 204–6, 209
- Hazel Formation 237
- Hazel Orogeny 239, 241
- Hearne craton 17
- accretion of La Ronge–Lynn Lake arcs 15, 18
- Hedmark Group 361
- Heidal Series 364
- Hestra Suite 298, 299, 302, 304, 308
- Hizovaara greenstone belt komatiites 43, 48–9
- homogenization, in Tasiuyuk orthogneisses 102–3
- hornblende, Eastern Segment, Sweden 320, 321–5, 326, 327–8
- hornblende fractionation 35
- Horred volcanic suite 309
- Huron Supergroup 107
- Hutton Anorthositic suite 95, 98–9, 105, 107, 112, 144
- hydrothermal alteration 185, 326, 352
- hydrothermal post-volcanic fluid flow 49
- 'hyperite' gabbroids 219, 232
- hysteresis properties, Laanila and Kautokeino dykes 346, 347
- Iapetus Ocean, opening of 10
- Iggavik dykes 170
- Iggiuk migmatization 167–8, 169, 172
- igneous activity
- Baltic Shield 69
  - Belmorian Belt 70, 71
- imbrication
- Sveconorwegian 326
  - Tasiuyuk gneiss complex 127, 129, 132

- indentation tectonics  
 oblique collision/indentation, model for 147–50  
 Southeastern Churchill Province 137–50  
 Independence Fjord Group 228  
 Inter-Sveconorwegian Extensional Period 232, 234  
 Interior Magmatic Belt 198  
 intra-arc basins 192, 193  
 Ireland 223, 230, 236, 238, 239  
 Island Harbour Bay Plutonic Suite (IHBPS) 158, 166, 167, 172, 174
- Jåstad Formation 228  
 Jatulian Platform Sequence 5  
 Jergol Gneiss Complex 333  
 Joe Pond Formation 157  
 Jotnian graben 230  
 Jotun kindred rocks 359, 361, 362–4  
 Jotun–Valdres Nappe Complex 359, 360  
 geological evolution of 363–4  
 Julianeåb batholith 181–5, 192, 375  
 as basement to Psammite Zone 188–9, 191  
 as root zone of magmatic arc 191  
 schistosity and linear fabric 182–4, 191, 193
- Kainu Schist Belt 8  
 Kaipokok Bay Structural Zone 157, 158, 159, 166, 168, 169–70, 173  
 Kaipokok Domain 157–8, 158, 159  
 chronology and character of plutonism 172–3  
 reworking and migmatization in 167–9  
 Kalevian Group 5  
 Kalevian–Outokumpu Collage 7, 8–9  
 Kamennoozero greenstone belt 43, 51  
 Kanairiktok Shear Zone 158, 167, 169, 173  
 Karasjok dykes 333, 333–4, 340  
 Karasjok greenstone belt 331  
 Karelia, komatiites 43, 44, 47, 50, 51  
 Karelia Province 5, 65, 71, 86  
 Karlshamn granite intrusion 226  
 Katherine River shear zone 95, 107, 130  
 Kattsund–Koster dykes 226, 232  
 Kautokeino dykes 331, 333, 333–4, 334–5, 355  
 baked contact tests 349, 352  
 bulk petrophysical properties 342, 343  
 palaeomagnetism 338–40, 354  
 Kautokeino greenstone belt 331, 333  
 Ketilidian Mobile Belt 156, 157, 208, 368  
 correlation with Makkovik Province 155, 170–2  
 Ketilidian Orogen 179–94  
 Ketilidian terrane 17, 223  
 Keweenawan Track 242  
 Khetolambina strata 55  
 Kikkertavak dykes 157, 167, 169  
 Killarney Igneous Complex 223, 228  
 Killinek batholith 120  
 Killinek charnockite suite 95, 98, 99, 101, 102, 104, 108, 112, 118, 128, 131  
 intrusion of 129–30  
 in SECP 143  
 structures in 105  
 Kinsarvik Formation 224  
 Kiruna porphyries 7, 19  
 Kobbermine Bugt Shear Zone 171, 173, 181, 184  
 Kola Peninsula komatiites 43, 44, 47, 50, 52  
 Kola Peninsula Province 86  
 Kolvitsa folding 70  
 Komaktorvik shear zone 92, 95, 101, 104, 112, 118, 120, 127, 134, 143  
 amphibolite and granulite facies blocks 124, 125  
 deformation 147  
 gneisses reformed 144  
 as a potential suture zone 93  
 reworked Nain gneisses in 123, 124, 125  
 sinistral motion 147, 149  
 structures and metamorphism 105, 107  
 uplift over Ramah Group 124  
 uplift and transcurrent motion on 131  
 komatiites, Baltic Shield 43  
 formed in response to hot mantle plumes 51–2  
 major and trace element geochemistry 44–5, 46–7  
 petrogenesis 48–9  
 REE distribution patterns 45, 47–8  
 Sm–Nd isotopic systematics 49–51  
 spinifex–structured 43  
 Kongsberg–Bamble Sector 222, 232, 235–6, 310  
 as a tectonic wedge 224, 225–6  
 Kostomuksha greenstone belt komatiites 43, 47, 50, 52  
 Krummedal sequence 231, 232, 238, 241  
 Kuhmo–Suomussalmi greenstone belt 43  
 Kuujuaq batholith, magmatic arc origin 141  
 Kuujuaq terrane 140, 141, 145, 148  
 Kvamshesten Fault 364  
 Kyfanan Lake layered mafic intrusion 207
- Laanila–Ristijärvi dykes 331–3, 333, 334, 355  
 baked contact tests 349, 350–2  
 bulk petrophysical properties 341–2, 343  
 interdyke variation 352–4  
 palaeomagnetism 335–8, 354  
 Labrador 230, 232, 238, 239, 240  
 magmatism 228, 229  
 southeast, granitoid activity 213–14  
 Labrador Trough/Geosyncline 139  
 Labradorian orogenic cycle 208–12  
 Labradorian Orogeny 198  
 Labradorian–Gothian Orogeny 226  
 Lac Allard pyroxene monzonite 213  
 Lac Joseph terrane 213  
 Lac Lomier complex 140, 142, 143, 145  
 Lac Long Igneous Suite 213  
 Lac Olmstead thrust 145  
 Lac Tudor shear zone 140, 145  
 Lærdal–Tyn–Gjende Fault 363  
 Lake Harbour Group 92, 98, 108, 118, 123, 126–7, 132, 141, 148  
 Lake Kiki thrust 124  
 Lake Melville terrane 198, 209, 214  
 complex structural geology 203–4  
 granitic vein/megacrystic granitoid ages 202–3  
 Lake Melville–Mealy Mountains boundary 206  
 Lake Melville–Mealy Mountains–Hawke River boundary 214  
 Lapland Granulite Belt 71, 331, 332  
 Lapland–Kola Mobile Belt 69, 71, 86, 87, 107  
 Laporte terrane 139, 140  
 Laurentia 2, 3, 5, 219, 226, 228, 241, 242  
 accretion of SW Scandinavian Microplate 361  
 deformation in 239  
 E-dipping reflectors on former margin 10  
 eastern, rifting of passive margin 212–13  
 Palaeoproterozoic orogenic belts 18  
 sinistral slip/transpression 241

- Trans-Hudson Orogen 10, 12–17  
 Laurentia–Baltica *see* Baltica–Laurentia  
 Laxford Front 26, 33  
 layered intrusions 25–6, 31, 39, 201, 203, 207  
 Leirungsmýran Gabbroic Complex 363  
 Leknes Group 361  
 Letitia Lake Group 213, 229  
 Lewisian Complex 367, 368  
 Lewisian TTG gneisses 25–33  
   REE geochemistry 27–30  
   regional geochemical differences 39  
   U loss 37–8  
 Limestone Lake slide 169  
 Llano Orogeny 235, 241  
 Llano Province 223, 237  
 Llano uplift, Texas 230  
 Lödingen granite 228  
 Lofoten–Vesterålen Province 361, 365  
 Logan Sills 237  
 Lokhi folding 70  
 Long Island quartz monzonite 162  
 Long Range dykes 206  
 Lower Aillik Group 157, 158, 159–60, 168, 169, 173  
 Lower Aillik–Upper Aillik contact, ductile deformation 169–70  
 Lyagkomina 57  
   zircons 59, 62, 64–5
- Mackenzie dyke swarm 230  
 magma flow, and AMS data 344–5, 352  
 magma ponding 291, 292  
 magmas  
   Bläsberget dyke swarm and granite massif 258  
   Lewisian TTG 39–40  
   syn-collisional 110  
 magmatic arcs 364  
   emplaced on Nain Province margin 108–10, 112  
 magmatism  
   Baltica 222  
   Lake Melville terrane 214  
   Östfold–Marstrand and Åmål–Horred belts 263, 263–4, 268  
   Gothian 308–9  
   alkaline 235  
   AMCG and mafic 213–14, 215  
   anorogenic 93, 223, 226, 228, 275, 361  
   anothositic–charnockitic 361  
   bimodal 73, 224, 225  
   calc-alkaline 66, 232, 267, 268  
   gabbroic 363  
   granitic 203  
   mafic 213  
   mafic–felsic 209, 212, 213, 268–9  
   in pull-apart basins 139  
   tonalitic 33  
   *see also* arc magmatism  
 magnetite (magnetic) grains, Laanila/Kautokeino/  
 Karasjok dykes 341, 344, 345–6  
 Makkovik Front *see* Kanairiktok Shear Zone  
 Makkovik Orogen 17  
 Makkovik Province 140, 155–74, 208, 225  
   correlation with Ketilidian Mobile Belt 170–2  
   outstanding problems 172–4  
   plutonic suites, geochemistry and affinities of 164–6  
   structural and metamorphic development 167–70
- Mandel–Ustaoset Shear Zone 222, 231–2, 235, 237, 241  
 mantle evolution, models for 31–2, 32  
 mantle/crustal reflectors 1–2, 3, 5, 8, 9–10, 11  
 Mars Hill terrane 235  
 Matorssuaq shear zone 183, 191  
 Mazatzal Orogen 223  
 Mealy dykes 207, 213, 228  
 Mealy Mountains Intrusive Suite 206, 225  
 Mealy Mountains terrane 198, 206–7, 208  
 Melezes–Schefferville zone 139, 140  
 melt intrusion, dilation–controlled 78  
 metamorphism  
   Abloviak, Nachvak and Saglek transects 125–7  
   amphibolite facies 57, 236  
   granulite-facies 30, 31, 32, 33, 62, 105, 234, 240  
   greenschist-facies overprint 167  
   Grenvillian 223, 236, 238  
   high-grade 212, 363  
     Burwell domain 110  
     Tostik Peninsula 71, 79–88  
   regional, Pelite Zone 191  
   SECP 145–7  
   Sveconorwegian 310  
   syn-deformational 319, 326  
 metatonalites, mesocratic 101–2  
 Michael gabbro 201, 202, 213, 228  
 microcline, Julianehåb granodiorite 184  
 Mid-Continental Rift 237  
 Midsommerso–Zig Zag event 232  
 Mierujávri–Svæholt Fault Zone 333  
 migmatization 57, 144, 157, 188, 189, 193, 308  
   Kaipokok Domain 167–8  
   *lit-par-lit* 187  
 Mistastin shear zone 140, 145  
 Mistibini–Raude domain 140, 141, 148  
 mobile belt-foreland relationship 71  
 Monkey Hill Granite 170  
 Moonbase Shear Zone 92, 140, 145  
 Moran Lake Group 157, 158, 159, 167, 173  
 Morgedal Formation 277  
 Moss–Filtvet granite 229  
 Mount Benedict Intrusive Suite 164, 212  
 Mugford Bay Shear Zone 92  
 Mugford Group 92, 144  
 Muskox intrusion 230  
 Mylonite Zone (MZ) 222, 240, 261, 267, 298, 310, 311, 315, 326  
 mylonite zones 93, 160, 170  
   Grenville Front 201  
   Kaipokok Domain 168–9  
   and ultramylonite zones 183, 184  
 mylonitization 147, 205, 209
- Nachvak Brook thrust 124  
 Nachvak Fiord thrust 143, 144, 145, 147  
 Nachvak transect 121, 123  
   *cf.* Abloviak and Saglek transects 127–8  
 Nagssugtoqidian mobile belt 17, 137, 179, 193  
 Nagssugtoqidian–Lewisian belt 224  
 Nagssugtoqidian Orogen 93  
 Nain craton 17, 118, 120, 123, 131, 137, 138, 147  
   and Killinek/DTG suites 143  
   reworking in 127  
   within Tornat Foreland zone 144  
 Nain dolerite dykes 230  
 Nain Plutonic Suite 213, 229

- Nain Province 91, 92, 107, 147, 157  
 magmatic arc scenario 108–10  
 metamorphic zones 146, 147
- Nain Province gneiss complex 95, 96, 104
- Nain Province margin 108  
 flexural burial of 105, 112
- Nain–Rae oblique collision 93, 108, 110, 112, 118, 132, 146, 148
- Nakit slide 169
- Napatok dykes 118, 123, 144  
 sinistral rotation of 124
- Narsajuaq magmatic arc 13, 18, 19
- Nd isotopic studies  
 igneous suites, Makkovik Province 166  
 Lewisian TTG gneisses 31–2
- Neveisik magmatic event 202, 204
- New Quebec Orogen 139–41, 144–5, 149
- Newfoundland 238, 239, 241
- Noodleok gneiss complex 95, 104, 118, 120  
 lithology 98–102  
 structures in 105
- North America 223  
 Labradorian–Gothian accretion 225
- North Arm thrust 124
- North Atlantic Craton 137, 166, 173
- North Atlantic supercontinent 219–42, 369  
 Baltica 222–3, 224, 225  
 British Isles and Greenland 223, 225  
 North America 223, 225
- North Karelia, komatiites 43, 44, 52
- North Pole Intrusive Suite 269
- North River Domain 92, 95, 104  
 structures in 104, 105
- Norway, South 228, 230, 235–6, 237, 239, 240  
 anorogenic magmatism 275–93  
 clockwise rotation 219  
 Inter-Sveconorwegian Extensional Period 232, 234  
 pre-Caledonian continental crust 359–65
- Nutak dykes 213
- ophiolites 2, 5, 12, 13, 359, 364
- orogenic belts  
 Caledonian 359  
 N Atlantic region 138  
 Palaeoproterozoic 2, 18  
 Phanerozoic 5
- orogenic collapse, Torngat Orogen 134
- orogenic events, Late Archaean 69
- orthogneiss 96, 157, 159, 181  
 Eastern Segment, SSD 298–9, 302, 305–7  
 fault-bounded slices, Tasiuyuk gneiss 102–3, 108  
 Grenville Province 201, 202  
 high-strain, Julianehåb batholith 185, 191  
 Rae Province 96–8
- Orust dykes 232
- Osler Group 237
- Oslo Region Rocks 222
- Östfold–Marstrand Belt 262, 263, 263–71, 298, 309, 310
- Östfold–Marstrand boundary zone 236
- Östfold–Marstrand segment 222, 224, 226
- Ottawa Nappe 364
- Ottawan Orogeny 233, 235, 236–7, 241
- overthrusting  
 by Mealy Mountains terrane 208  
 of Lapland Granulite Belt 71
- Pahrump Group, dolerite sills in 237
- palaeomagnetic poles 354–5
- Palaj–Lamba greenstone belt 43, 50, 51
- Pan-African Orogeny 242
- Paradise Arm pluton 205–6
- Paradise metasedimentary gneiss belt 205
- paragneiss, Tasiuyuk gneiss complex 102, 108
- Parent Group 13
- partial melting 192, 193  
 by DTG magmas 130  
 and the Lewisian TTG suite 34–5, 39–40  
 of pre-existing continental crust 291
- passive continental margins 212, 212–13
- passive margin sequences 108, 147, 193
- Payne River dykes 139
- Pb isotopic studies, Lewisian TTG gneisses 32–3
- Pelite Zone 191
- Penokean Orogeny 291
- Pinware terrane 198, 207–8, 214, 228
- Pinwarian orogenesis 212
- plagioclase, in schistose granodiorite 183–4
- plate convergence, oblique, Ketilidian Orogen 179–94
- polarity, of Labradorian subduction 209, 214–15
- Post Hill slide 169
- Povungnituk Group 13
- Protogine Group 234
- Protogine Zone (PZ) 222, 224, 225, 232, 234, 236, 237, 240, 261, 298, 308, 315, 326, 354
- Psammite Zone 185–90, 191  
 basement to 188–9, 191  
 structure of 189–90, 193
- pseudotachylite 107, 124, 128, 131, 132
- Rachel thrust 145
- Rachel zone 139, 140, 141, 145
- Rae Province 91, 92, 112, 137, 138, 147, 148  
 collisional interfaces with Superior and Nain cratons 145  
 crustal structure and tectonic evolution 145  
 thrust onto Kuujuaq terrane 141
- Rae Province gneiss complex, lithology 96–8
- Rae Province margin 108, 110, 112
- Ráiseatnu Gneiss Complex 333
- Ramah Group 92, 108, 118, 123, 125, 144, 146, 147  
 in fold–thrust belt 124, 132, 149
- Ranger Bight slide 169
- ‘Rebolian’ event 65
- recrystallization  
 post-Gothian 309  
 Sveconorwegian 307, 308, 310
- Red Island magmatic event 204, 209
- Red Wine Intrusive Suite 213, 229
- Reindeer Zone 15, 17, 18
- remanent magnetism, Laanila/Kautokeino/Karasjok dykes 331, 335–56
- Rhynns Complex 9–10, 11, 223, 367–8  
 and Dalradian tillite clasts 368–76
- Rinkian Mobile Belt 179, 193
- Rivière Pentecôte anorthosite 213
- Rjukan Group 222, 224, 226, 242, 275, 276, 292  
 age and metamorphic history 277–8  
 correlation, US midcontinent granite–rhyolite province 287–91  
 tectonic setting of volcanism 285–7
- Rockall Bank 223, 225

- Rogaland anorthosite province 222, 239, 240–1  
 Rogaland farsundite 355  
 Rogaland igneous complex 355  
 Rogaland–Vest Agder sector 222, 224, 225  
 Romain River anorthosite 214  
 Rönnäng tonalite 264, 265, 266, 269, 271  
   Stora Le–Marstrand xenoliths in 267  
 Röseskår Dyke 266, 267, 268, 271  
 Rudihø Complex 364
- Sådloq shear zone 183, 184, 191, 193  
 Saglek transect 121, 123–5  
   cf. Abloviak and Saglek transects 127–8  
 St Francois terrane 223, 228, 241, 287, 291  
 Sand Hill Big Pond granodiorite 205  
 Scourie dykes 31, 34  
 Scourie More layered body 39  
 Seal Lake Group 213, 229  
 SECP *see* Southeastern Churchill Province  
 seismic reflection profiling 2, 5, 7–10, 11, 15, 16, 17  
 Sel Group 364  
 Seletsk deformation/folding 69–70, 71, 86, 87  
 Seljord Group 222, 228, 276, 277, 292  
 Seward Subgroup 139  
 Shabogamo gabbro 213, 228  
 Sharbot Lake terrane 223  
 shear/shearing 73, 169  
   dextral 145  
   ductile 71, 88, 105, 315, 316, 318, 326  
   layer-parallel 167  
   sinistral 130, 137, 145, 184–5, 191, 235–40, 236, 237, 241  
   strike-slip 70  
   Tolstik intrusion 79, 88  
   transcurrent 124, 125, 130
- Sibley Group 225  
 Sikkas dyke 251  
 sill swarms, Baby–Howse zone 139, 147–8  
 Skellefte mineralized zone 7  
 Sm–Nd analysis  
   Belmorian rocks 59, 62, 64, 65, 66  
   Laanila and Kautokeino dykes 334–5  
 Sorte Nunatak 188  
   supracrustal sequence 186–7  
 Sortis Group 159, 170  
 South Greenland craton, accretion of Julianehåb batholith 191  
 Southeast Rae craton 118, 127  
   reworked gneisses 122–3, 124–5, 126–7, 128, 130  
   structures in 123  
 Southeastern Churchill Province 139–44  
   crustal structure and tectonic evolution 144–7, 148–50  
 Southwest Scandinavian Domain (SSD) 261–3  
   constraints, Sveconorwegian orogenesis 269  
   Eastern Segment 298–302, 308–11  
   geological evolution, implications of the Östfold–Marstrand Belt 267–9  
   palaeopoles 354, 355  
   regional geology 297–8  
   Sveconorwegian events 309–11  
   tectonics and trans-Atlantic correlation 269  
   U–Pb geochronology, Östfold–Marstrand Belt 264–7  
 sparagmites 361  
 Spartan Group 13  
 Spavinaw terrane 223, 228  
 Stenkyrka granite, U–Pb dating 265, 266, 267, 271
- Stora Le–Marstrand Formation 222, 224, 225, 226  
 Strawberry Intrusive Suite 208, 209  
 Sudbury dykes 232  
 Suomussalmi greenstone belt komatiites 43, 45, 47, 50  
   LREE enriched 48–9  
 Superior Craton 12, 17, 137, 138, 147  
 Superior Province 13, 147  
 Superior (Thompson Belt)–Reindeer Zone suture 17  
 Susan River quartz diorite 209  
 suture zones  
   Karelia Province–Svecofennides 7, 7–8, 9  
   Nain–Southeast Rae cratons 128  
   potential, Makkovik Province, location of 173  
   Superior craton–allochthonous terranes 12–17  
   SW Norwegian Caledonides 359, 360, 361
- Svartdalen Gneiss 363  
 Svecofennian craton 224, 225, 242  
 Svecofennian Domain 5–6  
 Svecofennian events 87, 361  
 Svecofennian Orogen 5–9, 361  
 Svecofennian Orogeny 62, 64, 69, 291  
 Svecofennian supracrustal rocks 316, 318  
 Svecofennian–Archaean boundary zone 5  
 Svecofennian–Ketilidian–Makkovikian–Labradorian mobile belt 376  
 Svecokarelian event, secondary REE mobility 50–1  
 Sveconorwegian belt 219  
 Sveconorwegian events 361–2  
 Sveconorwegian Frontal Deformation Zone (SFDZ) 315, 326, 327  
 Sveconorwegian Orogen 241  
   Eastern Segment evolution, S–C Sweden 315–29  
 Sveconorwegian Orogeny 219, 222, 261, 262, 297, 298, 309–11, 354  
 Sveconorwegian Province 261  
 Sweden 226, 230, 232, 234–5, 237–8  
   Sveconorwegian metamorphism 236
- Tasiuyuk Domain 92  
 Tasiuyuk gneiss complex 91, 93, 95, 118, 124, 127, 128, 132, 145, 148  
   charnockitic rocks 103–4  
   fault-bound panels, Archaean gneiss 102–3, 108, 120, 143  
   lithology 102–4  
   origin of 108, 128–9, 132  
   in SECP 140, 142–3  
   structures in 104, 105, 120–2, 124, 127  
   thrust over Rae crust 146  
 Telemark Block 359  
 Telemark region, central, structural units 275–7  
 Telemark Sector 222, 224, 226, 228, 242  
 Telemark Supergroup 222  
 Telemark Supracrustal Suite 276, 277–8  
 terranes 2, 4  
   arc-related, Grenville Province 209  
   Labradorian–Gothian 220–2  
   Makkovikian, Penokean and Labradorian 223  
   Svecofennian 222  
   term clarified 197  
 Thelon Orogen 148  
 thermomagnetic analysis, Laanila/Kautokeino dykes 347–9  
 Thompson Belt 15, 17  
 thrust planes, Karelian–Belmorian boundary 65

- thrust wedge  
 doubly-vergent 93  
*see also* accretionary thrust complex/wedge
- thrust/nappe stacking 8, 232, 237, 238, 310, 359
- Tipasjarvi komatiites 50
- titanate 306, 307, 308, 310
- Tolstik intrusion  
 gabbro outlier 75, 77  
 mafic dykes 73, 75–88  
 relation between different melts 73, 75  
 structure and composition 71–3
- tonalite 59, 99  
 formation, SW Grenville Province 229–30  
 Lewisian 26, 27, 28, 29, 29  
 Rönnäng tonalite 264, 265, 266, 267, 269, 271  
 Southern Region 35–6, 37  
*see also* DTG suite
- Tornat Front 124
- Tornat Orogen 138, 141–4, 174  
 Abloviak, Nachvak and Saglek transects compared 127–8  
 Burwell Domain 91–112  
 crustal structure and tectonic evolution 145–7  
 doubly vergent collisional orogen 117–34, 142, 145–7, 148  
 lithotectonic complexes 93, 95, 96, 118–20  
 metamorphic zonation 146, 147  
 structural evolution of N part 110–12
- Tornquist Zone 2
- Trans-Hudson Orogen 10, 12–17  
 Andean-type arc 18–19  
 Hudson Bay Segment 14  
 Ungava Segment 12–14, 18, 19  
 Western segment 15–17
- Trans-Labrador Batholith 163, 164, 201, 223, 225, 269  
 accretion of arc-related terranes 209
- Transscandinavian Granite–Porphyry Belt 360
- Transscandinavian Igneous Belt (TIB) 171, 222, 224, 225, 261, 267, 283, 297, 308, 316, 318, 361, 376
- triple junction, Burwell Domain at 93
- trondhjemite 26, 28, 29, 36–7
- TTG gneisses  
 Belmorian Belt 55, 59, 64–5  
 Tolstik Peninsula 76
- TTG gneisses, Lewisian 25–40  
 an amphibolite source for 35, 39  
 comparative trace element chemistry 27–33  
 genesis involving older continental crust 34  
 major element geochemistry 25–6  
 Southern region, formation of 35–7
- Tuddal Formation 276, 277–8, 285, 288–9, 290, 292  
 major element and trace element analyses 278–81, 283, 284, 285  
 petrogenesis of volcanic rocks 283, 284–5
- Tupaya Bay, Lake Kovdozero 49, 57, 62
- Ukrainian Shield 222
- Ullensvang Group 224, 225, 228  
 underplating, basaltic 191, 192, 193
- Ungava Orogen, tectonic history of 13–14
- Ungava Peninsula 10, 12
- Upper Aillik Group 160–2, 171, 173
- Upper Allochthon, Trondheim region 359, 360
- Upper North River body/pluton 203, 213
- Upper Paradise River pluton 206–7
- Utladalen Fault 363
- Vågåmo Ophiolite 364
- Vågård granite 302, 308
- Vaggeryd syenite 299, 302
- Valdres Group 361
- Vallen Group 159, 170
- Vallhamn trondhjemite 269, 271
- Varanger glacial deposits 368
- Varberg charnockite 226
- Vargfors Group 7
- Värmland Hyperite Suite 226
- Vatnås granite 229
- Vemork Formation 276, 278, 281–5, 286, 287, 292
- Vihanti–Pyhäsalmi mineralized zone 5, 7
- Vistenberg (SSD), samples from 305–7
- Vodlozero gneisses 51
- Vråna aplitic dyke, age of 304–5, 308
- Wakeham Supergroup 212, 213, 230, 232, 235
- Warren Creek Formation 157
- Wathaman–Chipewyan Batholith 15, 18–19
- West Islay–Colonsay block 367
- Western Gneiss Region 222–3, 224, 228, 232, 237, 239, 267, 309, 359–60, 361
- Western Granite–Rhyolite Province (Spavinaw terrane) 223, 228
- White Bear Arm complex 205, 206, 225
- white mica, E Segment, Sweden 320, 321–5, 326, 327–9
- Wibork Complex 224
- Wilson Lake terrane 201
- xenoliths, Julianehåb batholith 182
- zircons  
 Chupa aluminous gneisses 58–9, 60–1, 62, 63–4, 64  
 inheritance component 265, 305  
 metamorphic, Rae and Hearne provinces 148  
 Tasiuyuk gneiss 143  
 TTG gneisses 33, 38  
 U–Pb dating, Baltic–Bothnian shear zone 254–6