

Index

- Aalter Formation 24, 38, 39, 39, 43
Acoustic Sediment Classification System 324
Adriatic Sea *see* transgressive dunes on Adriatic shelf
Alboran Sea continental shelf 125–36, 139–51
Alderney–Ushant Fault system 205, 207
Alexander Bank (Antarctic Peninsula) 178
Allerød 188, 189
Ameland (West Frisian Islands) 289–93
Anchonicnus spp. 55
Antarctic Peninsula *see* seismic expression of depositional sequences
Asse clay Member (Maldegem Formation) 40, 41
- Baños Canyon (submarine) 126, 134, 136
Barreiras Formation (São Francisco strandplain) 219, 221–2
- basins
 Arkona 301
 Belgian 23–45, 24
 Channel 205, 209
 North Adriatic 158–9, 163
 North Sea 12, 23, 24, 42, 43–5
 Norway 196
 Patagonian 81–91
 Plymouth Bay 205
 Queen Charlotte 234–6
 Sergipe–Alagoas 219
 Skagerrak 163
 Southwest Channel 205
 Western Approaches 204, 205
- Bassevelde sands Member (Zelzate Formation) 41
- Barreraig Sandstone Formation 49–77
 ammonite zones 50
 sedimentary facies 52–62
 stratigraphy 51
- Beernem Member (Aalter Formation) 38, 43
Beinn na Leac Fault 49, 50
Belgian Basin 23–45, 24
biostratigraphical zonation (southern North Sea) 2, 16–21
- Bolivar Roads delta complex 112, 113
Boom Formation 43
boomer systems 325
Bornholm 301
Brazos River (Texas) 102, 108, 118
 delta 99–102, 104, 105, 108, 115, 116, 117, 118–21, 120
 incised valley 106, 108, 116, 117
- Brittany Trough 205
Brussel Formation 39
- Callianassa* spp. 38
Cape Ball (Graham Island) 236, 239, 242
Cape Creus Canyon (submarine) 126, 134
Cape Fear (North Carolina) 251
Cape Fife (Graham Island) 235, 236, 242, 243
Cape Henry (Virginia) 252
Cape Lookout (North Carolina) 251
Cardita planicosta 38, 39
Cardium spp. 55
Carolina Beach (North Carolina) 250, 253, 258
Catalonia Sea 125–36
Channel Basin 205, 209
Channel drainage system 212–13
Channel Median Fault 205, 209
Chondrites spp. 41, 55
Chubut River Valley 81
coastal sediment transport system (Queen Charlotte Islands) 233–46
 coastal stability 240–3
 erosion rates 242–3, 243
 methodology 236
 oceanographic setting 236
 progradation rates 240–2, 245
 regional setting 234–6
 sea-level history 233–4
 sediment transport model 244–5
 seismic activity 234, 245, 246
 shore-attached bars 239
 surficial geology 236–9
 see also sediment transport processes
- coastal zone management 249–50
Colorado River (Texas) 102, 108, 118
 delta 99, 104, 106, 108, 116, 118, 119, 120
 incised valley 108, 109, 114, 116
- Corpus Christi Bay (Texas) 113
Cullaidh Shale Formation 50
- Danish Central Trough 3
 biostratigraphy 15–21
- Danish North Sea 1–12, 2, 15
 delta development (São Francisco strandplain) 217–29
- deltas
 Bolivar Roads 112, 113
 Brazos River *see* Brazos River
 Colorado River *see* Colorado River
 definition 217–18
 Ebro 115
 Fluviá–Muga prodelta 129, 133
 Fraser 336
 Guadalmedina–Guadalhorce prodelta 129, 132, 133
 Lagniappe 104

- deltas (*continued*)
 Sabine River 108, 113
 Ter prodelta 129
 Tiber 150
 Trinity River 99, 108
 western Louisiana 102, 103, 104, 104, 118, 119, 120
- depositional sequences
 Alboran Sea 125–36, 139–51
 Antarctic Peninsula 171–86
 Belgian Basin 23–45
 Catalonia Sea 125–36
 Danish North Sea 1–12
 definitions 1
- Dixon Entrance (Graham Island) 233, 236, 237, 238, 244, 245
- dunes (submarine)
 Adriatic shelf 155–67
 Hurd Deep 203, 207, 209
 Inner Hebrides 57–62, 58, 59, 60, 67, 67, 69–70, 72
 Rose Spit platform 238
 Saõ Francisco strandplain 222
- Eagle Hill (Graham Island) 242
- Ebro delta 150
- Eckernfoerde Bay 333
- Egem Member (Tiel Formation) 24, 35, 35, 43
- English Channel 203–14
 river system 206, 212–3
- erosion rates
 North Carolina coast 249
 Queen Charlotte Islands 242–3, 243
- Estepona submarine palaeocanyon 134, 136
- estuarine and shallow-marine sedimentation (Patagonian Basin) 81–91
 depositional environments 89, 90–1, 91
 diagnostic features of sedimentary formations 86–90
 lithofacies 81–5, 83, 84, 89, 90–1
 lithosomes 81–5, 88, 90–1
 measured sections 85, 86, 87
 palaeocurrent trends 82, 85, 90
 systems tracts 90–1, 91
- faults
 Alderney–Ushant 205, 207
 Beinn na Leac 49, 50
 Central Channel 204
 Channel Median 205, 209
 North Raasay 49, 50
 South Scalpay/Camasunary 49, 50
- foraminifera
Asterigerina guerichi staeschei 18
Bolboforma spp. 15
clodiusi 18
costairregularis 17–18
reticulata 18
Bolivina spathulata 18
Bucella spp. 16
delicata 17
Bulimina
aculeata 16, 17, 18
elongata 18
marginata 16
Cassidulina
carinata 16, 17, 18
laevigata 16, 17, 18
pliocarinata 16–17
reniforme 16
Cibicides spp. 18
grossus 20
Elphidiella hannai 16
Elphidium
antoninum 18, 19
excavatum 16, 17
inflatum 18
oregonense 16, 20
Florilus boueanus 16, 18
Globocassidulina subglobosa 18
Melonis pompilioides 18
Monspeliensina pseudotepida 16, 17, 18
Nonion
affine 17, 18
orbiculare 16
Oridorsalis umbonatus 18
Pullenia bulloides 18
Sigmoilopsis schlumbergeri 16
Sphaeroidina bulloides 18
Trifarina gracilis 18
Uvigerina spp. 15
acuminata 18
pygmaea langeri 18
tenuipustulata 18
venusta saxonica 18
Valvulineria complanata 20
- foraminiferal biostratigraphy of the
 post-mid-Miocene 15–21
 calcareous microfossil range chart 17
 exploration wells 15, 16–21, 19
 NSB zonation 16–21
 sample preparation 15
- Fort Fisher (North Carolina) 250, 251, 252, 253–8, 254
- Fraser Delta (British Columbia) 336
- Fuengirola Canyon (submarine) 126, 134, 136
- Galveston Bay (Texas) 113, 114, 116
- gamma-rays
 logs 1, 3–11
 sea-bed detector system 291–4, 296
- Garantiana Clay Member (Barrerraig Sandstone Formation) 50, 72, 75
- gas-charged sediments 311, 315, 333
- Gent Formation 36, 43

- geological influences on shoreface 249–65
 background 250–3
 coquina sandstone (Pleistocene) 253, 254, 254, 255, 257
 Fort Fisher site 250, 251, 251, 252, 253–8, 254
 geological map of shoreface 260
 hardbottom ridges 254, 255, 259–62, 260
 New River site 251, 251, 253, 258–62, 261, 264
 palaeotopography 252, 260
 profiles of equilibrium 250
 Sheephead Rock (coquina sandstone) 254, 255, 256
 Silverdale Formation (Oligocene) 258–61, 260
- geophysics in offshore site investigations 323–36
 background 323–4
 gas-charged sediments 333
 geotechnical properties 323–4, 326
 high-resolution seismic reflection profiling 324–5, 328–9
in situ shear wave methods 326–7, 329–31
 invasive 327, 330–1
 non-invasive 327, 329–30
 laboratory studies 327–8, 331–2
 resonant column apparatus 328, 331–2
 triaxial and consolidation cells 328, 332
 Land Ocean Interaction Studies (LOIS) 332
 marine seismic refraction surveying 325–6
 sediment classification 335
 sediment liquefaction 335–6
 seismic cone penetrometers 327, 330–1
 seismo-acoustic wave propagation 323–4
 shear waves 324, 326, 336
- Graham Island (Queen Charlotte Islands, Canada) 233–46
 Grand Banks (Newfoundland) 336
 Great Estuarine Group 50, 75
 Guadiaro Canyon (submarine) 126, 134, 136
 Gulf of Lyon continental shelf 150
- Hannut Formation 28, 33
 Hecate Strait (Graham Island) 233, 236, 243, 245
 Hurd Deep *see* tectonic origin of Hurd Deep
- Ieper clay 29, 34, 35
 Ingleside Barrier 99
 Inner Hebrides *see* tidal sedimentation in Inner Hebrides
- Kleppe Senior Formation 192
 Kortemark Member (Tielt Formation) 24, 29, 34, 43
 Kortrijk Formation 24, 29, 34, 34, 35, 43
 Kumara Lake (Graham Island) 236, 242, 244
 Kure Beach (North Carolina) 258, 254
- Lavaca River (Texas) 102, 108, 109, 111
 Le Escala submarine palaeocanyon 134
- Lede Formation 39
 Lefipán Formation 81–91, 85, 86, 87, 89, 91
 London Clay Formation 32
- McIntyre Bay (Graham Island) 233, 236, 237, 240, 242, 245
 Maldegem Formation 24, 39, 40, 40, 41, 44, 45
 Marguerite Trough (Antarctic Peninsula) 173, 185
 Masonboro Island (North Carolina) 253
 Masset (Graham Island) 236, 240
 Merelbeke Member (Gent Formation) 24, 36, 43
 Miocene–Pliocene boundary, Danish Central Trough 20, 21
 More slide 195–6
- New River Inlet (North Carolina) 251, 253, 258–62, 261, 264
 Niel Formation 43
 Norddalsfjord 189
 Norderney (East Frisian Islands) 267–88, 289
 North Adriatic basin 158–9, 163
 North Hinder Deformation Zone 28, 41
 North Raasay Fault 49, 50
 North Sea
 Belgian Basin 23–45
 Danish Central Trough 15–21
 Danish sector 1–12, 2, 15
 Norwegian waters 187–200
 post-mid-Miocene biostratigraphy 15–21
 North Sea Basin 12, 23, 24, 42, 43–5
 North Sea Fan 187, 188, 189, 190, 193–7, 193, 195, 199–200, 199
see also Quaternary erosion and deposition
 North Sea Plateau 188, 199, 200
 Norwegian Channel 187, 188, 189, 190–4, 191, 192, 193, 196, 197–200
see also Quaternary erosion and deposition
 Norwegian fjords (western) 187–90, 188, 189, 190
see also Quaternary erosion and deposition
 Norwegian Trench Formation 192
Nummulites laevigatus 39
Nummulites variolarius 39
- Oeanda River (Graham Island) 242
 Oedelem Member (Aalter Formation) 38, 38, 39, 43
- Oligocene deposits (Danish North Sea)
 basinal setting 3
 distribution and lithology 3–4
 environment of deposition 3–4, 5
 highstand systems tracts 11–12
 lowstand systems tracts 10–11
 sequence stratigraphical surfaces 4–5
 systems tract interpretation 5 10–12, 12
 transgressive systems tracts 11

- Onderdale sands Member (Maldegem Formation) 40, 41
- Onslow Bay (North Carolina) 249–65
- Onslow Beach (North Carolina) 250, 251, 253, 259–61, 260, 262, 263, 264
- Oslofjord 190
- Ostrea gigantisima* 253
- Paraíba do Sul river strandplain 227, 228
- Paso del Sapo Formation 81–91, 85, 87, 89, 91
- Patagonian Basin (Argentina) 81–91
- peat layers (submarine) 158, 160, 161, 161, 162–3, 253, 258
- Pecten* spp. 55
- penetrometers *see* seismic penetrometers
- physical parameters of shallow marine sediments 299–321
- data acquisition 301–4
- data integration and interpretation 310–18
- GISP station 8 310–11, 318, 319
- Module station 24 305, 308, 310, 318, 319
- Module station 26 305, 308, 310, 315, 316
- Module station 27 305, 308, 310, 311–15, 313, 314
- Module station 29 305, 308, 310, 315–18, 317
- geotechnical interpretation 304–7
- Geotechnical Module 301, 301, 302, 304–6, 305, 320, 321
- geotechnical relationships 310
- GISP penetration system 301, 302, 302, 304, 306–7, 306, 320
- lithological data 303, 303
- positioning accuracy 303–4
- seismic reflection profiles 301
- data processing 307–10, 321
- stratigraphic interpretation 304, 304
- Pittem Member (Gent Formation) 24, 36, 43
- Planolites* spp. 52
- Pliocene–Pleistocene boundary, Danish Central Trough 16, 20, 21
- Plymouth Bay Basin 205
- Poseidonia mattes* 162, 163, 166, 167
- Quaternary erosion and deposition (Norwegian fjords, Norwegian Channel, North Sea Fan) 187–200
- debris flows 194, 194, 195, 196, 197, 198, 200
- glacial erosion surfaces 191, 193, 197, 198
- hemipelagic sediments 194, 195, 196
- ice streams 196, 197–8, 200
- sediment pathways 198–200, 199
- seismostratigraphy 190–1, 192–3, 192
- slide events 188–90, 194, 194, 195–6, 195, 200
- Queen Charlotte Basin 234–6
- Queen Charlotte Islands (Canada) 233–46
- Raasay Ironstone Formation 50, 74
- radiogenic heavy minerals 289–96
- radiometric fingerprinting 290, 296
- radiometry in coastal research 289–96
- heavy minerals
- concentrations 292–4, 293
- radiogenic 289
- in sand 290
- transport 294–6
- laboratory experiments 294
- methodology 291–4
- radionuclides 289, 294
- sand grain trajectories 295, 295
- sea-floor mapping 291–4
- seabed detector system 291–4, 291, 296
- selective transport model 294–6
- Rio Grande de Santiago 227
- Rønne Graben 301
- Rose Spit (Queen Charlotte Islands) 233–46
- Sabine River (Texas) 102, 108
- Salt Dome Province 16
- São Francisco strandplain 217–29
- Barreiras Formation 219, 221–2
- bathymetry and deposition 219–20, 225, 225
- coastal evolution 223, 223
- definition and classification of deltas 217–18
- dune deposits 222
- longshore drift 223–5, 227–9, 227
- longshore transport 219
- Quaternary deposits 221–3
- regional settings
- coastal zone 219–21, 220
- São Francisco River drainage basin 218–19
- river mouth dynamics 223–5, 224, 226, 227
- sea-level history 220–1, 221, 229
- seabed stability evaluation 335–6
- sediment transport processes
- heavy minerals 290, 294–6
- Norwegian fjord, channel, fan system 198–200, 199
- sediment transport processes (Norderney Island) 267–88
- fluorescent tracers 269, 285, 287
- hydrodynamic data 267–8, 270–4, 272, 273
- methodology 267–70
- morphological changes 274, 275
- sediment distribution patterns 274–87, 279, 280, 281, 282
- sediment flux 269–70, 271, 274, 276, 277, 278
- sediment sampling 268–9, 271
- see also* coastal sediment transport system
- sedimentation and sequence stratigraphy (east Texas shelf) 95–122
- Brazo/Colorado fluvial-deltaic systems 118, 120, 121, 122

- sedimentation and sequence stratigraphy
(*continued*)
- Brazos River 102, 108, 118
 - delta 99–102, 104, 105, 108, 115, 116, 117, 118–21, 120
 - incised valley 106, 108, 116, 117
 - Colorado River 102, 108, 118
 - delta 99, 104, 106, 108, 116, 118, 119, 120
 - incised valley 108, 109, 114, 116
 - Corpus Christi Bay 113
 - data sources 96, 98–9
 - depositional systems distribution 99, 100, 101
 - East Breaks Slide 109, 118
 - Galveston Bay 113, 114, 116
 - Ingliside Barrier 99
 - Lavaca River 102, 108
 - incised valley 102, 109, 111
 - methodology 98–9
 - oxygen isotope record 98, 98, 99
 - Sabine River 102, 108
 - delta 108, 113
 - incised valley 102, 105, 106, 108, 113, 114, 116
 - sedimentary facies distribution
 - early lowstand systems tract 99, 100, 102–4, 118
 - high-sediment-supply systems 108, 116, 118, 121, 122
 - low-sediment-supply systems 108, 109–16, 110, 119, 121, 122
 - maximum lowstand/early transgression 99, 100, 105–8, 119
 - present highstand 99, 101, 116
 - previous highstand 99–102, 99, 116–18
 - transgressive systems tract 99, 101, 108, 121
 - sequence stratigraphy 95–7, 114, 116–21
 - Trinity River 102, 108
 - delta 99, 108
 - incised valley 102, 105, 110, 106, 108, 109, 113, 114, 116
 - Trinity/Sabine fluvio-deltaic system 116, 118, 119, 121, 122
 - western Louisiana fluvial system 102–4
 - delta 102, 103, 104, 104, 118, 119, 120
 - seismic data recording and processing methods 325, 333
 - seismic expression of depositional sequences (Antarctic Peninsula shelf) 171–86
 - aggrading-shelf units 173–5
 - related glacial activity 175–80
 - bathymetry 173
 - ice sheets 171
 - advance and retreat 175–80
 - ice streams 178, 185, 185
 - methodology 172–3
 - progradating-slope units 180–3, 185, 185
 - seismic unconformities 173–5, 178, 180, 185
 - seismostratigraphy 180, 183
 - stratal stacking patterns 171, 180–3, 186
 - seismic penetrometers
 - apparatus 301, 302, 302, 327, 330–1
 - measurements 304–7, 306, 310–20, 313, 314, 316, 319
 - seismic-stratigraphical units (Belgian Basin) 25, 27, 29, 32, 44, 45
 - B1 39, 40, 40
 - L1-2 38, 38, 39, 39
 - P1 41
 - R1-2 41–3
 - T1-2 28, 33
 - Y1-5 32, 34, 35, 35, 36–7, 36
 - Senegal River 228, 228
 - sequence analysis on the Alboran Sea continental shelf 139–51
 - depositional sequences 140, 142, 151
 - eustatic events 139, 146, 147, 149, 150, 151
 - methodology 139–40
 - Older Dryas event 149–50
 - seismic profiles 139–40, 141, 143, 144, 145–6, 145, 146, 147
 - seismic stratigraphy analysis 140–6
 - sedimentary sequence 140
 - seismic units 140–6, 146–50, 149
 - sequence stratigraphy 146–50, 148
 - conceptual framework 139
 - highstand deposits 150
 - lowstand deposits 146–7
 - transgressive deposits 147–50
 - Younger Dryas event 149, 150
 - sequence stratigraphy (Belgian Palaeogene) 23–45
 - biostratigraphy 25, 45
 - environments of deposition 28–45
 - Eocene 29–41
 - Lutetian 38–40, 43
 - Lutetian–Bartonian 40–1, 43–4
 - Priabonian 41, 44–5
 - Ypresian 29–38, 43
 - geological setting 23–5
 - lithostratigraphy 25–43, 31, 32
 - Oligocene 41–3
 - Rupelian 41–3
 - Palaeocene 28–9
 - Thanetian 28–9
 - reflection seismic grid 25
 - relative sea-level curves 44, 45
 - sedimentation model 43–5
 - sequence stratigraphy methods 127–8
 - sequence stratigraphy of passive and active margins (western Mediterranean) 125–36
 - depositional sequences 128–32, 128, 130, 131, 133, 134
 - eustatic sea-level changes 125, 127, 133, 135

- sequence stratigraphy of passive and active margins (western Mediterranean) (*continued*)
- Fluviá-Muga prodelta 129, 133
 - Guadalmedina-Guadalhorce prodelta 129, 132, 133
 - lowstand systems tracts 127, 129, 130, 131, 132-5
 - methodology 127-8
 - regional settings
 - Alboran Sea 126, 127, 127
 - Catalonia Sea 125-7, 126, 127
- sequence stratigraphy and growth patterns 128-36
- global controlling factors 132-5
 - local controlling factors 135-6
 - northern Catalonia margin 128, 129, 130, 131, 132, 133, 135
 - northwestern Alboran margin 128, 129-32, 130, 131, 133, 135
 - stratigraphical architecture 125, 127, 129, 135
 - submarine canyons 126, 134, 136
 - tectonic controls 134
 - Ter prodelta 129
 - transgressive and highstand systems tracts 127, 129, 132, 133, 133, 135
 - Versilian transgression 129, 132
- sequence and systems tract interpretation (Danish North Sea) 1-12
- biostratigraphy 2 2
 - depositional sequences 5-10
 - gamma-ray logs 1 3-10
 - systems tracts interpretation 10-12
 - Oligocene sediments 3-5
 - Palaeogene lithostratigraphy 3-4
 - sequence stratigraphy 2-3, 4-10
 - systems tracts
 - definitions 1
 - depositional processes 10-12
 - in seismic sections 5 5
 - sequence interpretations 5-10, 6, 7, 8, 9
- Silverdale Formation (New River Inlet area) 258-61, 260
- Skagerrak 190, 193, 198
- basin bedforms 163
- sonar systems 324-5
- South Scalpay/Camasunary Fault 49, 50
- Southwest Channel Basin 205
- Storegga slide 188, 189, 196
- strandplains
- Paraibo do Sul 227, 228
 - São Francisco 217-29
- submarine canyons 126, 134, 136, 212
- systems tracts
- Adriatic shelf 158-9
 - Danish North Sea 1-12
 - definitions 1
 - east Texas shelf 98-121
 - Tampen slide 195-6
 - tectonic origins of Hurd Deep (English Channel) 203-14
 - Channel Basin 205, 209
 - Channel drainage system 212-13
 - data acquisition and processing 206-7
 - data sources 206-7, 209
 - data terrain models 207, 207, 208
 - depositional sequences 203, 207-9
 - dunes 203, 207, 209
 - geological setting 204-6
 - methodology 206-9
 - sedimentary infill 212-14
 - seismic interpretation 207-12, 208
 - tectonic pre-control and origins 209-12, 210, 211, 213
- Terschelling (West Frisian Islands) 293
- Texas shelf (east) 95-122
- Texel (West Frisian Islands) 290
- Thalassinoides* spp. 52, 55
- Tiber delta 150
- tidal sedimentation in Inner Hebrides half grabens 49-77
- biozonation 50, 51, 53
 - delta-plain deposits 52, 62-4
 - dunes 57-62, 58, 59, 60, 67, 67, 69-70, 72
 - environments of deposition 52-4, 55-7, 58, 59-60, 61-2, 63-4, 66, 70-1, 72-4
 - estuarine channel-fill deposits 52, 55, 64-70, 64
 - facies associations 52-71, 72, 74
 - facies relationships 53, 74-5
 - measured sections 54, 56, 63, 65, 68, 69, 71
 - palaeogeographical reconstructions 75-6, 76
 - prodelta deposits 52-7, 55
 - sedimentary regimes 72-5
 - sequence sets 74-5
 - sequence stratigraphy 73, 74
 - stratigraphy 49-52, 51
 - tectonic controls on sedimentation 75-6, 77
 - tidal-dominated delta-front deposits 52, 57-62
 - transgressive shelf deposits 52, 55, 57, 70-1, 70
- Tielt Formation 29, 35, 43
- Tienan Formation 28, 29, 33
- Tlell (Graham Island) 236
- Topsail Island (North Carolina) 250, 251, 253, 259-62, 260, 264
- Torre Nueva Canyon (submarine) 126, 134, 136
- transgressive dunes on the Adriatic shelf 155-67
- bathymetry 156, 157, 158, 158, 159, 161
 - bedforms 155, 157, 158, 165, 166
 - in sediment-starved environments 163
 - large dunes
 - evolution 166-7
 - morphology 159-61, 165
 - orientation 159-60, 166
 - sedimentology 161-2

- transgressive dunes on the Adriatic shelf
(continued)
 smaller bedforms 163, 164
 stratigraphy 162–3
 methodology 157–8
 modern oceanography 159
 peat layers 158, 160, 161, 161, 162–3
Poseidonia mattes 162, 163, 166, 167
 regional setting 155–7, 156, 158–9
 seismic-reflection profiles 157, 159, 160, 164
 shelf morphology 158–9
 shore-parallel sediment mounds 155, 158, 159, 161, 166
 transgressive stratigraphy 159
 Trinity River (Texas) 102, 108
 Troll petroleum field 190, 191
 borehole 8903 189, 191, 191, 192, 193, 193
Turritella spp. 38
 Tyrrhenian Sea continental shelf 150
- Ursel clay Member (Maldegem Formation) 40, 41
 Ushant Trough 205
- Venice Lagoon 155, 157, 167
 Vierge Trough 205, 213
 Vlierzele Member (Gent Formation) 24, 36–7, 36, 37, 43
- Weald–Artois High 23, 29, 43
 wells
 Belgian Basin
 11E-138 25
 GR1 25, 26, 31, 34, 35
 SEWB 25, 26, 31, 38
 SWB 25, 26, 31, 35, 36
 VR1 25, 26, 31, 34, 38, 39, 40, 41, 43
 22W-276 25
 Danish North Sea 19
 Cleo-1 7 15, 16, 18–21
 Elna-1 6, 8, 9 9, 11
 F-1 6 6, 7 7, 8, 9, 11
 Ibenholt-1 9 9, 10
 Inez-1 6 6, 7 7, 8 8, 9, 10, 11
 Kim-1 15, 16, 18–21
 L-1 9 9, 10, 11
 M-10 15, 16–21
 Mona-1 6, 7 8, 8, 9, 10, 11
 Wemmel sands Member (Maldegem Formation) 40, 41
 Western Approaches Basin 204, 205
- Younger Dryas 149, 150, 188, 188, 189
- Zelzate Formation 41, 45
 Zomergem clay Member (Maldegem Formation) 40, 41