

Index

- Aiguilles Rouges massif 287–9
Ainsa Basin, S Pyrenees 9, 163–88
 fluid involvement in geodynamic evolution 181–2
 fluid–sediment interactions in thrust-fault zone 175–7
 fluids, and tectonic shortening 183–6
 geological map 166
 geological setting 164–5
 mesostructures and fluid activity 167–75
 microthermometry of fluid inclusions 177–9
 structural analysis methods 167
Albanais–Rumilly syncline, Upper Marine Molasse (UMM) 271–4
Alboran Basin and Sea 7, 29, 32–3, 44–6
Alby-sur-Chéran surface section 274–5
Alpine foreland basins
 Barrême Basin 195–7, 199–204, 213–37
 Cenozoic, major sedimentary basins 280
 characteristics of external arc 206–8
 Digne thrust system, SE France 189–211
 geohistory plots (total subsidence curves) 290
 North Alpine Molasse Basin 279–98
 Vercors and Chartreuse Subalpine massifs 239–62
 see also Northern Alpine Foreland Basin; France, SE; *other specific basins*
Alpine–Carpathian foredeep, formation of Molasse Basin 339–70
Alps/Jura
 cross-section 284
 general setting 404
 horizontal shortening control 263–79
 stratigraphic section 280–1
 see also Molasse Basin
analogue modelling, Chartreuse and Vercors Subalpine massif 253–60
Annot Sandstone 199
Aquitanian litho-units 304, 308–9, 312, 405
Arén Formation 137
Areny Group, and Bóixols Thrust 15–16
Argentera Basin massif 190–2, 195–6, 214
Argentina, Iglesia Basin, fault–bend folding 394–6
Armanàncies Formation 117, 125
Arro syncline 166, 174–5, 178
Atiart Thrust 165–6, 169–73
Atlantic ocean, opening of Bay of Biscay 243
Austrian Molasse Basin 404–6
 Cretaceous facies distribution 346–9
 Early Tertiary facies distribution 349
 Eocene facies distribution 349–51
 hydrocarbon occurrences 363–4
 Jurassic facies distribution 343–6
 lithostratigraphic units 364–7
 Oligocene/Lower Miocene facies distribution 351–63
 Palaeozoic setting 343
 Salzburg Molasse foredeep 339–70
backstripping 317–20
Banyoles Formation 115, 116–17, 122
Barbières thrust 241, 245
Barrême Basin, SE France 195–7, 199–204, 213–37
 Clumanc section, sequential restoration 202–3, 222–5
 cross-section, sequential restoration 216, 223–9
 evolution of topography 227
 geological map 214
 stratigraphy 217–19
 fold axis calculations 226
 numerical age attribution 219–22
 structural geology and geometry 215–17
 velocities of deformation 230–4
 vicinity, structures 215
 see also Digne thrust system
Baustein litho-units 305, 306–7
Bellegarde syncline 272
Bellmont Formation 113, 117, 119, 125
Betic Mountains 5–7, 29–30, 49
 thrust front model 23
 see also Guadalquivir Basin
Beuda Formation 118, 119
Bohemian massif, tectonic setting and structural evolution 340–3
Bóixols thrust–Montsec thrust 139
 and Areny Group 15–16
Bouguer anomalies map, Guadalquivir Basin, Spain 32
Burdigalian–Langhian–Serravalian *see* Upper Marine Molasse
Busa syncline 115–16
Cádiz thrust 108, 112, 114, 117, 125
Cairat Formation 113
calcarenites 35–6
calcimetry, structural analysis methods 167
 calcite
 fluid inclusion analysis 167, 177–9
 shear-vein, geochemistry 181
California, Lost Hills anticline, fault–bend folding 394
Campanúe fan delta 141, 151, 153–4
Campdevàdol Formation 115, 117
Campodarbe Group 154
Capella Formation 150, 151–2
carbon isotopes 179–81
Cardona Formation 119, 125
Castellane–Digne arc 214
Castellfolit unit 121–2, 124
Castissent Formation 140–7, 151, 153, 157, 165
Catalan Coastal Ranges, Ebro Foreland Basin 107–34, 138
celestite, fluid inclusion analysis 167, 177–9
Cenozoic
 correlation of chronostratigraphy 352

- Jura–Subalpine massifs junction,
 chronostratigraphic chart 266
 major sedimentary basins 280
- Cevenole Fault System 192
- Charo–Lascorz submarine erosion surface 10
- Chartreuse and Vercors Subalpine massifs 190,
 239–62
 analogue model
 experiment and results 255–8
 numerical considerations 253–4
 geological setting 240–5
 serial cross-sections 245–53
 structural map 241
 tectonic phases 243
- Chatian litho-units 304–5, 307–8
- Claramunt Fan 141
- computer-based stratigraphic simulations 371–9
- Corça Formation 143
- Corones Formation 111, 117
- Corso–Sardinian massif 199
- Cotiella Nappe, Ainsa Basin, S Pyrenees 165
- Coubet Formation 113, 117
- Coulomb wedge model 254
- Dauphinois Basin 192, 240
 diapiric emplacement, Triassic evaporites 49–68
 diffusion equations, lithology 398–9
- Digne thrust system, SE France 189–211
 deformational styles and amount of shortening
 195–7
 geological maps 190, 216
 kinematics 193–5
 late Alpine deformation 206
 Mesozoic stratigraphy 191–3
 regional considerations 206–8
 sequential restoration 204–6
 Tertiary stratigraphy 197–204
see also Barrême Basin, SE France
- Dourouilles syncline
 cross-section 216
 Poudinge d'Argens 200, 204–5
- Ebro Basin, SE Pyrenees 107–34
 comparison with other European foreland basins
 128–9
 depositional cycles and chronostratigraphy 109–18
 geological setting 108–9
 subsidence analysis 118–29
see also Sant Llorenç de Morunys, Spain
- ECORS–Pyrenees deep-reflection cross-section 4–5,
 137
- Embrunais–Ubaye nappes 190–1, 194–6, 199, 201
 termination of Nummulitic basin phase 205–6
- Eocene thrust emplacement, fluid migration
 163–88
- Épenet–St Nazaire fault-propagation anticline 252
- Épine thrust 241, 245
- Escanilla Formation 146
- European Plate
 flexural modelling 403–22
 densities used 407
 EET values 415–17, 420
 gravity anomaly 409
 parameter values 411–14
 plate end free point (PEFP) 409, 415
 lithosphere flexing 292–4
 eustatic versus tectonic controls on subsidence
 299–323
- fan delta, de Munt fan delta 18–19
- fault–bend folding
 natural examples 394–6
 numerical modelling 381–401
- flexural backstripping 317–20
- flexural modelling *see* European Plate
- fluid inclusion analysis 167, 177–9
- Folgueroles Formation 113, 117
- foredeep sedimentation 288–91
- Foreland Basin Module (IBS)
 composition of project group 3–4
 objectives and research premises 3
- foreland basins
 basin fill, eustatic v. tectonic controls 299–323
 defined 29
 evolution, quantitative aspects 291–2
 fault–bend folding, numerical modelling 381–401
 sequential restoration 204–6
 tectonics and sedimentation 1–28
 thrust faults, modelling of folding 382–3
 vertical motions 107–34
see also modelling
- Formigales onlap 154
- forward tectonic modelling, German Molasse Basin
 403–22
- France, SE
 Barrême Basin, western Alps 213–37
 Digne thrust system 189–211
 map, non-palinspastic 192
 Mesozoic basin obliquity 239–62
 North Alpine Molasse Basin 279–98
 Savoy Molasse Basin 263–79
 structural map 240
 Tertiary foreland stratigraphy 198
 Vercors and Chartreuse Subalpine massifs 239–62
- Gavarnie thrust 165
- genetic algorithms, quasi-backward modelling 371–9
- geohistory plots (total subsidence curves) 290
- geoid height map, Guadalquivir Basin, Spain 33
- German Molasse Basin 10–12, 299–323, 403–22
 basin fill, eustatic vs tectonic controls 299–323
 flexural modelling 406–22
 litho-units, list 304–5
 maps 300, 327, 404
 reservoir analogue modelling 325–37
 sequence stratigraphy 299–316
 stratigraphic simulations 376–9
 subsidence analysis 317–21
 well correlation chart 302–3
see also Northern Alpine Foreland Basin
- Gévaudan–Reichard–Blanche–Castellane tectonic
 unit 215–16, 227
- Gombrén unit, stratigraphy 120, 122–4, 126
- Gros Foug anticline 273
- growth folds, and related sediment wedges 14–18
- growth strata, numerical modelling 381–401
- Grundgraben, reservoir analogue modelling
 325–37

- Guadalquivir Basin, Spain 29–48, 49–68
 Baena cross-section 52
 Bouguer gravity anomalies map 31–2
 composition and structure, chaotic unit 53–4
 description 12–13
 geoid height map 33
 geology 35–44, 50–7
 geophysical and geological constraints on evolution 29–48
 lateral diapiric emplacement, Triassic evaporites 49–68
 location map 29
 oil wells, seismic profiles and cross-sections 50
 subsurface data 37
 Marismas cross-section 53
 Martos cross-section 46, 51, 53
 Moho depth map 34
 Neogene infill 35–9
 Palaeozoic basement map 39
 regional geophysical data 31–5
 regional tectonic setting 30–1
 stratigraphic models summarized 36
 structural map 50
 summary and discussion 44–6, 66
 surface heat flow map 34
 Triassic evaporites 49–68
- Heller Mergelkalk 305, 307
 HERESIM program, reservoir analogue modelling 325–37
- Iglesia Basin, Argentina, fault–bend folding 394–6
 Igualada Formation 113, 116
 Integrated Basin Studies 1–28
 ECORS-Pyrenees deep-reflection cross-section 4–5, 137
 Foreland Basin Module, composition of project group 3–4
 isotope analysis 167
 isotope geochemistry 179–81
- Jabalf oil-well 115, 117–19, 122, 124, 126
 Jaca Basin 108, 116
 Jura fold and thrust belt, deformation 284
 Jura–Subalpine massifs junction
 cross-section, NW Alpine front 284–6
 geological setting 265
 restoration of pre-Burdigalian transgression surface 268
 restored section 287–8
 stratigraphy 265–6, 288–91
 synthetic Cenozoic chronostratigraphic chart 266
- Kirchberg litho-units 304, 312
- La Poste Formation 219–24
 Lattorfian litho-units 305, 307
 Léoncel thrust 241, 245
 Ligurian Ocean 243
 lithology, diffusion equations 398–9
 lithosphere, flexing 292–4
 Lithothamnion Limestone 305, 307, 312, 405, 365
 Los Molinos thrust 166, 173–4
- Lost Hills anticline, California, fault–bend folding 394
 Lower Freshwater Molasse 266, 288, 405
 Lower Marine Molasse 288, 405
 see also Upper Marine Molasse (*German nomenclature*)
 Lutetian, ECORS-Pyrenees deep-reflection cross-section 4–5
 Lutetian–Priabonian marine transgression, Tertiary foreland stratigraphy 198
- Majestres Basin 204
 kinematics 193–4
 Mediano anticline, Central Pyrenees 17
 Milany Formation 113
 Mirador Formation 101
 modelling
 European lithosphere flexing 403–22
 forward tectonic, German–Austrian Molasse Basin 403–22
 genetic algorithms 371–9
 numerical, fault–bend folding 381–401
 requirements 29
 reservoir analogue modelling 325–37
 stratigraphic simulations 371–9
 subsidence analysis 317–21
- Moho depth map, Guadalquivir Basin, Spain 34
 Molasse
 Alpine–Carpathian foredeep 339–70
 formation of the Molasse Basin 339–70
 geological setting 264
 stratigraphic simulations 376–9
 see also Lower Freshwater M; North Alpine Foreland Basin; Savoy M Upper Marine M
 Montagne d'Age/Salve anticline 273
 Montanyana Delta, Tremp–Ager Basin 139–41
 architectural elements 142, 147
 block diagram 138
 controls of sedimentation 151–9
 lower deltaic plain 150–1
 megasequences and cycles 147–9
 thrust translation 155–9
 upper deltaic plain 147–50
 Montserrat Formation 113, 118, 121–2
 Moucherotte thrust 241, 245
 Murillo Limestone 151
 Musièges anticline 272
- Nantesbuch litho-units 304, 309
 Nogueras antiformal stack 137, 155–6
 deformation 284
 Northern Alpine Foreland Basin 279–98, 403–22
 E–W section 406
 evolution, two-phase 418
 flexural modelling 406–22
 foreland unconformity 283
 geohistory plots 290
 reservoir analogue modelling 325–37
 stratigraphy 280–4, 404–6
 structural relations 279–98, 403–22
 thick-plate vs thin-plate models 418–20
 see also German Molasse Basin; Swiss Molasse Basin
 numerical modelling, fault–bend folding 381–401

- Nummulitic Basin, Poudingue d'Argens 197–9
 Nummulitic Limestone 217–18
- Obing Formation 304, 313
 olistostrome units 29, 49
 oxygen isotopes 179
- Pano onlap 151, 154
 parasitic folds 215
 pde system, solutions 399
 Pedraforca, E Pyrenees 17
 Pelvoux massif 214
 Penya Formation 113
 Perarrua Formation 150, 154, 157
 piggyback basin, cyclicity and basin axis shift 135–62
 Poudingue d'Argens
 - Dourouilles syncline 204–5
 - Nummulitic Basin 196, 197–9
 pressure-solution cleavage 169
 Puchkirchen Formation 304, 306–7, 309, 312–13, 354–5, 367
 Puig-reig anticline and oil-well 113, 115–19, 122, 124
 Puy de Cinca Limestone 154
 Pyrenees
 - ECORS-Pyrenees deep-reflection cross-section 4–5
 - thrust sequences and basin-fill architecture 8–10
 Pyrenees, S
 - Ainsa Basin 163–88
 - Central South Pyrenean Thrust system (CSPT) 137
 - Eocene thrust emplacement, fluid migration 163–88
 - Tremp–Ager Basin 135–62
 Pyrenees, SE
 - Ebro Foreland Basin 107–34
 - Mesozoic–Cenozoic thrust sheets, tectonic map 103
 - see also* Sant Llorenç de Morunys, Spain
- Ratz thrust 241, 245
 Rencurel thrust 241, 245
 reservoir analogue modelling, Upper Marine Molasse (UMM), SW Germany 325–37
 reservoirs, Austrian Molasse Basin 363–4
 Ribes–Camprodon Thrust 125
 Rioux Marl–Siltstone, Upper and Lower 217–22
 Ripoli syncline 108–9, 113, 117, 125, 138
 Royans thrust 241, 245
 Rumilly syncline 271–4
 Rupelian litho-units 305
- Saillans thrust 241, 245
 Salzburg Molasse foredeep, Austria 339–70
 Samper thrust 165–6, 173–4
 San Esteban Fan 141
 Sant Llorenç de Morunys, Spain 69–107
 - Ebro Basin, tectonic map 70
 - geological map 107
 - geological setting 71
 - local stratigraphical-structural setting, conglomerates 71–6
 - Mesozoic–Cenozoic thrust sheets, tectonic map 103
 - sedimentology 76–88
 - summary and conclusions 102–6
 - three-dimensional evolution of growth fold 88–102
- Sant Llorenç de Munt fan delta 18–19
 Santa Liestra Group 166
 Santpedor unit 121–2, 126
 Savoy Molasse Basin 263–79
 - internal configuration 268–75
 - seismic-reflection profile 274
 - stratigraphy 265–6
 - structural setting 266–8
 Selva onlap 154
 sequential restoration 202–3, 222–30
 shear deformation 168–9
 Sobol Formation 101
 Solsona Formation 111, 116–19, 122
 Spain *see* Ebro Basin; Guadalquivir Basin; Sant Llorenç de Morunys; Tremp–Ager Basin
 St Jurs stack 195
 St Lattier thrust 241, 245
 stratigraphic simulations, quasi-backward modelling 371–9
 strontium isotopes 179
 subsidence analysis 317–21
 - eustatic versus tectonic controls 299–323
 sulphur isotopes 179
 Swiss Molasse Basin, W 279–98
 - deformation 284
 - modelling 319, 404–22
 Switzerland, W, tectonic map 282
- Tavertet Formation 113, 115–17
 tectonosedimentary unit (TSU), defined 8
 Tertiary foreland basins, Digne thrust system, SE France 190
 Tethyan Sea
 - palaeomargin 239–41
 - Tertiary closure 108–9
 thin-skin inversion, oblique basin margins 239–62
 thrust fault-related folding, modelling 382–3
 thrust propagation
 - back-thrusting 390–4
 - and fluid flow 13–14
 - forward-breaking 389–90
 thrust sequences and basin-fill architecture 8–13
 thrust sheet top basin 213–37
 tidal sediments, analogue modelling 325–37
 Tinée, kinematics 193–4
 Tossa Limestone 154
 Tremp–Ager Basin, S Pyrenees 135–62
 stratigraphy 140
 Tremp–Graus Basin, S Pyrenees 9
 Trévans, kinematics 193
 Triassic evaporites, Guadalquivir Basin, Spain 49–68
- Upper Freshwater Molasse 288
 Upper Marine Molasse (UMM) 263–78, 325–37
 3-D view 269
 Alps/Jura 263–78
 décollement basins 275
 German Molasse Basin 325–37
 internal configuration 268–75
 - Albanais–Rumilly syncline 271–4
 reservoir analogue modelling 325–37
 stratigraphy 270
see also Lower Marine Molasse

- Valence Basin 244, 252
València trough 125, 126
Valensole Basin 191, 204
 structural map 216
 see also Digne thrust system, SE France
Vallfogona thrust 14–15, 18, 108–9, 111, 113–14, 125
 see also Sant Llorenç de Morunys, Spain
Vercors Subalpine massifs *see* Chartreuse and
 Vercors Subalpine massifs
Vilada anticline 113–14
Vocontian Basin 192–3
Voreppe thrust 241, 245
Vuache strike-slip fault 272
X-ray diffractometry, structural analysis methods 167