

Index

Page numbers in *italics* refer to Figures or Tables

- accretionary prisms
 - Barbados *130, 131*
 - Cascadia *129, 130, 131*
 - Peru *141*
 - see also* Sulawesi
- accumulation of gas hydrate *54–5*
 - mathematical model of *67–70*
- acidity *see* pH
- acoustic anomalies *195*
- acoustic masking *239, 240–4*
- acoustic reflection tomography
 - methods
 - data acquisition *143–6*
 - data inversion *146–7*
 - results *147*
 - results discussed *148–50*
- acoustic signals, mud volcanoes *180, 181, 182–6*
- Africa Coast (SW), slides *313*
- Alaska
 - Beaufort Sea *24, 27, 250, 257*
 - Kuparak River field *22, 305*
 - North Slope *304–5, 307*
 - Prudhoe Bay field *11, 22, 23, 305*
- Amazon Fan slides *313*
- Amsterdam mud volcano *181*
- Anaximander Mts *177–9*
 - acoustic signals *183–6*
 - biota *183*
 - bottom features
 - mud slides *183*
 - mud volcanoes *180–2*
- ANAXIPROBE *177, 179, 180, 196*
- Andaman Sea *239*
- Antalya Basin *179*
- Antarctica
 - bottom simulating reflector *305*
 - Vostock ice core *308*
 - see also* South Shetland Islands
- anticlines, faulted *51*
- Arabian Sea *240*
 - seismic study methods *240*
 - seismic study results
 - acoustic masking *240–4*
 - bottom simulating reflector *247–9*
 - methane sources *249–50*
 - pockmarks *244–7*
- Arctic region gas hydrate estimate *307*
- Atlantic Ocean (NE)
 - margin instability study
 - methods *276–7*
 - results
 - mud volcanoes *283–4*
 - seafloor craters *278–84*
 - results discussed *285–7*
- Atlantic Ocean (SW)
 - Carolina margin *306–7*
 - New Jersey margin *314–15*
 - see also* Blake Ridge
- bacteria and bacterial mats *183, 210*
- Barbados accretionary prism *130, 131*
- Barents Sea
 - gas hydrate discovered *278*
 - glacial history *232*
 - mound formation *234–5*
 - seafloor crater studies *223–5, 278–80*
 - acoustic features *230–1*
 - age *232*
 - bedrock *229–30*
 - internal features *225–9*
 - bathymetry study in Black Sea
 - methods *197*
 - results *198*
- Beaufort Sea *24, 27, 257*
 - bottom simulating reflector *250*
- Berigian margin, bottom simulating reflector *250*
- binary mixtures
 - CH₄-C₂H₆ *99–101*
 - CH₄-N₂ *97–9*
 - CO₂-CH₄ *93–7*
 - CO₂-N₂ *101*
- biogenic processes, role in gas formation *167–8*
- biota, Mediterranean *183*
- Black Sea *52, 168, 196, 215–17*
 - $\delta^{13}\text{C}$ analysis *16*
 - core studies
 - methods *198, 220*
 - results *204–8, 220–1*
 - gas composition *208–9*
 - geophysical studies
 - methods *197–8, 217*
 - results
 - bathymetry *198–9*
 - bottom profiles *199–204*
 - seismic reflection *198, 217–20*
 - gas hydrate occurrence *209, 221*
- Blake Ridge (DSDP legs *11* and *76*; ODP leg *164*) *18, 115, 117–18, 120, 124, 141*
 - bottom simulating reflector first seen *304*
 - core record *153–4*
 - downhole logs *129–30*
 - gas hydrate zone *117, 121, 122, 124*
 - $\delta^{13}\text{C}$ analysis *16, 17*
 - occurrence conditions *304*
 - volume estimation *305, 315*
 - in situ* methane *275*
 - location *154*
 - methane/ethane ratio *163–4*
 - pore water chemistry *164–5*
 - seismic studies
 - methods *294*
 - results
 - collapse features *295–8*
 - fault scarps *298–301*
 - morphology *294–5*
 - results discussed *301*
 - slumping events *157–8*
 - venting of gas *154–7*
 - blanking, causes of *305*
 - see also* acoustic masking

- Bølling warming event 329, 330
 boomer profiles
 Barents Sea 225, 229, 230
 Norwegian margin 286
 bottom simulating reflector 12, 161, 239, 278
 formation of 14–15, 141, 305
 localities studied
 Antarctica 305
 Arabian Sea 247–9
 Barents Sea 278–9
 Beaufort Sea 250
 Blake Ridge 304
 methods of analysis 134–7
 results 137–9
 Cascadia margin 14–15, 257, 306
 methods of analysis 134–7
 results 137–9
 Celebes Sea *see* Sulawesi
 Chile triple junction 306
 Sorokin Trough 217
 South Shetland Island 142–3
 methods of analysis 143–7
 results 147
 results discussed 148–50
 Brazil slope, slides 313
 butane 31
 $\delta^{13}\text{C}$ analysis 16, 17
 Arabian Sea 249–50
 Black Sea carbonates 210
 Mediterranean Sea 172–3
 Palaeogene record 312
 record in forams 309
 California margin
 bottom simulating reflector 250
 $\delta^{13}\text{C}$ analysis 16
 carbon cycle 1
 carbon dioxide 31
 atmospheric residence time 310
 hydrate synthesis
 methods 107
 results 107–10
 role in binary mixtures 93–7, 101
 sequestration 43–4
 carbon monoxide, greenhouse potential 310
 carbonate crusts and concretions 195, 209–10
 Carolina margin gas escape structures 305–6
 Cascadia margin (ODP legs 141 and 146) 141
 accretionary prism, downhole log 129, 130, 131
 bottom simulating reflector study 14–15, 257, 306
 methods
 data acquisition 134
 data inversion 135–7
 data processing 134–5
 results 137–9
 gas hydrate zone 117, 121, 122, 124
 Caspian Sea 17, 24, 52
 $\delta^{13}\text{C}$ analysis 16
 catastrophic hydrate release (CHR) hypothesis 319
 Celebes Sea *see* Sulawesi
 Cenozoic, gas hydrate development 313–14
 CFC greenhouse potential 310
 chemautotrophic bacteria 183
 chemistry
 methane sources 167–8
 inorganic 18
 organic 15–16, 17–18
 pore water 164–5
 Chile triple junction, bottom simulating reflector 306
 chlorinity 18
 as gas hydrate indicator 306
 Mediterranean Sea pore waters
 methods of analysis 169–70
 results 170–2
 results discussed 172–3
 Middle America Trench 56
 pore water 164–5
 CHR hypothesis 319
 chromatographic analysis, Black Sea gases 208–9
 clathrates *see* gas hydrates 31
 climate change
 feedback model 309–11
 modelling experiments
 parameter setting 320–2
 results 322–4
 results discussed 324–5
 role of gas hydrate 1, 24–8, 43–4
 computer simulation of hydrates 46
 continental margin, thermobaric character 57
 Costa Rica offshore *see* Middle America Trench
 craters, seafloor
 Barents Sea 223–5, 278–81
 acoustic features 230–1
 age 232
 bedrock 229–30
 internal features 225–9
 Norwegian margin 282–4
 see also mud volcanoes *also* pockmarks
 Crimea Peninsula *see* Black Sea
 crystallography of gas hydrate 9, 10, 18, 32, 33–4
 cf. ice 34–5
 natural and lab samples compared 45
 see also lattice dynamics
 Dansgaard–Oeschger events 309, 329
 Davy, Sir Humphrey 1, 31
 debris flows *see* mud slides
 deep-tow images
 Blake Ridge 299
 Mediterranean Sea 180, 185, 186, 187, 188
 deglaciation 303, 307–8
 modelling 309–11
 role of degassing 319
 depressurization 22
 diapirs
 role in gas hydrate accumulation 51
 role in gas hydrate migration 120
 DSDP 16, 124
 legs 11 and 76 *see* Blake Ridge
 leg 84 *see* Middle America Trench
 leg 96 *see* Mexico, Gulf of
 earthquakes, Norwegian continental shelf 284–5
 energy reserve potential 21–3
 Eocene sea-level change 312
 ethane 31
 role in binary mixtures 99–101, 163–4

- faults
 - as gas conduits 125–7
 - role in gas hydrate migration 117–18, 120
- Finike Basin 179, 183
- firn 327
- Florence Rise 179
- fluid flow, role of 51–3, 55
- Fourier transform infrared (FT-IR) 45
- fractures, role in gas hydrate migration 117–18, 120
- free gas flow 54, 55
- fugacity coefficients 79–81
 - solubility effects 81–2
- gas hydrates (clathrates) 13
 - conditions of formation 167
 - defined 9
 - as geohazard 23–4
 - as global warmer 24–8, 43–4
 - kinetics of formation 39–41, 46
 - morphology of gas hydrate 13, 209, 210
 - mound formation
 - description 225–9
 - interpretation 234–5
 - occurrences 11–12, 14–15, 55, 114
 - role of host sediment 118–19
 - spatial distribution 115–17
 - structural sites 117–18
 - physicochemical properties 34–8
 - stability zone 12–14, 121, 122, 124
- Gent debates 1–2
- geochemistry
 - methane sources 167–8
 - inorganic 18
 - organic 15–16, 17–18
 - pore water 164–5
- geohazard potential 23–4
- geothermal fields *see* heat flow
- geothermal gradients 12
 - role in gas hydrate migration 121–2
- GIGICS 255
- glacial history, Barents Sea 232
- glacial termination 303, 307–8
 - modelling 309–11
- glacial–interglacial cycles 328–30
- global mean temperature (GMT) *see* climate change
- global warming 24–8, 43–4
 - gas potentials 310
 - see also* greenhouse effect
- gravity coring, Black Sea study
 - methods 197
 - results 204
- greenhouse effect 1
 - methane induced 113, 303
 - see also* global warming
- Greenland, ice core evidence 309, 328
- Guatemala, offshore *see* Middle America Trench
- hazard potential of gas hydrate 23–4
- heat flow 12
 - Sulawesi study
 - methods of analysis 267–8
 - results 268–71
- heat of dissociation 37–8
- hydrate mounds *see* gas hydrate
- hydrogen sulphide 31
- ice core air samples 327–8
- ice core records 308, 309
- ice crystals
 - cf.* gas hydrate 34–5
 - laboratory behaviour 45
- Indian Ocean 239
 - bottom simulating reflector 250
- inhibitor injection 22
- intermolecular potential 82–4
- isobutane 31
- isotope analysis 154–5
 - see also* $\delta^{13}\text{C}$ *also* $\delta^{18}\text{O}$
- Japan Sea 31, 115, 120, 122, 124
 - pore water study 107
- joints, role in gas hydrate migration 117–18, 120
- Kidd, Professor Robert 7–8
- Kihara parameters 84–9
- kinetics of formation of gas hydrates 39–41, 46
- Kula mud volcano 182
- Kuparak River field 22, 305
- landslides *see* mud slides
- lattice dynamics 46
- lithology *see* sediment composition
- logging-while-drilling (LWD) 129–31
- Maikop Formation 196, 216
- mathematical modelling of gas hydrate behaviour
 - accumulation
 - methods 65–7
 - nomenclature 73–4
 - results 67–70
 - results discussed 70–1
 - heat flow effects 271–4
 - mixed gas fluid parameters used
 - basic concepts 75–6
 - computing power 101–2
 - fugacity coefficients 79–81
 - intermolecular potential 82–4
 - Kihara parameters 84–92
 - P/T stability fields 76–7
 - solubility considerations 81–2
 - thermodynamic considerations 77–9
 - results with binary mixtures
 - CH₄-C₂H₆ 99–101
 - CH₄-N₂ 97–9
 - CO₂-CH₄ 93–7
 - CO₂-N₂ 101
- Mediterranean Sea (ODP leg 160)
 - pore water analysis
 - methods 169–70
 - results 170–2
 - results discussed 172–3
 - see also* Anaximander Mts
- Mesozoic, gas hydrate development 313–14
- Messinian evaporites 179
- Messoyakha field 22
- methane
 - atmospheric 309
 - residence time 113

- in ice core record 329
- oxidation 310
- recovery methods 22
- release rates 27
 - marine cycles 287–8
- reserve estimates 18–21, 41, 303, 307, 315
- role in binary mixtures 97–101
- role in global warming 1, 24–8, 43–4
 - in situ* studies 275, 315
- solubility 53
- sources 249–50
- transport 54–60
- methane hydrate
 - depth of occurrence 10
 - origins
 - microbial 14, 15–16
 - thermogenic 17
 - phase diagrams 11
 - structure 9
- methane/ethane ratio 163–4
- Mexico, Gulf of (DSDP leg 96) 52, 55, 115, 119
 - bottom simulating reflector 250
 - $\delta^{13}\text{C}$ analysis 16
 - gas escape structures 306–7
 - gas hydrate mounds 234
 - gas hydrate zone 124
 - slumping 315
- microbial activity
 - effect on gas hydrate crystal structure 33
 - role in gas hydrate generation, models proposed 14, 15–16, 17
- Middle America Trench (DSDP leg 84) 13, 54, 56, 115, 168
 - bottom simulating reflector 250
 - $\delta^{13}\text{C}$ analysis 16
 - stability zone 117, 121, 122, 124
- Milankovitch cycles 308
- Milano Dome pore water analysis
 - methods 169–70
 - results 170–2
 - results discussed 172–3
- Mississippi Canyon, $\delta^{13}\text{C}$ analysis 16
- mixed gas clathrates *see* binary mixtures
- molecular diffusion 54, 55, 57–9
- molecular dynamics 46
- molecular models 10, 32
- molluscs, chemautotrophic 183
- Monte Carlo simulation 46
- morphology of gas hydrate 13, 209, 210
- mud slides, submarine 23, 24, 113, 179, 183, 195
 - causes of 285–7, 303–4, 307, 312–13
 - localities studied
 - Mexico, Gulf of 315
 - New Jersey margin 314–15
 - see also* Storegga slide
 - role of gas hydrate 157–8
- mud volcanoes 17, 24, 51, 195, 216, 221
 - acoustic behaviour 183–6
 - description 179, 180–2
 - Norwegian margin 283–4
 - tectonic significance 186–91
 - see also* craters *also* Milano Dome *also* Napoli Dome
- Nankai Trough 122
- Napoli Dome
 - chemautotrophic bacteria 183
 - pore water analysis
 - methods 169–70
 - results 170–2
 - results discussed 172–3
- negative–positive feedback 309–11
- neutron diffraction analysis 45
- New Jersey margin slump study 314–15
- nitrogen 31
 - role in binary mixtures 97–9, 101
- nitrous oxide greenhouse potential 310
- Norwegian margin
 - see* Barents Sea *also* Storegga slide
- nuclear magnetic resonance 45
- numerical modelling *see* mathematical modelling
- $\delta^{18}\text{O}$
 - in ice core record 329
 - Mediterranean Sea 172–3
 - in gas hydrate formation 169
- ocean sediment, methane reserves 18, 19, 20, 21, 41
- oceanic occurrences 51
 - role of fluid flow 51–3
- ODP 16, 124
 - leg 112 *see* Peru–Chile Trench
 - legs 141 and 146 *see* Cascadia margin
 - leg 160 *see* Mediterranean Sea
 - leg 164 *see* Blake Ridge
- Okhotsk Sea 52, 55, 60, 121
- Okushiri Ridge 115 120, 122
 - stability zone 117, 121, 122, 124
- Oman, Gulf of 239
- orbital forcing 308
- Orca Basin (Mexican Gulf) 115, 119
 - stability zone 117, 121, 122, 124
- organic matter analysis, Arabian Sea 249–50
- outgassing of seafloor methane 154–7
- P wave velocity 278
 - gas effects 257
 - see also* seismic waves
- P–T diagram 117
- Pacific Ocean
 - California margin 16, 250
 - Cascadia margin 141
 - accretionary prism, downhole log 129, 130, 131
 - bottom simulating reflector study 257, 306
 - methods 134–7
 - results 137–9
 - gas hydrate zone 124
 - Peru–Chile Trench 16, 54, 118
- Palaeocene warming event 311
- Palaeogene
 - sea-level change 312
 - slumping 314–15
- parasound profiles 280
- particle size distribution *see* sediment composition
- permafrost
 - associated gas hydrate 304
 - gas hydrate volume estimate 307
 - methane reserves 18, 19, 20, 21, 41
- permeability, role in gas hydrate migration 123–5
- Peru accretionary prism 141

- Peru–Chile Trench (ODP leg 112) 54, 118
 stability zone 117, 121, 122
 $\delta^{13}\text{C}$ analysis 16
- pH effect on CO_2 hydrates
 methods of analysis 107
 results 107–10
- phase equilibrium conditions 36–7
 phase characterization 44–5
 phase diagrams 11, 37, 42, 45, 64, 77
 methane gas/hydrate/water 11, 168, 314
 mixed gas clathrates 96, 97, 99, 101, 102
 water/THF 45
- physicochemical properties of gas hydrates 34–8
- pipeline blockage 1, 21, 31
- Pleistocene
 climate change 25–6
 sea-level change 24, 25, 157, 159
see also Quaternary
- pockmarks 184–5, 195, 244–7
see also craters
- pore water analysis
 methods 169–70
 results 170–2
 results discussed 172–3
- pore water flow 54, 55
- porosity, role in gas hydrate migration 118–19, 123–5
- porosity logs, role in gas hydrate detection 130
- precipitation of gas hydrate 54–5
- propane 31
- Prudhoe Bay field 11, 22, 23, 305
- psychrosphere development 313
- Quaternary deposits
 Barents Sea 232
 Black Sea 196, 216
see also Pleistocene
- Raman spectra 45–6
- reflectivity map 199
- reservoir potential for gas hydrate
 effect of geological process 120–3
 effect of geological setting 120
 effect of host sediment 123–5
- residence time, atmospheric methane 113
- resistivity, use in gas hydrate detection 129
- St Ouen l'Aumône mud volcano 181
- salinity 164–5, 169
see also chlorinity
- San Remo mud volcano 181
- Santa Barbara Basin 309
- sea-floor collapse *see* mud slides
- sea-level change
 gas hydrate destabilization 307
 Palaeocene-Eocene 312
 Pleistocene 24, 25
 last glacial maximum 329–30
 role in slumping 157, 159
- seal potential 22, 23
- sediment composition, role in reservoirs 118, 123–5, 221
- seismic activity *see* earthquakes
- seismic detection of gas hydrates 12, 14–15
- seismic profiles 181
- Arabian Sea 243, 244, 245, 246, 247, 248
- Barents Sea 278
- Black Sea 197, 198, 217, 218, 219
- Blake Ridge 14, 155, 297, 298, 300, 304
- Cascadia margin 135
- Caspian Sea 52
- Celebes Sea 257, 258, 259, 260, 261, 263, 264
- Norwegian margin 283, 288
- Okhotsk Sea 53
- South Shetland Islands 144
- seismic waves
 tomographic velocity analysis
 methods 134–7
 results 137–9
 velocity log use in gas hydrate detection 129, 133
- shear rigidity, use in gas hydrate detection 129
- Siberia, Messoyakha field 22
- side scan sonar
 Black Sea study
 methods 197
 results 199–204
- slides, slumps and slope failure *see* mud slides
- solubility curves, methane 162
- sonic velocity logs, role in gas hydrate detection 130
- sonographs
 Black Sea 201, 202, 203, 205, 220
- Sorokin Trough *see* Black Sea
- South Shetland Islands 142–3
 acoustic reflection tomography
 methods 143–7
 results 147
 results discussed 148–50
- spectroscopic analysis 45–6
- sponges, Barents Sea community 232
- stable isotope analysis *see* $\delta^{13}\text{C}$ *also* $\delta^{18}\text{O}$
- Storegga slide 275, 281–4, 285, 313
 gas hydrate discovery 278
- strontium isotope signature 154–5
- Sulawesi accretionary wedge
 heat flow model 271–4
 seismic study methods 255
 seismic study results
 bottom simulating reflector character 256–8
 bottom simulating reflector distribution 258–64
 tectonic setting 255–6
 thermal field study
 methods 267–8
 results 268–71
- sulphate
 in pore water 172
 reaction with methane 154, 163
- sulphide buildups 195
- tectonism, role in gas hydrate migration 120
- termination 1A 319
- tetrahydrofuran 44, 45
- thermal conductivity 38
- thermal expansion 38
- thermal stimulation 22
- thermobaric character, continental margin 57
- thermodynamics applied to clathrate modelling
 75–6
 gas hydrate properties 77–9
 water properties 77

- thermogenic activity
 - effect on gas hydrate crystal structure 33
 - role in gas hydrate generation 17, 167–8
- trap potential 22, 23
- tsunami record 289
- tube worms 183
- Turkey, offshore *see* Anaximander Mts

- USA offshore
 - California margin 16, 250
 - Carolina margin 305–6
 - methane reserves 19, 20, 23
 - Mississippi Canyon 16
 - New Jersey margin 314–15
 - Santa Barbara Basin 309

- see also* Alaska; Blake Ridge; Cascadia margin; Mexico, Gulf of; Middle America Trench

- venting of seafloor methane 154–7
- vestmentiferan worms 183, 184
- Vostock ice core 308

- water depth, relation to gas hydrate stability zone 120
- wireline logs, detection of gas hydrate 15

- X-ray diffraction analysis 45

- Younger Dryas climatic oscillation 328, 329, 330
 - role of gas hydrate 308