

# Index

Page numbers in italics refer to Figures and Tables

Allan diagrams xv, xvi, *xviii*, 98, 284, 290  
Arches National Park, Utah 158–88, *159*, *160*  
Are Formation, Heidrun Field 270  
attribute maps and modelling ix, 2, 5, 7–9, 20–1, 27–8, 36, 37–9, 48–9  
  amplitude 7, 13, *14*, *15*, 18, *18*, *19*, 21, 22, 23  
  correlation 9, *15*, 18–20  
  dip azimuth 9, 30, 36, 38, 38, 41–2, 42, 45, 48–9  
  dip change 30–3, *31*, 36, 38–42, *38*, *42*, *44*, 45–7, 49  
  dip magnitude ix, *ix*, 7, *11*, *13*, *14*, *15*, 18–19  
  fault delineation 30–3, 36, 38–9, 38, 41–2, 42, 45, 48–9  
  strike 9  
*see also* fault identification; small fault distribution  
  
biostratigraphical data, modelling fault throw 75  
borehole images 44, *44*  
  advantages and limitations 71–3, 72, 82–4  
  fracture aperture measurements 80–1, 84  
  integration with other data 73–5, 84  
  interpretation 73–5, 73, 82–3, 85  
Brushy Basin member, Morrison Formation 89, 95  
BSE (back-scattered electron microscopy) 107, 118  
  
Cache Valley, Arches National Park *159*, 184  
Carboneras Fault, Spain 147, 155  
cataclasis, and porosity 234  
cataclasites 91–6, 273, 287, 288, 290–1, 293, 295  
  enhanced quartz cementation 126  
  permeability 121–2, *121*, *122*, 127, 129–30, 277–81, 288  
  phyllosilicates 121, 123, 126–8  
  porosity collapse 126–8  
  pressure solution 121–2, *123*  
  quartz cementation 119, 120–2, *124*, 125–6, 129–30  
cathode luminescence imagery (CL) 118  
Cedar Mountain Formation 89, 94, 95  
cemented deformation features 124–5, 128, 130, 287, 288  
  permeability 158, *168*, 287  
Chase Group 193  
Chinle Formation 89, 95  
clay (shale; phyllosilicate) smears 75–6, 78, 79, 84, 129–30, 273, 287–8, 291, 293–6  
  borehole imagery 75  
  calculations 98–9  
  clay gouge ratio (CGR) 98, 129, 284, 295  
  clay smear potential (CSP) 129, 295  
  in clay-rich sediments 123, 135, 140, 287  
  permeability 123, 291  
  pressure solution 114  
  shale (clay) smear factor (SSF) 123, 128  
  threshold pressures 288  
  *see also* shaley fault gouge  
Claymore Sandstone Member, Kimmeridge Clay Formation 78, 82  
Conoco Borehole Test Facility 193–4, *194*, *198*  
Curtis Formation 89, 96  
Cutler Group 89, 94–5

damage zones *see* fault damage zones  
Darcy's law 136, 232  
Delicate Arch area, Arches National Park *160*, 162–5, *166*, 168, 171, 183–8  
Dewey Bridge member, Entrada Sandstone 89, 99, 163  
drawdown in faulted sandstone 157–88  
  analogue reservoir 162–5, 176, 183–8, *166*, *168*  
  deformation bands 158, *160*, 162–3, *166*, *168*, 171–6, 184, 187, 188  
  deviations from radial drawdown 167–83, *171*, *174*, *178*, *182*, 184–7  
  fault relays *160*, *178*, 180–3, *181*  
    Delicate Arch area *182*, 183–7, *186*  
  faults 158, *160*, 184, 187, 188  
  flow path prediction 157–8  
  joints 158, *160*, 162–5, *166*, *174*, 176–80, 184, 187, 188  
  linear high and low permeability zones 165–83, *169*  
  anastomizing zones of deformation bands 172–6, *173*  
  discontinuous overlapping faults (fault relays) 176, *178*, 180–7, *181*, *182*, 188  
  joints intersecting deformation bands *174*, 176–80, *177*  
    poorly connected joints 168–70, *171*, *173*  
    transient flow paths 167, *173*, *177*, *186*, 187  
  methodology 158–9, 160–2  
  permeability 162  
    deformation bands 158, *168*  
    slip planes 158, 159, 163, *167*, 180–3, 187  
  porosity 158, 163  
  reservoir inhomogeneities 158, *160*, 162, 188  
  distortion of radial drawdown pattern 159  
  hydraulic conductivity 162, 167, 187  
  transmissivity 162, 163, 165  
  simulation technique 160–2  
  slip planes 158, 159–60, *160*, 163, 184, 187  
    footwall permeability 158, 163, 180–3  
    sub-surface open apertures 163, 165  
  storativities 162  
  
Entrada Sandstone Formation 89, 158, *159*, 162–5  
  
Fangst Group, Heidrun Field 270  
Fateh Field, Arabian Gulf 299–312  
fault analysis viii, *viii*, 48, *48*, 200–1, 202, 270–81  
fault compaction in fault zone evolution 231–41  
  fault scaling 231, 232, 237–41, *240*  
  fluid flow modelling 232–7  
    compaction 233–4, 235–6, 237, 240  
    fluid diffusion 234–7  
    limitations 239  
    relation to earlier work 232  
  frictional failure 231, 232–3, 236–7, 237, 238  
  dilatant hardening 236  
  event magnitude 236  
  frequency-magnitude distribution 236–7, 238  
  permeability 235–6, 237–9  
    and scale length 239–40  
  pore fluid pressure 237–9, 239

- fault compaction in fault zone evolution *cont'd*
    - caused by porosity reduction 233, 234, 235
    - simulation process 235–6
    - sub-seismic fault populations 231
  - fault controlled communication in Sleipner Vest Field 283–96
    - cataclastic fault rocks 287, 288, 290–1, 293, 295
    - cemented deformation features 287, 288
    - communication across faults 284, 292–5
    - compartmentalization 283, 284, 285
    - cross-fault reservoir juxtaposition 284, 288, 289, 290
    - fault rocks
      - classification 286, 287–8, 287
      - distribution 290–1, 290
      - distribution on fault planes 291–2, 293, 295
    - fault seals 284–5, 287–8, 291, 295
    - geological background 286
    - gouge ratio (GR) 291, 295
    - Hugin Formation 283, 284, 286, 287, 291
    - permeability of fault rocks 287–8, 293
      - calibration against production and pressure history 291, 292
    - phyllosilicate (clay) smears 287–8, 291, 293–6
    - phyllosilicate framework fault rocks (PFFR) 287, 288, 291, 292–5
    - pressure solution 287
    - reservoir diagenesis 286–7, 286
    - tectonic reactivation 292
    - tectonostratigraphic evolution 286
  - fault damage zones viii–xii, ix, x, xi, xiv–xv, 71, 76–7, 89, 273
    - fluid flow 217–18, 220, 222, 224, 226
  - fault gouges
    - clay gouge ratio (CGR) 98–100, 99, 129, 284, 295
    - clay smear potential (CSP) 129, 295
    - gouge ratio (GR) 291, 295
    - grain-size reduction 127
    - porosity 234
    - slip planes 119–20, 119, 127
    - see also* gas permeability; shaley fault gouge
  - fault growth in tensorial 3D simulation 209–15
    - anti-plane and in-plane strain 213–14, 213, 214
  - fault interactions 209–10
  - fractal scaling properties 209–10
  - methodology 212–13
  - model 211–12
    - boundary conditions 211–12, 214
    - dynamics 211
    - healing and the static case 212
    - loading and rupture cycles 212
    - rheology 211
  - outlet zones 222–3, 225
  - pore fluid effects 214–15
  - rupture 210, 211, 212, 215
    - simulation patterns 213–14, 213, 214
  - small-strain limitations 210, 214, 215
  - tensorial formulation of strains and stresses 210
- fault identification and mapping from seismic data 1–24, 31–3
  - amplitude anomalies 3–5, 4, 5, 6–7, 13, 18–19, 21, 23, 24
  - attribute maps 2, 5, 7, 18, 20–1
    - amplitude 7, 13, 14, 15, 18, 18–19, 21, 22, 23
    - azimuth 9
    - correlation 9, 15, 18–20
    - dip 7, 11, 13, 14, 15, 18–19
    - strike 9
  - automatic fault mapping 22–4
  - dip anomalies 7–8, 13, 19
    - directional illumination 7, 11
    - relay structures 13
  - dip change 3, 5
  - fault identification on attribute maps 7–9
  - Fresnel zones 3, 6, 7, 9, 13
  - Gullfaks Field 2, 9
  - Gullveig Field 9, 11, 13–20, 15, 16, 21
  - line-graphs 6–7, 10, 18, 19, 19, 22, 23
  - mapping in 3D 20–1
  - methods for fault identification in section 2–5
  - Ness1 reflector, Brent Group 9–13, 11, 15–17, 18–19, 18, 21
  - relay structures 13, 22, 23
  - seismic imaging process, multi-channel 3, 4
  - seismic modelling methodology 5–7
    - input parameters 6
    - interpretation 6–7
  - seismic sections, synthetic 6–7, 9, 13, 16, 17, 18–19, 21
  - Siri Fault Zone 9, 13, 13, 14
  - stochastic modelling 2, 6
    - input parameters 22
  - Tampen Spur, North Viking Graben 9, 21
  - time structure maps 9
  - see also* small fault distribution
- fault sealing processes in siliciclastic sediments xiii, xv, 117–31
  - cataclastic fault rocks (cataclasites)
    - effects of stress field 127, 131
    - permeability 121–2, 121, 122, 128
    - porosity collapse 126–8
    - quartz cementation 119, 120–2, 124, 125–6, 128–9, 130
  - cemented deformation features 124–5, 128
  - clay smears 123, 130, 273
    - continuity 129
    - permeability 123, 129, 288
  - deformation-induced mixing 121, 122, 123, 125, 131
  - experimental methodology 118–19
  - experimental results 118–25
  - fault rocks
    - classification 129–30, 130, 273
    - within clay-rich sediments 123, 129
    - within sandstones
      - clean 119–21, 126–7
      - impure 121–2, 126, 129
      - with low clay content 121
  - framework-phyllosilicate fault rocks 122, 130, 273, 287, 288
  - grain-size reduction 120–1, 128, 131
  - permeability
    - cataclasites 121–2, 122, 123, 126–8, 129–30
    - cemented fractures 128–9
    - clay smears 123
    - decrease with increasing strain 127
    - phyllosilicate content 125
    - quartz-cemented water escape features 124, 124
  - pore aperture size 118, 125
  - pressure solution in cataclastic faults 121–2, 123

- threshold pressure determination 118, 123  
 water permeability 118–19  
 fault seals 74, 84, 125–31, 270–3, 284–5, 287–8, 291, 295  
   borehole images *see* sealing faults on borehole images  
   cementation (shale) 78–9, 82, 84, 97, 125–6, 128–9, 130  
   clay lined (shaley gouge) 75–6, 78, 79, 84, 91–101, 129, 130  
   clay (phyllosilicate) smears 287–8, 291, 293–6  
   clay (shale) smears 75–6, 78, 79, 84, 129–30, 273  
   evaluation *viii*, *x*, *xv*–*xviii*, *xvi*, *xvii*, *xviii*, *xix*  
   grain size reduction 76–8, 80, 81, 84, 97, 120, 126–8, 131  
   juxtaposition seals *xv*–*xvi*, 75, 84, 97, 272–3, 276  
     graphical representation *xvi*, *xvii*, *xviii*, 76, 77, 277  
   open/vuggy faults 79–80, 83, 84, 84  
   prediction 97–100, 130–1  
     empirical approach 87, 98, 100  
     relative effectiveness 75  
   threshold pressures and permeability 273, 287, 293  
 fault undulations 54, 60–3, 65  
   caused by segment linkage 60–3, 62, 64, 66–8  
 fault zones  
   contents 91–6  
   development 108  
   structures 89–96, 90  
   variations in thickness 97  
   *see also* fault damage zones  
 fault-rock properties *xiii*, *xiv*, 273, 275, 277, 281  
   cataclasites 119–22, 125–9, 130, 287, 288, 290–1, 293, 295  
   classification 129–30, 130, 273, 286, 287–8, 287  
   clay smears *see* clay (shale; phyllosilicate) smears  
   framework-phyllosilicates 122, 130, 273, 287, 288, 291, 292–5  
   permeability *xiv*, 121–2, 128, 272–3, 275, 281, 287–8, 291, 293  
   relations to host lithology 119–23  
 faulting and fluid flow in Heidrun Field 269–82  
   Are Formation 270, 273, 275–6  
   background geology 269–70, 271  
   clay smears 273  
   core scale deformation 273, 274  
   Fangst Group 270, 275, 276–7, 277, 281  
   fault analysis 270–81  
   fault rock properties 273, 275, 277, 281  
   fault rock seals 270–3  
   juxtaposition seals 272–3, 276, 277  
   lithostratigraphy 270, 272  
   location 269–70, 270  
   modelling methods 273–6  
   phyllosilicate contents of rocks 273  
   reservoir simulation model 269, 272, 273–81, 281  
     cataclasite permeability 277–81  
     comparisons with observed behaviour 276–81, 279, 280  
   fault rock permeability 272, 273, 275, 281  
   gas breakthrough 276  
   permeability between grid blocks 275  
   sediment permeability 273  
   threshold pressures 272, 275, 281  
   tortuosity 281  
   transmissibility multipliers 275, 276, 278, 281  
   Ror Formation 273, 275, 277  
   Tilje Formation 270, 275–6, 278  
 faults  
   flow along fault planes 79  
   linkage 51, 60–1  
   offset population analysis *x*–*xi*, *xii*  
   propagation through carbonate rocks 105–6  
   radial propagation 51, 60–1, 62  
   segmentation 51, 54, 60–1, 64–6, 163  
   structural feature frequency linked to offset *x*  
   tip propagation *ix*, 51–2, 54, 60–2  
   tip-to-parent linkage 60–1, 62, 64, 66, 67  
   *see also* fracture models; fractured reservoirs; fluid flow in steep faults; propagation processes; sealing faults; small fault distribution  
   faults and pressure solution *see* fault sealing processes; pressure solution seams  
 Flamborough Head, faults in chalk 106, 111, 112, 114  
 fluid flow  
   carbonate reservoir 304–5  
   effect of deformation structures 158  
   modelling 135, 162–5, 232–7  
   numerical modelling of transient single phase flow 160–2  
   pressure perturbations 159–60, 176, 182  
   tortuosity of flow path *xiv*, 113, 154, 281, 158  
   *see also* drawdown in faulted sandstone; faulting and fluid flow in Heidrun Field; fluid flow in steep faults; molecular transport and fluid flow; rock-fluid interaction  
 fluid flow in steep faults, thermal effects of 217–26  
   basin fill permeabilities 220, 221, 221, 222, 223  
   convection systems  
     within sedimentary units 221–2, 223, 224, 225  
     within-fault zone and whole-system 220, 223, 223  
   fault damage zones 217–18, 220, 222, 224, 226  
   fault outlet zones 222–3, 225  
   fault zone permeabilities 220, 222, 222, 223, 226, 226  
   relation to fault zone width 220–1  
   modelling methods 218  
   North Sea Central Graben 218, 219, 222–3  
     regional-scale model 225  
     structural cross section 219  
     temperature profiles 219, 226  
   overpressure 225–6  
   salt piercement structures 224  
   simple grid model 220–2, 221, 223  
   temperature anomalies 218, 220, 221, 222, 222, 223, 226  
   *see also* faults and pressure solution seams; molecular transport; rock-fluid interactions  
 Fort Riley Limestone 193  
 fractal properties of fault systems 209–10, 231  
 fracture models in a carbonate reservoir 299–312  
   background geology 299–300, 301  
   crestal position 309  
   database 300–3, 302  
 facies  
   grain-supported and matrix-supported 300, 303, 304–5, 305, 308–9, 308  
   index 308–9  
   related to fracture density 304–5, 308  
 fluid flow characteristics 304–5  
   well productivity variability 304, 305

- fracture models in a carbonate reservoir *cont'd*  
 fracture density modelling and prediction 307, 307,  
 308–9, 308, 310, 311  
 fracture distribution, influence of faulting and  
 curvature 304  
 fracture and facies characteristics 303–4, 303  
 geological and rock property modelling 307–9  
 Ilam Formation 299–312  
 macrofractures, flow disruptive 303–4  
 macrofractures, hairline 303–4, 305  
 fracture density 304, 305  
 influenced by proximity to faulting 304  
 orientation relative to stress field 304  
 mesofractures 303–4  
 permeability, related to fracture density 304–5  
 porosity, unrelated to permeability 300  
 porosity model 309  
 reservoir geology 299–300  
 stratigraphy 301  
 structural curvature 305, 305, 308–9, 308  
 fractured reservoirs, characterization of 193–207  
 Conoco Borehole Test Facility (CBTF) 193–4, 194,  
 198  
 regional fault pattern 194  
 stratigraphy 195  
 well array 197  
 Fort Riley Limestone 193–4, 196, 197, 201, 204–6,  
 208  
 fracture pattern 193, 196, 205  
 interference tests 194–7  
 drawdown and recovery curves 195–7, 198  
 inverse modelling of data 197–201, 200, 201, 202  
 observed and calculated drawdown 199, 199  
 inverse modelling  
 ensemble analysis 200–1, 202  
 equivalent discontinuum models 197–200, 199,  
 200, 208  
 variable aperture lattice models 200–1, 201, 202,  
 208  
 zero matrix permeability assumption, effects of  
 206–7  
 methodology  
 crosswell seismic experiments 201–2, 202  
 interference tests 194–5  
 inverse modelling 198–9  
 single well reflection profiling 204, 204  
 seismic experiments 201–5, 207–8  
 air injection 201, 206  
 crosswell experiments 201–4, 203, 204, 208  
 single well reflection profiling 204–5, 204, 205,  
 208  
 simulated annealing algorithm 198–9, 200  
 slant well drilling to locate fracture 205–6, 206, 207  
*see also* drawdown in faulted sandstone
- Garden area, Arches National Park 163, 165, 168  
 gas permeability of clay-bearing fault gouge 147–55  
 apparatus 150  
 argon gas as pore fluid 149, 152  
 fault gouge microstructures 147, 148, 153, 154, 155  
 effects on permeability 152, 153, 153  
 measurement techniques 149–51  
 permeability  
 anisotropy 152, 153, 154, 155  
 reduction with sequential pressure cycling 151–2,  
 152, 154, 155  
 test for time-dependent compaction 151–2, 152  
 permeability measurements  
 pore pressure oscillation method 149–50, 151  
 pulse transient method 149–50, 151  
 previous work, comparison with 152–4  
 sample collection and preparation 147–9  
 temperature effects 154–5  
 tests for short-circuit fluid pathway 150–1, 151  
 gas permeametry 118  
 graben formation  
 experimental 52–61, 53, 54  
 Niger Delta 63–4  
 Gullfaks Field, Tampen Spur 2, 9  
 Gullveig Field, Tampen Spur 9, 11, 13–20, 15, 16, 21
- Heidrun Field, Norwegian Sea *see* faulting and fluid  
 flow  
 Honaker Trail Formation 94, 98  
 Hugin Formation, Sleipner Vest Field 283  
 hydraulic conductivity 162, 167, 187, 261–8  
 tests 118–19  
 hydraulic conductivity within rocks, piecewise  
 homogenous 261–8  
 boundary element solution of the direct problem 261,  
 262–4  
 experimental set-up 262, 262  
 least-squares minimization technique 266–7  
 mathematical model 262  
 sensitivity coefficients 264–6, 265
- Ilam Formation, Fateh Field 299
- juxtaposition seals 272–3, 276, 277, 288, 290  
 graphical analysis xv–xvi, xvi, xvii, xviii, 98–9, 99,  
 284, 289
- Kayenta Formation 89  
 Kimmeridge Clay Formation 78
- Landau theory 257–9  
 Lilstock, faults in limestone 35, 106, 107, 111, 114
- mercury porosimetry 118, 137, 143, 143, 275
- Moab Fault Zone, Utah 87–101  
 characteristics 89–91, 90  
 fault zone components 91–6  
 fluid flow along fault zone 100–1  
 lateral complexity 94–6, 101  
 membrane seals 97–100  
 ratio of fault throw to fault zone thickness 96, 96, 97,  
 101  
 regional context 88–9, 88  
 sequence/throw juxtaposition diagrams 98–9, 99  
 slip indicators 89–91  
 slip zones 89, 91, 95–6, 97, 101  
 throw partitioning 98, 100  
 throw-profiles 89  
 transects across fault 87, 89, 93, 94–6, 94, 98  
 Moab Sandstone 162–5, 168, 176, 183–8  
 Moab Tongue member, Entrada Sandstone 89, 94–5,  
 96  
 Moenkopi Formation 89, 98

- molecular transport and fluid flow in pelitic rocks  
135–44  
diffusion under lithostatic stress 139, 139  
diffusive transport of methane and nitrogen 138–9,  
139  
fluid transport  
in faulted pelites 140–3  
technical difficulties in experimentation 140–1  
in unfaulted pelites 138–40  
methodology 136–7, 136  
molecular transport efficiency of methane and  
nitrogen 138–9  
permeability  
reduced by secondary mineralization 141  
relation to acoustic anisotropies 142–3, 143, 144,  
144  
under controlled effective stress 139–40, 140  
unrelated to faulting 141  
permeability-stress relationships 135, 139–40, 140,  
142–3, 143, 144  
samples of pelites 137–8, 137  
*see also* fluid flow; rock-fluid interactions  
Morrison Formation 89, 94, 95, 96, 163, 184–5  
mud-losses 74, 80, 83
- Navajo Sandstone Formation 89, 95, 97  
neofomed normal faults 52, 60  
Ness1 reflector, Brent Group 9–13, 11, 15–17, 18–19,  
18, 21  
Niger Delta, neofomed normal fault propagation  
63–6, 64, 65, 66, 67  
Ninety Fathom Fault, Whitley Bay x, xi  
North Sea Central Graben 218, 219
- permeability  
basin fill 220, 221, 221, 222, 223  
cataclases 121–2, 121, 122, 127, 129–30, 277–81,  
288  
cemented deformation features 158, 168, 287  
fault rocks xiv, 121–2, 128, 272–3, 275, 281, 287–8,  
291, 293  
fault zones 220–1, 222, 222, 223, 226, 226, 270  
phyllosilicate barriers in limestone 105, 113, 114  
range of 234  
reduced by secondary mineralization 141  
related to fracture density 304–5  
relationship to acoustic anisotropies 142–3, 143, 144,  
144  
sandstones 162–3  
slip planes 158, 159, 163, 167, 180–3, 187  
stress 135, 139–40, 140, 142–3, 143, 144  
veins 124  
zones of 165–83, 169  
*see also* gas permeability  
permeability barriers  
in carbonates 105, 113  
in pelites 135  
permeability and porosity  
diffusivity 234  
Moab sandstone 162  
modelling fluid diffusion 233–4  
unrelated 300  
phyllosilicate concentrations in carbonates  
on fault planes 111, 113, 114  
permeability barriers 105, 113, 114  
product of pressure solution 111, 113, 114  
proportional to fault displacement 111  
phyllosilicate framework fault rocks (PFFR) 122, 130,  
273, 287, 288, 291, 292–5  
permeability 288, 291  
phyllosilicates in cataclases 121  
clay smears 123, 130  
enhance pressure solution 126  
inhibit quartz cementation 126  
porosity  
fault gouges 149, 234  
permeability 300  
sandstone 162–3  
porosity reduction 71, 78, 163  
cataclasis 126–8  
compaction 232, 233, 234  
deformation induced mixing 125  
effect of phyllosilicate content 125  
with increasing strain 127, 131  
pore fluid pressure 233, 234, 235  
pressure solution 232, 233  
relation to deformation 234  
pressure solution 287  
effects of phyllosilicate content 125, 126, 129–30  
linked with quartz cementation 125–6  
phyllosilicate concentration in carbonates 111, 113,  
114  
porosity reduction 233  
suppressed by hydrocarbon migration 126  
temperature control 126, 131  
pressure solution seams 105–14  
association with faults and veins 105–6, 106, 107–11,  
107, 110, 303  
concentrated near fault tips 106, 111  
in fault oversteps (relay ramps) 107, 111, 114  
methodology of investigation 106–7  
permeability barriers 105, 113  
phyllosilicate concentrations on surfaces 106, 107,  
111, 112, 114, 303  
pitting on fault planes 111, 112, 114  
role in fault propagation 107, 108, 114  
rotation and shearing 107, 108, 110  
propagation processes of normal faults 51–68  
experimental procedures 52–4, 53  
experimental results 54, 55–9, 60  
fault undulations 54, 60–3, 62, 64, 65, 66–8, 66  
horizontal propagation 61–3, 68  
interpretation 60–1  
isolated faults linked by relay faults 61, 66–7  
Niger Delta 63–6  
radial propagation 51, 60–1, 62, 66, 67  
relay faults 54, 60–1, 62  
space-time sequences 61–3, 62  
tip-parent systems 51, 60–3, 62, 64, 66, 67  
vertical propagation 63, 68
- quartz cementation  
effects of phyllosilicate content 125, 126  
linked with pressure solution 125–6  
local source of quartz 126  
suppressed by hydrocarbon migration 126  
temperature control 126, 131  
water-escape structures 124, 124, 128

- relay (connecting) faults xvi, 67, 89, 96–7, 97, 98  
   Arches National Park 158, 159, 162, 178, 180–7, 181, 182  
   drawdown 160, 176, 178, 180–7, 181, 182, 188  
   propagation 22, 54, 60–1, 62, 66–7  
   reservoir compartmentalization 159  
 relay ramps 30, 67, 107, 111, 114  
 relay zones (fault relays) xvi, 67, 89, 96–7, 97, 98  
   Arches National Park 158, 159, 162, 178, 180–7, 181, 182  
 reservoir compartmentalization  
   fault relays 159  
   formation pressure measurements 75  
   sealing faults 71, 78  
   Sleipner Vest Field 283, 284, 285  
 reservoir connectivity 75  
 reservoir simulation modelling 269, 272, 273–5  
 rock-fluid interaction and fluid flow 243–59  
   borehole log fluctuations, power-law scaling 245–9, 246, 247, 248  
   critical opalescence 254–5  
   critical state maintenance 256–7  
   Fourier power-spectra of borehole logs 244–5, 250  
   geofluid management 256  
   interconnection of physical property fluctuations 256  
   rock as scaling noise 250–2  
     correlated and uncorrelated random structures 251–2, 252  
   rock structure as critical state fluctuation phenomenon 252–4  
     defect order and disorder 252–3  
     long range defect correlation structures 253–4  
   rock type and the critical state 255  
   scaling of bore-hole log data 245–9, 246, 247, 248, 256  
   spatial rock heterogeneity 244  
 Ror Formation, Heidrun Field 273, 275, 277  
 Rotliegendes sandstones 128  
  
 Salt Wash member, Morrison Formation 89, 94–5, 96  
 sealing faults on borehole images 71–85  
   data integration  
     core observation 73  
     dynamic measurements 74–5, 83, 84  
     full-waveform acoustic logs 74  
     in situ stress field 73–4, 81  
   fault damage zones 71, 76, 77  
   fracture aperture measurements 80–1  
   horizontal wells 72, 75, 76  
   interpretation procedures 71, 73–5, 73  
   resolution limits 72–3, 73  
 secondary electron imagery (SE) 118  
 segment linkage model 51, 67–8  
 Selwicks Bay Fault Zone 111  
 shaley (clay-bearing) fault gouge 74, 75–6, 78, 79, 84, 91–6, 97–101, 129  
   microstructures 147, 148, 152, 153, 153  
   shale gouge ratio 98–100, 99, 284  
   *see also* clay smears  
 Siri Fault Zone, Norwegian-Danish Basin 9, 13, 13, 14  
 Skaggerak Formation, Sleipner Vest Field 287  
 Sleipner Formation, Sleipner Vest Field 287  
  
 Sleipner Vest Field, South Viking Graben 283–96  
 Slick Rock member, Entrada Sandstone 89, 96, 98, 99, 162–5, 171, 188  
 slip planes  
   in fault zones 30, 91, 94–6, 97, 98, 101  
   nucleated by pressure solution seams 105  
   permeability 158, 159, 163, 167, 180–3, 187  
   in sandstones 127, 158  
   sub-surface open apertures 163  
   within siliciclastic fault gouges 119–20, 119, 127  
 slip zones, Moab Fault Zone 89, 91, 95–6, 97, 98, 101  
 small fault distribution in reservoirs, prediction x–xi, 27–49  
   attribute map modelling 27–8, 36, 37, 39, 48–9  
   amplitude anomalies 31  
   dip azimuth maps 30, 36, 38, 38, 41–2, 42, 45, 48–9  
   dip change maps 30–3, 31, 36, 38–42, 38, 42, 44, 45–7, 49  
   dip magnitude maps 30–3, 36, 38–9, 38, 41–2, 42, 45, 48–9  
   methodology of analysis 48, 48  
   structural interpretation 35–45, 38, 40, 41–2, 41  
   automatic tracking 41, 48  
   dip changes and minor faults related to major faults 28–30, 32  
   fault damage zones 42  
   fault density  
     prediction 47–8, 49  
     related to dip change 40–1, 41, 45, 45, 47, 49  
   fault geometries 28–30, 28  
   horizon map construction 37–8  
   horizontal wells 42, 48  
   minor faults identified from surface geometry 30–3  
   relay zones 28, 30, 45  
   roll-over folds 28, 32  
   rotation 33, 33  
     fault blocks 28  
   slip planes in fault zones 30  
   study areas 33–5  
     Kilve-Lilstock coast, Bristol Channel Basin 28, 35–41, 36, 38, 40, 41, 47, 48–9  
     Snorre Field, Tampen Spur 28, 33–5, 34, 42, 42, 49  
   *see also* fault identification  
   Snorre Field, Tampen Spur 33–5, 34  
 sonic logs, full-waveform 74  
 Southerndown, faults in limestone 106, 111  
 space-time analysis of propagation 52, 60, 68  
 stress fields  
   cataclasites 127, 131  
   diffusion 139, 139  
   permeability 127, 135, 139–40, 140, 142–3, 143, 144  
   reservoir modelling 81, 187, 209–10, 304  
   sealing capability of faults 73–4  
 structural features  
   in fault damage zones x, xi  
   frequency related to fault offset x  
  
 Tampen Spur, North Viking Graben 9, 21, 33–5, 34  
 Tidwell member, Morrison Formation 89  
 Tilje Formation, Heidrun Field 270  
 tip faults 51–2, 60–2, 62  
   *see also* faults  
 tortuosity of fluid flow path xiv, 113, 154, 281

- veins 94
  - associated with pressure solution seams 107–11
  - exotic cements 124, 128
  - permeability 124
- Viking Graben, North 9, 21, 33–5, 34
- Viking Graben, South 283–96
- water-escape features 128
  - exotic cements 124, 124, 128
- Wingate Sandstone Formation 89
- X-ray tomography 137
  - in analogue modelling 52–61, 53, 66–8