

Index

- Abyssal
basins 437–50
hills, GLORIA survey 147–51
see also Basins
- Accretion, Tertiary, Guatemalan Transect 563
see also Compaction
- Accumulation rates
biogenous 487–94
Cretaceous period 417–31
Santa Barbara 400, 485
sediments 483–94
terrigenous, Miocene 486–7
versus tectonic rates 431
- Acoustic
facies, interpretation of GLORIA 145–51
methods, scattering 72
stratigraphy 187
see also Echo-sounders
- Acritarchs, fossil 344
- Actinolite, turbidite, Ulleung Basin 194
- Active rift basins, Santa Barbara, Santa Cruz 409
- Advection, in augmented transport 401
- Aeolian dust
sediment input 601, 606
transport 17–19
turbidites 161–2
- Aegean Sea *see* Mediterranean, East
- Africa, SW, shelf, organic carbon 534
see also Cape Verde Basin
- Aggregates, sediment, properties 48
- Aggregation and transport in suspension 46–55
- Airgun profiles 193–5
- Albian
black shales 545
see also Black shales
strata, Atlantic-Tethyan 552–3
- Algae, calcareous 199
- Allochthonous sequences 512, 515
- Alpine piston core *see* Core analysis
- Alum shales, Swedish, sedimentology 511–25
biostratigraphy 514
Cambrian deposits 512
depositional environment 523
discussion 521–4
lithofacies 517–21
stratigraphy 513, 515–17
- Aluminium, in surface sediments 364, 369
- Amino acids, proteins, recent sediments 589–90
- Amphiboles 127, 178
- Anacapa Current, California 381
- Anaerobic conditions *see* Oxygen content
- Analytical methods *see* Methods, analytical
- Angola basin
Cretaceous 550
Zaire sediments 95–112
- Anisotropy, magnetic susceptibility *see* Magnetic susceptibility, anisotropy
- Anoxicity *see* Oxygen content
- Apatite, content of calcareous siltstone 333, 484
- Aptian strata, Atlantic-Tethyan 552
- Aragonite
and green mud, Bahamian 475
Little Bahama bank 200–5
- Argillaceous sediments, microstructure 579–90
see also names of components: Clays; Marls; Mudrock; Shales; Siltstones
- Ash falls, periodicity of volcanic events 18
- Ash layers
lower and upper Tephra 172, 175
Ulleung basin 187, 191
- Asterosoma* 338–9
- Atlantic, central reconstruction, Lower Cretaceous 450
see also North Atlantic; South Atlantic
- Atomic absorption spectrophotometry 364
- Attapulgitic, calcareous sediments 210, 212
see also Illite
- Atterberg limits, sediments 565–9
- Autochthonous sequences, Swedish Caledonides 512, 515–16
- Bahamas, fine-grained carbonates 199–207
conclusions 207
global CO₂ budget 207
methods 200–2
mineralogy 202–4
processes 204–7
setting 202
- Bahamian Trough carbonates, source rock potential 469–80
basin sediments 471–4
carbon content, analysis 474–8
depositional setting 471–4
discussion—conclusions 478–9
methods 470–1
- Baltic Sea, Cambrian deposits 511–12
- Barents Sea Group outcrop 343
- Barium in slope sediments 364, 369
- Barremian turbidites, organic carbon 547, 552
- Basin(s)
deep marine, translational plate boundary 481–94
marginal, schematic distribution 635
plains, definition 633
schematic distribution, sediments 634–7
and sills, sediment distribution 405–12
slopes, prodeltas, Norway 343–6
- Basnaering formation, Norway 344–5, 356, 357
- Bathymetric mapping (SEABEAM) 150, 156
- Bathymetry-controlled trace fossils 595
- Båtsfjord formation, Norway 344
- Bedforms, wavy contourites, Lake Superior 293
- Benthic
boundary layer 71
deep water indicators 337
food content, deep sea 600–6
- Biodeformational structures 598
- Biofiltration *see* Zooplankton
- Bioflocculation,
in aggregation 46–52

- Biogenic
 detritus 77
 indicators 117–18
 see also Copper; Manganese
 mudrock, terminology 10
 sediments 19
 traces, use for bathymetric interpretation 598–606
 see also Bioturbation
 turbidites, summary 617–20
- Bioturbation
 and dissolved oxygen 532–3, 548–9
 fine-grained sediments 595–607
 biogenic traces 599, 600
 conclusions 606–7
 environment and ichnofauna 601–5
 methods and study areas 595–8
 model 598–601
 North Atlantic contourites 249–50
 Nova Scotia muds 313, 316
 in rise canyon sediments 325–7
 summary and discussion 638
 and trace fossils 338–9
- Birnessite (iron sulphide) in sapropels 501
- Bituminous
 limestone 511, 515–23
 mudstone, Swedish Alum Shales 520
 shales *see* Black shale
- Bivalves, *Nuculid* 337
- Black laminated mudstone, Swedish Alum Shales 517–19
- Black Sea, organic carbon 530, 534
- Black shales 588–90
 Albian 545
 bacterial sulphate reduction 446
 and claystones 437–50
 model for deposition 527–40
 Neogene *see* Sapropels
 organic carbon content 527–54
 Pacific Mid-Cretaceous 551
 sequences, bioturbation, lamination 540–8
 South Atlantic 535, 540–9
- Blake-Bahama
 basin, W. North Atlantic 437–50
 ‘black shales’ 444–6
 ‘couplets’ 446–7
 depositional model 447–50
 diagenesis 447
 lithologies 438–40
 marly chalks 444–6
 regional setting 437–8
 varve-type lamination 440–4
 formation, lithology 437–50
 sediments, diagenesis 448
- Blake plateau, Bahamas, carbonate sediments 200
- Bottom currents
 activity, lake 293–306
 North Atlantic 245–6
- Bottom-water oxygenation, inhibitory levels 530
see also Oxygen content
- Bouma sequence
 and episapropels 504
 Bahamian trough 473
 Blake-Bahama basin 441
 E and F divisions 209
 modified silt facies model 613
 Obock Trough 218–19
 partial, Halifax Formation 127
 Salir Formation 456
 sandy turbidites, standard 4
 silt turbidites 613
 turbidite 87, 112, 347–9
 by X-radiography 328
- Boundary-layer, benthic 71
- Box cores, sampling method 295
see also Core analysis; DSDP sites
- Breccias, intraformational 350, 354
- Burrowing *see also* Biogenic traces: Bioturbation
 indicator of oxidizing sediment, varve-type lamination 447
- Calcareenites 227–39
- Calcareous sediments
 New Zealand 331–41
 Obock Trough 209–21, 331
- Calclutites, Scaglia Rossa 223–39
 bedding 228–30
 bioturbation 234
 burrowing 234
 colour 232
 composition 231–3
 discussion 234–9
 structure 234
 texture 234
- Calcirudite, Scaglia Rossa 231–2, 236
- Calcite
 abundance in benthic foraminifers 488–9
 calcareous sediments, NZ. 336–7
 calclutites, depositional model 231–6
 classification 9
 lithification and coalescence 522–3
 magnesian, Bahama Bank 199, 202–7
- Calcium
 analysis 364, 366, 369, 370
 compensation depth 437, 445
see also Carbonate compensation
- California Coast Range 363–70
- California Continental Borderland, fine-grained sediment transport 395–415
 fine sediment transport, canyons 402–4
 offshore sewage transport 402
 regional setting 396–7
 subsurface shelf turbidity patterns 400–2
 surface water turbid plumes 397–400
 transport scheme 412
 turbidity, patterns, basins and sills 405–12
see also Santa Barbara Basin: Santa Paula Creek
- Cambrian stratigraphy, Alum shale 511–23
- Canyons, submarine
 thalwegs 325–6, 328
 transport and sedimentation 400, 402–4, 419
 petit-Rhine canyon 121
 US mid Atlantic region 319–29
 Zaire canyon 95–8
- Cape Verde Basin, Southern
 long-range sidescan sonar 145–51
 acoustic facies interpretation 149–51
 sonograph coverage 147–9
 seismic and sediment facies 153–67

- Cape Verde Basin, Southern (*cont.*)
 Aeolian turbidites 161
 correlation between pattern and morphology 160–1
 hemipelagic sediments 161
 hiatuses 163–5
 lithostratigraphy 156–9
 processes 156–9
 regional setting 155
- Carbon-14 analysis 595
 Nova Scotian muds 314
- Carbon dioxide, global budget 205
- Carbon rich strata, organic *see* Organic carbon
- Carbonates 9, 199–207, 209–21
 Bahamian trough 469–80
 muds, organic carbon 469–79
 radiolarian nanofossils 437, 440–50
 sedimentation and upwelling 488
see also Calcilutites; Calcite
- Carbonate compensation depth (CCD) 453, 463, 540
see also Calcium compensation
- Casagrande Plasticity chart 569
- Cascade-feeding process 171–2, 181
see also Mudflows
- Cascading, and particle concentration 395, 401
- Chalk 10, 28
 hemipelagic, Salir Formation 453–66
 marly nanofossil 438–50
- Challenger, Glomar* 3–4
- Chemical composition *see* named elements
- Cherts 227–39, 454, 484
- Chlorite (clay) 19, 337, 365–6, 444, 456
see also Illite; Kaolinite; Montmorillonite
- Chloritoids 178
- Chondrites 501
- Chromatograms, gas 471
- Chronology, turbidites, Santa Barbara Basin 391
- Circulation
 deep water 245
 and sediment movement 395–412
- Classification, of fine-grained sediments 6–12
- Clastic(s)
 bioclastic and terrigenous, Cretaceous 438–50
 rocks, terminology 6–12
 turbidites *see* Turbidites
- Clay 5, 19
 clayballs 326–7
 claystones and black shale 437–50
 compacted, microfabric 582–5
 freshly sedimenting 579–82
 sediments, major microstructural changes 588
see also Chlorite; Illite; Kaolinite; Laterite; Montmorillonite; Mudrock
- Coacervates, in flocculation 580
- Coarse-grained sediments, formation of fans 343
- Coccolith(s) 206, 210, 331, 338
 and diatom zonation 483
 ooze 3
- Cocos oceanic plate 563–77
- Cohesive material, erosion, transport, deposition 40–1
- Colorimetry 364
- Columbia river, Oregon-Washington 363–70
- Columbus basin *see* Bahamian Trough
- Compaction
 artificial 583
 characteristics, Quaternary sediments 563–71
 and erosion 41–2
- Conglomerates, Salir Formation 454–66
 Ventura basin 421–30
- Conglomeratic limestones, Cambrian 516
- Continental margin, tectonically active, sedimentation 377–92
- Continental shelf, effect of waves, currents 340
- Continental slope
 Norway 343
 Nova Scotia 311–16
 sedimentation pattern and sea-level 325
 US mid-Atlantic 319–20
- Continental source area, hemipelagic sediment formation 363
- Contour currents 293–306
 Nova Scotian mud turbidites 317
- Contourite(s) 122, 245–54, 257–72, 293–306
 Blake-Bahama Formation 441, 443
 and chalks 463
 facies, comparison with turbidite and hemipelagite 291, 316–17
 comparison with turbidites 349
 criteria 620–4, 631
 destruction by bioturbation 290
 history 5
 lamination 290
 mottled silts, facies 282–4
 muds, homogeneous, facies 284–7
 muddy 5, 12
 North Atlantic, comparison with sandy contourites 253, 275–91
 North Atlantic, generalized plot 252
 sandy 5, 12
 North Atlantic, comparison with muddy contourites 253, 275–91
 summary 620–4
 muddy 621–2
 ‘sequence’ 623–4
 silty-sandy 622–3
 and turbidites, criteria 293
 turbidite, hemipelagite, discussion 316–17
see also Turbidites
- Convolute bedding 385–7
- Copper
 atomic absorption spectrometry 117–18
 pelitic sediments 115–25
 in surface sediments 364, 369
- Core analysis sites
 Blake-Bahama Formation 438
 Cape Verde Basin 153
 Central Pacific Ocean 597
 Eastern Mediterranean 499
 Faro Drift, Gulf of Cadiz 276
 Great Bahama Bank 470
 Guatemalan Transect 564
 Lake Superior 294
 Little Bahama Bank 200–1
 North-west Africa, continental margin 596
 Nova Scotia continental margin 258
 Nova Scotian Slope 312

- Core analysis sites (*cont.*)
 Oregon-Washington Slope 364
 Santa Barbara Basin 378
 Sulu Sea, Borneo 597
 Ulleung Basin, Japan 187
 United States mid Atlantic continental rise 321
 West Hellenic Arc margin 170
 Zaire river deep sea fan 99
- Cores, box, gravity 595
- Coriolis effects, deep-water circulation 317, 409–10, 443
- Coulometrics, TOC system 471, 474–9
- Coulter Counter, in deep sea suspensions 73, 75
- 'Couplets', radiolarian carbonates 437, 440–4
see also Varve-type lamination
- Cretaceous, Lower, Central Atlantic reconstruction 450
 middle, climate 550
- Cucullea*, calcareous sediments 331, 335
- Current transport *see* Transport
- Currents
 bottom 245–7, 252–4
 lake 293–306
 pelagic depositional 275
 turbidity 275, 317
- Cyclicality in sediments, test for 446
- Debris-flows 565
see also Mudflow
- Debrites 247–8
- Decompaction analysis 571–3
- Deep Sea Drilling Project *see* DSDP
- Deep-water
 circulation 409–10
 fine-grained sediments, historical outline 3–6
 terminology 12
 morphology, terminology 11
- Deformation *see* Slides; Slumps; Soft sediments
- Delta and pro-delta deposits, N. Norway 343, 359–60
- Density discontinuities, and thermoclines 400–1
- Density profiles, wet bulk 565
- Deposition
 fine-grained sediments 59–61
 field measurements 61
 laboratory measurements 59–61
 theory 59–61
 related to erosion and transport 36
- Depositional sorting, in laminations 347, 349
- Destabilization of sediment by biological material 45–6
- Detritus
 biogenic 77
 terrigenous 77
- Diagenesis
 Blake-Bahama sediments 441, 448–50
 clays and muds 582
 deep sea sediments 528
 summary 639–40
- Diapirs 112, 121
- Diatom(s)
 benthic effect on sedimentation stabilization 44–5
 productivity, Atlantic Miocene 554
 concentration patterns 399
 and volcanism 482
- Diatomaceous muds, pelagic 563
- Diatomaceous ooze 10
- Diatomite 10, 28, 427, 484
- Dictyonema* shales 523
- Discontinuous lamination, 490–4
- Discordance, erosional-depositional 343, 355
- Disorganized turbidites, summary 620
- Distortion, in shear orientation of clay 585–7
- Dolerite 454, 517
- Dolomite 336–7, 493
- Domains, microstructural studies, definition 581
- Down-core analysis 303–6
- Downslope mass movement 574–7
see also Mass flows; Slides; Slumps
- Drift card trajectories, surface currents, Santa Barbara 406
- DSDP cores
 Atlantic sites 527, 535–9, 544–54, 551
 Blake-Bahama basin 437–50
 Japan basin 185
 North Atlantic 246–8
 Pacific sites 527, 542–3, 548–54
 slides, criteria 343
 West Hellenic Arc 170–7
- East Cape, North Island, New Zealand 331–41
- Echo-sounders, profiles 150, 156, 258
see also seismic profiles
- Elements, in surface sediments 364, 369
see also names of individual elements
- Elzone, particle analyser, electronic 295–306
- en echelon* tectonic zones 453
- Enteromorpha*, effect on sedimentation stabilization 44–5
- Entrapment, in deposition patterns 399
- Epidote 178, 194
- Episapropels 502–9
- Erosion-deposition model, lake sediment 301–3
- Erosion, fine-grained sediments 36–46
 biological influences 44–6
 and compaction 41–2
 critical condition 36–41
 rate, physico-chemical parameters 42–4
 equation 42–4
 related to shear stress 42–4
- Erosion, stoss-side 348–9
- Erosional-depositional discordant surfaces, Norway 343, 351, 355
- Exuma Sound *see* Bahamian Trough
- 'Fabric rolls', in sheared clay 587
- Facies models: deep water fine-grained sediments 611–40
 contourites 620–4
 discussion—conclusion 637–40
 environment and facies distribution 629–37
 fine-grained turbidites 612–20
 pelagites and hemipelagites 624–9
 processes—facies 611–40
- Facies analysis, turbidite 106
- Faecal pellets, zooplankton 395, 399–400, 412, 431
 ocean deposits 443–4
 sinking rates 528
- Fan, deep sea, schematic distribution 634

- Fan deposits
 clastic submarine 343–60, 453–66
 Laurentian 85–91
 Lower Næringseelva member, Norway 359
 Zaire 95–112
- Faro Drift, Gulf of Cadiz
 contourites 275–91
 comparison, turbidites, hemipelagites 291
 discussion 290
 oceanography and bathymetry 275–8
 sediment facies 278–87
 vertical sequence 287–9
- Fault, palaeotransform 344
- Fecal pellets *see* Faecal pellets
- Feldspar 231, 336, 454
- Ferrohastingsite 194
- Fine-grained sediments, depositional processes
 deposition rates, biological productivity 22, 28
 bioturbation 23, 28
 dilution 23
 oceanic dispersal systems 22
 pelletization 22
 sea-level position 22
 tectonics 21
- depositional sites, oceanic, deep sea and basin
 floors 27
 shelves 26
 slopes 27
- marine, accumulation rate 61
 aggregation 46–54
 cohesion 35–6
 critical deposition stress 61
 distribution with depth 57
 erosion 36–44, 62–3
 historical outline 3–6
 nepheloid layers 57–8
 particle settling velocity 62
 particle size distribution 49, 50–4, 62
 radionuclides accumulation 61
 settling velocity 54–6
 shear stress 60
 stabilization and destabilization 44–6
 stratification 57
 terminology 12
 transport 46, 71, 412
 vertical flux 56–7
- origins, bulk properties 20
 cycles 20, 21
 discharges, human influence 21
- transfer to deep water, debris flows 25
 mass movement 26
 nepheloids 23
 plumes 23
 resuspension 24
 turbidity currents 25
- Fissility, in shales and muds 582–5, 587–90, 637–9
- Flaser bedding, as current indicator 459–63
- Floc-deposited sediments *see* Turbidites
- Floc size distributions 52
- Flocculation
 clay 580–90
 coacervates 580
- Floods
 amplification of mass movements 397, 400, 408–9
 suspended sediment 380–3, 390
- Flow initiation, and long distance transport 612
- Fluid shear 47–8, 60–2
- Fluidal flows, Atterberg limits 565
- Fluorite 200
- Fluorometric titration 98
- Fluvial discharge, terrigenous matter 528, 549
- Fluvio-deltaic deposits
 Lower Næringseelva model 359
 mineral signatures 364, 372–3
 and nepheloid layers 343, 349
 post glacial varves 379
- Flux, vertical and horizontal 56–7
- Flysch deposits 136–42, 339–40
- Foraminifera 260, 331
 benthic 453
- Foraminiferal deposits 199, 209–10, 214, 219
 in calcilutite 231, 237
 in contourites 282, 283, 287
 evidence of sea depth 421, 425
- Forward light scattering, suspended matter 72–3
- Fossil communities, trace 595
- Freeze drying, surface sediment samples 364
- Garnet 178, 194
- Gas chromatograms 471
- Glaciation, Pleistocene-Holocene 115, 119
- Glauconitic sandstones 511, 520–3, 547
- Glomar Challenger* drill ship 1968–1983 5
- GLORIA (long range sidescan sonar system) 145–51, 319–24
- Goldenville Formation, Nova Scotia shales 127–42
- Grading 9–11
 indicator of turbidity current flow 349
 positive and negative 279, 287
see also Depositional sorting; Grain size; Stratification
- Grain size
 analysis, factor analysis, quartz sand 325–6
 frequency curves, N. Atlantic contourite 281
 pelitic sediments 115–19
 Santa Barbara basin 378–9
 summary 639
 X-ray diffraction 364–5
see also Coulter Counter
- discussion 10, 11
 distribution curves, Faro Drift 281
 N. Atlantic contourites 251
- GRAPE, wet bulk density profiles 565, 571
- Graphoglyptid traces 603, 606
see also *Nereites*
- Gravity cores 295
- Gravity faulting, submarine slopes 384, 387
- Grey mudstone, Swedish Alum Shales 520
- Guatemalan Transect, Quaternary sediments 563–77
 data analysis 570–3
 decompaction values 573–5
 discussion and summary 573–7
 location DSDP sites 564
 methods 563–8
 plasticity and compaction 569–70
- Gulf of Cadiz *see* Faro Drift
- Gullies, on basin slope 343, 356, 359–60
see also Canyons

- Gully system, dendritic 319, 322
- Halifax Formation, Nova Scotia shales 127–42
- Halimeda*, alga 473
- Hallam's model, Liassic concretions 522
- Halloysite 336–7
- Harmattan winds 595
- 'HEBBLE'
- definition 25
 - method, measurement of s.p.m. 79
- Hellenic Arc margin, west 169–96
- composition 175–9
 - distribution 172–5
 - general lithology 172–5
 - morphology 169–70
 - processes 179–80
 - stratigraphy 170–2
 - structure 169–70
 - texture 175–9
 - thickness 179
- Hemipelagic chalks, fan sequence, Miocene SW Turkey 453–66
- depositional process, chalks 459–63
 - geological setting and sedimentary facies 453–9
 - lateral and vertical distribution, chalks 463–6
 - Salir Formation 453
- Hemipelagic cores, in palaeoclimate studies 383
- Hemipelagic sediments
- basin model 377–92
 - Cape Verde Basin 153–66
 - dispersal 370–2
 - formation on continental margin 363
 - Miocene 527–54
 - Monterey Formation, California 481–95
 - from multiple sources 373
 - recent, Bahamas 200
 - reworked 209
 - Santa Barbara Basin 377–9
 - Ulleung basin 191
 - Würmian grey muds 121
- Hemipelagic settling
- definition 311
 - turbidity currents 431
 - and turbiditic muds 453
- Hemipelagites 12, 20, 115–18, 121
- comparison with contourite 291, 316–17
 - criteria 624–9
 - cycles 629
 - gradation with contourites 254
 - muddy pelagic ooze 627
 - Obock Trough 209
 - and pelagites, summary 624–9
 - turbidite, contourite discussion 316–17
 - see also* Pelagites
- Heyes, North and South Canyons *see* United States mid-Atlantic region
- Hiatuses, Southern Cape Verde Basin 163
- Hjulström's curve 59–60, 289
- Holocene features
- California Borderland 380
 - Nova Scotian muds 311
 - Sulu Sea 605
- Horizontal flux, particles 56–7
- Hornblende 178, 194, 365–8
- Humic acids 589–90
- Hydrocarbons, sources of 469–79
- see also* Organic carbon
- Hydrographic features *see* Basins and sills
- Hydrography
- Angola Basin 96–7
 - ocean currents 155, 165
 - see also* Circulation; Turbidity currents
- Ice-rafting 295
- Ichnofacies (ichnocoenoses) trace fossil communities 595, 600, 603–7
- Ichnofauna, changes 601–7
- Illite
- in calcilitites, Scaglia Rossa 23
 - California Coast Range 366
 - definition 19
 - East Cape, New Zealand 336–7
 - Guatemalan Transect 563, 574
 - Hellenic Arc margin 176–8
 - NW Mediterranean 116
 - Obock Trough 210–12
 - and plasticity index 574
 - ratios, other clay minerals 116–17
 - Zaire 95
 - see also* Chlorite; Kaolinite; Montmorillonite; Smectite
- Imbricate structure 587
- Imbrication, tertiary 563
- Inter canyon slopes *see* Slopes
- Intermediate water masses *see* Oxygen content, oxygen-minimum
- Internal waves, and resuspension of sediments 395, 397, 400–4
- Intra-slide beds, Norway 351
- Ionian Basin, characteristic clay minerals 176–9
- Isopleths, sand and silt, from box core sampling 378–83
- Iron 122, 364–6, 369–70
- measurement, atomic absorption spectrometry 117–18
 - pelitic sediments 115
 - red/green shales 590
- Japan *see* Ulleung Basin
- Kaolinite
- artificial compaction 583
 - in calcilitites, Scaglia Rossa 231–2
 - definition 19
 - East Cape, New Zealand 336–7
 - Guatemalan Transect 563, 574
 - Hellenic Arc margin 176–8
 - Obock Trough 212
 - ratios, other clay minerals 116
 - Zaire 95
- Kernels, coagulation
- aggregation 46–51
 - breakup 51–4
- Kerogens
- in Bahamian carbonates 469
 - type II, Tissot 541
 - see also* Hydrocarbons: Organic carbon
- Keweenaw Peninsula *see* Lake Superior

- Kongsfjord Formation 344–60
 Kithira basin 173–9
 Klamath mountains, Oregon 363–70
 Korea *see* Ulleung Basin
- Laconia system, West Hellenic Arc basin 169–80
 Lacustrine contourites, Lake Superior 620
 Lake Superior, contourite texture 293–307
 core-top analysis 295–306
 down-core analysis 303–6
 methods 295
 Sonar records 298
 Laminated black marlstone, North Atlantic 540–54
 Lamination, Ingrams system 9
 bioturbated 282, 408–9
 see also Varve-type lamination
 Laminites 9
 terminology 12
 Lamont measurement, forward light scatter 73,
 76–7
 LANDSAT *see* Satellite imagery
 Lateral fining, contourites 293
 Laterite (clay) 19
 Laurentian fan, turbidite sampling 85–91
 Laurentian Ice Sheet, retreat 295, 303
 Lavas, pillow 517
 Lead- 210
 measurement 327–8
 profiles 293
 Leco Corp WR-12 carbon determinator 471
 Lensoid deformations, mudflows 385
 Light-scattering, forward 73
 Limestone
 bituminous 511, 515–23
 nanofossil 438–50
 Linear programming, conversion of XRD results
 363–71
 Lithification, Great Stinkstone, Sweden 522
 Lithostatic load, Bishop 569
 Lithostratigraphy *see* Stratigraphy
 Long-range sidescan sonar system *see* GLORIA
Lophocterium and N. Atlantic contourites 279
 Lutites
 Angola Basin 112
 definition 9
 suspension cascading, fine laminations 441, 443
 see also Clay; Mudrock
Lynghya, effect on sedimentation stabilization 44–5
- Magnesian calcite 199, 202–7
 Magnesite, West Hellenic Arc 178
 Magnesium, Oregon-Washington sediments 364,
 369–70
 Magnetic signature 161, 164
 Magnetic susceptibility, anisotropy (AMS)
 Cape Verde Basin 161, 163–4
 North Atlantic contourites 250
 Nova Scotia continental rise contourites 257–73
 core samples, results 264–71
 discussion 271–2
 Holocene sedimentation 259–61
 methods 261–4
 Magnetite 261
- Manganese, measurement, atomic absorption
 spectrometry 117–18, 122
 in surface sediments 364, 369
 Marine sediments, chemical and mineral
 relationships 371
 Markov sequence analysis,
 non-turbidite association 316–17
 turbidite association 315
 Marl, definition 9, 10
 Marlstone
 laminated black, N. Atlantic 540–54
 Scaglia Rossa 225–7
 Mass-flow processes, in seismically active
 basins 185, 188
 Mass gravity transport, definition 12
 Mass movements
 fine-grained sediments 395–412, 417–31
 processes 377
 Ulleung basin 195
 Santa Barbara Basin 384–7
 scars, volume calculations 385, 391–2
 tectonically active margin 384–7
 Mass wasting, slope, events leading to 360
 Massive bedding, vague lamination 490–4
 Matapan Trench 169–80
 Mediterranean, Eastern 497–508
 Mediterranean, North-west margin, during late
 Quaternary 115–25
 basin plain 121–2
 composition of <40 μm fraction 115
 continental rise 121
 continental slope 119–21
 dynamic sequence 122
 geochemical criteria 117
 granulometry of <40 μm fraction 115–16
 mineralogical criteria 116–17
 palaeoclimatic sequence 122
 ungraded sequences 122–4
 Mediterranean outflow, general effects 276
 Mediterranean, Western 169–80
 Mesozoic-Cenozoic carbon-rich sediment, model for
 deposition 527
 bottom-water oxygenation 530–2
 discussion 550–4
 DSDP analysis 527–8, 535–9
 lithology, black shales 540–9
 organic matter, preservation 528–9
 productivity indicators 532–3
 sedimentation rate 529–30
 Metamorphism, extent in continuous coastal
 exposure 344
 Methodology, principal text list 8
 Methods, analytical
 atomic absorption spectrophotometry 364
 calorimetry 364
 coulometrics, Total Organic Carbon 471, 474
 Coulter Counter 73, 75
 electronic particle analysis (Elzone) 295–306
 freeze drying 364
 GRAPE, wet bulk density 565, 571
 Lamont measurement, forward light 72
 lead-210 measurement 293, 327
 Leco Corp WR-12 carbon determinator 471
 linear programming 363

- Methods, analytical (*cont.*)
- Markov sequence 315–17
 - mineral abundance data 365–70
 - pipette analysis 295
 - Q mode factor analysis 363
 - radiocarbon dating (C14) 325–6, 595
 - Rock Eval, GEOCHEM 471, 475
 - scanning electron microscopy (SEM) 204, 206
 - sediment trap measurements 75–7
 - thermovaporization gas chromatography 471, 475
 - transmissometry 405, 407
 - viscometer measurement 40
 - wet bulk density profiles 565, 571
 - X-ray diffractometry 202, 335, 364
- Methods, statistical
- end member composition 364–5
 - linear programming 364–5
 - see also* specific headings
- Mica, enrichment 440
- Micrite, in chalk beds 456
- Microfabric of muds and shales *see* Muds; Shales
- Middle America Trench
- analysis 570–1, 576
 - sediments 563
- Mineral abundance data, from XRD results by linear programming 363, 369–71
- Mineral composition, East Cape sediments, New Zealand 336–7
- Miocene-Pleistocene, sediment accumulation, Ventura Basin 419–20
- Miocene sequence, Santa Barbara 484
- Mississippi Delta, deposits 581
- Monterey Formation, California 481–94
- Montmorillonite (clay) 19, 336–7, 456, 563, 574
- Mud(s)
- beds, under Newtonian fluid flows, behaviour 35–69
 - calcareous 247–54
 - and fissility summary 637–8
 - and shales, fabric 579–93
 - major structural changes, clay sediments 588
 - microfabric, compacted clay 582–5
 - sedimenting clay 579–82
 - shear, effects of 585–7
 - synthesis and conclusion 587–90
 - turbidites, ideal facies model 615–17
- Mudflow, deposition 384–92
- Mudrocks
- and anoxic conditions 523
 - biogenic 9, 10
 - black, Cambrian 516, 517–20
 - calcareous sandy 331–41
 - classification 9
 - parallel-laminated 343–8
 - scanning electron microscopy (SEM) 335
 - structureless 343–9
 - see also* Clay; Silt; Siltstone; Slate
- Näeringselva Member, Lower, (LNM) Norway 343–60
- Namibian Shelf, organic carbon 534–5
- Nanoplankton, calcareous 338
- National Oceanic and Atmospheric Administration 319–20
- Nepheloid
- flow 441
 - layer, benthic 124
 - circulation 247, 252, 340–1
 - deep ocean 57–8
 - Pacific and Atlantic 77–9
 - plumes 395, 400–12
- Nephelometer, Lamont, SPM sensing 72–3, 76–9
- Nereites* 339
- ichnofacies 595, 603, 606–7
- New Zealand, calcareous sediments, upper slope to shelf 331–41
- debris flow deposits 339
 - flora and fauna 337–8
 - interpretation and discussion 339–40
 - lithological descriptions 332–5
 - palaeocurrents 339
 - stratigraphy and facies 331–2
 - trace fossils 338–9
 - X-ray diffraction mineralogy 335–7
- Normal bottom currents 12
- North Atlantic
- contourites (overview) 245–54
 - bioturbation 249
 - bottom circulation 245–6
 - continental rise contourites 248
 - facies 254
 - grain size distribution 251
 - processes 252–4
 - sediment drifts 246–8
 - sedimentary characteristics 248–9
 - see also* Faro Drift; Nova Scotia Slope
 - Eastern and Northern DSDP sites 538–9
 - sedimentation rate, cretaceous 551–3
 - Western, DSDP sites 536–7
- North-west Africa margin 595–6, 600–7
- Norway, sediment transport deposition, late Cambrian 343–60
- basin slopes and prodeltas 343
 - discussion 360
 - erosional-depositional discordant surfaces 355–6
 - LNM depositional model 359
 - Lower Näeringselva Member (LNM) Finnmark, facies 344–50
 - soft-sediment deformation 350–2
 - synthesis, palaeocurrent data 356
- Nova Scotia, continental rise, contourite, anisotropy of magnetic susceptibility 257–73
- see also* Magnetic susceptibility, anisotropy
- Halifax Formation, shales and slates 127–42
- slope muds 311–17
- discussion 316–17
 - physiography 311–12
 - sediments 312–16
 - stratigraphy 312
- Nucleation kernels, in concretions 522
- Nuculid* bivalves, calcareous siltstones 337
- Obock Trough (Gulf of Aden) late Quaternary calcareous clayey-silty muds 209–22
- comparison of sequences 219–22
 - general characteristics 209–14
 - sequence interpretation 219
 - turbidites, characteristics 214–19

- Obock Trough (*cont.*)
 frequency and origin 221
- Oil, Alum Shale Formation 511
see also Hydrocarbons; Organic matter; Total organic carbon
- Oil seeps 417, 430
- Olistrosome, rose diagrams 339
- Olivine 194
- Ooze, classification 10
 pelagic 12
 periplatform 199–207, 239
- Optical methods, deep sea suspensions 73
- Ophiolite, derived sediments 453
- Oregon-Washington continental slope, fine-grained sediments 363–75
 continental source area contributions 363–4
 data and results 365–70
 discussion—summary 370–4
 sampling and analytical methods 364–5
- Organic carbon
 vs carbonate carbon, Aegean seas 500
 NW Africa sediments 598
 -rich strata, Atlantic Ocean distribution 540–54
 model for deposition 527–40
 Sulu Sea sediments 597–8
- Organic matter
 carbonates, generated hydrocarbons 469–71
 and detrital minerals, Monterey formation 489–94
 marine sediments, classification 589–90
 terrigenous 528
- 'Orsten' *see* Bituminous limestone
- Orthoclase 231
- Overburden pressure and compaction trends 569–70
see also Atterberg limits
- Oxygen content
 and decay 405–8
 deep sea, bottom water 527–54
 general criteria 533
 and laminations 489–94
 mud sediments 377–92
 oxygen-minimum zones, black shale
 deposition 530, 549–51
 varve-type lamination 444–6
 and organic carbon 521–3
 and pelagic settling 459
 reducing environment 588
 and sapropels 497–509
- Oxygen-18 determinations 595
- Oxygenation of carbonate rocks 469–78
- Pacific North-west, US continental slope *see* Oregon-Washington
- Pacific oceanographic circulation, Eastern 399
- Palaeoclimate and anoxic conditions 497, 505
- Palaeocurrents, data, LNM, Norway 356
 East Cape, New Zealand 339
- Palaeozoic, Lower, stratigraphy 513, 516, 519
- Palygorskite 444
- Parallel-laminated mud, Ulleung Basin 191
- Particle analyser, electronic 295–306
- Particle analysis, statistical treatment 295–305
- Particles, aggregation and size 46–51
- Particulate matter *see* Suspended particulate matter
- Pelagic
 carbonates, Blake-Bahama Basin 437–50
 clay, definition 12
 deposition, Blake-Bahama Basin 437–50
 diatomaceous muds 563, 569
 ooze 12, 626
 sedimentation, 'black shale' 527–54
 history 3
- Pelagites
 criteria 624–5
 cumulative frequency curves 115–17
 gradation with contourites 254
 and organic-rich sediments, Western North Atlantic 437
 Scaglia Rossa limestones 237
see also Calcilutites; Hemipelagite
- Pelites
 definition 9
 NW Mediterranean margin, late Quaternary 115–25
 palaeoclimatic sequences 122
 West Mediterranean Basin 121–2
see also Mudrocks; Pelagites
- Pelleting, in sedimentation 380
- Peloponnesus *see* Hellenic Arc
- Periplatform oozes, sources of hydrocarbons 202–7, 471–9
- Peruvian margin, organic carbon 534
- Petroleum production, diatomaceous deposits 481
see also Hydrocarbons; Organic carbon
- Phosphorus accumulation rate, organic carbon 534
- Phyllites, black 517, 523
- Piper's sequence, turbidites 109, 316, 613
 biogenic turbidites 618
- Pipette analysis, grain size 295
- Piston core analysis *see* Core analysis
- Plagioclase 231, 336–7, 365–8
- Plane lamination, Obock Trough 214
- Planktic analysis, East Cape sediments, New Zealand 337
- Plankton productivity 444
- Planolites 501
- Plasticity
 Casagrande chart 569
 indices, Guatemalan Transect 574–7
- Plate tectonics, history and discussion 5
- Plumes, surface water 396–400
- Pohutu formation, calcareous mudstones 331–2
- Ponding, in syngenetic reworking of deposits 122–4
- Porcelanite 484
- Pore size, volume, and plasticity 569
- Post glacial clays, lake 293–306
- Potassium 364, 366, 369–70
- Primary production, and benthic food content 600–1
 surface waters 528
- Pro-delta, and delta deposits 343, 359
 lobes 119–23
- Providence Channel sediments, North-west 199
- Pteropods, source of aragonite 199, 210
- Pycnoclines, and sediment movement 400
- Pyrite, black laminated mudstone, Swedish Alum 517, 519–23

- Pyrolysate index in TOC 475-9
 Pyroxene 194
- Q-mode factor analysis 363
- Quartz
 East Cape, New Zealand 336-7
 laminae 517, 520-3
 Oregon continental slope 365-6
 sands, US mid-Atlantic region 327
- Quartzose silt 440, 442
- Quaternary sedimentation, NW
 Mediterranean 115-24
- Question Set Approach, Potter's 6, 7
- Radioactive waste disposal, sea bed, preliminary
 study 145-51
- Radiocarbon dating
 indicator of sediment accumulation 325-6
 sapropels 498-509
- Radiolarian
 carbonates, nanofossil 437, 440-50
 clay, black and green 548
 ooze 12
- Rainfall, and varve lamination 380
- Reducing sediments *see* Sapropels
- Resedimentation processes 12
- Ripple-markings 343, 348-50, 356-7
- Ripples
 asymmetric 380
 interference 349
- River discharge 17, 18, 21
- Rivers, sediment load 95-112
see also Fluvio-deltaic
- Rock-Eval analysis, GEOCHEM 471, 475
- Rose diagrams 339
- Salinity, dependence of erosion rate 45
- Salir Formation, SW Turkey 453-5
- Salt alum 511-23
- Sampling methods
 anisotropy, magnetic susceptibility 261
 box cores 295
 gravity cores 295
 piston cores *see* Core analysis
 seismic reflection profiles *see* Seismic profiles
 Shipek grab sampler 200
 sidescan sonar image, GLORIA 319-24
- San Andreas fault 482
- Sand(s)
 content and compaction 41-2
 fractions, Faro Drift 283
 quartz 326-7
 shelf, as tracers 327-9
 -silt-clay, terminology 9
 spillover 341
 waves, Hueneme Sill 405
- Sandstones 129-42
 calcareous, muddy 336-7
 siltstones, Swedish Alum Shales 520
 wave rippled fine-grained 343-50
- Santa Barbara Basin, California
 Continental Borderland 377-94
 current transport, fine-grained sediment 380-3
 hemipelagic sedimentation 377-9
 mass movement 384-7
 setting and previous studies 379-80
 stratigraphy 388-92
- hemipelagic deposits 481-95
 geology 481-3
 layering 489-93
 lithologic sequences 492-3
 palaeogeography 482
 sediment composition 483-9
 stratigraphy 483
 synthesis 493-4
- Santa Cruz Basin Fault 482
- Santa Monica Basin 396
- Santa Paula Creek, California
 fan-lobes and fine-grained sediments 417-33
 conclusions 430-1
 sediments, zones 1-4, 421-30
 structural setting, stratigraphy, Ventura Basin
 419-21
 tectonic and sedimentary controls 417-19
- Santa Ynez Fault 481-2
- Sapropels 172-8
 marine sediments, Eastern
 Mediterranean 497-508
 definition 497
 episapropels 502
 lithofacies 498-501
 methods 498
 organic rich deposits 501-4
 as palaeoceanographic indicators 504-8
 petrological classification 508
 X-radiographs 505, 507
- Mediterranean 531
 Black Sea 549
 Eastern N. Atlantic 548
- Sarl 9, 10
- Satellite imagery (LANDSAT), turbid
 plumes 397-400
- Scaglia Bianca, central Italy 225
 Variegata 225
- Scaglia Rossa limestones, calcilutites 223-41
 broader implication 239
 characteristics 228
 bedding 228-30
 bioturbation and burrowing 234
 colour 232-3
 composition 231-2
 structure and texture 234
- depositional model 237-9
 facies 227-8
 interpretation 234-6
 stratigraphy 223-7
 turbidite and pelagite characteristics 237
- Scattering measurements, forward suspended
 matter 72-3
- Schuppen structure *see* Imbricate
- Sea-level
 changes and tectonic effects 359
 effect on sedimentation patterns 325
- Sea MARC 1 (mid range sidescan sonar system) 319
- SEABEAM, bathymetric mapping 150, 156
- SEABED cruise *see* Seismic survey
- Seabed Working Group, radioactive waste
 disposal 145

- Sediment(s)
 accumulation, by lead-210 dating 327–8
 measurement, by radiocarbon dating 325–6
 budgets 371–3
 draping 351, 354–5
 drifts, North Atlantic 246–54
 mass gravity processes 169
 slides, slumps *see* Slides; Slumps
 transport, down-canyon 329
 implications of plasticity 574
 processes, East Cape, New Zealand 340
 US mid-Atlantic, canyons 319
 mass wasting 329
 trap measurements, Western Atlantic basins 75–7
 /water interface, oxygen levels 533
see also Contourites; Fine-grained sediments;
 Turbidites
- Sedimentary sequences, reconstruction 115–24
 structures, graphic symbols 11
- Sedimentation rates
 Alum shales 517–23
 and accumulation rate 532, 548–9
 carbon-14 dating 252
 deep sea 598–607
 equation 372
 glacial and inter-glacial 474, 477
 and mass wasting 360
 Mesozoic-Cenozoic strata 529–30
 organic carbon content, North Atlantic 551
 Swedish Alum Shales 517, 518
- Seismic
 activity, sediments 417, 430
 airgun profiles 170
 reflection profiles 175, 185, 193, 209, 212, 319–20
 in bathymetric maps 293, 294
 Faro Drift 277
 Ulleung basin 190
 and sediment coring survey 153–66
- SEM, calcareous sediments 332–5, 337
- Serpentinite 454, 456
- Settling velocity, particles 55–6
- Sewage plume 402, 403
- Shales
 Alum *see* Alum shales
 black *see* Black shales
 definition, Potter Question Set 7
 Halifax Formation 129–42
 and pressure 582
 successions 6–7
 terminology 8–10
see also Argillite; Clay; Claystone; Silt; Siltstone;
 Slate
- Shear-compressional stress 563
 'Shear sorting' in laminated turbidites 587
 Shear stress, related to erosion rate 42–4
 Shearing forces, clays, effect on
 microstructure 585–7
- Shelf sediments, dispersal by turbidity flows 327
- Shipek grab sampler 200
- Sidescan Sonar images 293–303
 GLORIA 319–24
 mid-range (Sea MARC 1) 319
- Silica (silicon) 231–39, 364, 369
 rich sediment, and high productivity 481–94
see also Chlorite; Illite; Pyrite; Quartz
- Siliceous turbidites 618–19
- Siliciclastic sediments 9
- Silicoflagellates 97
- Sillimanite 194
- Silt, classification 20
 -sand-clay, terminology 9
 turbidites, summary 613–15
- Siltite *see* Siltstone
- Siltstone 129–42
 calcareous sandy 331–41
 current rippled 343–9
 SEM 333
- Sisquoc Formation, Miocene layering 490
- Slide(s)
 diagnostic features in DSDP cores 343
 folds, overturning, Lower Næringselva
 Member 351
 sheets 352, 353
 from soft sediment deformation 344–60
- Slope(s)
 aprons 343
 definition 631
 devoid of canyons, gullies 377
 failure, triggering mechanisms 378
 mass wasting, events leading to 360
 sediment, redeposition 528–9
 -to-shelf sequences *see* New Zealand, calcareous
 sediments
- Slump scars 174, 187, 191–3
- Slump packets 331
- Slump-slides, Lower Næringselva Member 351–2
 Ulleung basin 191–4
- Slumping, in canyon erosion 328
 sea floor 112
- Smarl 9, 10
- Smectite 116–17, 122, 176–8, 210, 212, 231, 365, 444
see also Illite
- Sodium 364, 369
- Soft-sediment deformation
 breccias, intraformational 350, 352
 fluidization structures, Norway 350, 352
 slides 343, 350, 358–60
 syndimentary faults 351, 355
- Sohm Abyssal Plain, turbidite sampling 85–91
- Soil Classification, Unified 569
- Sonar, images, sidescan 319–24
 studies, sidescan 258
- Sonograph, long range sidescan (GLORIA) 145–51
- South Atlantic, Western, DSDP sites 535
- South East Atlantic Ocean, surface current
 patterns 97
- Spectrophotometry, atomic absorption 364
- Spinel 178
- Stabilization of sediment by biological
 material 44–6
- Stagnation, and sapropels 497–509
- Statistical analysis, particle analysis 295–305
- Statistical methods, computer contouring,
 SYMAP 379–80
- Staurolite 194
- Stinkstone *see* Bituminous limestone
- Stokes'-deposited sediments 83–91
- Storms, effect of carbonate transport 203

- Storms (*cont.*)
 frequency and intensity, Lake Superior
 evidence 305–6
- Stow sequence, turbidites 619
- Stratification terminology 10–11
- Stratigraphic correlation, Southern Cape Verde 158
- Stratigraphy
 Cape Verde Basin southern 156–9
 Scaglia Rossa limestones 223–7
 West Hellenic Arc basin 170–2
- Strontium 364, 366, 369–70
- Subarkoses 346
- Sugars, in marine sediments 589
- Sulphate reduction, organic carbon sediments 530, 532
- Sulu Sea, bioturbation features 597–603, 604–5
- Surf, internal 400–1
- Surface currents, Santa Barbara Basin 381
- Suspended particulate matter
 measurement, forward light scattering 71, 72
 gravimetric 73
 particle counting 75
 particle size, spectra 77
 variations, regional and temporal 72
- Suspended sediment, continental slope, annual
 input 363
- Swedish Alum Shales, sedimentology *see* Alum shales
- Swedish Caledonides succession 515
- Swedish Deep Sea Expedition 71
- Symbols, graphic 11
- Systemic sedimentology, history 3
- Tectonic(s)
 activity, Santa Barbara Basin 377–92
 controls, and volcanic centres 482
 factors, carbon-rich strata, Pacific 548
 Pacific, Miocene 554
 stresses, rift basin 409
 transform-margin 417
 zones, *en echelon* 453
- Telegraph cables, corrosion studies 276
- Tephra
 upper and lower, ash layers 172–5
 volcanic 331–8
- Terebellina*, New Zealand and California 339
- Terminology 6–12
 descriptive 6–10
 interpretative 10–12
- Terrestrial
 organic matter, periodicity 446–7
 sedimentation, Miocene 527–54
- Terrigenous detritus 77
 nepheloid settling 549
 sedimentation rates 390–2
 silt as indicator 381
- Tethyan sequence, organic carbon 540, 550
- Tethys sea, and Atlantic 444
- Textural analysis *see* Grain size
- Thalweg, canyon 325–6, 328
- Thermovaporization gas chromatograms 471, 475–8
- Titanium, California Borderland 364, 366, 369–70
- TOC (total organic carbon)
 carbonate muds 469–79
 profile and Plasticity Index, Guatemalan
 Transect 576
- Tongue of the Ocean *see* Bahamian Trough
- Trace fossils, calcareous slope sediments 338–9
- Trace metals, Alum shales 511, 515
- Transform motion *see* Tectonics
- Transition probability, in chalk/turbidite
 deposition 463–6
- Transmissometer casts, deep water and surface
 water 405, 407
- Transport
 California Coast Range 363–70
 current velocity 288–91, 319
 down slope continental rise 377
 long distance, and flow initiation 612
 processes, fine-grained sediments 395–412
 related to erosion 35–63
 aggregate strengths and sizes 48–51
 and aggregation 46–8
 biological influences 44
 breakup kernels 51
 compaction 41
 conclusion 61–3
 deposition 59–61
 erosion 36
 rate 42
 Newtonian fluid flows 35
 settling velocity 55–6
 vertical and horizontal flux 56–8
- Trilobites 511, 522
- Trough sediments, Lake Superior 295, 301–6
- Turbidite(s)
 analysis, Angola Basin 98–112
 NW Mediterranean 116–24
 Bouma standard sequence 4, 613
 chronology, Santa Barbara Basin 390–91
 and contourites, distinguishing criteria 293, 316–17
 criteria 612–17
 deposition, and aeolian dust 603
 model 83, 84
 facies 12
 comparison with contourite 316–17
 flocc-deposited 83–91
 global distribution 630
 grain-size characteristics 83–92
 analytical methods 87
 discussion 90–1
 material 85
 muddy, sedimentary core structures 86, 87–8, 90–1
 results 87
 settling model 84–5
 ichnocoenoses 595–607
 interbedded 293
 muddy, carbon rich 527–54, 563
see also Black shales
 pelagite, end-members 223, 237
 revolution, history 4–5
 and sapropels 504–9
 SE Atlantic Ocean, climatic zonation 100
 sedimentation, principal areas of world 630
 sequences, Nova Scotian muds 312–16
 shear sorting 83–91
 summary, biogenic, 617–20

- Turbidite(s) (*cont.*)
 disorganized 620
 mud 615–17
 silt 613–15
 Stow sequence 619
 type sequence 218, 220
 X-radiography 98, 102, 104–5, 107–8
see also Contourites
- Turbidity currents
 cause of graded bedding 4
 deposition processes, California
 Borderland 405–12
 Obock Trough 214–21
 Scaglia Rossa 234–9
 effects of diapirs, Cape Verde 163
 frequency and chalk horizons 453
 transport, Santa Barbara Basin 377–9
see also Mass flow
- Turbidity patterns, basins and sills 405–12
 subsurface shelf 400–2
- Turkey, SW, Salir Formation 453–66
 'Type sequence' *see* Turbidite sequence
 Tyvofjell Formation, Norway 344
- Ulleung Basin, Sea of Japan, turbidites and
 associated deposits 185–94
 acoustic stratigraphy 187–8
 geological setting 185–6
 hemipelagic settlements 191–4
 physiography 186–7
 processes 195–6
 provenance 194–5
 turbidites 188–91
- Umbro-Marchean Apennines *see* Scaglia Rossa
 limestones
- Ungraded deposits *see* Contourites
- Unified Soil Classification *see* Soil classification
- Unifites, Angola Basin muds 109–11
 terminology 12
- United States mid-Atlantic region, canyons, late
 Quaternary 319–29
see also Wilmington Canyon
- Upwelling, classic mechanism 399–400
 intensity, in planktic production 488–94
 of nutrients 447
 and productivity, deep sea 532–41, 548–9
- Uranium 511, 515
- Vague lamination (massive bedding) 490–2
- Varve-type lamination
 Blake-Bahama Basin 437, 440–4
 criteria 637
 Monterey Formation 491
 post glacial, Santa Barbara 379–80
 Santa Barbara deposits 485, 490–2
- Vegetation changes, in interpreting sediments 303
- Ventura basin, California *see* California Continental
 Borderland tertiary deposits 420
- VERTEX program, sediment trap arrays 76–7
- Vertical flux, particles 56–7
- Viscometer measurements, cohesive material, critical
 erosion stress, 40–1
- Volcanic
 activity, carbon rich strata 548
 events, active margins, periodicity 18
 sources 17, 18
 tephra 172–5, 331–8
- Water
 chemistry, varves and cyclical alternations 446
 content of sediment 37–40
 depth, and wave height, sandy shelves 340
 trace fossil indicators 595–607
 sampling, objectives and methods 73–5
 Wave height and water depth, sandy shelves 340
 Waves, effect on sedimentation 331, 340–1
see also Internal waves; Sand waves
- Western North Atlantic *see* Blake Bahama basin
- Wet bulk density profiles 565, 571
- Wilmington Canyon, canyons, late
 Quaternary 319–29
 continental slope 319–20
 discussion 329
 physiography 320–4
 processes 328
 sediments 325–8
 stratigraphy 325
see also Canyons
- Wind transport *see* Aeolian transport
- Winnowing, current 380
 mechanisms, shelf to slope 340–1
- X-radiography
 core analysis 325, 326, 379, 385–92
 piston cores 379, 388, 389
 turbidite 98, 102, 104–5, 107–8
 sapropels 498–509
- X-ray diffraction
 end member compositions, using
 discharge-weighting 364–70
 mineralogy 335–7
 techniques 200–1
- Zaire deep-sea fan 95–112
 conclusions 112
 geological setting 95
 grain size analysis 101, 109–11
 hydrography 96
 methods 97
 study area 96
 X-radiography 102, 104–8
- Zaire River, suspended matter load 98, 99
- Zephiran chloride, sterilisant 471
- Zonation, bioturbational levels 600
- Zoophycos
 in biogenic traces, fine grained sediment 599–604
 in Mediterranean sapropels 501
 stratigraphy, Nova Scotia 312
- Zooplankton, biofiltration of faecal pellets 395,
 399–400, 412, 431