

Index

Page numbers in **bold** refer to tables; those in *italic* refer to figures

- Abidjan Basin 102, 117, 124, **126–7**, 242, 259
Abrolhos massif 133–4, 138–9
Acarau Basin 134, 141
aeolian sediments 1, 57, **89–90**, 92, 105, 142
 Namibia 159–60, 325, 347–62, 367–79
 Southern African Margin 159–60
Afar 87, 94
Afro-Brazilian Depression 133–49
Agadir Basin 215, 223
agglutinated foraminifera 203, 205, 209–15, 218
 Cabinda 267–79
Agulhas Bank 405, 421
Agulhas Current 327
Agulhas-Falkland Transform Fault 102, 105, 158, 163, 294–5
 Falklands 405–6, 409–11, 415–22, 435–6
Alagoas Hinge 15–17, 36, 80, 158, 420
Albacora Field 6, 145–7
Albian 51, 124–8, 305–18, 441
 break-up 71, 105, 135, 141, 243–61, 295–300
 Cabinda 268, 283–92, 468
 micrites 182–3, 190–4
 shales 142–8, 182–94, 223–39, 296–300
 tectonics 70–2, 104–5, 108–24, 135–40
Albian-Cenomanian 70–2, 160, 226–39, 243–54
Albian-Eocene drift 63, 105
Albian-Miocene 142
Albian-Santonian 104, 441
algae 246–7, 283, 346, 355, 451
algal biotherms 93, 95, 170–8, 379
Almada Basin 15–16, 23, 27, 134, 144
 reserves 102, 116–17, **126**
Amazon Cone 40, 101–2, 124, 127, 145, 148
Amazon fan 12–13, 144–5
Amazonas Basin 102, 104, 134, 144–8
Ambriz Spur 181, 193, 284
ammonites 201, 212–14, 225–932
Anambra Basin 102, 117, **126**
Andes 104, 145, 410–22, 439–42, 462
angiosperms, Tertiary oils 176–8
Angola 1–8, 97–9, 125, 306–7, 312
Angola Basin 142, 170–8, 181–94, 288–92
Angola Margin 13, 181–94, 268, 299
Anguille Formation 119, 299
anoxic 108–24, 153–66, 286–91, 298–300, 312–18
 see also black shales
Antarctic 268–9, 403–7, 432, 435, 441, 463
Ante Saliferes 286–91
apatite fission tracks 5, 41–51, 135–41, 244, 259
 Falkland Plateau 415–21, 439–41
Aptian, carbonates 25–6, 294–300, 307–18
 inversion 125, 139, 141, 441
 lacustrine and fauna 124–52, 268–92, 293–300
 ostracods 284–92, 295–300
 salt 63, 94, 97–9, 125–8, 135–45, 306
 seafloor spreading 12, 15, 24–7, 36–7, 124, 141
 shales 26, 68–70, 142, 153–66, 296–300, 314, 407
 South African Margin 153–66, 296
 tectonics 63–72, 104–24, 135, 141–4, 303–18, 441
Aptian Salt Basin 8, 107–116, 181–8, 192–4, 294–300
Aptian-Albian 70–2, 307–8
Aqua Salada Fauna 267–79
Araguaia River 32–3
Araripe Basin 56–8, 64–71, 134–5
Argentina 1–8, 293–6, 338, 388
Argilles Vertes 25–7
Ascension Fracture Zone 79–80, 135, 140, 304–5
asymmetric grabens 33, 61–7, 71–2, 404
asymmetric rifts 12, 23–7, 138–9, 144, 431
 Rio Muni 305, 311
Atlantic Hinge Zone 8, 12–27, 36–7
Atlantic Margin 8, 41–53
Atlantic Rift 53–72 *and see* break-up
Austral Basin 163, 293–6, 428, 435–6
Autseib Linement 382–401

back-arc 420–2
Bahia Basin 135, 141, 170–8
Barreirinhas Basin 102, 117, **126**, 244
 tectonics 59, 134–5, 137, 141, 148
Barremian 67–72, 94, 125–8, 285–92
 Falklands 412–15, 441
 ostracods 287–92, 293–300
 source rocks 155–63, 170–8, 186–94
 tectonics 61–72, 107–26, 134–5, 137, 141
Barremian-Aptian 59–71, 160–6, 305–13, 436
 development 21–2, 24–8, 36–7, 107–24
basalt *see* volcanics
basement 103–7, 125
 Africa 13, 56–7, 85–8, 381–3, 388–400
 Falkland 411–14, 428, 449–52, 458
 South America 56–9, 64–5, 116
basin modelling 8, 27–37, 86, 313–14
 Falkland 452–5, 458–9
basin mounds 341
Bata Fracture Zone 304–5
Bay of Harbours Formation 417, 445, 453, 457, 459–63
Beaufort Group 282, 349–62, 388–401
Benguela Basin 170–8
Benguela Current 141–4, 334–6
Benin 4, 58, 97–8, 117, 170–8
benthonic foraminifera, West Africa 195–220
Benue Trough 55–9, 67–72
 foraminifera 196–7, 200, 205–8, 212–20, 223
 and tectonics 117, 135, 141, 291–2
 Berkeley Sound 450
Berriasian 57–67, 71–2, 100–2, 128–9, 138, 291
Berriasian-Aptian 144–5, 295
Berriasian-Hauterivian 22–4, 27–8, 36–7, 134, 138
Berriasian-Valangian 116, 435–9
Bersig Fault Zone 359–61
Binga Formation 182, 185, 191–4

- biodiversity 93, 270–9, 287, 293–6, 298–300
 West Africa 27, 195–7, 202–20, 223–39, 293–5
 Bioko (formerly Fernando Po) 97
 biomarkers of oils 153, 159–78, 183–94
 bioturbation 90, 158, 229, 450–1, 456–7
 bituminous shales 116, 196, 198, 229, 232, 307, 314
 bivalves 352, 355, 450–1, 456
 West Africa Margin 226, 229–33, 247
 Black Rock Member 445–9, 453, 456, 458–63
 black shales 25–7, 36, 125–8, 142–8, 156, 181–94
 Aptian 296–300, 307–18
 Falklands 445–9, 453, 456, 458–62
 Turonian 116–24
 West Africa 22–3, 195–220, 223–41, 241–61
 Bluff Cove Beds 445–51
 Bobonong Lava Formation 348
 Bokkvelde Group 462
 bolivinid foraminifera 269–272, 274–9
 West Africa 196, 205–6, 208, 210, 211, 215–20
 Bororema Province 56–61, 64–7
 Bouvet plume 403, 421
 brachiopods 227
 Brazil 1–8, 12–15, 104–29, 294–300
 fission track data 41–51
 rift system history 55–73
 Brazilian Margin 7–8, 12, 15–17, 19, 21–37
 evolution 51, 67–72, 133–48
 Brazilian–Pan African Cycle 102–5, 107
 break-up 8, 12–27, 33, 36, 45, 268
 Central Africa 283–6, 291–2, 295–300
 Falklands 403–7, 409–22, 425–42, 458–63
 fission track dates 41–51
 Namibia 322, 347–8, 362, 377–9
 stratigraphy 104–24, 243–61, 403–7
 tectonics, Brazil 45, 55–72, 134–41
 unconformities 12, 77–9, 139–41, 147–8, 157
 Walvis Ridge 293–300, 321–3
 see also rifting and triple junctions
 Brejo das Freiras sub-basin 64–6
 Brenton Loch Formation 417, 445–50, 453, 456–63
 brittle kinematics 15–20, 77–82
 Bucumazi Formation 22, 25, 92, 94, 115, 124–5
 oils 181–8, 192–4
 ostracod sequences 288
 buliminid foraminifera 229, 248, 270–4, 278–9
 West Africa 196, 201–6, 208–9, 211–12, 214–20
 Bull Point 446–50
 Burdwood Bank 409–11, 417
 burial history 315–18
 bypass surface 372–9

 CABGOC 128–3 267–79
 Cabinda Basin 27, 182–94, 267–79, 286–92
 exploration 3, 5, 57, 81–2, 93–4, 98–9
 Cabinda Margin 13–14, 21–7, 133, 312
 Cabo Basin 56–8, 68, 70–1
 Cabo Frio 134, 148
 Cabo Ledo High 181
 Cabo San Rogue 268
 Calabar Flank 195–7, 200, 208, 213–14
 calcareous foraminifera 205, 208, 269–79
 calcispheres 206, 231–3
 Camamu Basin 102, 116–17, 126, 134–5, 137, 142
 tectonics 15–16, 23, 27–8
 Cameroon 4, 57, 98–9, 170–8, 304–5
 Barremian clastics 66–7, 107, 124
 Cameroon Volcanic Line 76, 81–2, 107, 116
 Rio Mundi 306, 310–12
 Campanian 65–9, 104, 124–9, 244, 250–5, 257
 foraminifera 196–8, 203, 206–10, 215, 217–20
 Tarfaya 196–8, 201–6, 217–20, 223–39
 Campanian–Maastrichtian 181–7, 189, 191–4, 298–300
 Campanian–Tertiary 181–7, 189, 189–94, 418
 Campos Basin 1, 6–7, 33–7, 125–6, 332
 carbonates 93, 145–8, 183
 and Kwanza Basin 86–7, 90–2
 oils and source 26–7, 124–5, 170–8, 183, 283
 sedimentation 49–51, 102, 104, 107, 112
 tectonics 134–6, 138, 139–42, 145–8, 161
 Candeias Formation 1, 6, 92–3
 canyons 26–7, 29, 30–7, 46, 116–24
 Southern Africa 105, 159–61, 322–42
 Cape Cross Segment boundary Zone 391–401
 Cape Fold Belt 102–4, 388–400, 405, 421, 459–63
 Cape Meredith Complex 411–17, 428, 447–53, 458
 Cape Supergroup 562
 Cape Verde 367
 Cape Verde see DSDP
 Capianga Formation 92
 carbonate 12, 24–7, 39, 65, 124
 cement 160, 259, 370
 Cretaceous 51, 105, 107–28, 141–5, 284–92
 later 104, 268, 294–300
 deposits 93–4, 327–9
 dissolution 269, 270, 275, 277
 lacustrine 285–6
 marine 95, 223–41
 plays 95, 97–9, 124–9
 rafts 116, 145–8, 181–91, 183, 267, 303–18
 syn-rift 89, 93–5, 190–1, 283–92
 Tarfaya Basin 4, 202–6, 223–39
 West Africa 196–220, 246–58, 283
 Carbonate Platform 1–7–24, 12, 29, 71, 142–8
 Carboniferous–Permian 411–12, 414, 445
 Carcass Bay 452
 Cariri–Potiguar rift valley 56–61, 64–72
 Carnaubais fault system 56, 64–7
 Casamance Shelf 195–8, 203, 209–10, 215–20, 223
 Ceará Basin 56–8, 102, 117, 138–42, 176–8
 Cenomanian 306–18, 307–18, 411–13
 anoxic shales 115, 142–8, 182–7, 191–4
 unconformity 108–25, 306–18
 West Africa 203, 210, 216, 223–39, 243–61
 Cenomanian–Turonian 116, 124–5, 126–9, 225–39
 South Atlantic 137, 141–2, 294, 296–300
 Southern Africa 153–5, 166, 292
 West Africa 196–220, 246–58, 296–300, 306–9
 Central African Rift System 104
 Chabot Creek 450
 Chaco–Parana Basin 103–5, 462
 chalk 198, 226, 229
 Chanic Orogeny 459
 channels 1, 31–7, 50–1, 116–24, 145–8
 Falkland 450–2, 457–62
 Namibia coast 322–5, 333–42
 Chela Formation 25–7, 36, 115, 124–5, 288
 source rocks 187–8, 192–4
 Chilwa Lake, Malawi 87, 91
 Choiseul Sound 417, 445–50

- Chorillo Formation 441
 Clarens Formation 348, 352–5, 362
 clastic deposits **88–9**
 African rifts 88–95, 105–24, 288, 307–18
 Brazilian 57, 60–1, 64–72, 104–24, 135–48
 Central Africa 22–30, 63, 181–94, 268, 288
 Falklands 431–7, 450–63
 and rivers 5, 12–13, 21–37, 145
 Southern Africa 294–5, 321–42
 West Africa Margins 82, 245–61
 clay mineralogy 196, 200–20, 226–39, 245–61
 claystones 117, 197, 200–1, 229, 246–61
 Cenomanian Rio Muni 307–18
 Falkland Islands 446, 450–2, 455–8, 462–3
 Jurassic 133
 overpressured 145, 148
 coastal sediments 450–9
 coccoliths 231–2
 Colorado Basin 102, 104–5, **127**, 163, 388
 Columbine-Agulhas Arch 404–5
 compression 397–401, 410–11, 414–18, 459–63
 conchostracans 285
 Congo Basin 102–3, 107, 124–9
 compared to Brazil 57, 64
 Lower 102, 115–16, 124–8, 170–8
 oils 150, 170–8, 181–94
 and ostracods 286, 293
 source rock control 181–94
 Congo (Brazzaville) 1–8, 2–5, 97–9
 Congo Cone 29, 116, 125–8
 Congo (Kinhasa) **4–5**
 Congo Margin 13–14, 21–30, 27, 35–7, 133, 268
 Congo (Zaire) River system 28–30, 35–7, 95
 Coniacian 182, 296–300, 307–9
 Coniacian-Campanian 247–54
 Coniacian-Santonian 246–61, 312–18
 foraminifera 198, 203–212, 215–20, 223–39
 Contas River 32–3
 contourites 145, 148, 322, 338, 340–2
 Coquero Seco Formation 23
 coquina 124, 141–5
 Côte d'Ivoire 1–4, 59, 97–9, 102, 117, 124–6
 oil types **126–7**, 170–8, 259
 see also Abidjan Basin and Rio Mundi
 Côte d'Ivoire-Ghana Transform Margin 241–61, 306, 312
 foraminifera 195–200, 203, 205, *211*, 215–20
 Crato sub-basin 64–6
 cratons 46–7, 64, 70–2, 347–8, 383
 Brazil 56–72, 133–4, 141
 Cretaceous, black shale 7, 181–94, 223–39, 241–61
 Falkland Plateau 411–13, 418–22, 436–42
 kinematics 55–71, 233, 241–3, 409–22
 late marls 5, 116, 196, 198, 229, 232, 314
 Namibia 345–62, 367–79, 381–9
 plays 29, 97–9, 145–8, 239, 315–18
 post-rift 42, 383
 reservoirs 124–9, 142–4, 158–66, 345–62
 uplift 46–51, 90, 135, 441
 volcanic 33, 105–24, 138–9, 345, 368–79, 381–2
 Cretaceous-Jurassic 105–24
 Cretaceous-Tertiary 413–15, 417–18, 426–42
 sequences 37, 46, 105–29, 138–45, 164–6, 241–61
 turbidites 50–1, 144–5, 160–6, 241, 283
 unconformity 255, 308–9, 322–3
 Cricaré Formation 23, *114*
 cross-bedding 347, 370–2, 450–2, 458
 crust, Gulf of Guinea 45–82, 303–5
 crustal gravity anomaly 12–13, 15, 63–6, 305
 crustal thinning 105, 243–4, 404–5, 459
 stretching 57–71, 81–2, 103–24, 135–41, 305
 Cumuruxatiba Basin 15–16, 23
 development 102, 116, **126**, 134–5, *137*, 142
 Cuvo Formation 182, 185, 190–4
 cyclic changes 64, 196–219, 225–32, 270–9
 Falkland Islands 450–9
 and non-marine ostracods 285–92
 West Africa 201, 219–20, 246–9, 258, 285–92
 Damara Fold Belt 382–401
 Damaraland 45, 87–90, 346–62, 367–79
 dates, fission track analysis 42–51, 135–41
 from K-Ar 105, 135–8
 debris flows 336–42
 décollement 267, 307–18
 decoupling 15, 303–18, 462
 deep basin deposition 338–41
 Deep Ivoirian Basin 205, 241–61
 deltaic 26–7, 50–1, 57, 452–3
 oils 101, 173–8
 West Central Africa 117, *123*, 286
 Dentale Formation 25–7, 288
 Dentale Trough 13–14, 77, 80–2
 denudation 5, 41–53, 141, 312
 deposition and erosion 23, 322–42
 see also erosion and rift, flank
 Deseado Massif-Dungeness High 411–22
 Devonian 124, *127*, 415, 445–55, 459–63
 South America 64, 389
 diachronous rifting 55–71, 101, 104, 133–41
 Dianongo Trough 13–14, 26
 diatoms 201, 229–33, 252
 dinosaurs 353–5
 Djeno Formation 22–3, 25, 288
 Doce River 32–3
 dolomitic limestone 246–50, 462–3
 Doros Formation 348, 351–3
 Douala Basin 11–37, 58, 75–82, 303–5, **314**
 stratigraphy 102, 104, 116, *121*, **126–7**
 drainage systems 12–15, 18–23, 27–37, 46–51, 92
 Falkland Islands 458–61
 Drakensberg basalts 346, 348–52, 362
 draped sediment 187–94, 329–38, 370, *427–32*, 457
 drift 105, 107–29, 133–48, 306–18, 421
 Africa 63, 94–5, 153–5, 160–6, 181–241
 Brazil 68–72, 134–41
 Namib rift 385–8, 395–9
 speed 141, 308
 DSDP 367 197–8, 200, 210, 215
 see also Casamance Shelf
 DSDP 369 197–8, 203
 see also Casamance Shelf
 ductile shear, Gulf of Guinea 75–82
 dune complexes, and basalts 370–2, 376–9
 dune material 159–60, 325, 347, 352–62
 Dungeness High 419–21, *420–1*, *440*
 Dwyka tillites 349, 351–3, 381–401, 405, 458
 dykes *see* Jurassic dykes

- East African, fauna 297
 East African Rifts 29, 86–95, 104, 291
 compared to Namibia 389, 391, 401
 East Brazilian Microplate 68–72
 Eastern Depo Centre, Falklands 430–41
 Eastern Hinge 13–14, 22–7, 35–7
 Ecca Group 352–3, 371–3, 381–401, 462–3
 echinoderms 247
 Elephant Beach 446–8, 451
 en-echelon blocks and basins 36, 104–5, 117
 end-rift unconformity 306, 312
 Eocene 51, 142–3, 182–7, 314, 415–16, 418
 Eocene regression 117, 268, 309
 Eocene river capture 32–3, 37
 Eocene-Oligocene 51, 117–24, 142, 145–8
 Eocene-Pliocene 104, 182–94
 Equatorial Branch 56–72
 Equatorial Gateway 145, 223, 241–61, 293–300
 Equatorial Guinea 2–4, 97–8, 170–8, 303–18
 Equatorial Margin 75–82, 141, 145
 erosion 19–20, 23–7, 33–7, 439–41
 Brazil 68–9, 136–41
 Western Africa 285–90, 306–9, 313–13, 322–42
 Erva Formation 23
 Espirito Santa Basin 102, 104, 107, 114, 126
 oils 176–8, 183
 tectonics 134–5, 137–8, 142–4
 Etendeka 87–90, 94, 138–9
 Namibia 345–63, 367–79, 381–8
 Etjo Formation 347–55, 359–62, 367–79
 and Namib rift 382, 388–9
 evaporites 12, 25–7, 57, 68, 91, 116
 Brazil Lower Aptian 51–68, 138–41, 294–55
 early Cretaceous 104–25, 139–46, 154, 181–94
 Namibia 347, 351–2, 355, 379
 Red Sea 94–5
 exploration 1–8, 97–9
 extension 15–30, 55–71, 104–24, 304–14
 Falkland Plateau 404–7, 414–22, 428, 432–9
 Namibia 347–8, 394–401
 Ezanga Formation 25, 36, 294–300

 Falcão Formation 26–7, 36
 Falkland Islands structure 7–8, 446–55
 Falkland (North) Shelf *see* North Falkland Shelf
 Falkland Plateau 295–9, 403–7, 409–22, 425–42
 Falkland Plateau Basin 163, 409–22, 432–8, 441
 Falkland Sound Monocline 414–18, 446–50, 459–63
 Falkland-Agulhas Fault Zone 140, 158, 405–6
 Falklands 3–4, 7–8, 102, 347, 445–62
 cooling episodes 418, 439–42
 fans, deltas 23, 57, 108–24, 142–51, 359
 submarine 31–7, 336–42, 457–63
 fault blocks 153–66, 353, 357, 359–62, 381–9
 Cabinda Basin 79, 267
 Falklands 403–7, 411–22, 427–34, 439–42
 movement 12, 92, 94, 139, 141, 145–6, 267
 sediment summary 88–9
 faults 317–18
 boundary 13–27, 36–7, 69–71, 77–9, 391–2
 flower 141, 439
 growth 153, 161–4, 161–6, 355, 389
 listric 65, 124, 307–13, 391–7, 414–15
 normal 15, 64–5, 303–18, 318, 353, 406
 oblique-slip 459
 shear 61–2, 68–71, 305–7, 394–401
 strike-slip 244, 407, 414–16, 418–22, 432
 thrusts 45, 383, 439, 446–50, 457, 462–3
 toe-thrust 155, 161–6
 transcurrent 303–18
 transfer 61–4, 82
 transform 7, 12–13, 70, 104–5, 117, 303–18, 357–8, 418
 wrench 414
 see also rifting
 fauna 195–220, 223–39, 293–300, 450–1, 459
 Triassic red beds 353–5, 362
 Feira Nova sub-basin 64–6
 Fields 3, 5, 6, 185–6, 192–4
 fish 226, 229, 232–3
 fission track analysis 5, 41–51, 135–41, 244, 259
 flexural rebound 16–20, 23–5, 244, 305, 308–9
 flood basalts 59, 85–95, 104–5, 137–8
 Namibia 345–62, 367–79
 see also volcanics
 flow-top weathering 347, 355–7, 370, 372–9
 fluvio-deltaic 64, 89, 323–42, 451–5, 458–9
 Brazil post-rift 65, 68, 125–8, 141–5
 oils 176–8
 sedimentation 20, 23, 27–37, 107–24
 fluvio-lacustrine 285–92, 316–18, 351–62, 388
 footwall 16–20, 36–7, 138–9, 353–62, 399
 Falkland 430–3, 439
 foraminifera 195–220, 223–39, 245–55, 291, 298
 morphogroups 267–79
 Fortaleza High 60, 68–9
 Fox Bay Formation 117, 445–55
 Foz do Amazonas Basin 102, 124, 126–7, 176–8
 tectonics 134, 137, 145
 fracture zones 36, 117, 124–5, 241–5
 South Atlantic 58, 135, 140, 304
 see also named zones

 Gabon 1–8, 4, 97–9
 Gabon Basin 29–30, 58, 90, 133, 306, 312
 oils 170–8, 183
 ostracods 283, 286, 288–92, 293–6
 reserves 103, 116, 119, 126–7
 seismic structure 75–82
 and South America 57, 57–72, 137, 306–7
 stratigraphy 116, 119, 127–8, 268, 283, 286
 Gabon Margin 13–14, 21–9, 35–7, 75–82, 303, 334–6
 Gai-as red beds 347–53, 388–401
 gas 1–2, 99, 125–9, 142, 154–66, 313–18
 see also Kudu
 gastropods 89, 93, 226, 231–3
 Gastre Fault 403–7, 418–20, 432, 438–42
 gavelinellinid foraminifera 202–15, 248
 geochemistry, oils 7, 142–3, 153, 169–78, 181–94
 see also TOC
 geothermal gradients 46–51, 125, 259
 Ghana 4, 97–9, 117, 124, 267
 glacial sequences 104, 116, 388–9
 Falklands 405, 453, 455, 458–63
 glauconite 246
 Goboboseb quartz latites 351–60, 367–70, 372–9
 Gondwana (South) fauna 295–300, 359
 Gondwanaland 104, 156–8, 283, 291–2, 362, 381
 and Falkland Plateau 403–7, 409–22, 459–63
 Gondwanide orogeny 411–12, 414–22, 428, 432–8

- graben, Africa 107–24, 153–66, 357–62, 397
 Brazil 61–7, 105, 138, 141
 half 61–7, 155–8, 305–18, 381–401, 414–18, 428
 Zone, North Falkland Shelf 411–22, 425–42
 Gran Malvinas Group 411, 445–55, 459–63
 gravity anomalies 13–14, 23, 63, 65–6, 403–5, 411
 gravity gliding 107, 124–5, 135, 145–6, 148
 see also carbonate rafts
 Guinea-Bassau, exploration 97–9
 Gulf of Guinea 6, 75–82, 117, 243, 247
 Gulf of Suez 86, 92–3
 Gurupi Graben System 102, 117
 Guyana *see* Parnaiba
 gypsum 355
 gyroidinoides foraminifera 204
- halokinesis 12, 116, 125–8, 183, 193–4, 268
 Brazil 139, 141–2
 hanging wall 16–20, 36–7, 107, 308–9, 317–18
 Falkland Plateau 421–2, 439–41
 Namibia 359, 361, 383–4
 Hardap 348, 360–2
 Hauterivian 155–8, 295
 Hauterivian-late Barremian 294–302
 rifting 22–5, 36, 126, 134–5, 141
 Hauterivian-Maastrichtian 412–13, 427–42
 Hauterivian-Valangian 296
 headward erosion 30, 92–3, 331–5
 heat flow 12, 15–20, 46–51, 306, 313–18, 428
 heavy minerals, Chilwa sand-bar **88**, 91
 helium 41
 heterohelcid foraminifera 201
 High Atlas 236, 239
 highstands 196, 203, 232, 286–91
 Hinge Margins 12–27, 35–7, 153–66
 Hinge Zones 12–37, 58, 153–8, 291–2
 Hoachanas basalts 349, 382, 385, 397
 Horizon 30, Falkland 426–41
 Hornby Mountain Anticline 415–16, 446–7
 horst block 19, 107
 hot spots 13, 87, 104, 400, 403–6
 Huab area 346–62, 367–79, 382, 388–401
 hydrogen index 157, 163, 201–214, 226–39,
 244–61
 Hyena Back-basin 390–5
- Iabe Formation 182–7, 189, 191–4
 ichnofabrics 450–8
 IGCP 4, 7–8, 381
 Iguape Basin 33–4, 59–61, 64–72
 intervolcanic layers 345–62, 367–79
 inversion 105, 117, 148, 414, 458–63
 Namibia 396–401
 Irati Formation 458
 isostatic rebound 308–18
 Itapicuru River 32–3
 Itarare Formation 352, 458
- Jacaúna Graben 68–9
 Jacuípe Basin 15–16, 56–65, 135, 137–8, 142–7
 Jatobá Basin 15–16, 56–65, 71
 see also Recôncava Basin
 Jeanne d'Arc Basin 23
 Jequitinhonha Basin 15–16, 25, 27, 32–3, 36
 and reserves 102, 116, **126**, 134–5, 142
- Jurassic 22–3, 45, **126**
 Brazil 55–60, 64, 133
 Falklands 403–7, 409–22, 427–40
 intracontinental rifting 107, 293, 403–7
 Namibia 345–62, 385, 396–401
 Southern Africa 105–24, 155–8, 293–5
 West Central Africa 67–8, 286
 Jurassic dykes 56–61, 105, 135–9, 355–7, 403–4
 Jurassic-early Cretaceous 105–24, 144, 268
 Jurassic-Valangian rifting 294–5, 411–22
- Kaapvaal Craton 46–7
 Kaba High 13–14
 Kalahari Basin 90–2, 103, 348, 362
 Kalkrand flood basalts 346–62, 379
 Kambla sub-basin 13–14
 Karasberg Mountains 45
 Karoo, aborted rift 7, 381–401
 dykes 403–7
 Karoo Basin 86, 103, 383, 389, 421
 Karoo sediments 87–90, 104, 109, 405, 459–63
 Namibia 347–62, 367, 374–7, 381–2
 Kelp Point 451
 kerogen **143**, 170–8, 187–94, 196, 198–214
 and oxygen 196, 198
 Tarfaya Basin 202–6, 226–39
 West Africa 196, 202–14, 226–39, 245–61
 kinematic evolution Brazilian rift 55–73
 kinematics, lithosphere deformation 15–21
 kitchens 158–64, 193–4, 253, 258–61, 314–18
 potential 116, 128–9
 Koigab Fault Zone 386, 390–400
 Kouilou River System 29, 37
 Kribi Fracture Zone 11–37, 75–82, 154
 Kudu Gas Field 3, 5, 7, 125–6, 144, 159–66
 stratigraphy 321–2, 345–62, 367, 376–9, 390
 Kwanza Basin 1, 102, 104, 107, 113, 116
 and Campos Basin 86–7, 90–2
 marine carbonates 303, 308
 sources, oils 26–7, 125–7, 170–8, 181–94
- lacustrine 23–7, 36, 68, 134–5, 141–5, 268
 Africa 155–6, 223–41, 306–18, 351–5, 361, 379
 Falklands 428, 455–6, 458
 oils 170–8, 181–94
 ostracods 283–92, 293–300
 pre-salt 7, 89–94, 135
 summary **89**, 107–24, 285–90
 Lafonia Basin 446–9, 455–63
 Lafonian Diamictite Member 405, 445–9, 452–5
 Lafonian Supergroup 411, 415–18, 445–50, 455–63
 Lafonian Tillite Formation 405, 445–6, 453–63
 Lagoa Feia Formation 26–7, 33, 112, 124, 283
 Lagunes Fault Zone 117, 124
 Lambarene Horst 13–14
 lamellibranch 229–31
 Lima Campos Basin 59–61, 64–72
 lithography **88–9**
 Tarfaya Basin 202–6, 225–37
 West Africa Margin 202–14, 245–61, 322–42
 lithosphere thinning 12–25, 57, 57–71, 135
 lobes 145–8
 Loeme Formation 14, 25–6, 36, 115, 181–4, 193
 ostracod sequences 288
 Loiret Volcanic Plug 76, 80–1

- longshore bars 29–31, 325–9, 450–2
 lowstand 12, 27, 50, 285–91, 307, 323–35
 Lucula Sandstone 22–3, 91, 288
 Lüderitz Basin 49–51, 163, 322–42, 382–4, 391, 399–400
- Maastrichtian 181–92, 198–200, 203–211, 215
 Maastrichtian–Oligocene 141
 Maastrichtian–Palaeocene 142, 255, 414, 427–42
 Maastrichtian–Tertiary 116–24, 122, 128, 141–3
 Macau High 66–70, 80
 Maceió Fracture Zone 15–17, 36, 70, 102, 333
 Madiela Formation 94, 288, 292, 295–300, 314
 Magallanes Basin 102, 404, 413, 416, 420–2
 rifting 163, 432, 435–6, 439–41
 magmatism, Jurassic 59, 135–41
 see also volcanics
 magnetic, anomalies 25, 135, 141, 403–5, 411, 421
 quiet zone 12, 77, 81, 87–90
 Magnus Trough compared 439
 Mahlada Basin 59–61, 64–72
 Malta Fault 64–6
 Malvinas Basin 419–20, 428, 432, 435–6, 439–41
 Malvinas Plateau 102, 105, 435
 Mandaú Basin 30–3, 37, 136
 Maragogi High 62–3
 Marajó Basin 102, 117
 Margas Negras Formation 182–5, 191–4
 Margin 41–53, 85–95, 303–18, 403–7
 tectonics 8, 11–37, 75–82, 104–24, 135
 Marginal Fracture Ridge, Falklands 418–22
 Marginal Ridge 153–5, 160, 241–4, 247, 255–61
 marine source, oils 155–6, 170–8, 181–94, 239
 Marnes Noires Formation 25–7, 36, 288
 mass transport flows 322–42, 452, 455
 Mata-Catu Fault 92
 maturity 12, 116, 124–8, 142, 144
 Angolan Margin 8, 181–94, 313–18
 Orange Basin 155–9, 163–6
 West Africa 198, 200, 239, 249–61
 Maurice Ewing Bank 404–7, 409–11, 419–21
 Mautitania 97–8
 Maximum Flooding Surface 285–91
 Medial rift unconformity 411–12
 megasequence stratigraphy 101–29, 321–42, 381–402
 North Falkland Shelf 409–22, 425–42
 Melania Formation 25, 94, 288
 Merluza Field 142
 Messenian Salinity Crisis 218–20, 268–9
 microplates 68–9, 71, 406
 Mid-Atlantic Ridge 291
 migration 12, 124–5, 142–4, 148, 159–60, 243, 318
 mineralization, ostracods 284–92
 Miocene 51, 124, 126, 267–79
 channel-fill 114, 116, 142, 145–8, 325–42
 West African Volcanism 76, 80–1
 Miocene–Pliocene 415
 Moçamedes Basin 102, 107, 111, 116, 163
 model, basin 7–8, 21, 27–37, 86, 313–18
 denudation 46–8
 Falkland Basin 452–5, 458–9
 Gondwanaland break-up 421–2
 gravity/magnetic Tertiary rifting 85–95
 inverse, post-rift Rio Muni 308–12
 kinematics of deformation 15–21
 rheological, Gulf of Guinea 80–2
 thermal 164, 310–18
 Moho, Gulf of Guinea 77–82
 Morocco 4, 195–8, 201–206, 215–20, 223–39, 312
 morphogroup analysis 269–79
 Morro deo Barro Formation 23
 mounds 325–9, 336–42, 431
 Mucuri Basin 32–3, 137
 Mundaú Margin 32–3, 37, 136
- Namib Rift 7, 381–401
 Namibe Basin 49–51, 163
 Namibia 5, 7, 97–8, 306, 321–42, 345–62
 reserves 4, 102–4, 158–66
 under basalts 87–90, 133–4, 381–401
 young fission track dates 42–51
 see also Kudu
 nannofossils 198
 narrow margin 15–17, 135, 145–8
 N'Dombo Formation 59, 288
 Neocomian 15, 64, 125–6, 142–8, 170–8
 ostracods 285–92, 293–300
 source rock 142–8, 155–61, 176–8, 186–94
 syn-rift II 15, 21–5, 33, 107, 306–18, 436
 tectonics 57–67, 71–2, 105–24
 transgression Namibia 347
 Neuquén Basin, Andes 293–5, 420
 Ngaoundere megashear zone 56–8, 60–1, 63–4
 Niger 104
 Niger Delta 1–4, 70–2, 81–2, 97–9
 reserves 126–9
 stratigraphy 101–2, 117, 123
 Nigeria 1–8, 57, 97–9, 170–8
 Central 195–7, 200, 205–8, 210, 212–13
 see also Benue Trough
 Nkalagau Quarry *see* Benue Trough
 N'Komi Fault Zone 63
 nodasariid foraminifera 205, 211
 North Falkland Graben 411–14, 418–22, 425–42
 North Falkland Shelf 410–22, 425–42
 Northeast Brazilian Microcontinent 68–9, 71
 N'Toum Formation 67
 nutrients 195, 201–20, 273–9, 298–9
- ocean currents 141–4, 268–9, 334–6
 bottom 268–9, 336–41, 458–9
 West Africa 195–6, 217–20, 241, 255–61
 oceanic crust 75–82, 141, 401, 403
 see also crustal, lithosphere
 ODP 959 197–201, 205, 211, 215–20
 see also Côte d'Ivoire
 Ogooué Delta 13–14, 37, 95, 128–9
 Ogooué River 29–30, 116
 oils 142–4, 153, 169–78, 181–94
 Okavango River 87, 91–2, 361
 Oligocene 29–37, 145–8, 268, 388
 erosion 108–24, 306–9, 312, 431, 439
 Oligocene–Miocene turbidites 124–9, 145–8
 Omaruru Linement 383–90, 399–400
 Omingonde Formation 347–55, 388–401
 onshore basins Brazil 55–67, 71–2
 ooid shoals 93
 oolites 105, 125, 142, 306–7
 Orange Basin 153–66, 321–36, 339, 342
 Orange (Northern) Basin 49–51, 102, 105–9

- Orange River 19, 97–8, 383
 organic flux 195–220, 223–39, 241–61
 organic interbeds 458
 oroclinal bending 406
 ostracods 7, 26, 93, 135
 pre-salt basins 283–92
 Upper Cretaceous West Africa 201, 229–33
 Walvis Ridge barrier 293–300
 Oued Amma Fatma 198, 201, 203–4, 226–39
 OUP leg 159 241–61
 Outeniqua Basin 102–5, 127, 347, 403–7, 420–1
 Falkland compared 403–7, 420–1, 432–8
 Outer Basin Sediment Wedge 23
 overpressured sediments 145, 148, 193, 431
 oxygen flux 125, 298–300
 foraminifera 195–220, 232–9, 246–61, 267–77
 oysters 226, 229–30

 pahoehoe basalt 373–3
 palaeoaeolian dune fish 325–9
 Palaeocene Transform Margin 233–4, 247–61
 Palaeocene-Miocene 124, 126–8, 751
 Palaeogene 29, 104–5, 182–5, 189–94
 Palaeogene-Eocene (Horizon 30) 439–41
 Palaeozoic 7, 97–9, 103–5, 125–9, 348, 388–9
 Falkland 415–18, 428, 445–63
 Pará-Maranhao Basin 102, 117, 134, 137–8, 145
 Paraná Basin 46–51, 102–4, 462
 Paraná flood basalts 45, 51, 137–9
 Paraná-Etendeka, basalts 87–90, 94, 137–9
 compared 348, 352–3, 362, 368–9, 381, 388–9
 Paraná River 32–3, 37
 Parnaíba Basin 56–6, 68, 70–1, 103–4, 362
 Parnaíba River 29–33, 35, 37
 passive margins 45–8, 80–2, 101–29, 243–61
 Rio Muni Basin 303–18
 Southern Africa 142, 321–42
 Patos shear zone 56–66, 133
 Pelotas Basin 12, 102, 105, 108, 125–6
 plays 144, 148
 tectonics 134–6, 138, 142
 Perambuco megashear zone 56–61, 63–72, 80, 141
 Perambuco-Parnaíba Basin 72, 134–6, 141–2, 147
 permeability 159–61
 Permian, Falkland Islands 445–9, 453–63
 Permo-Triassic 91, 104–5, 125
 Falkland 411–22, 458–63
 Namibia 348–62, 381–401
 petroleum systems 124–5, 153–66, 169–78, 181–94
 phosphatic hard ground 198–200, 231, 246–7, 254, 462–3
 Piauí-Ceará Basin 59
 Piauí/Camocim Basin 134, 137, 141
 Pinda Formation 3, 5, 94–5, 193, 292
 Pirapema Field 127
 Pitango Member 91, 93
 planktonid foraminifera 142, 198–201, 205–8, 231–3, 298
 plant material 452
 plate motion change 441, 462–3
 plays 5–8, 97–9, 125–9, 145–8
 Falkland Plateau 407, 442
 Southern Africa 155–66, 325, 376–9
 West Africa 81–2, 239, 261
 West Central Africa 181–94, 291, 316–18
 plumes 13–15, 59, 87, 135–40, 421–2, 432

 Poços da Caldas intrusion 42, 45
 polymorphism, ostracods and salinity 284–92
 Ponta Grossa Arch 51, 134–9, 462
 porcellanites 198, 246, 260–1
 porosity 124–5, 145–8, 261, 450–2, 457, 459
 carbonates 89, 245
 southern Africa 88–91, 159–61, 370
 Port Alfred Arch 404
 Port Gentil 29–30, 37, 176–8
 Port Philomel Formation 445, 451–5
 Port Stanley Formation 417, 445–5
 Port Stephens Formation 417, 445–5
 Port Sussex Formation 445–9, 453, 456, 458–63
 Porto Seguro Formation 23
 post-rift 11–20, 25, 27–37, 67–79, 105–24
 Africa 94–5, 303–18, 322, 383, 388–90
 denudation 42–51
 Falkland Plateau 415–16, 431–2, 439–42
 minor thermal subsidence 61–2, 117
 see also drift and sag
 Potiguar Basin 56–61, 64–72
 oils 126–8, 176–8
 reserves 102, 116–17, 122, 134–7, 142, 148
 pre-rift 22–3, 56–60, 102–5, 108–28, 133
 Africa 85–92, 381–401
 Pre-Salt 7–8, 21–5, 105–24, 285–92
 ostracods 170, 283–92
 plays 88–9, 97–9, 124–8, 181–94
 Principe 99
 proximity sedimentation 195–220, 223–39, 241–61, 263–79
 southern coasts 296–8, 306–12, 322–42, 432–5
 Purros Linement 382–9
 pyrite 232, 245, 258, 269, 272, 277

 quantitative basin analysis 12
 Quark Pond Member 453, 455–6, 458–63
 Quaternary 117, 127
 quartz latites 352–9, 367–70, 372–9

 radiolaria 201, 208, 229, 231–3, 248, 252
 Angola 142
 raft tectonics 106, 145–8, 183, 267, 303–18
 rate of denudation 46–51
 rate of ocean spreading 23, 308
 reactivation of faults 51, 64, 85, 306, 361
 Falklands 420–2, 432, 436, 446, 461–2
 Namib rift 382–3, 391, 394, 399
 reactivation of fracture zones 57–72, 85, 104–5
 Recôncava Basin 1, 6, 15–16, 27, 144
 and Africa 90–3, 163, 176–8, 305
 sandstone walls 85
 tectonics 56–65, 67–71, 133–5, 138, 142
 Recôncava Tucano Basins 183
 Recôncava-Tucano-Jatobá Basins 56–65, 71, 101–2, 134–5
 red beds 23, 91–2, 105, 133, 144, 156, 165, 347–62
 Red Sea evaporites 6, 94
 regional warping, Africa 90–1
 regression 12, 19, 23, 57, 117, 452–5
 reserves 1–8, 101–2, 110–29, 183
 reservoirs 8, 23, 107, 124–9, 142–8, 261
 carbonates 89, 95, 183
 Central Africa 158–66, 182–94, 316–18
 clastics 88–9, 329, 352–62, 367–79

- rift, axis 377–9, 403–7, 413–22, 426–32
 models 8, 15–20, 55–72, 400–1
 pre-Atlantic Namib 381–401
 pulses 12–37, 55–72, 107, 134–9, 154–5, 286–92
 pulses, Falklands 414–20, 431–42, 436–42
 rift failure 418, 436
 see also Namib
 rift flank 18–20, 23–7, 33, 36–7, 68–7
 Margins 139, 303, 361
 rift sequences 104–27, 133–48, 283–6
 Africa 85–9, 92–5, 153–65
 Central Africa 244, 268, 283–6, 293, 303–18
 Falkland Plateau 411, 414–22, 427–42
 Southern Africa 293–300, 345–62
 rift, *see also* asymmetric and triple junctions
 rim synclines 148
 Rio Ceará Mirrim Magnetism 59
 Rio de Peixe Basin 56–61, 64–72
 Rio del Ray Basin 58, 70–1
 Rio Grande Cone 105, 134, 140, 145, 148
 Rio Grande do Sul 388
 Rio Grande-Walvis Rise 104–5, 134–40
 Rio Muni Basin 7, 58, 303–18
 rivers 19, 27–37, 51, 104–5, 143–5
 Barremian 291
 hinge line 5, 12, 15
 Namibia 325–42, 361
 Rocas Verdes basin 406, 415, 418–22, 435–6, 439–41
 Rockall Trough 388
 Romanche Fracture Zone 102, 104, 117, 140, 291
 and West Africa 241–3, 255
 rotation 20, 36, 104, 267, 353, 357, 359
 Brazil 56–9, 68–72, 134–41
 discussion 418–22, 432, 439
 Falkland Islands 403–7, 409, 415, 432, 462
 Royal Charlotte Bank 133–4, 138–9
 Rungwé volcanic complex 87
 Ryazanian-Valangian, Falkland 427–31, 436–8

 São Tome 99, 148
 São Francisco 17, 29–37, 57, 60–4, 103–4, 139
 sabkha 142, 295
 sag phase 8, 94, 107–29
 Africa 8, 86, 94, 154, 285–9
 Brazil 57, 133
 St. Johns Basin 405
 St. Paul Fracture Zone 102, 104, 117, 137, 140
 Salado Basin 102, 104–5, 127, 163
 salinity 26–7, 91, 93, 195, 201–20, 268–9
 shell ornamentation 26, 284–92
 salt 8, 94–5, 107–128, 181–94, 268
 as cap-rock 124–7, 144
 Central Africa 284–92, 306–18
 on margin 85, 138, 141, 145–8
 possible Gulf of Guinea 81–2
 see also halokinesis
 Salta Rift system 359
 Saltpond Basin 102, 117, 124
 Samfrau active margin 414–22
 San Jorge Basin 101, 163, 415, 420–2, 432, 435–6
 San Julian Basin 426, 435–6, 441
 San Luiz craton 56–8, 72
 sand-rich dykes 85, 91, 93, 325–9, 357–62
 Santonian 126, 203, 205, 209–10, 215
 West Central Africa 298, 307, 312–18

 Santos Basin 33–7, 49–51, 170–8
 reserves 102, 104, 107, 110, 125–9
 tectonics 134–6, 139–48
 Scotia Plate 409–11, 414–18, 432, 439–41
 sea-levels 141, 145, 298–300, 310–18
 Aptian 27, 37
 and fauna 195, 201–15, 229–39, 269
 Namibia coast 322, 342
 seafloor spreading 25, 81–2, 124, 141
 Falkland Plateau 403, 421–2, 435–6
 seals 8, 23, 95, 124–8, 261, 318
 shales 145, 148, 153
 Sebka Tah 198, 201, 203, 206–7, 223–39
 sedimentary deposition 322–42
 sedimentary rate 5, 23, 33–4, 48–51, 67–71, 85
 Africa 195–220, 223–39, 241–61, 267–77
 Falklands 431, 439, 441–2, 452, 458–9
 lakes 26, 91–2
 syn-rift 47–51
 seismic difficulty under basalts 85–90
 seismic stratigraphy 7, 303–18, 321–42
 Falkland Plateau 409–22, 425–42
 rifting 75–82, 85–92
 Senegal 4, 99
 see also Casamance Shelf
 Senonian 29–30, 36–7, 126–7, 182–7, 189–94
 sequence stratigraphy 201–2, 381–401
 Falkland Plateau 28, 410–22
 and ostracods 283–92
 Sergi Formation 22–3, 92, 144
 Sergipe Basin 15–17, 30–3, 36–7, 136, 293–5
 Sergipe Margin 32–3
 Sergipe-Alagoas Basin 6, 15–17, 176–8
 and Africa 305, 307, 311–14, 333
 development 102, 104, 116, 120, 135–40, 142
 and Falklands 403–7, 409–22, 425–42
 reservoirs 126–7, 144–6, 148, 183
 structure 27, 56–65, 71–2
 Serie Tobifera 404, 411, 428, 432, 435, 440
 Serra Geral basalts 33, 104–5, 352
 Serro da Mantiqueira Mountains 33–5, 37
 Serro do Mar Mountains 33–5, 37, 135
 shales 22, 68, 127–8, 454–8
 Albian 142–8, 223–39
 Aptian 68–70, 153–66, 181–94, 307–18
 Benue Trough 70, 200, 205–8, 212–220
 deep water 22–3, 143, 189–94, 241–61
 Tarfaya Margin 195–200, 223–39
 shear zones 56–72, 102, 104, 116, 303–18
 Gondwana break-up 80–2, 406–7, 432
 shelf 8, 31–3, 153, 200, 298–300, 445–51
 Namibia 105–7, 116, 322–9
 shelfal mounds 325–9
 shell ornamentation 26, 205, 208, 284–92
 Shepherds Brook Member 445, 453, 456, 458–63
 shoaling 23, 445–451, 456–63
 Sialivakou (Bucomazi) Formation 22–23
Skolithis 450
 slope sediments 105–7, 329–41
 slumping 93, 321–42, 452, 455
 Solimoes Basin 104
 source rocks 15, 107–27, 142–8, 153–66, 283
 Falkland 442, 445–9, 453, 456, 458–63
 lacustrine 25–7, 94, 286–92

- Margin 8, 181–94, 312–18
 and oxygenation 195–220, 223–39, 257–61, 277
 South Africa 4, 352
 South African Margin 7–8, 19, 41–51, *111*, 153–66
 South America comparisons 116, 405–7
 South Atlantic Fracture Zones 103–24, *140*, 403–7
 South Atlantic Mesozoic Correlation 4
 Southern Branch 55–72
 Southern Half-graben, Falkland 411–16, 418
 rifts 425–9, 431–2, 436, 439
 Southwest Africa Coast Basin 105, 107, *109*, 125–6
 Souza sub-basin 64–6
 Springbok High 386, 390–7
 stacked channels 324–5, 452, 457–9
 stepped basinwards sediments 33–4, 37
 stratigraphy and reserves 101–29, *182–94*, *412*, *453*
 West Africa 225, *233–53*, *288*, *352*, *356*
 stromatoporids 247
 structural traps 157
 structure and lithography, Africa **88–9**
 subduction 409, 421–2
 subsidence 85, 107–24, 215–20, 400–1
 end of rifting 141, 306–18
 Equatorial Gateway 233, 244–5, 255–6
 Sudan 104
 Sul Atlantiano Events 55–7
 sulphur 170, 176
 Surinam 1–4
 Swakop Terrane 383–5, 390–401
 syn-rift 11–27, 35–7, 47–51, 61–72, 125–8
 African Margins 153–8, 305–6, 311–18
 Falkland Plateau 411–13, *427–42*
 Namibia 37, 50–1, 322–3, *351–62*
 and oils 181–9, 192–4
 tectonics 11–27, 35–7, *56–72*, 104–24, 134–48
 West Africa ostracods 283–92
 syn-volcanic flows 355, 359–61
- Tafelberg Formation 352, 369
 Tafelkop basalts 350–62
 Takula sub-basin 13–14
 Tamara's Cove Sandstone 450
 taphrogenic sediments, Brazil 57–67
 Tarfaya Basin 7, 195–98, 201–6, 210, 213, 215–20
 evolution 223–39
 Tchibota Formation 25–7
 Teba-Itombe Formation 181–7, 191–4
 tectonics 11–37
 Brazilian Margin 133–48
 North-East Brazilian system 55–72
 temperatures 42–51, 218–20, 313–18, 417–18
 Terra Motas Sandstone 445
 terrigenous flux, West Africa Margin 195–220
 Tertiary 85–95, *108–24*, 306–9
 fans 1, 29–37, 65, 104–5, 116–17
 Namibia coast 7, 50–1, 329–42
 North Falkland Plateau 413–22, *427–40*
 oils 173–8, 181–94
 reservoirs 108–29, 142–8, 161–6
 turbidite plays 97–9, 183
 Tertiary-early Cenomanian 141–3
 Tethys 269, 421
 Thamalakane Fault System 361
 theoretical equilibrium profile 28
 thermal gradients 46–51, 439
 thermal histories 42–51, 258–61, 313–18, 415–18
 thermal sag, Africa 49–51, 94–5, 381, 403
 thermal subsidence 15, 20, 27, 61, 70
 basins 18, 305–18
 margins 104–7, 116–17, 124, 134–5, 141
 southern Africa 347, 359, 362, 400
 thermal uplift 68–71, 104, 439–41
 Africa 309, 347, 361, 400
 tillites 388, 405, 445–6, *453*, 455–6, 458–63
 tilting 116, 128, *434*, *442*
 Africa 68, 105, 158
 Tobifera volcanics *see* Serie Tobifera
 TOC 142–3, 143, 157, 298–300, 314–18
 Africa Margin *163*, 234–61, 244–61, *352*
 foraminifera 196, 198, 200–20, 270–7
 Tocantins River 32–3
 toe-thrusts *155*, 161–4
 Togo 4, 58, 97–9
 transform margin 81–2, 241–61, 303–18, 409–22
 transgressions 12, 104–24, 117, 139–41, 285–92
 Brazil 65, 104–24
 Central Africa 26, 94, 268
 Falkland Islands 450–5, 458–9, 458–63
 Falklands 450–5, 458–9
 southern Africa 153–8, 322, 327–9, 347, 355
 transitional succession 153–64, 303–18, 306, 322, 347
 transpression 117, 141, 306, 399
 Falklands Plateau 409, 413–16, 436–42
 transtension 65–7, 70–2, 459
 Transversal Zone 70–2, 303–18
 traps 7, 124–8, 144–8, 153–66, 161
 rift 124, *154–66*
 stratigraphical 124, 138, 160–2
 structural 124, 157
 Triassic, break-up 55, 104–5, 124, 133–5
 Central Africa inversion 399
 Falkland 407, 421–2, 428, 432–9, 459–63
 fault zones 124, 223, 406–7, 432–9
 salt play 97–9, 104
 southern Africa 42, 347–55, 362, 383–401
 see also Sul Atlantico Events
 Triassic-Jurassic 55–60, 133–5, 355–62
 Falkland 411, 414–16, 418–22
 triple junctions 33, 55–72, 107, 117, 135
 timing 291–2, 436
 Walvis Bay-Cape Cross 381–401
 Tristan da Cunha 13, 104, 135–41, 400, 421
 Tubarão Field 142
 Tucano Basin 15–16, 23, 56–64, 67–72, *102–3*
 compared 305–6, 389
 Tucano-Jatobá Basins 56–65, 71
 turbidites 29–30, 32–3, 37, 51, *108–26*
 Barremian 141–4, 161–6, 285–6
 Cenomanian 142, 145–8, 306–8
 Cretaceous-Tertiary 142, 144–8, 160–6, 283
 East African lakes 92–5
 Namibia 241, 332–42
 Tertiary 104–26, 145–8, 164–6, 316–18
 Turonian, black shales 116–26, 153, 300, 308–18
 canyons 329
 Equatorial Gateway 244–61
 foraminifera 195–8, 201–10, 215–20, 223–39
 Turonian-Cenomanian 125
 Turonian-Coniacian 141, 198–220, 223–39,
 247–61

- Turonian-Maastrichtian 198, 203, 207–10, 322–42
 Twyfelfontein Formation 347–62, 352, 359–62
- unconformities, Cretaceous 25–9, 36, 51, 104–24, 138
 Falkland 411–13, 418–22, 426–42
 southern Africa 105, 347–55, 362, 368–9, 388
 and fauna 285–92
 Jurassic 348–55, 362, 411, 414–22, 427–39
 Palaeozoic 104
 tectonics 135–42, 154–8, 244, 258, 305–18
 Tertiary 141, 306–9, 413–14, 418–22, 431–41
 Triassic 347–62, 382–401, 411, 428, 432–9
- underplating 61–2, 104, 135, 312
- Unjab Fault Zone 387, 390–7
- uplift 47–51, 104–5, 116, 413–15
 early Cretaceous 90, 135, 244, 436–41
 early Mid-Triassic 389, 396–401
 margins 303–18
 rift flank 18–20, 23–7
- Uplift Zone, North Falkland Shelf 411–12, 415–22
- upwell, Cabinda foraminifera 268–79
 West Africa Margin 195–6, 218–20, 232–9
- uranium 41–2, 254, 260
- Valangian 104–24, 116, 156–8, 293–5
 Namibia compared 347, 359
- Valangian-Hauterivian 27–8, 293–300, 412–15, 421
 see also Neocomian
- Valangian-Jurassic 414
- Vaza Barris Arch 61–4, 134
- Vera Trough 13–14
- vitrinite reflectance 31, 313–15, 415–18
- volcanics 59, 79–81, 200
 and break-up 8, 15, 33, 135–9, 293
 and doming 86–8, 94, 104–24, 310–12
 and Falklands 403–7, 411–12, 414–18, 428–34
 Namibia 45, 345–62, 367–79, 381–9, 389–400
- Walvis Basin 163, 322–42, 329, 334, 382–401
 sedimentation 49–51, 105–7, 109, 154, 347
- Walvis Basin-Cape Cross 381–401
- Walvis Ridge 87, 102–5, 137, 139–40, 163
 Equatorial Gateway gyre 268
 and ostracod distribution 293, 293–300
- water chemistry 15, 93, 284–92, 298–300
 see also salinity
- Weddell sea 435
- wedges, post-rift 12, 124, 138, 145, 322–41
 syn-rift 1, 27, 57–60, 154–8
- Well 575 196, 198, 201, 204
- Wells CM2–10 198, 207–10
- West African Margin 13–15, 19–39, 97–9, 181–318
- West Falkland 404, 445–62
- West Lafonian Sandstone 445, 453, 458–63
- Western Rift Complex 411–18, 425–9, 431–42
- Whitehill Formation 352, 458, 462–3
- wide margin 15–17, 135, 145–8
- wind directions 351–5, 361, 370–2, 377–8
- winnowed sands 145, 148, 257
- Xingu River 32–3
- yield 143
- Zafiro Complex 2–4, 192–4
- Zaire River Canyon 181–2
- Zambesi River 12, 87, 90–2, 128, 389
- Zemmour Fault 223
- zonal indices 227, 277, 286–92