

Index

Page numbers in *italic* refer to Tables

- abbreviations, glossary 75–6
- acoustic imaging 8, 10, 45–57
 - artefacts 45–57, 59–76
 - see also Index of artefacts*
 - borehole televiewer (BHTV) 1
 - Bruce Field, northern North Sea 259–70
 - comparisons 6–7
 - principles 10
 - simultaneous with microresistivity imaging 191–201
 - tool operation and response 52–3
 - see also Circumferential Borehole Imaging Log (CBIL)*
- acoustic technology 5–9, 2–3
- Agbada Formation, Miocene Biafra Member, Nigeria 239
- Alba Field, central North Sea
 - geological setting 177–8
 - RAB imaging within Eocene channel complex 177–89
- Apennines, southern, Apulian Platform 155–76
 - artefacts 45–57, 59–76
 - drilling-related 60, 62, 64–5
 - logging-related 60, 62, 65–8
 - see also Index of artefacts*
- Bahama Bank Slope (ODP Leg 166), carbonates, FMS imaging 227–38
- Balder Formation 134
- bedding, discontinuous (concretions) 125
- bibliography of published literature* 20–43
- borehole imaging
 - 2D and 3D visualization 8
 - advances in technology and applications 1–43
 - cased hole 16
 - open hole 12–16
 - comparisons 6–7
 - fault visualization 271–81
 - case studies 276–80
 - technique 276
 - multi-well sequence analysis using dipmeter data 91–121
 - ocean crust (ODP) 283–94
 - primary applications 9
 - sine wave events, morphological classification 77–90
 - true quantitative interpretation 8
 - video applications 10
- Brent Fault Line, Lower Kimmeridge Clay Formation 206
- Bruce Field, northern North Sea
 - acoustic imaging 259–70
 - fracture and stress field 264–5
 - palaeogeography 265–70
 - structure, faults and unconformities 262–4
- caliper log, downhole logging 285–6
- carbonates
 - Apulian Platform 155–76
 - Bahama Bank Slope (ODP Leg 166) 227–38
- Circumferential Borehole Imaging Log (CBIL) 191–201
 - acoustic imaging
 - Bruce Field 259–70
 - simultaneous with microresistivity imaging 191–201
 - schematic 260
- concretions, discontinuous bedding 125
- core description, sequential analysis 78–9
- Costa Rica spreading centre, ODP holes 504B and 896A 284–94
- digital analysis 5–6
- dip
 - computations 100–3
 - FMS interpretation, Oso Field, Nigeria 239–57
 - structural dip determination 115–19
- dip feature categories 101
- dipmeter
 - and borehole data, multi-well sequence analysis 91–121
 - Stratigraphic High Resolution Dipmeter Tool (SHDT) 92
- drill-pipe data transmission (LWD) image logging 19
- Dual Lateralog (DLL) 287
- electrical imaging devices 17
 - see also microresistivity imagers*
- Emex (emitter–exciter current voltage), correction of fault 63
- fault visualization from borehole images, sidetrack optimization 271–81
- faults and unconformities, Bruce Field, northern North Sea 262–4
- Formation MicroScanner (FMS) 92, 123
 - downhole logging 287–9
 - faulty Emex correction 63
 - imaging, carbonates, Bahama Bank Slope (ODP Leg 166) 227–38
 - interpretation, Oso Field, Nigeria 241–8
- fracture identification, tools 6–7
- fractured reservoir evaluation 156–75
 - detection of fractures 160–6
 - fracture analogue 166–9
 - modelling stress field 157–60
 - 3D static model, testing and application 169–73
 - summary and discussion 173–5
- fractures, events, geological classifications 84
- Fullbore Formation MicroImager (FMI) 92
- Geochemical Logging Tool (GLT), downhole logging 286–7
- glossary, tool abbreviations 75–6
- grain size, electrical imaging 128
- image log analysis 5–6, 77
- imaging tools
 - summary 56–7
 - see also acoustic; electrical; microresistivity; optical*
- Lancelot area, southern North Sea, Upper Rotliegend stratigraphy 139–53
- Lista Formation 135

- lithofacies, characterization from FMI data 91–121
- lithofacies analyses
 - cores 93–5
 - image log and wireline 96–100
- lithofacies associations 103–15
- log analysis, sine wave events 77–90
- log quality control (LQC) 59
- Lower Kimmeridge Clay Formation, Magnus Field, Shetland Basin, UBI imaging 203–25
- LWD (drill-pipe data transmission) image logging 19

- Magnus Field, Shetland Basin 203–25
- Microlaterolog 196, 200
- microresistivity imagers 8 17–18, 45–57
 - artefacts, *see also Index of artefacts*
 - button sensor response 46–7, 49–50
 - comparisons 6–7
 - image distortion 50–2
 - inclinometry 48–9
 - signal strength 49
 - simultaneous with acoustic imaging 191–201
 - tool operation 45–6
 - tool speed variation artefacts 47–8
- Microspherically Focused Log (MSFL) 136
- Middle Miocene cyclicity 232–5
- Miocene Biafra Member, Agbada Formation, Nigeria 239
- multi-well sequence analysis, using dipmeter data 91–121

- Natural Gamma Tool (NGT) 287
- Nigeria, Oso Field, geology and reservoir description 239–57
- North Sea
 - central, Alba Field, RAB tool reservoir description 177–89
 - northern, Bruce Field, acoustic imaging 259–70
 - Norwegian sector, South Viking Graben, pre-development turbidite reservoir evaluation with FMS 123–57
 - Shetland Basin, Magnus Field, Lower Kimmeridge Clay formation 203–25
 - southern, Lancelot area, upper Rotliegend Group 139–53
- ocean crust models, layer 2A 283
- Ocean Drilling Program
 - Bahama Bank Slope (ODP Leg 166), carbonates, FMS imaging 227–38
 - case histories, 395A, 504B, 896A 283–94
- optical imaging devices 9–10
- optical technology, 2
- Oso Field, Nigeria, geology and reservoir description 239–57
- planar features *see* sine wave events
- reservoir, fractured, evaluation 156–66
- resistivity, *see also* microresistivity
- Resistivity at Bit (RAB) imaging, Alba Field, central North Sea 177–89
 - geological details 180–7
 - summary and discussion 187–8
- resistivity image-derived log (RHEXF) 193, 196, 200
- Rotliegend Group
 - data acquisition 142–9, 262
 - setting and stratigraphy 139–41
 - unit geometry 149–53

- Sele Formation 124
- Shetland Basin, Magnus Field, Lower Kimmeridge Clay formation 203–25
- sidetrack optimization, fault visualization from borehole images 271–81
- signal conditioning 5
- Simultaneous Acoustic and Resistivity (STAR) Borehole Imager 76, 193
- sine wave events
 - angular attitude 80
 - case study 87–9
 - geological classifications 83–7
 - morphological classification 77–90
 - characteristics 80
 - trace length continuity 80–3
 - slumping, post-depositional 128–31
- Sonic Tool (SDT) 287
- Southern Apennines, Apulian Platform 155–76
- stock tank oil originally in place (STOIP) 155
- Stratigraphic High Resolution Dipmeter Tool (SHDT) 92

- telev viewers *see* acoustic imaging
- tool abbreviations, glossary 75–6
- turbidite reservoir evaluation with FMS, South Viking Graben, Norwegian North Sea 123–57

- Ultrasonic Borehole Imager (UBI) 203–25
- ultrasonic *see* acoustic imaging
- uranium logs, carbonates, Bahama Bank Slope (ODP Leg 166) 235–7

- Viking Graben
 - pre-development turbidite reservoir evaluation with FMS 123–57
 - see also* Bruce Field
- volcanology
 - ODP case histories 283–94
 - volcanism and spreading rates 292

Index of Artefacts

- acquisition drilling-related artefacts 62, 64–5
- acquisition logging-related artefacts 62, 65–8

- bit-at-rest 62, 64
- borehole wall 62, 69–71
- button correction, faulty 49–50, 72
- button equalization 49–50
- button or flap ‘death’ 66

- cable slap 63, 71
- cement mottling 63, 73
- classification 60–75
 - recommendations 75
 - severity scale 75
- colour assignment, incorrect 63, 72
- crystalline specking 68
- current gathering effects 63, 73

- debris artefact 65
- depth of investigation, and resolution 53
- derived 73, 75
- distortion by strong contrast 50–2
- drill bit slide 62, 64
- drilling-induced breakout 49, 63, 71
- drilling-induced fractures 63, 71

- eccentralization/standoff 62, 65

- faulty Emex correction 63
- fracture aureoles 63, 73
- fractures, response to 53

- gain calibration 55–6
- gain correction 63, 72

- halo effects 63, 73
- hole condition 56
- hole diameter 63, 72
 - and coverage 56–7
- hole shape, irregular 54
- hole spiralling 61, 62, 70
- honeycomb pattern noise 54–5, 62, 67

- image orientation 48–9
- image orientation/tool rotation 48, 62, 67
- imaging tools 45–52
 - acoustic/ultrasonic imagers 52–6
 - microresistivity imagers 45–52
- inclinometry, faulty data 62, 66
- irregular hole shape 54

- key-seat furrow 62, 69

- measurement-derived 63
- mud smear 62, 65
- mudcake buildup 54, 56, 62, 69
- multiple-pass image offsets 63

- noise, 60 Hertz 54, 62, 67
- normalization parameters 72

- padflap or button offsets 63, 72
- processing 63, 72
- processing artefacts
 - faulty Emex correction 63
 - incorrect colour assignment 63, 72
 - incorrect gain correction 63, 72
 - incorrect hole diameter 63, 72
 - multiple-pass image offsets 63
 - padflap or button offsets 63, 72
 - window length 63, 72
- processing noise
 - 60 Hz tool speed irregularities 54, 62, 67
 - honeycomb pattern 54–5, 62, 67
 - wood grain pattern 54–5, 62, 67
- proximity effects 63, 73–4

- rugose hole 62, 69

- sampling tool probe and packer marks 63, 80
- side track window 62, 64
- sidewall core sample points 63, 70
- signal loss 54, 62, 68
 - ultrasonic imagers 54
- signal strength (applied voltage and gain) 49
- specking, extreme conditions 62, 67
- speed correction 53
- spiral hole 61, 62, 70
- stabilizer grooving 62, 70
- standoff/mudcake 52, 54
- sticky, stuck zones 62, 66
- summary 56–7

- tool eccentricity 53–4
- tool marks
 - cable slap 63, 71
 - drilling-induced breakout 63, 71
 - drilling-induced fractures 63, 71
 - sampling tool probe and packer marks 63, 70
 - sidewall core sample points 63, 70
 - stabilizer grooving 62, 70
- tool operation 45–6
- tool orbiting 62, 64
- tool response
 - amplitude measurement 52–3
 - transit time measurement 52
- tool rotation, excessive 48, 62, 67
- tool speed irregularities
 - button or flap ‘death’ 66
 - noise, 60 Hertz 62, 67
 - sticky, stuck zones 62, 66
- tool speed variation 47–8

- washout 62, 69
- window length 63, 72
- wiper-trip and reaming 62, 65
- wood grain pattern noise 54–5, 62, 67
- wood grain-2 63, 74