

# Index

Note: page numbers in *italic* type refer to illustrations and tables

- Alandskoe, southern Urals 168
- alluvial tin mining on Dartmoor 91–101
- barytes and galena 97
  - climate deterioration 101
  - documentary evidence of mining 91, 92
  - field site selection 93, 94
  - laboratory methods 94–5
  - palaeochannels
    - River Avon 98–100, 99, 100, 101
    - River Erme 98, 99, 100–101, 100
  - radiocarbon dating 93, 95, 97, 98–100, 99
  - Ringarooma River, Tasmania 93, 97
  - sediment sampling 93–4
  - Taw Marsh terrace site 95–6, 96
  - Teign valley site
    - middle terrace 96–8, 97, 98
    - upper terrace 93, 97
  - tin concentrations 96, 96, 97–100, 97–100
    - correlated to silt percentage 97–8, 97
  - tin slag 92
  - tin streaming (hydraulic mining of placer deposits) 92
    - downstream environmental impact 92–3, 97
- alum extraction processes, geochemistry of 12, 139–45
- alum industry 139–40
  - alum shales of North Yorkshire 139, 140
    - sulphur content 145
  - alunite 139–40
  - Carlton Banks Alum Works 142–3, 145
    - geochemical analysis 142–5
      - EDXRF (energy dispersive X-ray fluorescence) 143–5, 144
      - methodology 143
      - variations in fresh shale composition 143, 145
    - magnetic susceptibility 143, 144, 145
    - production process 140–2, 141
      - extraction 140
      - extraction efficiency 142, 143, 145
      - purification 140–2
      - waste tips of calcined shale 142
    - Spence process 140
  - anthropology, and archaeology 8
  - archaeological chemistry 7
  - archaeological geology 9
  - Archaeological Prospection* 9
  - archaeometry 7
  - Ariconium* Romano-British iron working site 156, 159–63
  - Arkaim, southern Urals 167, 169, 170, 171
  - Australopithecine site at Limeworks Cave, Makapansgat 10–11, 61–76
    - bones derived from hyena dens 71
    - breccias 62, 71–2, 74, 75–6
    - cave deposits 65–74
      - Member 1 (A and B) 65–9, 65, 67, 68, 70, 72, 75–6
      - Member 2 69–70, 70, 71, 75–6
      - Member 3 70–1, 70, 75–6
      - Member 4 66, 71–4, 72, 73
    - cave stratigraphy 63–5, 65
    - cave topography 63–5, 64
    - chronology 61–2
    - location 62
    - mud-crack polygons 68, 69, 75
    - palaeomagnetism 62, 63, 72, 73, 74, 76
    - palynological analysis 62
    - rhythmites 73–4
    - speleothem depositional environments 66, 67–9, 71, 74–5
    - standing water and water tables 75
  - Australopithecus africanus* remains 61, 63, 70–1
  - Blaengwynlais ore deposit, Glamorgan iron orefield 112, 116, 117
  - bloomery furnace mass balance and efficiency 12, 155–64
    - contribution of furnace lining to slag 155, 163
    - mass balance of smelting components 155–63
    - equations 157–9
    - errors in best fit solution 161–3
    - fuel ash contribution 159, 163
    - graphical solutions 155–9, 161, 162, 163
    - major elements 159, 161
      - rare-earth elements 161, 162
      - trace elements 161, 162
    - major element composition of components 159, 160
  - brass alloys *see* zinc isotope fractionation
  - Bristol Channel Orefield 103–20, 155–64
    - geological background 111, 111, 156–7
  - Brouage *see* geochemistry of granite ballast
  - Bute ore deposit, Glamorgan iron orefield 111, 112, 117, 120
  - Carlton Banks Alum Works 142–3, 145
    - see also* alum extraction processes

- cave deposits *see* Australopithecine site at Makapansgat
- Dacre, lead smelting site 16, 18, 27–9, 28, 30, 31
- Dartmoor *see* alluvial tin mining on Dartmoor
- Darwin, Charles 8
- depth to buried features *see* Euler deconvolution in depth estimation
- environmental geochemistry 11
- environmental reconstructions 10, 79–89
- Euler deconvolution in depth estimation 10, 35–40, 55–7
- Euler deconvolution theory 37–8, 38
- fluxgate gradiometer data 35–6
- GPR (ground penetrating radar) 38–40, 39
- Fforest Fawr ore deposit, Glamorgan iron orefield 111–12, 115, 116, 117
- fluxgate gradiometer surveys
- delineation of wall footings 35–6, 36
- Euler deconvolution methods applied to 37–8, 38, 40
- metal working sites 16–17, 18, 19–27, 21–5, 27–8, 29, 30
- Geoarchaeology* 9
- geoarchaeology
- definition 7
- in the United States 8
- geochemical analysis 11
- geochemistry
- early alum extraction processes 12
- modelling of bloomery iron smelting 12, 155–64
- geochemistry of granite ballast boulders 11–12, 123–36
- archaeological dating 125, 126
- ballast boulders
- cabotage 127, 136
- in dated building structures (Brouage) 125, 126, 127
- evidence for direct travel 124, 127
- maritime practices 123–4
- in ore furnace lining (La Rochelle) 125, 126, 127
- un-mixed sample types 124, 127
- laboratory methods 124
- muscovite-bearing granite 127–34, 135–6
- Carmmenellis intrusion 133–4, 133
- geochronology 133–4
- geographical origin 133–4
- petrography 127, 129, 129, 131, 132
- rare-earth element patterns 133, 133
- single magmatic series 129–32
- trade between Falmouth and La Rochelle and Brouage 136
- muscovite-free granite 134–6, 127
- Donegal batholith 134
- geochronology 135
- geographical origin 134–5
- petrography 127, 129, 134, 135
- trade between Donegal and Brouage 134–6
- site details 128
- yenite boulders 127
- trade routes 123, 136, 136
- geochronology 11–12, 61–2, 133–4, 135
- The Geological Evidences of the Antiquity of Man* (Lyell) 8
- geology 7
- and archaeology 9
- geomorphology 7, 9
- geophysics in urban areas *see* microgravity in industrial archaeology
- georadar (GPR; ground penetrating radar) 9, 10, 36, 38–40, 39, 45
- Glamorgan orefield 103, 104, 111
- evidence of exploitation 117–18
- geology of 111–12, 111
- historical context of exploitation 119–20, 119
- ore characteristics 112–18, 113, 114
- trace element data 115–17
- see also* iron ore
- Grinton lead smelting site 18, 26–7, 27, 31
- historical relics of the south Urals 12, 165–76
- Alandskoe 168
- Arkaim 167, 169, 170, 171
- burial mounds 173, 175–6
- composition of artefacts
- copper and bronze 171–3
- lead and gold 174, 175–6, 175
- conservation of artefacts 167
- corrosion products of copper and bronze artefacts 173
- geological–mineralogical data bank 167
- Kuisak 167, 168, 172–3
- locations of settlements 166
- material sources for lithic industry 166, 167–8
- mining and metal working 167, 169–70
- Bronze Age copper mines 169–70, 170
- ore assemblages 169–71
- Sintashta 172
- Vorovskaya Yama, Bronze Age mine 169, 170, 171
- ICP-MS (Inductively Coupled Plasma-Mass Spectrometry) 107, 109, 115–17, 149, 150–1, 152, 155, 156
- iron ore, provenancing in Bristol Channel
- Orefield 11, 103–20, 156
- de Clare family, Lords of Glamorgan 119–20
- Trelech industrial centre 119–20
- exploitation evidence 117–18
- Glamorgan iron orefield 111, 111
- geology 111–12, 111
- ore characteristics 112–18
- orebodies worked out 111–12
- Pb/Ba data 116–17, 116
- under control of de Clare family 119, 119
- historical context 119–20
- location 104
- Magor Pill boat 103
- date of foundering 119
- iron ore cargo 103, 108, 109, 110, 116, 118
- grade 107
- lump ore facies 104, 106–7
- ore genesis 118
- powder ore 107, 107

- provenancing within Glamorgan ore field 111–18, 120
    - major element analysis (XRF) 108, 113, 114, 116
    - rare earth element analysis 110
    - trace element analysis (ICP-MS) 107, 109, 115–17
  - iron smelting technology
    - blast furnace (indirect process) 16, 19, 29, 117
    - bloomery process (direct process) 16, 18–19, 18, 29, 1178
    - finery/chafery 16, 18, 19
    - see also* bloomery furnace mass balance; medieval iron and lead smelting; metal working sites
  - Kuisak, southern Urals 167, 168, 172–3
  - Kyloe Cow Beck, iron bloomery 16, 22–4, 23, 24, 31
  - La Rochelle
    - historical development 124–5
    - see also* geochemistry of granite ballast
  - lead smelting sites 10, 16, 26–9, 31, 32
    - see also* iron and lead smelting works
  - Lesser Garth ore deposit, Glamorgan iron orefield 111, 112, 115, 116, 117
  - Limeworks Cave, Makapansgat *see* Australopithecine site at Makapansgat
  - Llanharry ore deposit, Glamorgan iron orefield 111, 115, 116, 117, 157
  - Lock Farm, reburied iron bloomery furnace 16, 19–21, 20, 21, 22, 24, 31
  - Lyll, Sir Charle 7–8
  - magnetic gradiometry (magnetostratigraphy) 10
  - Magor Pill boat, iron ore cargo *see* iron ore, provenancing
  - medieval iron and lead smelting works 15–32
    - charcoal storage areas 29
    - Dacre lead smelting site 16, 18, 27–9, 28, 30, 31
    - furnace area calculations 24
    - geophysical techniques and methodology 16–18
      - earth resistance 17, 29
      - fluxgate gradiometer surveys 16–17, 18, 19–27, 21–5, 27–8, 29, 30
      - magnetic susceptibility determinations 16–17, 19, 26, 27, 29, 31, 32
      - pulse induction surveys 17
    - Grinton lead smelting site 18, 26–7, 27, 31
    - Hendy-isaf bloomery 117
    - Kyloe Cow Beck 16, 22–4, 23, 24, 31
    - Lock Farm experimental site 16, 18, 19–21, 20, 21, 22, 24, 24, 31
    - Mwyndy bloomery 117
      - previous work 15–16
      - site locations 17–18, 17
    - technology
      - iron smelting 18–19, 29–30
      - lead smelting 26, 29–30
    - Timberholme High Bloomery 25–6, 25, 31
    - tin processing sites 16
  - metal working sites
    - Ariconium* Romano-British iron smelting site 156, 159–63
    - Fforest Fawr 117
    - Glamorgan orefield 112–15, 117
    - Hendy-isaf 117
    - Mwyndy 117
    - remote sensing techniques
      - earth resistance 15, 16, 29
      - fluxgate gradiometer surveys 16–17, 18, 19–27, 21–5, 27–8, 29, 30
      - gamma-ray spectroscopy 16
      - magnetic susceptibility surveys 15, 16–17, 19, 26, 27, 29, 31, 32, 143, 144, 145
      - magnetometer surveys 15–17
      - pulsed induction 16
    - southern Urals 167, 169–71, 170
    - Trelech, iron-making centre (Gwent) 119
    - see also* medieval iron and lead smelting works
  - microgravity in industrial archaeology 10, 41–58
    - Bouguer anomaly maps 48, 49, 51, 53
    - regional anomaly removal 51, 53, 57
    - second horizontal derivative 49, 51, 52, 54–5, 54, 55, 57
    - terrain correction 49–50, 50, 53, 57
  - data
    - acquisition 48–9
    - enhancement 49–51, 57
    - interpretation 53–5, 54
    - reduction 49
    - sources of noise 52–3
  - Euler deconvolution method 55–57, 56
  - geology of site 52, 53
  - gravimeter resolution 47
  - gravity modelling in 3D 55–7, 56
  - previous microgravity surveys 46
  - previous site investigations 43–4
  - principles of microgravity 45–6
  - site reconnaissance 44, 48
  - survey design 46–8
  - techniques for void detection 44–6
  - Williamson tunnels, history and redevelopment 41–4, 43, 44, 53
- Miskin ore deposit, Glamorgan iron orefield 111, 115–16
- Mwyndy ore deposit, Glamorgan iron orefield 111, 112, 115, 117
- On the Origin of Species* (Darwin) 8
- palaeoindian sites, ephemeral nature 9
- palynology 10, 62
  - see also* soil-stratigraphic palynology in podsoils
- pedology 7
- Principles of Geology* (Lyell) 8
- radiocarbon dating 8, 88
- remote sensing (archaeological prospection) 7, 9–10
  - aerial photography 9
  - earth resistance 15, 16, 29
  - georadar 9, 10, 36, 38–40, 39, 45
  - ground based techniques 9

- remote sensing (archaeological prospection) (*cont.*)  
 high-resolution microgravity 10, 45–58  
 magnetic (fluxgate) gradiometry *see* fluxgate  
 gradiometer surveys  
 magnetic susceptibility 15, 16–17, 19, 26, 27,  
 29, 31, 32, 143, 144, 145  
 multispectral data (airborne and satellite) 9  
 resistivity 9  
 shallow seismic techniques 9  
 in urban areas 10, 41–58
- salt trade, Brouage 125
- sedimentology 7, 9
- Sintashta, southern Urals 172
- slag deposits 30  
 assimilation of furnace lining 155  
 chemical analysis 10, 12, 25–6, 28  
 iron content 19  
 low anomaly values of lead slag 27, 29, 30, 31  
 magnetic susceptibility surveys 15, 16, 26, 27,  
 29, 31, 32  
 in mass balance equations 157–9
- soil-stratigraphic palynology in podsoles 79–89
- <sup>14</sup>C dating 88  
 biological activity 80  
 field site (Lour 7; ferric podsol) 80–3, 81  
 dated inputs to podsol  
<sup>137</sup>Cs 82, 84–5, 86  
 depth and rate of mixing 86–7, 88  
 non-native pollen 81, 84, 86  
 spheroidal carbonaceous particles (SCPs)  
 82, 84–5, 86  
 stratigraphic locations 84, 85  
 earthworms absent 85, 87, 88  
 enchytraeids 85–6, 87  
 faunal excrement 85–6, 87  
 location of tetrad pollen grains 84, 85–6  
 methodology 82  
 physical and soil-faunal data 83, 84  
 soil profile description 83  
 Lour Peat Profile 81, 82, 87  
 mor horizons, formation of 80  
 pollen assemblages 79–80  
 trapped within organic horizons 86, 87, 88  
 unreliable for interpreting vegetation  
 histories 87, 88–9  
 pollen mixing processes 80, 86–7, 88  
 near-surface feeding invertebrates 86, 88  
 previous work 80  
 soil-micromorphological analysis 80, 82, 83, 85  
 vegetation histories 79–80
- stratigraphy 7  
 in cave deposits 10–11, 61–76  
 in soil profiles 79–89
- Timberholme, high bloomery site 25–6, 25, 31,  
 31
- tin mining *see* alluvial tin mining on Dartmoor
- trade patterns *see* geochemistry of granitic ballast  
 boulders; historical relics of the south Urals;  
 iron ore
- Trecastell ore deposit, Glamorgan iron orefield  
 111, 115, 117
- Trelech, iron-making centre 119–20
- tunnels *see* microgravity in industrial archaeology
- Urals *see* historical relics of the south Urals
- void detection *see* microgravity in industrial  
 archaeology
- Vorovskaya Yama, Bronze Age copper mine 169,  
 170, 171
- Williamson, Joseph 42
- Williamson tunnels, Edge Hill, Liverpool *see*  
 microgravity in industrial archaeology
- Wroxeter Hinterland project 35–40, 36
- X-ray fluorescence (XRF) 94, 108, 143–5, 144,  
 156
- zinc isotope fractionation in liquid brass alloys  
 12, 147–53  
 brass-making 147–8  
 cementation process 147–8  
 direct process 148, 152  
 fractionation factor estimates 149, 151–2, 151  
 ICP-MS (inductively coupled plasma-mass  
 spectrometry) 149, 150–1, 152  
 isotopic zinc fractionation during evaporation  
 147, 148, 152  
 experimental methodology 149–51  
 mathematical modelling 148–9, 152  
 zinc isotope analyses (ICP-MS) 150–1, 150,  
 151, 152  
 Rayleigh fractionation 148–9, 152