

# Index

Page numbers in *italic* refer to illustrations, those in **bold** type to tables

- Aaffarsuaq Member *see* Itilli Formation, East Greenland  
accommodation space, creation of 288  
Acidic Suite, Faroes–Shetland Basin 102–107  
Agatdalen Formation, East Greenland 114–115, 119, 135, 145–148  
age dating, isotopic 4–5, 8, 10, 112, 116, 274–275, 315  
    Ar–Ar 1, 3, 115, 117, 148–151, 159, 192–212, 219–252, 315  
    K–Ar 219–252, 315  
    Pb–U 1  
Anaanaa Member, West Greenland *see* Vaigat Formation, West Greenland  
Antrim 9, 249  
apatite fission track studies 85, 89  
Ardnamurchan volcanic complex 97  
Atane Formation, West Greenland 114–115, 147, 165–166, 173–174
- Balder Formation, North Sea 9, 55, 96–102, 254, 265, 273, 290–294, 302  
Baltic Shield 51 *see also* Fennoscandia  
Barents Sea margin, Norway continental margin 45, 53, 56–58  
basin formation 45  
bathymetry 20–21, 53  
    ‘v-shaped’ ridges 30  
beta factor *see* crustal stretching factor  
biostratigraphical analysis 1, 5–6, 8, 10, 46, 53, 56, 91, 98, 111–156, 253–269, 294  
    nannoplankton zones 5, 111–112, 116–117, 119–121, 125–144, 148–151  
    preparation methods 117–118  
Bivrost Fracture Zone, Norway continental margin 39, 41–42, 50, 62  
Bivrost Lineament/Transfer Zone, Norway continental margin 41, 50, 50, 55–56  
Bjørnøya Basin, Norway continental margin 43, 45  
Blosseville Kyst, East Greenland 184–188, 206, 210, 212, 254  
Bothnian–Senja Fault Complex, Norway continental margin 51  
boundary layer instability 19, 33  
Brendan volcanic complex, Faroes–Shetland Basin 96–97, 108, 308, 313–315, 320  
British Tertiary Igneous Province (BTIP) 19, 85–86, 91  
Bruhnes–Matuyama polarity reversal 159  
BTIP *see* British Tertiary Igneous Province
- Cape Dyer, Baffin Island, Canada 112  
Cape Seale Formation, Baffin Island, Canada 111  
central Greenland–Baffin Island mantle sheet 20  
Charles Gibbs Fracture Zone 26  
chrons, magnetic anomalies  
    5-18 25–26, 32  
    6 23–24  
    8 32  
    9 23–24  
    13 25–26, 32  
    20-25 22–23, 25–27, 30, 32–33  
    23 48  
    23n 236  
    24 45  
    24n 10, 236–237  
    24r 10, 33, 39, 222, 237, 248–250, 254, 254  
    25n 1, 222, 236–237, 248, 266  
    26n 1, 6, 222, 236–237, 243, 248  
    26r 7, 149–150, 157–181, 222, 244, 247–249  
    27n 7, 117, 148–150, 157–181, 222, 236, 243  
    27r 150, 222, 248–249  
    28n 150, 222, 236, 248  
    29n 236  
    30n 236  
    31n 236
- Clair Transfer Zone, Faroes–Shetland Basin 262–263  
clathrate release 8  
climate change 1, 39–68, 257  
Coal-bearing Formation, Faroe Islands 9, 16, 213, 220, 222, 248–249, 256–257, 259, 266  
coals 203, 294  
COB *see* continent–ocean boundary  
contact metamorphism 277, 280, 302–303  
continent–ocean boundary (COB) 22–25, 27, 29, 31, 33, 45–46, 51–52, 58–59  
continent–ocean transition (COT) 22, 45, 49, 58  
continental break-up 16–22, 33–34, 188, 272, 307  
convection-driven flow 18  
Corona Ridge, Faroes–Shetland region 263, 273, 300  
COT *see* continent–ocean transition  
crustal contamination 208, 255  
crustal stretching factor (beta factor) 293  
crustal stretching, Norway continental margin 43–45  
cryptochrons 1, 3
- Dalradian metasediments 69–93  
Davis Strait 17  
De Geer Transfer Zone/Lineament, Norway continental margin 48–51, 56, 58  
decompressive melting 19, 48  
Deep Sea Drilling Program (DSDP)  
    Edoras Bank, Rockall margin 19  
    sites 338–340 53  
    site 342 53  
    site 346 40, 53  
    site 349 40, 53  
    site 642 41  
detachment structures 46–47, 50

- differential compaction domes 10, 307–329  
 Disko Island, West Greenland 16, 20, 158–160, 162  
 Disko-Svartenhuk Halvø region, West Greenland 112  
 Domes 61–62, 253 *see also* differential compaction domes  
 DSDP *see* Deep Sea Drilling Program
- East Faroe High, Faroes–Shetland Basin 263, 268  
 East Greenland 26, 30, 56, 220, 254  
 age of lavas 6  
 stratigraphy 5  
*see also* Agatdalen Formation; Blossville Kyst; Geikie Plateau Formation; Hold with Hope; Igtertiva Formation; Irmiger Basin; Itilli Formation; Kangerlussuaq; Kome Formation; Kulhoje; Mikis Formation; Milne Land Formation; ‘Nansen Fjord Formation’; Prinsen af Wales Bjerg Formation; Prinsen af Wales Bjerg region; Quikavsak Formation; Rømer Fjord Formation; Skrænterne Formation; stratigraphy, onshore East Greenland; Urbjerget Formation; Vandfaldsdalen Formation
- East Greenland–Irish Sea mantle sheet 20  
 East Greenland–Norway mantle sheet 20  
 East Pacific Rise 27  
 Eastern Volcanic Zone, Iceland 20–21  
 Edoras Bank, Rockall margin 19  
 Eigg, Isle of, Inner Hebrides 85  
 Eigg Lava Formation 7  
 environmental systems, influence on 1, 39–68  
 Eqalulik Formation, West Greenland 114, 116–117, 119, 128–129, 133–135, 137, 139, 145–147, 149
- Erlend East igneous centre, Faroes–Shetland Basin 308  
 Erlend Transfer Zone, Faroes–Shetland Basin 315, 319  
 Erlend volcanic centre, Faroes–Shetland Basin 6, 8, 95–110, 266, 313 *see also* Erlend East igneous centre, Faroes–Shetland Basin; West Erlend volcanic complex, Faroes–Shetland Basin
- Eurasia–Greenland plate boundary 39  
 eustatic sea-level change 9, 46, 86, 177
- Faroe–Iceland Ridge 20–21, 25, 27, 29, 29, 281  
 Faroe Islands 1–4, 9, 16, 19–21, 29, 219–269, 302  
 age 6  
 correlation with East Greenland 3  
*see also* Lower Lava Formation; Middle Lava Formation; Upper Lava Formation
- Faroe–Rockall Plateau 219  
 Faroe–Shetland Basin 1–2, 6–9, 69–93, 95–110, 253–268, 307–329  
 deep marine sedimentation 8  
 deposition, relationship to magmatism 85–86  
 depositional sequences  
 T25 6  
 T31 6  
 T38 8  
 T40 1, 8  
 T50 9
- magmatism, age 74  
 stratigraphy 1, 5  
*see also* Corona Ridge; Faroe–Shetland Channel; Faroe–Shetland Escarpment; Faroe–Shetland Sill Complex; Flett Formation; Flett Ridge; Foinaven Field; Foula Formation; Judd High; Judd Transfer zone/Fault; Judd volcanic complex; Lamba Formation; Rona Formation; Rona Ridge; Schiehallion Field; Sulven Field; Vaila Formation; wells; Victory Transfer Zone; West Shetland margin, West Shetland Basin
- Faroe–Shetland Channel, Faroes–Shetland Basin 40–41, 220, 262–264, 271–306  
 Faroe–Shetland Escarpment, Faroes–Shetland Basin 219  
 Faroe–Shetland Sill Complex, Faroes–Shetland Basin 271–329  
 Faroes and Shetlands Transect (FAST) 273, 293, 297–298  
 fault block, differential movement 175–176  
 Fennoscandia 55, 61  
 Fire Line 20–21, 29  
 Fles Fault Complex, Norway continental margin 40–41, 54  
 Flett Formation, Faroes–Shetland Basin 102, 112, 259  
 Flett Ridge, Faroes–Shetland Basin 263, 284, 292, 294  
 Flett Sub-basin, Faroe–Shetland Basin 69–70, 263  
 flowlines 22–26, 30–32  
 Foinaven Field, Faroe–Shetland Basin 8, 69–93, 292  
 Foinaven Sub-basin, Faroe–Shetland Basin 69–93, 263  
 Block 202/16 76  
 ‘White Zone’ 76  
 Foula Formation, Faroe–Shetland Basin 72–84, 90–91  
 fracture zones 16, 26, 29
- gas chimneys 319  
 Geikie Plateau Formation, East Greenland 186, 188, 208–210, 215  
 geochemistry 18, 163, 169–170, 189, 192–212, 215, 223–225, 255, 309  
 changes in 9  
 data 3, 30  
 Strontium isotopes 194  
 ‘Gilbert-type’ delta structures 148, 262  
 Gjallar Ridge, Norway continental margin 40–41, 46–47, 50, 54  
 glaciation 52, 56, 62  
 Glatzmaier–Roberts geodynamo model 159  
 Gleipne Fracture Zone, Norway continental margin 41, 50, 50  
 Gleipne Lineament, Norway continental margin 41, 50–51  
 gravity, free air 20–21, 42, 95, 283  
 anomalies 51, 256  
 lineations 30  
 modelling 44, 262, 280  
 ‘v-shaped’ ridges 30

- greenhouse effects 8  
 Greenland Basin 40  
 Greenland–Eurasia poles 26, 32, 32  
 Greenland Fracture Zone 40, 51  
 Greenland–Iceland–Faroe Ridge 18–20, 28–29, 34, 52  
 Greenland–Iceland Ridge 20–21  
 Greenland Sea evolution 58
- Harstad Basin, Norway continental margin 43, 45, 56–58  
 heat flow increase 8  
 heavy minerals 69–93  
 analysis 71, 87  
 geochemical 72  
 optical 72  
 dissolution 87–89  
 Hebridean Volcanic Province 96, 108  
 Hebrides 9  
 stratigraphy 5  
 Hel Graben, Norway continental margin 40–41, 50  
 Helland Hansen Arch, Norway continental margin 40–41, 58  
 Hold with Hope, East Greenland 2  
 Hornsund Fault Zone, Norway continental margin 40, 42, 50–51  
 hydrocarbon trap formation 328
- ice-rafted debris 61  
 Iceland *see* Eastern Volcanic Zone; Northern Volcanic Zone; Western Volcanic Zone  
 Iceland Basin 20–23, 25, 28, 31, 31  
 Iceland plume 7, 9, 11, 18, 26–34, 48, 53, 62, 178, 249, 293  
 buoyancy flux 30  
*see also* proto/palaeo-Icelandic plume  
 'Icelandic'-type oceanic crust 55  
 Igtertiva Formation, East Greenland 9, 187–188  
 Interval 1 volcanism 7–8  
 Interval 2 volcanism 8–9  
 Interval 3 volcanism 9  
 Interval 4 volcanism 9–10  
 intra-basin deformation, Norway continental margin 58–61  
 inversion 58, 61  
 Irmiger Basin, East Greenland 2, 4, 9–10, 20–23, 28, 31, 102  
 stratigraphy 5  
 Itilli Formation, East Greenland 114–115, 119, 135, 146, 165
- Jan Mayen, Norway continental margin 22  
 Jan Mayen Fracture Lineament, Norway continental margin 41, 50–51  
 Jan Mayen Fracture Zone, Norway continental margin 39–42, 46, 50, 50, 62  
 Jan Mayen Ridge microcontinent, Norway continental margin 53  
 Jennegga Fracture Zone, Norway continental margin 41, 50, 50  
 Jennegga Transfer Zone 41, 50, 50, 55  
 Judd High, Faroe–Shetland Basin 7–8, 263, 288, 291
- Judd Transfer zone/Fault, Faroes–Shetland Basin 262–263, 265, 291–292  
 Judd volcanic complex, Faroes–Shetland Basin 96
- Kangerlussuaq, East Greenland 2–4, 280, 298  
 correlation with Faroes lavas 3  
 stratigraphy 5  
 Kangilia Formation, West Greenland 5, 111–156  
 Karoo, South Africa 283, 292, 307, 323  
 Kettla Member *see* Lambda Formation, Faroe–Shetland Basin  
 Kolbeinsey Ridge, Mid-Atlantic rift 20–21, 28–29  
 Kome Formation, East Greenland 113, 113  
 Krafla *see* Northern Volcanic Zone, Iceland  
 K/T boundary 121, 125–127, 142, 148  
 Kulhoje, East Greenland 112  
 Kuugannguaq–Qunnilik Fault, West Greenland 163–167
- Lamba Formation, Faroe–Shetland Basin 6, 8, 73–74, 83, 99, 102, 112, 259, 265, 290  
 Late Paleocene Thermal Maximum (LPTM) 1, 6, 8, 102, 257, 266  
 LCB *see* lower crustal body  
 Lewisian-derived sediments 69–93  
 Lofoten Basin, Norway continental margin 40–41, 43–44, 56–58  
 Lofoten Ridge, Norway continental margin 40–41  
 Lofoten–Vesterålen margin, Norway continental margin 39–40, 43, 46–47, 50, 55–56, 62  
 lower crustal body (LCB) 43–45, 49  
 Lower Lava Formation, Faroe Islands 1, 6, 16, 102, 206, 219–268  
 Loyal Field, Faroe–Shetland Basin 69  
 LPTM *see* Late Paleocene Thermal Maximum
- magmatic activity onset 85  
 magnetic anomalies 20–21, 40–42, 51, 57  
 magnetic measurement 95 *see also* palaeomagnetic age dating; palaeomagnetic curve  
 magnetic polarity events 1, 16–17, 158 *see also* chrons; magnetic anomalies  
 magnetic susceptibility 288  
 magnetochrons 221  
 magnetostratigraphy 116, 150, 222  
 Maligât Formation, West Greenland 6, 8, 116, 159, 161, 176  
 mantle decompression 18, 30 *see also* decompressive melting  
 mantle plume 15–37, 188, 213–215  
 dynamic support 18–19  
 impingement 53  
 temperature fluctuations 30  
 thermal contraction of 255  
 uplift 114  
 mantle temperature indicators 18  
 margin evolution, Palaeogene 51–53  
 Barents Sea margin 56–58  
 Norwegian margin 53–56  
 plate boundary configuration 51  
 marginal highs 1, 52, 55, 62  
 meteoric water circulation 224  
 Mid-Atlantic rift 18, 20–21  
 rift axis 29

- mid-ocean ridge 52, 55  
mid-ocean ridge basalt (MORB) 97, 209, 211, 255, 262, 274, 309, 315  
Middle Lava Formation, Faroe Islands 9, 16, 220–234, 253–269, 315  
Midland Valley of Scotland 307, 311, 324  
Mikis Formation, East Greenland 187, 207, 210  
Milne Land Formation, East Greenland 5, 9, 183–218  
mineral dissolution 83  
mineral indices, provenance-sensitive 71, 90  
Mohns Ridge, Norway continental margin 40  
*see also* proto-Mohns Ridge  
Moho 43, 45, 272–273  
Moine metasediments 69–93  
MORB *see* mid-ocean ridge basalt  
Møre Basin, Norway continental margin 43, 45–46, 50, 52–53, 55–56, 313  
Møre margin, Norway continental margin 39, 40, 44, 62  
Møre Marginal High, Norway continental margin 43–45  
Muck, Isle of, Inner Hebrides 4, 85  
mud diapirism 61  
mud volcanoes 61  
Mull, Isle of, Inner Hebrides 3–4, 95–97, 102
- Naglfar Dome, Norway continental margin 40–41, 61  
‘Nansen Fjord Formation’, East Greenland 3, 187, 206, 211, 213, 254  
Naujánguit Member *see* Vaigat Formation, West Greenland  
North America–Eurasia rotation 25–26  
North America–Greenland rotation 25–26  
North Atlantic volcanic rift margin 253–254  
North East Atlantic  
  evolution 1  
  opening 26  
  pre-rift geography 2  
  reconstruction 17  
  rift initiation 7–10  
North Sea Basin 2, 4, 9, 19, 22, 53, 55, 102, 112, 120, 125  
  Andrew Formation 85  
  Forties Formation 85  
  Maureen Formation 85  
  stratigraphy 5  
  *see also* Balder Formation  
Northern Component water 30  
Northern Volcanic Zone, Iceland 20–21, 28–29, 29  
Norway Basin 40–41, 43, 43  
Norway continental margin 39–68 *see also* Møre Basin; Tjornes Fracture Zone; Vøring Plateau/Basin  
Norwegian–Greenland Sea 39–40, 61–62  
nunataks 188–189  
Nuuk Killeq Member, West Greenland *see* Vaigat Formation, West Greenland  
Nuussuaq Basin, West Greenland 111–181, 320, 325–326  
Nyk High, Norway continental margin 40–41, 50, 53
- Ocean Drilling Program  
  leg 152 112, 213–214  
  site 642 53  
  site 643 53  
  site 913 40, 53  
  site 915 30  
  site 917 30  
  site 918 10, 30  
ocean floor spreading 9, 95  
ocean water warming 8  
ODP *see* Ocean Drilling Program  
oil migration 89, 158  
Ordlingassoq Member *see* Vaigat Formation, West Greenland  
Ormen Lange Dome, Norway continental margin 40–41, 61  
overpressure 304
- palaeo-coastlines 163, 175  
palaeo-escarpment 165–166, 168, 173  
palaeo-geography 178  
palaeo-water depths 53  
palaeobotanical evidence 176, 203, 222, 257, 260  
palaeoenvironments 107  
palaeomagnetic age dating 112, 117, 170–171, 221–222, 249  
palaeomagnetic curve 237  
paleoflow direction 289  
palynofloras 1, 10, 102, 107–108, 253–269  
palynomorphs 91, 98, 100–101, 104–105, 111–156, 262  
  zonation 121–140  
partial melting 15, 97  
petrology, igneous 18, 189, 206, 225–229, 274, 309  
photogrammetrical analysis, multi-model 162–163, 170, 174, 184, 188–190, 204, 206  
phreatomagmatic eruptions 9  
plant diversity 8  
plate motion 61  
plate speed 61  
plate tectonic evolution 52  
Prinsen af Wales Bjerg Formation, East Greenland 9, 187–191, 198–199, 202, 206, 210, 212–215  
Prinsen af Wales Bjerg region, East Greenland 9, 183–218  
progradation 62, 70, 146, 148, 169, 262  
  volcanic 163, 171, 176  
proto-Mohns Ridge, Norway continental margin 58  
proto/palaeo-Icelandic plume 7, 85–86, 158, 177, 184, 215, 253, 313  
provenance 11, 69–93, 288  
pull-apart setting 58, 60
- Quikavsak Formation, East Greenland 114–115, 119, 134, 145–147, 165
- reconstruction poles 25, 25  
Reykjanes Ridge, Mid-Atlantic rift 20–21, 25, 25, 28  
  median valley 28  
  ‘v-shaped’ ridges 28  
Reykjanes–Mohn Lineament 48, 48

- reservoir properties, relationship to provenance 86–87, 91
- residual melt 234
- ridge jumps 22–23, 27–30
- ridge–plume interaction 15–37
- ridge segmentation 26
- rift basins 293
- rifting 210, 212
- interaction with mantle plume 15–37, 255
- Late Carboniferous–Permian 45
- Late Cretaceous–Paleocene 39, 46, 48, 115, 144, 185
- Late Jurassic–Early Cretaceous 45–46
- Paleocene 51
- rate 215
- Triassic–Jurassic 45
- Rinks Dal Member *see* Maligât Formation, West Greenland
- Rockall Basin/Trough 9, 17–18, 25, 27, 96, 220
- Rockall Plateau–southern Greenland mantle sheet 20
- Rømer Fjord Formation, East Greenland 186, 188, 208–210, 215
- Rona Formation, Faroes–Shetland Basin 76
- Rona Ridge, Faroes–Shetland Basin 273, 302
- Rosnaes Clay Formation, Denmark 10
- Rum, Inner Hebrides 4, 7, 95, 97
- Schiehallion Field, Faroe–Shetland Basin 8, 69–93, 292
- SDRS *see* seaward dipping reflectors
- sea-level change 9, 147 *see also* eustatic sea level change
- seafloor spreading 22–34, 254–255, 313
- axis 33
- rates of 30–33
- seafloor topography 288, 325
- seaward dipping reflectors (SDRS) 9–10, 15, 23, 26, 28, 57, 102, 178
- diffuse zone 33
- seaward dipping wedges 45, 48, 49, 49
- sediment
- black shale 203, 207
- distribution 1, 28, 39–68
- flow direction 289
- hyaloclastites 7, 96, 103, 115, 119, 145–149, 159–175, 262, 264, 268, 320, 325–327
- marine limestones 162
- provenance 11, 55
- pulses of 30
- rates 62
- sand-body distribution 71
- source switch 69–93
- tuff 265 *see also* Balder Formation; Lamba Formation
- volcaniclastic sandstones 256, 260, 265–266
- sedimentary environment
- catastrophic discharge 146
- channel complexes 80
- debris and gravity flows 115, 147, 204
- deltaic 56, 115, 146–148, 262, 264, 267
- estuarine 147, 259–260
- fluvial 55, 147, 203, 257, 259–260, 266
- lacustrine 146, 259
- lagoon 259, 267
- littoral 108
- marine 55, 103, 107, 115, 119, 146, 165–166, 169, 175, 260, 267
- palaeo-valley 174, 188
- paralic 70
- subaerial valleys 115, 146–148, 151
- submarine canyons 115, 119, 145–148, 151, 165
- submarine fan complexes 85, 165, 168
- submarine slope system 70
- swamps 257, 259, 266
- talus 204
- terrestrial 103
- turbidite channel 145
- turbidity currents/flows 147, 288–289, 325
- segmentation, Norway continental margin 39–68
- seismic imaging 274, 282–292, 311, 315–325
- ‘eye’ structures 319–320, 324–326, 328
- ‘fir tree’ 319
- ‘seismic chimneys’ 319, 321, 323, 328
- vents 319–324, 328
- seismic mapping 262
- link to provenance 80
- seismic processing 282–284, 311
- seismic profiles 43
- seismic reflection 10, 15, 30, 80, 272, 281–292, 314
- seismic refraction 272, 282
- seismic velocity–depth profiles 43, 45
- Senja Fracture Zone, Norway continental margin 39–42, 50, 51, 57–59, 62
- Senja Fracture Zone margin, Norway continental margin 40, 44
- sequence stratigraphy 72–73, 293
- sill complexes 10–11, 253, 260, 271–329
- acoustic and elastic properties 280–281, 285, 303, 309–311
- effect on sedimentation 288
- emplacement 10, 307, 312–313
- geometry 284–293, 307–329
- imaging 271–306, 315–325
- intrusion modelling 293–304
- Poisson’s ratio 281, 303
- volumes 10
- wireline response 276–280, 309–311
- Skagi, ancient Mid-Atlantic Rift 20–21, 28
- Skrænterne Formation, East Greenland 9, 186, 188, 208, 209–210, 215
- Skye, Isle of 4, 7, 95–96, 97, 249
- soils 55, 170–173, 176, 257
- Solan Bank High, Faroes–Shetland Basin 76
- Sørvestsnaget Basin, Norway continental margin 43, 45, 56, 58, 59
- spreading axis 27–28
- spreading direction 28
- spreading half-rates 30–33
- ‘Staffa Flora’ 102
- Stappen High, Norway continental margin 40–41, 58
- stratigraphy 5
- Late Cretaceous
- Faroe–Shetland Basin 103–107
- onshore West Greenland 111–156
- Paleocene
- Faroe Islands

- stratigraphy, Paleocene (*continued*)  
 Faroe-Shetland Basin 72–74, 88, 103–107  
 T10-22 73–76, 85, 90–91  
 T25 73, 77, 78, 90–91  
 T31-32 73, 77, 79, 80, 85–91  
 T34 73, 80, 81, 85, 90  
 T35-36L 73, 80, 82, 83, 85, 91  
 T38U 73, 83–85  
 onshore East Greenland 183–218  
 onshore West Greenland 111–181  
 Strathmore Field, Faroe-Shetland Basin 70–84  
*see also* Foula Formation, Faroes-Shetland Basin  
 subsidence, differential 55, 58  
 subsidence history 18–19, 30, 45–62, 148, 151, 165–177, 255, 261  
 due to extensional differential sagging 173  
 due to tensional sagging 115  
 load-controlled 177  
 Suilven Field, Faroe-Shetland Basin 69, 292  
 Sullom Formation, Faroe-Shetland Basin 7, 74  
 Surt Lineament, Norway continental margin 41, 50, 50–51  
 Svalbard margin, Norway continental margin 40, 42  
 Svalbard Platform, Norway continental margin 43  
 Svartenhuk Halvø Basin, West Greenland 114, 115, 159, 160, 162
- TAI *see* Thermal Alteration Index  
 tectono-magmatic activity 58  
 Tertiary magmatism models 19, 20  
 Thermal Alteration Index (TAI) 106, 118  
 thermal anomaly 15–16, 18–20, 28  
 thermal aureoles 295, 302, 309  
 thermal cooling 55  
 thermal doming 253  
 Tjornes Fracture Zone, Norway continental margin 29  
 transfer zones 1, 39–68, 267, 293  
 transform faults 29  
 transgression 171, 314–316  
 Late Cretaceous 52  
 Tromsø Basin, Norway continental margin 43, 45, 56, 58  
 Trøndelag Platform, Norway continental margin 43
- unconformity 9, 29, 144  
 underplating, magmatic 11, 29, 49, 297  
 uplift 1, 22, 30, 61, 108, 144, 147–148, 151, 213, 215, 288  
 denudation 85–86  
 history 18–19, 55, 59  
 mantle plume 114  
 Shetland Platform 86  
 thermally-supported 8, 293  
 thermo-mechanical 59  
 Upper Lava Formation, Faroe Islands 220–224, 233, 255–268, 274, 309, 315  
 Urbjerget Formation, East Greenland 187–191, 196, 202, 206–207, 207, 213, 215
- Vaigat Formation, West Greenland 5–7, 116–119, 134, 146–147, 148, 157–181  
 Vailla Formation, Faroe-Shetland Basin 6, 8, 74, 249  
 Vandfaldsdalen Formation, East Greenland 187, 207, 210, 215  
 Vema Dome, Norway continental margin 40–41, 61  
 Vestbakken margin, Norway continental margin 39, 40, 44, 62  
 Vestbakken Marginal High, Norway continental margin 45  
 Vestbakken Volcanic Province, Norway continental margin 40–42, 45, 51, 56, 58, 59–60  
 Vesterålen Fracture Zone, Norway continental margin 41, 50, 50  
 Vesterålen Transfer Zone, Norway continental margin 41, 50, 50  
 Vestfirðir, ancient Mid-Atlantic rift 20–21, 28  
 Victory Transfer Zone, Faroes-Shetland Basin 262, 263  
 volcanic activity 1–68, 85–86, 95–110, 157–181, 183–218, 253  
 alkaline volcanics 184, 188, 191, 198, 200–201, 202, 206, 212  
 crater 190, 191, 212  
 eruptive environments 253–269  
 eruptive rates 7, 261  
 flood basalts 1, 183–218, 219–252, 254, 272, 281, 292, 307  
 ‘guyot’ 294, 302  
 pahoehoe lava 169–171, 203, 211, 266  
 picritic lava 16, 157–181, 187, 201, 209  
 ‘plateau basalts’ 186, 214  
 tholeiitic basalts 183–218, 255, 309, 326–327  
 vent development 11  
 volcanic ash 55, 74 *see also* sediment, tuff  
 volcanic deposition, rates 158  
 volcanic facies changes 173  
 volcanic margin 43, 62  
 volcanic productivity 171, 176, 178  
 volcanic products distribution 1, 39–68  
 volcanic sequence development 7–10  
 T25-T367–8  
 T36-38 99, 102, 106  
 T40 8–9, 99, 102  
 T40-T509, 99  
 T60–present 10–11  
 volcanic stratigraphy 183–218, 220, 221, 253–269  
 volcanoclastic marker 73, 74 *see also* Balder Formation, North Sea; Lamba Formation, Faroe-Shetland Basin; sediment, tuff  
 Vøring Escarpment, Norway continental margin 40–41, 50  
 Vøring margin, Norway continental margin 39–63  
 Vøring Marginal High, Norway continental margin 39–68  
 Vøring Plateau/Basin, Norway continental margin 2, 5, 9, 17, 39–68, 102
- Wandel Sea Basin 48, 56  
 water circulation 1, 39–68

- weathering processes 8, 257, 260, 266
- wells
- FP3-3-1, West Greenland 113
  - GANE-1, West Greenland 111–156
  - GANK-1, West Greenland 111–156
  - GANW-1, West Greenland 111–156
  - GRO-3, West Greenland 111–156
  - Hvallose, Denmark 117
  - Lopra-1, 1A wells, Faroe Islands 6, 219–269
  - Umivik-1, West Greenland 113, 115
  - Vestmanna-1, Faroe Islands 221, 223, 225, 254, 256, 260
  - 77/7 (BGS) 76
  - 202/3-1 7
  - 204/19-1 265
  - 204/19-3A 71, 75–82, 84, 86, 89, 90
  - 204/20-1, 1Z 71, 75–82
  - 204/23-1 71, 77, 79, 82
  - 204/24a-1 71, 75, 76, 81
  - 204/24a-2, 2Y 71, 77, 79, 81
  - 204/24a-3 71, 77, 79, 80, 81
  - 204/24a-5 71, 75–81, 86, 87
  - 201/24a-6 71, 77, 79, 82
  - 204/24a-7 71, 75–81, 86, 87
  - 204/25b-5 71, 79
  - 204/30-2 73
  - 205/9-1 97, 261, 264, 268, 271–306, 325
  - 205/10-2b 271–306
  - 205/16-2 71, 77, 79
  - 206/1-2 265
  - 206/13-1 272, 275, 302
  - 207/1a-4 272, 302
  - 208/15-1, 1A 272, 275
  - 208/17-1 272
  - 208/21-1 272, 277, 283, 283
  - 209/3-1 96–108, 272, 275
  - 209/4-1A 96–108
  - 209/6-1 272
  - 209/9-1 96–108
  - 209/12-1 272, 275
  - 214/27-1 272, 275, 279, 294, 300
  - 214/28-1 272, 275, 281
  - 219/20-1 272, 276, 277, 280, 308, 313, 314
  - 219/28-2, 2Z 272, 274, 275, 308, 310, 313, 314
  - 7119/9-1 56
  - 7316/5-1 58
- West Eriand volcanic complex, Faroes–Shetland Basin 96
- West Greenland 4, 8–9, 19, 213
- Basalt Group 114
- basin history 177
- depositional history 144–148
- sections
- Aaffarsuaq 163, 166
  - Annetuneg 118–127, 131, 132, 137, 142
  - Danierygge 118, 119, 123–124, 139, 142, 149
  - Kangilia 118–131, 137, 140–144
  - Kuugannguaq Innartaa 161, 163, 164, 171
  - Naujánguit 163, 166, 173, 174
  - Nuussap Qaqqarsua 161, 163, 168, 170, 171, 172
  - Nuussap Qaqqarsua–Nuuk Killiq 163, 167
  - Qunnilik 163, 175
- stratigraphy 5, 111–156
- see also Atane Formation; Disko Island; Disko-Svartenhuk Halvø region; Eqalulik Formation; Kuugannguaq–Qunnilik Fault; Maligât Formation; Nuussuaq Basin; Vaigat Formation; stratigraphy, onshore West Greenland; Svartenhuk Halvø Basin; well, FP3-3-1; well, GANE-1; well, GANK-1; well, GANW-1; well, GRO-3; well, Umivik-1;
- West Shetland Basin 112, 263 see also Faroes–Shetland Basin
- West Shetland margin, Faroes–Shetland Basin 53
- Western Volcanic Zone, Iceland 20–21
- Westray Transfer Zone, Faroes–Shetland Basin 263, 265
- Westray volcanic complex, Faroes–Shetland Basin 96
- wireline logs 10, 276–280, 309–311
- zeolite facies metamorphism 219–252