

Index

Pages on which figures appear are printed in *italic*, and those with tables in **bold**

- Abiesgraptus* 11
Abrogaptidae 7
acme (epibole) zones 155
 Gorny Altai sequence 157
Akidograptus acuminatus Zone
 China 131, 176
 Gorny Altai 159
Algerian Sahara, geological map, lower
 Palaeozoic 146
allopatric mode of speciation 111
Amplexograptus disjunctus yangtzensis Zone (Shaanxi,
 China) 131
Amplexograptus inuiti Zone (Anticosti Island) 72
Amplexograptus manitoulinensis Zone (Texas) 71
Anceps Bands, Dob's Linn 165–6
ancora
 Retiolitida 207, 208, 209, 210, 217, 218
 secreted as bandages 232
Anisograptidae 21
anisograptids 21, 22
 S China 115
antivirgula 209
Archiretiolitidae 9, 10, 207
Archiretiolitinae 6
Arenig assemblage graptolite zones of the Gorny
 Altai, standard section 156–7
Arenig Series
 Canadian Cordillera 30
 China 73
 graptolite/conodont zonal ties 64, 65
 North America 68, 69
Ashgill Series 137, 170
assemblage zones (Lapworth) 47–8
assemblage zones 155
 Gorny Altai sequence 156–60
assemblage zones = teil zones, Gorny Altai 160
astogenetic pattern, differences between *C. typicalis*
 and *C. pygmaeus* 123
astogenic conservatism, theory of 126, 128, 129
astogeny
 and convergence 128
 and graptolite evolution 126–8
 and phylogenetic studies 119
astogeny (development of the whole
 rhabdosome) 104
Athens Shale (Alabama) 55–6, 104
 and heterochronic evolution 103, 105
Australia (Southeastern) and the *N. gracilis* Zone 56
Australia (Western) graptolite/conodont zonal
 ties 72–3
automobility, theory of 222
Axonocrypta 1, 5
Axonolipa 1, 5, 6, 7
Axonophora 1, 5, 6, 7
 see also Didymograptina
Baisha Formation (China) 176
Balclatchie Group (Scotland) 67
Baltic (East) Silurian Basin, development of
 elucidated by graptolitic zones 238–9
Baltoscandia and graptolite/conodont zonal ties 65
bandages and incremental thickening 232, 234
bandages (ribbons) and stress 226–7
bandages, and secretion of graptolite periderm 222,
 224, 226, 230
Banjiuguan Formation (China) 175
Berry Bush Burn (Scotland) 48, 51
 general reference section graptolite assemblage *N.*
 gracilis Zone 57
biostratigraphy, Canadian Cordillera, 30, 34–7
 Didymograptus protobifidus Zone 36
 Diplograptus decoratus Zone 37
 Isograptus victoriae lunatus Zone 36
 Isograptus victoriae maximodivergens Zone 36
 Oncograptus Zone 36
 Paraglossograptus tentaculatus Zone 36–7
 Tetragraptus approximatus Zone 35
 Tetragraptus fruticosus Zone 35–6
biozones (range zones) 48, 56
 of index species 155
Birkhill Shale Formation 165, 168
Biseriacea (Axonophora) 5
Bohemograptus bohemicus Zone, N Greenland 185
branching 7
 Extensograptus slemmestadi 100
 '*Trochograptus*' *diffusus* 100, 101
British Columbia (Northeastern), Canadian
 Cordillera 27, 30, 36
British Columbia (Southeastern), Canadian
 Cordillera 27–8, 30, 36
Bullengarook (Australia), isograptid cluster
 analysis 79–96
Canadian Cordillera, graptolite biostratigraphy
 biostratigraphy 30, 34–7
 lithostratigraphy 29–30
 previous studies 27–8
 zonal diversity 30
 zonal ranges of graptolite species 31–4
Canadian Cordilleran graptolites, affinity with
 Australia and New Zealand 27, 34–5
Canning Basin (Australia) 72
Caradoc Series
 and the *N. gracilis* Zone 47
 North America 69
Cardiograptidae 1, 5
Castell Limestone (Wales) 65
celloni Zone (late Llandovery) 139
cephalic disc and fusellar increments 221, 222
cephalic shield 268
 and histochemical tests 267
 and ring construction 267
chert nodules and graptolite preservation 17–18
China, graptolite zones 176
 correlation with W and E Europe 178
China, graptolite/conodont zonal ties 73
China, Silurian graptolite-bearing strata
 boundaries and divisions of the Silurian 176–7
 correlation with W and E Europe 178
 Kunlun-Qinling province 174–5

- China (*continued*)
 S China province 173–4
 Yangzi province 175–6
 zonal stratigraphy of graptolites 173
- China, Silurian provinces 174
- Chinese classification of graptolites 1, 5–6
 single criterion 5
- Chinese and European (W and E) graptolite zonal schemes compared 177
- ciliary feeding currents (coordinated) 235
 and stress 226–7
- cladia 199
- clathria, Retiolitida 207, 208, 209, 210, 212, 215, 217, 218
- climacograptids 54, 55
- Climacograptus bicornis* and the *N. gracilis* Zone 50
- Climacograptus bicornis* Zone (USA) 54, 55, 56
- Climacograptus peltifer* Zone 50, 51, 57, 165
- Climacograptus pygmaeus* Zone 71
- Climacograptus spiniferous* Zone 71
- Climacograptus typicalis* and *Climacograptus pygmaeus*, morphometric analyses 120–5
- Climacograptus wilsoni* (= *Diplograptus multidentis*) Zone (black shales, Morroch Bay) 67
- Climacograptus wilsoni* Zone (Britain) 49, 50
- Climacograptus*, morphometric studies of 119–29
- cluster analysis and evolution of isograptid species 89–91
- cluster analysis, of isograptids 79–96
- CLUSTERAN (cluster analysis program) 80, 88–9
- clusters
 analysis of (isograptids) 89
 associations of isograptid species within sub-clusters 92–6
- coenecium 262
 composition and construction of 266–7
- coiling, decrease in tightness of, *Cyrtograptus sakmaricus* 199, 200
- colonial development, graptoloid 126, 128
- Complanatus Bands, Dob's Linn 165
- concurrent ranges 155
- conodont evidence, Pacific-European graptolite zone relations 73–5
- conodont and graptolite zones (Ordovician) 61–75
- conodont zonal units (Ordovician) 62
- conodont zone framework, lack of in N. American Midcontinent Province 75
- conodonts (index) value of 50–1
- conodonts and *Nemagraptus gracilis* Zone 50–7
- conodonts, Silurian, Hanson Creek Formation 136
- Copenhagen Canyon (Nevada), stratigraphical section 137–9
 systematic descriptions *C. miserabilis*, *G. lacinosus*, *Dimorphograptus* sp. 140–2
- corona 215
 Retiolitida 208, 209, 210, 212, 217, 218
- Coronograptus cyphus* Zone
 Gorny Altai 159
 Shaanxi, China 131
- Coronograptus leei* Zone (Shaanxi, China) 131
- cortical bandages, and hypothesis of pterobranch type mortaring 221, 222
- cortical deposits in dendroid graptolites 13–18
 interpretation of cortex of Tremadoc dendroids 15–18
 ultrastructure data 13–14
- cortical fibrils, similar to extant collagen 13, 15
- cortical painting by zooids 222
- cortical thickening 232, 234
- cortical tissue 13
 and fusellar increments 224–7
- Corynoides americanus* (USA) 71
- Corynoididae 5
- corynoidids 54, 55
- Corynoidina 7, 8
- Cow Head Group (Newfoundland) 68
- Cryptograptidae 1, 5
- cyrtograptids 186, 187
- Cyrtograptinae 11
- Cyrtograptus centrifugus* Zone (Shaanxi, China) 134
- Cyrtograptus insectus* Zone (Shaanxi, China) 134
- Cyrtograptus lapworthi* Zone (Shaanxi, China) 134
- Cyrtograptus lundgreni* Zone 177, 185
- Cyrtograptus murchisoni* Zone (China) 175, 177
- Cyrtograptus ramosus* Zone (China) 175, 177
- Cyrtograptus sakmaricus*—*Cyrtograptus laqueus* Zone, N Greenland 184–5, 186
- Cyrtograptus sakmaricus* lineage, mathematical study of, and discussion of evolutionary trends 197–205
- Cyrtograptus sakmaricus* Zone (China) 134, 177
- Cystograptus* 5
- Demirastrites convolutus* Zone (Shaanxi, China) 132
- Demirastrites triangulatus* Zone (Shaanxi, China) 132
- Demirastrites triangulatus*, *Coronograptus gregarius* Zone (Gorny Altai) 159
- Dendrograptidae 21
 S China 115
- dendrograptids 22
- dendroid sicula and ultrastructural data 15
- Dicaulograptidae 10
- Dicaulograptus* 10
- Dicaulograptus hystrix* 10
- dicellograptids 54, 55, 56
 and the *N. gracilis* Zone 50
- Dicellograptus*—*Leptograptus*, example of heterochrony 105–7, 110
- Dicellograptus anceps* Zone 67, 168
- Dicellograptus complanatus (ornatus)* (USA) Zone 71
- Dicellograptus complanatus* Zone (Scotland) 67
- Dicellograptus szchuanensis* Zone (Shaanxi, China) 131
- Dicerograptus mirus* Zone (Shaanxi, China) 131
- Dichograptidae 7
- dichograptids 8
- Dicranograptacea 8
- Dicranograptidae 7
- dicranograptids 8
 and the *N. gracilis* Zone 50
- Dicranograptus clingani* Zone 50
- Dictyonema flabelliforme* (S China) 115
- Dictyonema retiforme* 21, 22, 23
- Dictyonema* Shale (Baltoscandia) 62
- Dictyonema* sp. and fuselli 13

- Dictyonema*, for sessile forms only? 23–4
 ‘*Dictyonema*’ *flabelliforme* and taxonomic reorganisation 21–4
 ‘*Dictyonema*’ *graptolithinum* 21
 ‘*Dictyonema*’ *norvegicum* 21
 ‘*Dictyonema*’ (sessile) distinguished from ‘*Dictyonema*’ (planktic) 21
 ‘*Dictyonema*’ *sociale* 21
 ‘*Dictyonema*’, history of generic names 23
 Didymograptina 1, 7, 8
Didymograptus abnormis Zone (S China) 116
Didymograptus balticus Zone 64
Didymograptus bifidus Zone 68, 69, 72, 74
Didymograptus extensus Zone 64, 97
Didymograptus hirundo Zone 65, 73, 97
Didymograptus jiangxiensis Zone (S China) 117
Didymograptus murchisoni Zone 48, 49, 53, 57, 61, 69, 97
Didymograptus protobifidus Zone 64, 72, 73
Didymograptus Shale, Lower (Scania) 98
Didymograptus Shale, Upper (Norway) 97
 Dimorphograptidae (Semibiseriacea) 5, 6, 9
Dimorphograptus (*Metadimorphograptus*) *extenuatus*,
 Diplograptus modestus sibiricus Zone, Gorny
 Altai 159
 Dipleurinacea (Axonocrypta) 5
 Diplograptacea 11
 diplograptid astogenetic patterns 126–8
 Diplograptidae (Axonophora) 6, 7, 8–9
 diplograptids 7
 Diplograptina 1, 6, 8–10
Diplograptus bohemicus Zone (Shaanxi, China) 131
Diplograptus multidentis Zone 49, 50, 53, 54, 57, 67, 69
 dissepiments 21, 22
 dithyrial populations 111
 Dob’s Linn 48
 Birkhill Shale Formation 166–167, 168
 classical locality upper Ordovician/lower Silurian
 biostratigraphy 165–70
 upper Hartfell Shale Formation 165–8
 Doushangou Formation (China) 175
 drill-core material and E Baltic region
 graptolites 237–44
 epibole (acme) zones 155, 157
 epithelium 230, 261
 Eureka Quartzite (Nevada) 135
 Europe, graptolite/conodont zonal ties 62–7
 extensograptids 97, 100
Extensograptus slemmestadi, development of 98–100
 Extraordinarius Band, Dob’s Linn 168
extraordinarius zone (upper Ordovician) 10
 extrathecal tissue 227, 261
 Fågelsång (S Sweden) 48–9, 53–4
 Felar Formation (Algerian Sahara) 145
 Fenghsiang Formation (China) 73
 fibrils 13, 15, 262
 and secretion of graptolite periderm 221, 222, 226
 in spongin 17
 Tremadoc dendroid 15
 flysch sedimentation, N Greenland 181–2, 185, 186
 ‘Franklin Basin’, N Greenland 181–2
 fusellar height and thecal extension 224
 fusellar increments 230, 232
 and cortical tissue 224–7
 patterns made by 222, 224
 secretion of 221–2
 fusellar layer 261
 fusellar tissue 13
 fuselli (rings) 13
 Rhabdopleura 262
 Glankiln Shales (Scotland) 48, 49, 51, 165
 Glenogle Formation, SE British Columbia 30
 glossograptids 7
 Glossograptina 1, 7, 8
Glossograptus—*Nanograptus* and *Corynoides*, example
 of heterochrony 108, 109
Glossograptus ciliatus—*Apoglossograptus lyra*,
 example of heterochrony 108
Glyptograptus cf. *G. teretiusculus* Zone 54, 69, 74
Glyptograptus euglyphus—*Climacograptus brevis*,
 example of heterochrony 108–10
Glyptograptus persculptus group (Nevada),
 stratigraphic significance of 135–42
Glyptograptus persculptus Zone 168, 170
 China 175, 176, 177
 Gorny Altai 157, 159
 Shaanxi, China 131
Glyptograptus teretiusculus Zone 49, 50, 53, 54, 55,
 56, 57
 Gorny Altai sequence 156–160
 conclusions and implications 160–3
 Graptiloidea 7
 graptolite biostratigraphy, Canadian Cordillera 27–
 45
 graptolite classification, a critique 1–11
 graptolite colonies as entities 125–6
 graptolite distribution related to bathymetry of
 Silurian seas 244
 Graptolite Valley, Slemmestad (Norway) 97, 98, 99,
 100
 graptolite zonal schemes and palaeoecological
 restraints, E Baltic region 238–44
 graptolite zones of the Gorny Altai 155–63
 graptolite zones, rates of sedimentation in 160–3
 graptolites
 Chinese classification 1, 5–6
 classifications of Lapworth (1879–1880) and
 Bullman (1970) compared 4
 growth (development) in 104–5
 improvement in interprovincial correlation 74–5
 provincialism shown by 47, 61
 related to sedimentary environments (Silurian, N
 Greenland) 186–7
 revised classification, Diplograptina and
 Monograptina 8–11
 Soviet classification 6–7
 Western classification 7–8
 graptolites and pterobranchs, differences in
 ultrastructure 221
 Graptolithina 7
 graptoloid astogeny and phylogeny
 astogeny and graptoloid evolution 126–8
 colonies as entities 125–6
 discussion 128

- graptoloid colonies, stability of form 125–6
- Greenland (North)
- biostratigraphy 182–6
 - geology of 181–82
 - graptolite zonation
 - Landoverly 183–5, 186
 - Ludlow and Pridoli 185
 - Wenlock 185, 186
 - graptolites related to sedimentary environments 186–9
- gross fibres 15
- Guandi Formation (China) 175
- Gymnograptus* 10
- Hallograptus* 10
- Hanson Creek Formation (Nevada) 135, 136, 137
- Hartfell Shale Formation, Upper 165–8
- Hendre Shales (Wales) 49, 53
- heterochrony 103–12
- categories of **104**
 - a common mode of evolution in graptolites 103, 110–11
 - examples of 105–12
 - processes of 103–4
- heterochrony (def.) 103
- histochemical tests, *Rhabdopleura* 266–7
- Hubei Province (China) 73
- Hulo Formation (S China) 115
- Hunhuayuan Formation (China) 73
- incremental periderm 230, 232
- index conodonts, value of 50–1
- indices of renovation 160, 162, 163
- inter-zones 155
- International Code of Zoological Nomenclature 23
- isograptid evolutionary sequence *I. primulus* → *I. divergens*, main trends 80
- isograptid morphology, useful descriptive variables 80–1
- definition of sixteen variables 81, **82–3**
- isograptids
- cluster analysis of 79–96
 - importance of 79–80
 - minimum number of variables for diagnostic classification 85–8
 - summary of mixtures and relationships (Bullengarook, Australia) 95
- Isograptus 'caduceus'* Zone (Berry) 65, 69, 73
- Isograptus gibberulus* Zone, Gorny Altai 156–7
- Jiangxi (China), graptolite-bearing strata of 115–17
- Kechika Group, NE British Columbia 30
- lacinia 9, 10
- Retiolitida 208, 209
- Lapworth's graptolite zones, nature of 47–8
- Lasiograptidae (Axonophora) 6, 9–10
- lasiograptids 8, 10
- Lasiograptus harknessi* 10
- Leptograptacea 8
- Leptograptidae 7
- leptograptids 8
- Leptograptina 7, 8
- lineage zones (phylozones) 155
- Linograptinae 11
- Llandeilo Series
- lack of graptolite/conodont zonal ties 65
 - North America 69
- Llandoverly assemblage zones of the Gorny Altai, standard section 157–9
- Llandoverly assemblage zones, E Baltic region 239
- Llandoverly facies and faunas
- E Baltic region 238, 239, 240, **241**
- Llandoverly Series
- China 173, 174, 175, 177
 - N Greenland 183–5, 187
- Llanvirn Series
- lack of graptolite/conodont zonal ties 65
- Longmaxi Formation (China) 176
- Ludlow Series
- China 173, 174, 175, 177
 - N Greenland 185, 187, 188
- Mackenzie Mountains (Northern), Canadian Cordillera 28, 29–30, 36
- magnus* zone (Silurian) 10
- mantle evagination, and secretion of graptolite periderm 222, 224, 235, 261
- mantle hypothesis (secretion of graptolite periderm) 222, 224, 235, 261
- Marathon area (W Texas) 54–5, 69
- Marathon Limestone (Texas) 68
- mathematical simulation *Cyrtograptus sakmaricus* lineage 197–8
- results 198–201
- Megistaspis Limestone (Norway) 98
- metasicula Retiolitida 207, 208
- metatheca 224
- Miaogao Formation (China) 175
- Miaopo Shale (China) 73
- Moffat Shale Group 165
- Monoclimacis geintizi* Zone (Shaanxi, China) 134
- Monoclimacis griestoniensis* Zone (Shaanxi, China) 133
- Monograptacea 11
- Monograptidae (Axonophora) 6, 10–11
- monograptids 187
- in Chinese classification 5
 - Russian genera 7
- Monograptina 1, 6, 10–11
- Monograptus argenteus*—*M. convolutus* Zone, N Greenland 184
- Monograptus convolutus* Zone (N Greenland) 184
- Monograptus flexilis* Zone 177, 185
- Monograptus griestoniensis* Zone (N Greenland) 184
- Monograptus riccardonensis* Zone 10, 185
- Monograptus scanicus* Zone (China) 177
- Monograptus sedgwickii* Zone (China) 133, 177
- Monograptus spiralis* Zone (N Greenland) 184, 185
- Monograptus turriculatus* Zone 139, 184, 186
- Monopleurinacea (Axonocrypta) 5
- morphometric analyses
- Climacograptus typicalis* and *Climacograptus pygmaeus* 120–5
- Multistipinacea (Axonolipa) 5
- Nansinkwan Formation 73

- nema 1, 7, 125, 227, 249
Saecograptus varians 255, 258
 nemacaulis 212, 215
 Nemagraptidae 7
 nemagraptids 106–7, 108
Nemagraptus gracilis Zone 65, 73
 base and top in Britain 49–50
 biostratigraphy of 47–58
 boundary definition 50
 index graptolites and conodonts 50–1
 key localities 51–6
 original definition 48
 recognition outside Great Britain 48–9
 reference sections 57–8
 in southern Sweden (Fågelsång) 48–9
Nemagraptus subtilis—*N. gracilis*, example of
 heterochrony 107–8
Nemagraptus—*Dicellograptus* association 49
Neodiversograptus 11
Neurograptus 10
 Newfoundland (West), Broom Point South
 section 21–2
 Ningkuo Formation (S China), graptolite zones
 in 115–16
 Normanskill Shale (Albany, New York) 54
 North America, graptolite/conodont zonal ties 67–
 72
 North American craton, lack of graptolite/conodont
 zonal ties 67–8
Nymphograptus 10

Oktavites spiralis Zone, (China) 133
Oktavites spiralis—*Stomatograptus grandis* Zone,
 (China) 177
 olistoliths, Garn Formation (Anglesey), and *N.*
 gracilis Zone graptolites 65, 67
Oncograptus 5
 ontogenetic data, *Climacograptus typicalis* and
 Climacograptus pygmaeus 123–4
 ontogeny (development at the level of the
 thecae) 104
 Oppel-zones and correlation 48
 Ordovician graptolite and conodont zones 61–75
 see also Nemagraptus gracilis Zone, biostratigraphy
 of
 Ordovician graptolite/conodont ties
 Europe 62–7
 North America 67–72
 other areas 72–3
 Ordovician graptolites, astogenetic development of
 from Norway 97–102
 Ordovician (late) and Silurian (early), international
 correlation chart 169
 Ordovician (late) southern-hemisphere glaciation and
 graptolite mass extinction 168
 Ordovician rocks, long-distance correlation with
 graptolites 61
 Ordovician sequence, Oslo area (Norway) 99
 Ordovician-Silurian boundary
 correlation problems, Oued in Djerane 150–1
 Dob's Linn as international stratotype 170
 orientation analysis and *Saetograptus varians* 252–3
 orientation patterns 254
 unimodal or bimodal depositional events 253

 orientation mode/size correlation of graptolites 254
Orthograptus calcaratus and the *N. gracilis* Zone 50
Orthograptus quadrimucronatus Zone (Texas) 71
Orthograptus vesiculosus Zone (Shaanxi, China) 131
 Oued in Djerane (Algerian Sahara)
 correlation problems, Ordovician-Silurian
 boundary 150–1
 description of new taxa 151–3
 lithostratigraphy 145
 significance of fauna studied (stratigraphy,
 palaeogeography, palaeontology) 150
 Oued in Djerane (Algerian Sahara) Silurian
 graptolites, palaeontological study
 evolution of the characteristics in the different
 groups 146–50
 faunal composition 145
 new taxa 145–6

 Pacific-European graptolite zone relations, conodont
 evidence 73–5
 paedomorphosis by truncation 108
 painting of bandages 224
 painting of bandages (secretion of graptolite
 periderm), hypothesis 222, 224, 235
 palaeobaltic Silurian Basin (bathymetry)—
 reconstruction of 239
Paraglossograptus tentaculatus Zone 69, 72
Paraorthograptus typicus Zone (Shaanxi, China) 131
 Paucistipinacea (Axonolipa) 5
 Peiragraptidae (Axonophora) 5, 6, 9
 Peiregraptinae 7
 People's Republic of China *see* China
 periderm (graptolite)
 reduced 6, 9
 secretion of 221–35
 mantle hypothesis 222, 224, 235
 painting hypothesis 222, 235
 selective decomposition of 18
 periderm, a mechanical function 234–5
 periderm, incremental *see* incremental periderm
 Phyllograptidae 1, 5
Phyllograptus augustifolius elongatus Zone 64, 97,
 156
Phyllograptus densus Zone 64, 156
Phyllograptus elegans Zone 64
 phylogenetic studies, graptolites, foci of 119
 phylozones (lineage zones) 155
 Gorny Altai sequence 157
 planktic dendroids (early), hypothetical evolutionary
 lineages 22
 Plectograptidae 209–18
 Plectograptinae 10
Pleurograptus linearis zone 61, 67
 polyphyletic family (Retiolitinae) 10
 Pridoli Series
 China 173, 174, 175, 177
 N Greenland 185, 188
 principal factor analysis, isograptid cluster
 analysis 81
 pristiograptids 187
Pristiograptus nilssonii Zone (China) 177
Pristiograptus transgrediens Zone (China) 177
Pristiograptus tumescens Zone (China) 177
 prosicula 222

- prosicula (*continued*)
 Retiolitida 207, 208, 209, 212
 protheca 224
 prothecal folds 8
 proximal end development 7
 proximal ends, complete, in isograptids 81
 Pseudoretiolitidae 208
 pterobranch type mortaring, hypothesis of 221, 222
 pterobranchs (modern), behaviour and tube building 261–8
 pterobranchs, modern—*Rhabdopleura*
 adult *Rhabdopleura* 267
 composition of the coenecium 266–7
 experimental procedures 267–8
 observations and results 262, 264
Pterograptus elegans Zone (S China) 116
 punctuated equilibrium 111–12
 and graptolite evolution 103
- Quinzhou Group (China) 174
- Radiograptus* 21, 23
 radiometric age scale and conformity of scale of
 graptolite zones 160
 range zones (biozones) 48, 56
 of index species 155
Rastrites linnaei Zone (China) 133, 177
 Reteograptidae (Axonophora) 6
 reticulate fabric
 character and nature of 15–16
 resemblance to spongin 17
 reticulate pattern of cortex, preservational
 origin? 17
 reticulate pattern, cortical tissue 13, 14, 15
 reticulation, secondary 17
 reticulum 232
 and bandage edges 234
 Retiolitida 207, 208, 209, 210, 215, 217,
 as a succession of bandages 232
 retiolid structures, secretion of 227, 230, 232,
 234–5
 retiolite condition 234
 Retiolitida (families of) and their phylogenetic
 relations 207–18
 Retiolitidae 6, 9, 10, 208–9
 retiolitids 187
 in Chinese classification 5
 distribution of, E Baltic region 242
 Retiolitinae 10
 rhabdosomal form 6
 hydromic complexity of 250
 rhabdosome, related to growth of nema *Saetograptus*
 varians 255
 rhabdosomes 125, 140, 142, 218, 232
 classical scheme of microstructure 18
 cone-shaped 21
 morphometric data *C. typicalis* and *C.*
 pygmaeus 120, 121, 122
 proximal shape of (isograptids) 81, 93
 Retiolitida 207, 209, 210, 212, 215, 217
 shape of, species-specific 104
 size of (isograptids) 81, 93
 species-specific 111
 spiralis group, Shaanxi 194, 195
 width of (isograptids) 81
 Road River Formation, N Yukon and NE British
 Columbia 29, 30
 Roberts Mountains Formation (Nevada) 135, 136
 Rule of Priority, the 23
- S China province, graptolite-bearing strata 173–4
Saetograptus varians (Wood 1900)
 lectotype + monotypic population 249–59
 conclusions 256–9
 original description 249–56
 preservation 249
 lectotype and accompanying bedding-plane
 assemblage 250–4
 morphological comparisons 254–6
 Scania (S Sweden) and the *N. gracilis* Zone 53–4
 scopulae 227
 Scotland (southern)
 N. gracilis Zone 51, 53
 Scotland (southern) graptolite/conodont zonal
 ties 64
 secretion of retiolitid structures 227, 230, 232, 234–5
 cortical and fusellar thickening 232, 234
 incremental periderm 230, 232
 secretory epithelium 222, 226, 234
 Semibiseriacea (Axonophora) 5
 septa 1, 5
 Serbia (Yugoslavia), Silurian graptolites from 247
 Shalloch Formation (Scotland) 67
 Shiniulan Formation (China) 176
 sicula 21, 125, 140
 cenogenetic modification 128
 Extensograptus slemmstadi 100
 morphometric data *C. typicalis* and *C.*
 pygmaeus 120, 122–3
 Retiolitida 207, 208
 shape and shape of (isograptids) 81
 ‘*Trochograptus*’ *diffusus* 100
 siculozoid, controlling graptolite astogeny 105
 Silurian graptolite zonation, N Greenland correlated
 with N America + British sequences 183
 Silurian graptolites
 China 131–4, 173–7
 East Baltic region 237–44
 N Greenland 181–8
 Oued in Djerane 145–53
 Serbia (Yugoslavia) 247
 Silurian rocks of E Baltic region 237
 Llandoverly facies and fauna 238
 Wenlock facies and fauna 238
 Silurian, limits of in China 176–7
 sinograptids 8
 slope sediments and graptolite faunas (N
 Greenland) 185
 Soviet classification of graptolites 6–7
 speciation (mutation), allopatric mode of 111
 spinoreticuli 210, 212, 215, 217
spiralis group graptolites and *Cyrtograptus* Shaanxi,
 China 191–5
Spirograptus turriculatus Zone (Shaanxi, China) 133
 spongin 17
 standard series (Ordovician), North American,
 Baltoscandic and British, correlation of 62
Staurograptus—*Anisograptus* Zone (S China) 115

- Stinchar Limestone (Scotland) 67
 stipe length, isograptids 81
 stipes
 and *Cyrtograptus sakmaricus* 199
 divergent 108
 isograptid morphology 80, 81
 primary, and division of *Axonolipa* 5–6
 stipes of *Saetograptus varians*, morphological
 comparison of 254–5
 stomata 232
 stratotypes of Llandoverly and Wenlock in
 China 175
 stratotypes and standard sections, selection of 155–6
Streptograptus sinicus Zone (Shaanxi, China) 133
 Sweden (S and Central) graptolite/conodont zonal
 ties 64
 Sweden (southern) and *Nemagraptus gracilis*
 Zone 48–9
 Sylvan Shale (Oklahoma) 71
 sympatry to produce allopatry 111–12
- Tangpan Formation (S China) 115
Tetragraptus approximatus Zone 68
 teil zones (interval zones)
 Gorny Altai sequence 157
 of index species 155
Tetragraptus (Eotetragraptus) approximatus Zone
 (Gorny Altai) 156
Tetragraptus fruticosus (3+4 br) Zone 69, 73
Tetragraptus fruticosus (3 br) Zone 64
Tetragraptus fruticosus (4 br) Zone 68, 72
Tetragraptus phyllograptoides Zone 64
 Texas (western) 54–5, 68
 thanatocoenosis (Slemmestad) 98
 thecae 1, 140, 142
 apertural spines, *Saetograptus varians* 255
 Cyrtograptus sakmaricus 199
 dicalycal 110, 112
 growth of 104
 morphometric data *C. typicalis* and *C.*
 pygmaeus 120, 122–3
 Retiolitida 207, 212, 215, 217, 218
 spiralis group, Shaanxi 194, 195
 '*Trochograptus*' *diffusus* 100
 thecae (proximal-end), ontogeny of 108
 thecal apertures 215, 217, 232, 249
 thecal characters, *Extensus stlemmstadi* 100
 thecal diagram, *Glossograptus* 109
 thecal extension 224, 226
 thecal form 6
 and convergent evolution 128
 Oued in Djerane 147–8
 thecal morphology 10
 thecal ontogeny
 Nemagraptus subtilis—*N. gracilis* 108
 stages in, *Dicellograptus*—*Leptograptus* 106
 thecal and rhabdosomal morphology, important in
 isograptid classification 80
 thecal shape 6, 9
 thecal spacing, proximal region (isograptids) 81
 thecal type 7
 Tremadoc cherts (Wysoczki) 13
 Tremadoc dendroids
 interpretation of the cortex 15–18
 reticulate fabric, resemblance to spongin 17
 Tremadoc Series 61
 Canadian Cordillera 30
 graptolite/conodont zonal ties 64
 North America 68
 People's Republic of China 73
 Poland (dendroids) 13–18
 S China 115
 '*Trochograptus*' *diffusus*, development of 100–2
- ultrastructural data
 ?*Dendrograptus* sp. 13–15
 Dictyonema sp. 15
 Uniseriacea (Axonophora) 5
 USA and the *N. gracilis* Zone
 Albany, New York 54
 Calera, Alabama 55–6
 Marathon area, W Texas 54–5
- Valhallfonna Formation (Spitzbergen) 65
 Vauréal Formation (Anticosti Island) 71–2
 Viola Group (Formation) (Oklahoma) 69, 120
 virgella 140, 142, 147, 150
 virgula 1, 7, 125, 255
 hypotheses concerning the secretion of 227
 Retiolitida 207, 208, 209, 212, 215, 217, 218,
 two separate developments 5, 7
 virgula and other extrathecal structures 227
 von Baer's law of ontogenetic development 126
- Wales, *N. gracilis* Zone 53
 Wenlock assemblage zones, E Baltic region 239
 Wenlock facies and faunas
 E Baltic region 238, 239
 Wenlock Series
 China 173, 174, 175, 177
 N Greenland 185, 187, 188
 Western classification of graptolites 7–8
 Wufeng Formation (China) 117
 Wujiahe Formation (China) 175
 Wysoczki (Holy Cross Mountains, Poland) 13
- Xiushan Formation (China) 175–6
 Xiushui (China), summary of Ordovician
 stratigraphy and fauna 116
 Xiushui drainage basin, Jiangxi (China) 115–7
- Yinchupu Formation (S China) 115, 116
 Yukon (Northern), Canadian Cordillera 27, 29
- Ziyand, Shaanxi (China)
 Cyrtograptus, stratigraphic significance of 195
 graptolite zones described 131–4
 morphological change *spiralis* groups and affinities
 of *Cyrtograptus* 195
 stratigraphy 191, 194
 zonal schemes, proposed, within the Pacific
 province 29, 34–7
 zooids 257
 and cephalic shields 267, 268
 and fusellar increments 222, 230
 and fuselli 262
 ring construction *Rhabdopleura* 267