

Index

Page numbers in *italics* refer to figures.

- Absolute K_1 + Absolute K_2 5, 128, 129, 130, 142
 - Fife Field plots 135, 135, 138–9, 138
 - integrals of K_1 + K_2 plots 137–8, 137
 - Valhall Field plots 135–6, 136, 139, 139
- acoustic anisotropy 56, 58, 59, 63
- acoustic impedance maps 152
- acoustic well log anisotropy 60
- African plate 4, 88
- Alaska, horizontal stresses 60, 61
- Alpine tectonics 88
- amplitude map 45
- amplitude versus offset (AVO) 17
- Andean deformation belt 88, 90
- Andean tectonics 88
- anelastic strain recovery analysis 55, 58, 63
- anisotropic stress state 145, 146
- Antelope Shale 2, 18, 21, 23, 24–5, 24
- anticline position in measuring curvature 128
- 'arching effect' 147
- Asmari formation reservoirs 131
- AUTOCAR 30
- AVO (amplitude versus offset) 65, 67
- azimuth change in measuring curvature 128

- basement-controlled features in cover rocks 130, 131
- Basin RTM simulator 157–60, 161
 - applications to sedimentary basins 160–7
 - categories of input data 156, 158–9
 - failure function 170, 172
 - fracture network statistical dynamics 171–4
 - incremental stress rheology 167–9
 - numerical approach 159–60
 - rock competency 169–71, 170, 172
 - salt tectonics 165–7, 165–7
 - shear stress 170, 172
- Bastia Siltstone 102, 103
- Belluno Flysch 102
- Belluno Glauconitic Sandstone 102
- Belluno Line 101
- Belluno Syncline 4, 101–6
 - Chattian – Langhian deposits 101–3
 - fracture network 103–4
 - fracture orientation vs fold geometry 104
- Belluno Thrust, Venetian Alps, Italy 4
- Belridge field 19
- Berea Sandstone 204
- Berryman's composite medium theory 162, 168
- binary cube 67
- Biot coefficient of effective stress 21
- Bolago Marl 102, 103
- borehole image logs 15
- borehole microseismic 56
- borehole-scale characterization 2
- borehole televiewer, hydraulic fracture orientation by 56
- Borrowdale Volcanic Group 10

- Boschi di Villa 103
- Brazilian Coastal Range 95
- Brazilian craton 87, 90, 96
- breakout method 8
- Brown Shale 23, 24
- buckle folds 130
- Buena Vista Hills field, San Joaquin Valley 2, 18, 19, 20, 21, 22, 24, 25

- capillary pressure 193
- Casoni Siltstone 102, 103
- CFX-F3D model 201, 202, 204, 211
- Chevron well 22
- Chico Martinez Creek 24
- Cincinnati Arch 77
- clastic dykes 183–4, 184–5, 185, 186
- Clinton County, Kentucky, fracture zone controlled water production 78–9
- coarse-grid dispersion models 188, 189
- coefficient of friction 8, 10, 14
- coherence mapping 43
- complex trace attributes 65
- composite medium theory (Berryman) 162, 168
- connected fracture, special distribution 179–82
- connectivity 179
- Cook and Staffjord Formation 39
- Cook Formation 43
- correlation, definition 66
- correlation mapping 43
- Coulomb failure criterion 8
- Coulomb failure function (CFF) 23–4
- Coupled Modelling Process 147–8, 148
- critical phenomena approach 149
- critical stress theory 8–9, 10, 14
- 'critically stressed' fractures 9
- cross-correlation 66
- curvature of cylindrical fold, definition 127
- custom-made filters 66
- cylindrical fold
 - curvature 127, 128
 - definition 127
- Cymric field 19, 25

- Darcy's equation 188, 189, 201, 202, 205, 211
- differential strain analysis 60
- diffusion – dispersion tensor 193
- dipmeter analysis of wellbore ellipticity 55
- directional filter 69, 70
- dispersion 66
- domain decomposition iterative solution methods 195, 196
- domain decomposition methods 188
- DORIS geodetic space-based system 87, 88, 96
- double-porosity model 190
- Drake Formation 45, 47, 48, 50, 52, 53
- Drucker-Prager-type failure 162, 170

- dual permeability approach 148
dual porosity approach 148
- earthquake focal mechanisms 56
- Easdale dykes 182
- East Central Graben 132
- effective stress 190
- Ekofisk chalks 146
- Ekofisk fractured and compacting chalk reservoirs
- ELLAM (Eulerian Lagrangian localized adjoint methods) 187–8
- Ellenburger Formation 157
- entropy 67
- Etive Formation 50
- Eulerian Lagrangian techniques 187, 188, 192
- fabric tensor 174
- Fateh Field 127
- fault-related folds 130
- feature extraction 67
- Feda Graben 136
- Fickian dispersion 188
- Fife Field 131, 132, 133, 134, 136, 141
Gaussian curvature plots 136–7, 136, 139–40, 140
integrals of $K_1 + K_2$ plots 137–8, 137
 K_1 and K_2 plots 134
 $K_1 + K_2$ plots 135, 135, 138–9, 138
 $K_1 + K_2$ spectral integral maps 140, 141
- finite element grid 159
- finite-element methods 187, 188
- fixed number of nearest neighbours (FNN) method
112, 112, 113
application 121, 123
cf FSR method 114–17, 121
- fixed search radius (FSR) method 112, 113–14, 114
application 117–21, 121–5, 124
cf FNN method 114–17
search radius and smoothing parameter 125
- fluid flow in fractured media, numerical modelling
187–97
dispersion models 192–4
local grid refinement 195
mathematical models for N levels of fractures
191–2
multi-level homogenization of fractured media
189–91
numerical experiments 196–7
operator-splitting techniques 195
reservoir characterization and description
188–9
upscaling 195–6
- fluid flow through fracture networks 177–86
- Fourier transform 66
- fractal dimension 67
- fracture characterization, definition 1
- fracture, definition 1
- fracture networks, fluid flow through 177–86
- fracture porosity
classification 27
quantification 28–9
- fractured reservoir 147, 148
selection of test specimens for 152
- FREEFRACT software 31, 32
- Fullbore MicroImager FMI™ 10
- Galerkin, Petrov, techniques 187, 195
- Gaussian curvature 5, 127, 128, 129, 130, 142
Fife Field plots 136–7, 136, 139–40, 140
- geodynamic modelling on reservoir scale 5–6
- geomechanical characterization 2
- geomechanical modelling on reservoir scale 5–6
- gravitational stresses 1
- Green River Basin 58
- Grenville Front 77
- Gullfaks Field 39, 40, 41, 41, 43, 45, 48, 53
- homogenization theory 188
- Hurst coefficient 66
- hydraulic fracturing 63, 190
- igneous dykes 182–3, 184–5, 186
- in situ* stress orientation 55–63
methods 55–6
variations 56–62
Northern North Sea, Quad 15 56–7, 57, 62
Southern North Sea, Quad 48 57–8, 58, 62
supporting studies 59–62
Western Wyoming 58–9, 59
- incipient inversion 88
- induced fractures, definition 1
- in-situ stress characterization, definition 1
- in-situ stresses, definition 1
- integrated borehole to reservoir scale characterization
2–3
- intensity-hue-saturation (IHS) display 67–70
- inter-phase slip algorithm (IPSA) method 6, 203
- intra-Ness Formation 43, 44, 50
- inversion studies 67
- IPSA (inter-phase slip algorithm) method 6, 203
- Jurassic Brent Group 39
- Kansas – Oklahoma Field, horizontal stresses 60, 61
- Kern County earthquake (1952) 23
- Kyle Field 131
- Libano Sandstone 102, 103
local grid refinement 188
local time-stepping schemes 195
- lognormal permeability distributions 196
- Lost Hills Field 19
- M. Baldo Formation 102, 103
- macrodispersion terms 196
- magnetic resonance images (MRI) 28, 29
- MAGRITTE 28
- mapped surface dip 128
- Markov approach 168
- mean value, definition 66
- microearthquakes *see* microseismic events
- microseismic events 77–85
fracture zone controlled water production (Clinton County, Kentucky) 78–9
- fractured and compacting chalk reservoirs (Ekofisk and Valhall, North Sea) 79–82
- geothermal reservoir development/management (Soultz-sous-Forets, Alsace) 82–3
- origin 78
- simulator grid construction 83–5

- mixed finite-element methods 195
 MMOC (modified method of characteristics) 187
 MMOCAA (modified method of characteristics with adjusted advection) 187
 Modular Dynamics Tester TM 10
 Moho topography 90, 95
 Mohr diagram 8, 9, 10, 11
 Monfumo Marl 102, 103
 Monte Coppolo Anticline 4
 Monterey Formation, California 2, 17–25
 constraining stress magnitudes 20–2, 20
 1952 21–2
 1989 20–1, 20
 fractures, faults and production 22–4
 stress orientations and active tectonics 18–20, 18, 19
 Mull dyke swarm 182, 183, 186
 multi-trace filters 65, 66
- natural fractures, definition 1
 Navier Stokes equations 189
 Nazca plate 4, 88, 89, 90
 Neogene sedimentation 90
 Ness Formation 43, 50
 Newton–Raphson technique 159
 non-Darcy equation 201, 205, 211
 non-Fickian dispersion 188
 North Sea Gullfaks Field 3
 Nyquist wavelength 131
- Ono district, California 183, 185
 operator-splitting technique 187
 orientation data, smoothing algorithms for 105–25
 comparison of stress data with other orientation data 111
 data distribution 110
 distinction for regional from local stress field 110
 estimate of stress magnitudes from the
 superposition of stress fields 110–11
 FNN method 112, 112, 113, 114–17, 121, 123
 FSR method 112, 113–14, 114, 114–25, 124, 125
 method 111–17
 distance weight 112–14
 quality weight 112
 weight 112–14
 reliability of smoothed orientations 114
 scattering stress orientations 110
 Orzes Sandstone 102
 outcrop-based characterization and modelling 4
 outcrop-based fracture characterization 4
 overcoring methods 56
- Pantanal 90
 Parana basin 90, 92, 92
 parasitic folds 134
 partial differential equation models 187
 patch approximation techniques 195
 pattern recognition 67
 percolation theory 177, 178–9
 pericline position in measuring curvature 128
 permeability tensor 156
 Piceance Basin, Colorado 160, 161, 162, 163
 Piper Sands 56
 Point Arguello oilfield 127
 pore pressure (P_o) 21
- poroelasticity rate of strain 167–8
 poroelasticity, theory of 21
 porous media, fractured, water/gas flow simulation 201–12
 discretization and solution algorithm 203–4
 discretization of the transport equations 203
 solution algorithms 203–4
 geometry and topology 204
 initial and boundary conditions 204
 mathematical formulation 202–3
 results and discussion 204–11
 potential flowing feature 12
 power-law distribution 183
 prediction and modelling of fluid flow in fractured reservoirs 6
- Rannoch Formation 40, 42, 43, 45, 48, 50, 51, 52, 53
 reaction, transport and mechanical (RTM) processes 5, 155–74, 156
 reinjection 77
 relative permeabilities 203
 remnant/residual stresses 1
 reservoir depressurization 77
 reservoir-scale characterization using seismic data 3–4
 residual isostatic anomalies 88, 89, 90, 90
 Rhenish shield 88
 Rhie-Chow interpolation method 203, 204
 Rhine embayment 88
 Rhine Graben 82, 88
 Rive di Ignan 103
 root mean square amplitude 66
 Rulison Field 163
 Runga-Kutta technique 170
- S. Gregorio Sandstone 102, 103
 Sacramento Valley 183, 186
 salt-cored features 131
 salt diapirism 165, 166
 salt domes 130
 San Andreas Fault 18, 20, 24, 164
 San Joaquin Valley 17, 24
 Santa Maria basin, California 17
 scaled range analysis 66
 seismic inversion 65
 seismic velocity analysis 66
 seismic velocity anisotropy 17
 seismic volume attributes 65–75
 3D, in fractured reservoirs 65–7
 diagenetic effects on reservoir quality 70–5
 re-evaluation of existing oil field 67–70
 semblance 66, 68, 70
 shear acoustic anisotropy analysis 56
 shear-wave splitting 17
 Sibylfrac software package 33
 SIMPLE algorithm 203
 smoothing algorithms for orientation data 107–25
 Soultz-sous-Forets, Alsace, geothermal reservoir development/management 82–3
 South American plate 4, 87–98
 geology and topography 89, 91
 structural/topographic expression of compression 89–92
 wide-scale intraplate deformation, conceptual model 92–7, 94

- South Texas Field, horizontal stresses 60, 60
- spectral curvature mapping 127–42
 - algorithm 128–30
 - curvature and fracture permeability 141–2
 - curvature and strain 141
 - maps of calculated variables 138–40
 - relationship of curvature to geological structures 130–1
 - spectral curvature plots from North sea chalk fields 132–8
 - spectral curve analysis 131–2
 - characteristics of spectral curvature plots 131–2
 - variable vs offset plots 131
- spinner flowmeter 24
- standard deviation 66
- stochastic fracture networks, 3D
 - calibration of modelling 34–5
 - fracture set definition 32–3
 - input data acquisition 29–31
 - input data analysis 31–3
 - modelling 29, 33–4, 34
 - sampling 34
 - well-scale modelling 35–6
 - fracture connectivity 36
 - fracture permeability 36
 - fracture porosity 35–6
 - matrix blocks size 36
- stochastic modelling 29
- Stoneley wave reflection coefficient (REFC) 12
- stress-induced permeability anisotropy 14
- stress-related permeability, critical 7–15
 - Sellafield RCF3 borehole 9–13
 - stress magnitude and orientation 8
- stress-sensitivity awareness scale 146–7
- stress-sensitivity, reservoir 145–52
 - discontinuities 149, 150
 - intact rock 149, 150
 - near-wellbore effects 145–6
 - reservoir characterization 148–52
- strike slip stress regime 9, 22
- subseismic faults 3
 - Tarbert Formation 41, 43, 45, 48, 50
 - tiltmeters 56
 - time slice 70, 70, 71, 72, 73
 - timedip map 43, 44, 65
 - time-lapse (4D) seismic (3D time-lapse monitoring), 3, 4, 41, 43, 77, 80–1
 - Top Balder reservoir 81
 - total rate of strain 169
 - Tranzamazonico domain 90
- Ultrasonic Borehole Imager UBI™ 10
- undrained Poisson's ratio 21
- upscaling 188
- Valhall Field 131, 132, 133, 141
 - $K_1 + K_2$ plots 135–6, 136, 139, 139
- Valhall fractured and compacting chalk reservoirs 79–82
- VISAGE™ stress analysis 152, 152
- viscous fingering 189
- wavelet transforms 66
- Well 34/10–B-12 41–52
 - core data 48–52, 53–4
 - dipmeter data 45–8, 47, 53
 - fracture frequency diagram 49
 - seismic data 41–3, 53
 - well log correlation data 43–5, 53
- wellbore breakout analyses 19
- wellbore elongation 58
- Witch Ground Graben 56
- World Stress Map (WSM) 5, 98, 107
 - A – C quality stress data 122
 - Himalayan region 107, 108, 119, 121
 - northeastern America 107, 108, 118, 121
 - stress data in 112
 - western Europe 109, 109, 120, 121
- Z&S SW tools 30, 30, 31
- Zuider depression 88