

Index

Note: Page numbers in *italic* refer to figures, those in **bold** refer to tables.

- abiogenic hydrocarbons 1–2, 10, 151–173
 - bulk gas compositions 154–155, **156–159**
 - carbon number ratios **168**
 - fluid inclusions 154, *163*
 - generation 168–170
 - istopic data for fluids **160**
 - occurrences 152–154, **152**
 - alkaline igneous rocks 151, **152**, 153, 154
 - basic/ultrabasic rocks 153–154
 - origin in igneous rocks 155–165, 170
 - late magmatic origin 162–164, 170
 - mantle origin 153, 161, 162
 - models 165–168
 - post-magmatic origin 164–165, 170
 - source **152**
 - stable isotope characteristics 155, **160**
- accidental discovery of oilfields 90
- accumulation of hydrocarbons, model 70–75, *75*
- Algeria, hydrocarbon occurrence **49**
- alkaline igneous rocks, abiogenic hydrocarbons 151, **152**, 153, 154
- alteration *see* hydrothermal alteration; kaolinization; mineralization; serpentinization
- Antarctica, hydrocarbon occurrence **54**
- Argentina, hydrocarbon occurrence **45**
- attribute analysis, fractures 109–124
- Australia, hydrocarbon occurrence **53**
- Azerbaijan, hydrocarbon occurrence **46**

- basalt lava flows 8, 9, 9, 21, 22, *98*
- basement *see* crystalline basement
- basement reservoirs
 - Indonesia 83–84, *84*, 85–87
 - oil and gas recovery 90–92
 - United States 84–87, 88–89, *90*
 - Venezuela 89–90, *91*
- basic rocks, abiogenic hydrocarbons 153–154
- basins
 - beneath volcanic rocks 8, 9, 9
 - brine incursions 188, 191
 - faulted 228
 - Mesozoic sedimentary 175, 187, *188*
 - Paraná Basin, Brazil 3, 13, 15, 22
 - sedimentary basin evolution 189–191
 - volcanic-filled trap 9, 9
- biogenic hydrocarbons 155–161, *161*
- boreholes
 - discontinuity analysis 201–202
 - flow zone identification 203–204, 205
 - groundwater monitoring 198
 - Potential Flowing Features 211–213
- Borrowdale Volcanic Group, UK 197–219
 - effective properties 214–217, **216**
 - geology and hydrology 198–201, *199*
 - groundwater flow model 211–213
 - investigative techniques 201–208
- Brazil, hydrocarbon occurrence **45**
- bulk gas compositions, abiogenic hydrocarbons 154–155, **156–159**
- buried volcano traps 15–16, *17*
 - see also* volcanic reservoir rocks

- California, basement reservoirs 87–89, *89*
- Canada, hydrocarbon occurrence 2, **42–43**
- Canadian Shield, bulk gas analyses **158**
- carbon number ratios **168**
- Chile, hydrocarbon occurrence **45**
- China, hydrocarbon occurrence **50–51**
- Colombia, hydrocarbon occurrence **46**
- columnar joints, volcanic rocks 98, 99
- commercial significance of igneous reservoirs 8
- cooling joints 223–224, *223*
 - modelling 225, *232*
 - plutonic rocks 93, 100, 102, 143
- Cornubian batholith, unroofing 188–189
- Costa Rica, hydrocarbon occurrence **43**
- crystalline basement
 - crustal permeability 94–95, *94*
 - definitions 1, 83
 - discrete fracture networks 225–226
 - inorganic hydrocarbons 1–2, 10
 - organic hydrocarbons 2–3
 - properties 93
 - strain analysis 228–232
 - SW Vietnam 221–236
 - tectonic fractures 226–228
 - see also* basement reservoirs
- crystalline volcanic rocks, porosity 96–98, **96**, *97*
- Cuba, hydrocarbon occurrence **43–44**
- Czech Republic, hydrocarbon occurrence **46**

- database, hydrocarbon occurrence **37–58**
- deformation
 - footwall 227–228, 231–232, *231*
 - hanging wall 227, 231–232, *230*
 - seismic faulting 226–227
 - strain analysis 228–232
 - tectonic faults 226–228, *233*
- diffusive porosity 96
 - plutonic rocks 100–102, 104–105, *104*
 - volcanic rocks 97, 99, 104–105, *104*
- digital optical imaging, rough-walled fractures 128–129, *130*, *132*, 136–137, *136*
- discontinuities, Borrowdale Volcanic Group 201–202
- discrete fracture networks 225–226, 232–234, *232*
- domes
 - reservoirs, Niigata district, Japan 69–75, *71*, *73*, *74*, *75*
 - volcanic-carbonate platforms 16, *18*
- drilling techniques 23–25

- Ecuador, hydrocarbon occurrence **46**
- Effective Elastic Thickness (EET), lithosphere 227–228, 228
- Egypt, hydrocarbon occurrence **49**
- El Salvador, hydrocarbon occurrence **44**
- Environmental Pressure Measurement tests (EPMs) 207, 215–217
- evaporites, intrusions into 15
- exhumation fractures
 - crystalline basement, SW Vietnam 222
 - modelling 225, 226–228
- exploration methods 19–21, **55–58**, 197–198
- extensional crystalline basement
 - fault basin 228
 - fracture systems 221–236
- Faeroe Islands, hydrocarbon occurrence **46**
- faults
 - Borrowdale Volcanic Group 199, 199, 201
 - modelling 225–228, 232–234, 233
 - see also* fracture systems
- fields **37–58**
- Fischer–Tropsch synthesis, abiogenic hydrocarbons 153, 167–169, 170
- flood basalts
 - exploration 21, 22
 - hydrocarbons beneath 8, 9, 9
- flow *see* fluids; groundwater flow
- flow foliation in plutonic rocks 100–102, 102, 103
- flow porosity 96
 - plutonic rocks 102, 104–105, 104
 - volcanic rocks 97–98, 98, 99, 99, 104–105, 104
- fluids
 - calibration in rough-walled fractures 129–130, 130
 - fluid-pressure profiles, Niigata district, Japan 75, 77–78
 - inclusions in alkaline igneous complexes 154, 163
 - transport in igneous rocks 95–96, 125, 139
 - see also* groundwater flow . . . ; hydrothermal alteration; kaolinization; water
- foliation, magmatic flow 100–102, 102, 103
- footwall deformation, modelling 227–228, 231–232, 231
- fracture attribute analysis 109–124
 - data set locations 113–115, 114
 - fracture data sets 115–118
 - sampling methods **110**, 111–113, 112
 - size and spacing 118–120, 119
 - vein formation 120–121
- fracture systems
 - basement reservoirs 83–104
 - Borrowdale Volcanic Group 197–218
 - borehole discontinuity analysis 201–202
 - flow zone identification 203–204, 205
 - Potential Flowing Features 204–208, 206, 207, 209, 211–217, 212
 - surface mapping 202–203
 - wireline measurements 204, 210
 - Cornish granite 113
 - definitions 111, 201
 - extensional crystalline basement 221–236
 - granites 223
 - primary 223–224, 224, 226, 233
 - secondary 224, 225, 226–228, 233–234, 233
 - porosity 18–19
 - thermally induced in granite plutons 143–150, 148
 - see also* joints; primary porosity; rough-walled fractures
 - fracture-dominated flow 197–219
 - see also* Borrowdale Volcanic Group
 - France, hydrocarbon occurrence **46**
- gas fields and reservoirs **37–58**, 83–92
 - abiogenic origin 151
 - Suban field, Sumatra 83–84, 84
- geographical distribution 36
- geological exploration methods 19
- geological modelling 22–23
- geometry
 - fracture network 209–214
 - plutons and joint formation 143–149, 148
- geopressures 24
- Georgia, hydrocarbon occurrence **46**
- geothermal gradients, Japan oil fields 75–79
- Germany, hydrocarbon occurrence **47**
- granites
 - basement reservoir 83
 - basinal brine incursions 188, 191
 - Cornubian batholith 176, 188–189
 - fractured 113, 223
 - kaolinization 175–195
 - porphyritic 100, 101
 - St Austell pluton, Cornwall 176–177, 176, 189–191, 190
 - thermally induced fractures 143–150, 148
- granular volcanic rocks, porosity 98–99
- gravity exploration methods 19–20
- Greece, hydrocarbon occurrence **47**
- Greenland
 - hydrocarbon occurrence **44**
 - Ilímaussaq complex
 - abiogenic hydrocarbons **152**, 162, 165
 - bulk gas analyses **157**, **159**
 - fluid inclusions 154
- groundwater flow in the Borrowdale Volcanic Group 197–219
 - conceptual model 211–214
 - effective properties 214–217, **216**
 - flow zone identification 203–204, 205
 - Potential Flowing Features 204–208, 206, 207, 209, 211–213, 212, 214–219
- hanging wall deformation, modelling 227, 229, 231–232, 230
- heat flow values, maturation modelling **12**, **12**
- high fidelity polymer model (HFPM), rough-walled fractures 127–128, 128, 129, 132

- horst blocks
 fracture systems 221, 222, 225–228
 strain analysis 228–232, 229–230
- host rock, radioactive waste 197
- Hungary, hydrocarbon occurrence **47**
- hydrogeology of the Borrowdale Volcanic Group
 198–201, 199
 effective properties 214–217, **216**
 heterogeneity 213
 major unit identification 209–211
 testing 207–208, 211, 215–216
- hydrothermal alteration
 abiogenic hydrocarbons 164–165
 maturation effects 11, 13
 mid-oceanic ridges 10
 petroleum migration 13
 St Austell granite 176
- Iceland, hydrocarbon occurrence **47**
- igneous intrusions, thermal effects 10–13
- igneous reservoirs 7–8, 16–19
 commercial significance 8
 seals 19
see also volcanic reservoir rocks
- ignimbrites
 porosity 99, 100
 source rocks 8–9
- Ilímaussaq complex, Greenland
 abiogenic hydrocarbons **152**, 162, 165
 bulk gas analyses **157**, **159**
 fluid inclusions 154
- impact structures 2–3
- India, hydrocarbon occurrence **51**
- Indonesia
 basement reservoirs 83–84, 84, 85–87
 hydrocarbon occurrence **53–54**
- inorganic hydrocarbons *see* abiogenic hydrocarbons
- intrusive rocks *see* granites; igneous intrusions;
 plutonic rocks
- Italy, hydrocarbon occurrence **47**
- Japan
 hydrocarbon occurrence **51–52**
 NW Honshu volcanic reservoir rocks 69–81
 oil fields 69, 70, 73–74
- joints
 columnar joints 98, 99
 cooling joints 93, 100, 102, 143
 cross joints 143
 joint sets 223, 224, 224
 plutonic rocks 93, 100, 102, 102
- Kalimantan, basement oil field 84, 86–87
- Kansas, basement oil production 84, 88
- kaolinization in SW England granites 175–195
 aqueous fluids 186–187
 basin evolution model 186–191
 fluid composition 184–185
 fluid inclusion petrography 179–181, 180
 hydrothermal origin hypothesis 176–177
 oxygen isotope composition of quartz 182–183
 paragenesis 184
 regional implications 189–191
 stable isotope composition 181–182, **182**, 184–185,
 186
 thermal evolution 188–189
 timing of fluid migration 187–188, 191
 vein geology 178, 178
 vein petrography and mineralogy 178–179, 179
 weathering hypothesis 177
- Kazakhstan, hydrocarbon occurrence **52**
- Kenya, hydrocarbon occurrence **49**
- Kola Peninsula, Russia
 abiogenic hydrocarbons **152**, 162, 165
 bulk gas analyses **156–157**, **159**
 fluid inclusions 154
- laccoliths 16
 Christmas tree 14–15, 14
 fractured 15
- large intrusions, thermal effects 11–12
- late magmatic origin, abiogenic hydrocarbons 152,
 153, 162–164
- laumontite tuff 25
- lithosphere
 Effective Elastic Thickness 227–228, 229
 flexing 228
- Madagascar, hydrocarbon occurrence **49**
- magma
 abiogenic hydrocarbons origin 152, 153, 162–164
 composition effect on cooling joints 102
 flow foliation in plutonic rocks 100–102, 102, 103
 re-equilibrium model 165–167
- magnetic exploration methods 19–20
- magnetotelluric exploration methods 20, 22
- mantle origin, abiogenic hydrocarbons 151, 153, 162
- marine volcanism, NW Honshu, Japan 69
- mariolitic cavities, plutonic rocks 100
- maturation of hydrocarbons 10–13, 76
 heat flow values 12–13, **12**
 hydrothermal systems 11, 13
 large intrusions 11–12
- Mesozoic sedimentary basins 175, 187, 188
- metal mineralization 8
- metamorphic rocks, basement reservoirs 84, 87–92
- meteoric water 186–187, 200
- methane
 crystalline basement 10
 fluid inclusions 154, 155
- Mexico, hydrocarbon occurrence **44**
- migration of hydrocarbons 13–14, 74, 75
- mineral–fluid evolution of a basin 175–195
- mineralization 8
 Borrowdale Volcanic Group 26, 205–209, 207, **208**
 St Austell granite pluton 176

- mineralization (*cont.*)
see also hydrothermal alteration; kaolinization
- modelling
 basin evolution in SW England 186–191
 fracture systems in extensional crystalline basement
 221–236
 discrete fracture networks 225–226, 232–234, 230
 exhumation fractures 226, 227, 228
 faults 226–228, 232–234, 233
 tectonic fractures 226–228
 geological 22–23
 groundwater flow 211–214
 high fidelity polymer model 127–128, 128, 129, 132
 hydrocarbon accumulation 70–75, 75
 hydrocarbons origin 165–168
 magmatic re-equilibrium 165–167
 maturation of hydrocarbons 12–13
 thermally induced fractures 143–149
- Mongolia, hydrocarbon occurrence **52**
- Møre Trondelag Fault Complex, Norway (MTFC)
 113–115, 114, 117–118, 119, 121–122
- New Caledonia, hydrocarbon occurrence **54**
- New Zealand, hydrocarbon occurrence **54**
- Nicaragua, hydrocarbon occurrence **45**
- Norway
 hydrocarbon occurrence **47**
 Møre Trondelag Fault Complex 113–115, 114,
 117–118, 119, 121–122
- occurrence of hydrocarbons 2, 7–33, 35, 36, **37–58**
 Africa **49–50**
 Antarctica **54**
 Asia **46, 50–53**
 Australasia **53–54**
 Canada **42–43**
 Central and South America **43–46**
 Europe **46–49**
 Indonesia **53–54**
 overlying igneous rocks **55–58**
 Scandinavia **44, 47**
 United Kingdom **48–49**
 United States **37–42**
- oil
 characteristics 24–25
 genesis 80
 maturation and migration 75–79
- oil fields and reservoirs **37–58**
 calculated fluid-pressure profile 77–78
 geothermal gradients 75–79
 Indonesia 83–84, 84, 85–87
 Japan 69–70, 70, 71–74
 oil maturation and migration 75–79
 stratigraphical column, Niigata district **72**
 USA 84–87, 88–89, 90
 Venezuela 89–90, 91
see also gas fields and reservoirs
- Omaha Dome, USA, Christmas tree laccolith 14–15
- optical profiles, rough-walled fractures 128–129, 130,
 136–137, 136
- organic hydrocarbons 2–3
- overlying igneous rocks **55–58**
- oxygen isotope composition, quartz in kaolin veins
 182–183, 183
- parametrization, rough-walled fractures 132–135, **133**
- Paraná Basin, Brazil
 flood basalts 22
 laccolith traps 3, 15
 source rock 13
- pepérite reservoir rock 17–18
- permeability
 Borrowdale Volcanic Group 215–217, **216**
 crystalline basement 94–95, 94, **96**
 igneous rocks 105
 preservation 105
see also porosity
- petroleum *see* oil
- PFFs *see* Potential Flowing Features
- Philippines, hydrocarbon occurrence **54**
- phonolite ignimbrite, flow porosity 99
- plateau basalts *see* flood basalts
- plutonic rocks
 diffusive porosity 100–102, 104–105, 104
 flow porosity 102, 104–105, 104
 jointing 93, 100, 102, 102
 magmatic flow foliation 100–102, 102, 103
see also granites
- plutons
 cooling joints 143
 geometry and primary fracture distribution 143–149,
 148
 St Austell granite 176–177, 176, 189–191, 190
 thermal effects 11–12
- porosity 16–19
 depth relationship, argillaceous sediments 76, 80
 fractures 18–19
 permeability relationship, volcanic reservoir rocks
 74
 secondary 18
see also diffusive porosity; flow porosity; primary
 porosity
- porphyritic granite 100, 101
- Portugal, hydrocarbon occurrence **47**
- post-magmatic origin, abiogenic hydrocarbons
 164–165
- Potential Flowing Features (PFFs), groundwater flow
 204–208, 206, 207, 209, 211–217, 212, 214–218
- pre-Tertiary basement reservoirs 83–92
- Precambrian basement reservoir, Kansas 84, 88
- pressure seals, volcanic reservoir rocks 19, 74–75, 79
- primary fractures
 modelling 225, 232
 SW Vietnam 223–224, 224
- primary porosity 16, 93–107
 classification in igneous rocks 95–103, **96**

- crystalline volcanic rocks 96–98
- granular volcanic rocks 98–99
- plutonic rocks 100–103
- preservation 105
- weathering effects 104
- production practices 24–25
- profiling, fracture surfaces 126–132
- quartz
 - oxygen isotope composition in kaolin veins 182–183, 183
 - relationship to kaolin 175, 178–179, 180, 184
 - temperature of precipitation 183–184
- quartzites, basement reservoir 84, 88
- radioactive waste repository 197
- Red Sea, hydrocarbon occurrence **49**
- Republic of the Congo, hydrocarbon occurrence **49**
- reservoirs
 - domal 69–75, 71, 73, 74, 75
 - igneous 7–8, 16–19
 - pep rite rock 17–18
 - rock types **37–54**
 - see also* basement reservoirs; gas...; oil...; volcanic reservoir rocks
- rough-walled fractures 125–141
 - digital optical imaging 128–129, 130, 132, 136–137, 136
 - fluid calibration 129–130, 130
 - high fidelity polymer model preparation 127–128, 128, 129, 132
 - parametrization 132–135, **133**
 - real rock apertures 137–139, 137–139
 - results 136–139
 - software 126, 132, 132, 134, 135
 - surface profiling 126–132
 - synthetic fractures 135–136, 136, 137
 - technical difficulties 131–132, **131**
- Russia
 - hydrocarbon occurrence **47–48**
 - Kola Peninsula, hydrocarbon-bearing fluid inclusions 154
- St Austell granite, Cornwall, UK 176–177, 176, 189–191, 190
- sampling methods, fracture attribute analysis 111–113, 112
- schists, basement reservoir 87, 90
- seals 19, 74–75
- secondary fractures 224, 225, 226–228, 233–234, 233
 - see also* shear fractures; tectonic fractures
- secondary porosity 18
- sedimentary basin evolution 189–191
- seeps **37–38, 41–49, 51–54**
- seismic exploration methods 20–22
 - processing procedures 21
 - techniques 20–21
 - volcanostratigraphy 21–22
- seismic faulting, modelling 226–227
- Sellafield, UK
 - Borrowdale Volcanic Group 197–219
 - geology and hydrology 198–201, 198, 199, 200
 - mineralization episodes **208**
 - stratigraphy 200
- serpentine plugs, Texas 16, 17, **18**
- serpentinization
 - abiotic hydrocarbons 10
 - basic rocks 153, 169
- shear fractures 224, 225, 233–234, 232
- shows **37–48, 50–51, 53–54**
- software
 - fracture networks 225, 233
 - rough-walled fracture characterization 126, 132, 132, 134, 135
- sonic velocities, igneous rocks **20**
- source rocks 8–10
- South Africa, hydrocarbon occurrence **50**
- stable isotope characteristics
 - abiogenic hydrocarbons 155, **160**
 - kaolin veins 181–182, **182**, 184–185, 186
- strain analysis
 - extensional crystalline basement 228–232
 - thermally induced fractures 144–146, 146, 147
- stratigraphic trap, volcanic-filled basin 9, 9
- stratigraphy
 - Niigata district, Japan 72
 - Sellafield area, UK 200
- subaerial volcanic rocks, source rocks 9
- Suban gas field, Sumatra 83–84, 84
- Sumatra, basement oil fields 83–84, 84, 85
- supercritical water 13
- surface mapping 19, 202–203
- SW Vietnam
 - extensional crystalline basement 221–236
 - field studies and fractures 223–225
 - geology 222–223
 - modelling of fractures 225–228
 - strain analysis 228–232
- Syria, hydrocarbon occurrence **52**
- tabular granitic plutons, geometry and primary fracture distribution 143–149, 148
- tectonic fractures, modelling 226–228, 232
- themogenic hydrocarbons *see* organic hydrocarbons
- thermal effects of igneous intrusions 10–13
- thermally induced fractures in granite plutons 143–150
- Tibet, hydrocarbon occurrence **52**
- traps 14–16, **37–54**
 - buried volcanoes 15–16, 17
 - fractured sills 15
 - laccoliths 14–15, 14, 16
 - stratigraphic 9, 9
- Turkey, hydrocarbon occurrence **52**
- Ukraine, hydrocarbon occurrence **48**

- ultrabasic rocks, abiogenic hydrocarbons 153–154
- United Kingdom
 - Borrowdale Volcanic Group 197–219
 - Cornwall
 - fracture attribute analysis 113, *114*, 115–117, *115–116*
 - St Austell granite 176–177, *176*
 - vein formation 120–121
 - vein thickness and spacing 115–117, *115–116*
 - hydrocarbon occurrence **48–49**
- United States
 - basement reservoirs 84–87, *88–89*, *90*
 - hydrocarbon occurrence **37–42**
- unloading, fractures 224, 227–228, *229*
- upper mantle, abiogenic hydrocarbons 151, 153

- veins
 - Cornwall, UK
 - formation 121–122
 - thickness and spacing 115–117, *115–116*
 - kaolin 178–179, *179*
 - stable isotope composition 181–182, **182**, 184–185, *186*
 - quartz, oxygen isotope composition 182–183, *183*
- Venezuela
 - basement reservoirs 89–90, *91*
 - hydrocarbon occurrence **46**
- Verran fault plane, Norway (VFP) *114*, 115, 121–122, *122*
- vesicular volcanic rocks
 - porosity *97*, *97*
 - primary porosity 16
- VFP *see* Verran fault plane
- Vietnam
 - fracture systems in extensional crystalline basement 221–236
 - hydrocarbon occurrence **53**
- volatiles
 - petroleum migration 13–14, 15
 - see also* hydrothermal alteration; kaolinization
- volcanic reservoir rocks 2–3, 2, 18
 - basins beneath 8, 9, 9
 - crystalline 96–98
 - granular 98–99
 - magnetotelluric exploration 22
 - NW Honshu, Japan 69–81
 - Niigata district 69–75, *71*, *73*, *74*, *75*
 - porosity *74*, 96–99, *97–99*, 104–105, *104*
 - pressure seals 74–75
 - source rocks 9
 - vesicular 16, 97, 97
 - see also* flood basalts; volcanoclastic rocks
- volcanic-carbonate platforms (domes) 16, *18*
- volcanoclastic rocks 21, 98–99
- volcanoes, traps 15–16, *17*
- volcanostratigraphy, exploration method 21–22
- Vung Tau peninsula, Vietnam
 - fracture attribute analysis 113, *114*, 117, *117*, *118*
 - lithological variations 121

- water
 - basinal brine incursions 188, 191
 - meteoric 186–187, 200
 - supercritical 13
 - see also* fluids; groundwater flow . . .
- weathering
 - kaolinization effect 177
 - porosity and permeability effects 104
 - see also* exhumation
- well log analysis 23, *24*
- wireline measurements, Borrowdale Volcanic Group 204