

# Index

**Note:** Page numbers *in italics* refer to figures; **bold** numbers indicate tables.

- accommodation structure 231
- accretionary systems 194, *194*, 197, *198*, 199–200
- aggradation rates 198–9, 394, 395
- aggradational by-pass facies (FA8) **206**, 210, *211–12*, 213, 215
- allochthonous facies 18, 20
- allogenic control *199*, 200
- alluvial fans 52, 83
- Alpine orogen 54, *66*, *69*, 70, 92
- amalgamated channelized turbidites 412, *413*, 426, *429*
- angular unconformity 73
- Annot sub-basin 90, 111–35, *112*, 146–8, *304*, 367–88, *370*
  - basin filling model 161–2, 163–4, 172–7
  - biostratigraphy 115–17, 130, 140–4
  - chronostratigraphy 115–16, *115*, *131*
  - depositional history 126–32, 154–8
  - depositional models 161–2, 163–4, 176–7
  - facies description 304–9
  - facies distribution 154–7, *156*
  - facies and regional correlation 9, *145*, 155–4, 157, *165*
  - lithostratigraphy 113–15, *113*
  - onlap pattern 372–5
  - outer margin slope reconstruction 377–8
  - palaeobathymetry 167–8, *175*, 303, *305*
  - sector correlation *149*, *151*, *153*
  - sediment supply and source location 132, 144–6, 169–70, *171*, 176–7
  - sedimentology 117–26, 273–7
  - sequence stratigraphy 7–10, 126–32
  - soft-sediment deformation 378–85
  - stratigraphic modelling 166–77
  - structure 112–13, *114*, 244–6
  - syndepositional faulting 369–72
  - total accommodation 168, *170*
  - transport parameters 170–1
  - turbidity currents 303–4
  - water flow variation *176*
- anticlines 374, 381
- antithetic faults 237
- architectural element analysis 409, 426–33
  - channel dimensions 429–31, *430*
  - permeability barriers 431–3, *432*
  - reservoir scale hierarchy 428, *430*
  - reservoir types 426
- Argentera–Mercantour Massif *67*, *71*, *224*, *243*, *332*, 368, 368
- autochthonous facies 18, 20
- autogenic events 183
  - high-resolution stratigraphic correlation *between 247–8*, *251–2*, *between 251–2*
  - kinematic analysis 247–51, 252–5
  - outcrop interpretation 246–7
  - palaeocurrent measurements 260
- Barrême Basin 97–110, *98*, *99*, *103*
- Barrot Massif 76–8
- Barrot–Castellane fault zone 368, *368*
- base-of-slope sandstone bodies 303, 312, 331–47
  - architecture *341*
  - characteristic sequence 343
  - depositional models 319–20, 324–5, 344
  - depositional processes 343–4
  - previous interpretations 333–4
- base-Tertiary erosional unconformity 73, 75, 76, 82, 83, 92
- basement 91, 242
- basin infilling 10
  - Annot sub-basin 154–7
  - diachronous 5–7, 6
  - Grès d'Annot Formation 281
  - model 161–2, 163–4, 172–7
- basin-floor topography 12, 21–2, 104, 203–22
- basins
  - eastern Brazilian continental margin 420–1, *421*
  - syndepositional deformation 203–22
  - thrust-sheet-top 97–9, *98*, *99*, *101*, 106–9
  - see also* Grès d'Annot Basin; North Alpine Foreland Basin; sub-basins
- Bau de Parroux onlap 374, *375*
- benthic foraminifers 143–4
- Bergère Fault hanging wall 253
- bioclastic limestones 68, 86
- biostratigraphy
  - ages 140–4
  - Annot sub-basin 115–17, 130
  - events *141*
- bioturbated condensed facies (FA6) 191, **206**, 208, *210*
- bioturbation 185
- biozones correlation *141*
- Bouma sequences 22, 27–9, 212
  - Crête de la Barre member 117, 119, *121*
  - genetic units 185, *186*, 191, 196
  - Scaffarels member 124
- Braux sandstones 303, *305*, 374, 385, *385*
  - Braux-Lower sub-unit 268, 274–7, *274*, 275, 281
  - Braux-Upper sub-unit 268, 274, 276
- Braux–St Benoit area 267–83, *269*
  - Calcaires Nummulitiques 269–73, *271*, *272*, *273*
  - geological synthesis 278–81, *279*
  - Grès d'Annot 273–7
  - Marnes Bleues 269–73, *271–4*
- Brazil, Cretaceous sandstone reservoirs analogue 419–37

- breccia, fault 270  
 Burdigalian, transgression 50, 51, 56  
 by-pass facies 188, 196, 200, 208–10, 211–12, 213–15, 220  
   aggradational (FA8) 206, 210, 211–12, 213, 215  
   progradational (FA9) 206, 210, 211–12, 213–15, 217
- Cabane des Abeurons  
   normal fault 376, 377  
   soft-sediment deformation 378–80, 379, 380
- Caire Brun Fault (FS1) 226, 227, 230, 231, *between* 247–8, 259  
   reconstruction 232–4, 233  
   stratigraphic geometry 262
- Caire Brun–Gendron fault system 230–1, 231  
   interpretative model 234–5  
   kinematics 232, 232  
   schematic evolution 233  
   staircase geometry 235–8
- Calcaire Intermédiaire 369
- Calcaires Nummulitiques Formation 4, 66–8, 100, 162, 243  
   Annot sub-basin 113, 369, 370–1, 370  
   base 99  
   biostratigraphy 115–16  
   Braux–St Benoit area 269–73, 271, 272, 273  
   composition 77  
   deposition 162–3  
   marine transgression 87–8  
   stratigraphy 86–8
- calcareous nannoplankton datings 142–3
- calcite 354
- calciturbidite beds 272
- Campos Basin, Brazil 420–1, 420, 422
- canyon systems 268, 303
- Carapeba field, Brazil 406, 419  
   Heresim facies model 434, 434  
   turbidites 423–4, 427
- carbonates 353, 354, 356
- Carton section 289, 291, 298
- Castellane Arc 67, 368, 372
- catastrophic events 34
- Chalufy 376, 391  
   channels–lobes transition area 152, 153  
   geometric model 394–8  
   lower sandstone body 390, 392, 396  
   middle sandstone body 390–1, 393, 396  
   onlaps 30, 32, 34, 375–6, 376, 379, 386, 389–94, 398  
   onlaps simulation 396–7  
   upper sandstone body 391–4, 393, 396
- Chambre du Roi discontinuity 126, 127, 129, 130
- channel deposits 128, 345  
   amalgamated channelized turbidites 412, 413  
   channel-fill 345  
   complexes 426, 428, 429  
   overbank deposits 314, 412, 414  
   submarine fill 333–4, 343–4  
   turbidite 380
- channelized transit valley 146, 150
- channels  
   depositional 412, 414, 429, 430  
   dimensions 429–31, 430, 431  
   erosional 412, 413, 429, 430  
   infill thickness/width ratio 431  
   scale 428, 430
- chaotic units 335
- Château Garnier syncline, unconformity 72–3, 74
- chronostratigraphy 4–7, 5  
   Annot sub-basin 115–16, 115, 131  
   Grès de Ville 99–102
- Cime de Dieu Delfy outcrop 246, 401, 405–10, 406–7  
   correlation panel 408  
   facies association 409, 412, 426, 428  
   genetic units 182, 183, 184  
   geological modelling 406–8, 407–8  
   Heresim facies model 433–4, 433  
   seismic interpretation 412–16, 415  
   seismic responses 410–12  
   sequence organization 409–10  
   three-dimensional data sets 412
- clast type and provenance 74, 77
- claystones 353, 355, 356
- Clumanc folds 104, 105
- coarse-grained bioturbated aggradational by-pass facies (FA8) 206, 210, 211–12, 213, 215
- coarse-grained progradational by-pass facies (FA9) 206, 210, 211–12, 213–15, 217
- Col de la Moutière site 182, 183, 184, 195, 245, 246, *between* 247–8  
   *see also* Barre de la Mauvaise Côte Cliff
- Colle Meyère channel 380
- collision events 39, 49–50, 54, 55
- compaction problem 167
- composite sandstone unit 379–80
- confined facies 305, 384
- confining lateral slope 311–12, 320–7, 322, 325
- conglomerates 82, 86, 152, 208
- Conglomérats d'Argens 113
- correlation  
   biozones 141  
   Restefonds–Sanguinière sub-basin 184, 218, 220  
   sandstones 19  
   sectors 149, 151, 153  
   *see also* regional correlations
- correlation panels 247  
   Barre de la Mauvaise Côte Cliff *between* 247–8, 251–2, *between* 251–2  
   Cime de Dieu Delfy outcrop 408  
   Grès de Peira Cava 316
- Corsica–Sardinia Massif 8, 242, 285  
   source 314, 362
- Côte de l'Ane area 203–22, 205, 214–15  
   basin flexure 217, 220  
   deep marine facies 212–15, 220

- facies associations **206**, 208–12  
 outcrop geometry 215–17  
 stratigraphic units 215–16  
 synthetic geometry 219
- Coulomp valley  
 Gastres and Scaffarels members 115, 120, 122, 124, 125, 127  
 onlap relationships 370–1, 374, 375, 381
- Cretaceous  
 carbonates 72–3, 74  
 sandstone reservoirs 419–37
- Crête de la Barre  
 discontinuity 121  
 onlap 374
- Crête de la Barre member 113–15, 122, 130  
 lower 117, 120, 121, 123  
 upper 119–20, 121, 122, 123, 125
- current-casts 119, 122, 124, 124
- currents *see* flow characteristics; palaeocurrent  
 directions; turbidity currents
- cycles *see* genetic units
- D21 sandstone body, Peira Cava 334–9, 337–41
- D2566 sandstone body, Peira Cava 339–43, 342, 343
- dating 17–18  
 foraminifera 140–2  
 nannoplankton 142–3
- debris flows 4–5, 119, 183, 208, 213  
 Cime de Dieu Delfy 406, 407
- debrisites 225, *between* 247–8, 334, **335**, 339
- décollement layers 252
- deep marine facies 212–15, 220  
 direct evidence 212–13  
 untypical facies 213–15
- deep-sea fans 29–30
- deformation  
 soft-sediment 369–88, 391  
*see also* synsedimentary deformation
- density surge 33, 34
- depletive regimes 306, 308–9
- depocentres 40, 45, 48, 51
- deposition  
 Annot sub-basin 126–32, 154–8, 163–4  
 bathyal depths 20  
 diachronous 5–7, 6, 99, 369  
 model 10–11  
 stacking patterns 131, 132, 144  
 tectonic response 261
- depositional channels 412, 414, 429, 430
- depositional models 10–11  
 Annot sub-basin 161–2, 163–4, 176–7  
 base-of-slope sandstone bodies 319–20, 324–5, 344  
 genetic units 198–9  
 turbidity currents 319–20, 324–7, 326
- depositional processes  
 base-of-slope sandstone bodies 343–4  
 genetic units 196–7  
 Restefonds–Sanguinière sub-basin 196–7
- diachronous deposition 5–7, 6, 99, 369
- Digne Thrust belt 2, 6, 43, 53, 54, 67, 112, 112, 163
- Dionisos software 166
- discontinuities 121, 126, 127, 129, 130, 144
- discrete channel complexes 426, 429
- distributary channel and lobe complexes 426, 429
- downstream thinning 318–20, 319
- drowning surface 272
- dynamics of flow 32–4
- East Iberian orogen 66, 69, 70
- elementary depositional events 183–5, 196–7
- Embrunais–Ubaye nappes 2–3, 43, 109, 225, 226, *between* 247–8
- Eocene 17, 46  
 basin origin 70  
 depocentres 45  
 early to mid 279–80  
 mid to late 280  
 stratigraphy 46–7, 54  
 uppermost 280–1
- erosional channels 185, 412, 413, 429, 430
- erosional surfaces 102, 187–90
- erosional unconformity  
 base-Tertiary 72–3, 73, 74, 75, 76, 82, 83, 92  
 top Grès d'Annot 244
- eustatic controls 10, 130, 132, 176
- experimental study, turbidity currents 320–7
- extensional faults 244, 251, 252
- extra-scour facies 305, 305, 306
- facies  
 Annot sub-basin 304–9  
 Cime de Dieu Delfy outcrop 426, 428  
 classification 350–2, 352  
 continuity 433–5  
 degree of preservation 183  
 description, Peira Cava outlier **335–6**  
 geochemical and sedimentological logs 359  
 geochemical variability patterns 360  
 Grès d'Annot Basin 146–50, 148, 156  
 Heresim model 433–5  
 Marnes Brunes Inférieures 295–6, 296  
 sandstones **335–6**  
 thickness changes 74  
 Trois Evêchés sub-basin 174, 174
- facies associations 185–91, 204–12, 246–7, **248–9**, 250  
 Cime de Dieu Delfy outcrop 409, 412  
 Côte de l'Ane area **206**, 208–12  
 deep marine deposition 212–15  
 FA1 185, 186, 205–7, **206**, 207  
 FA2 185–7, 187, 188, **206**, 207, 208  
 FA3 187–90, 188–9, **206**, 207, 209  
 FA4/FA5 190–1, 190, 191, **206**, 207–8, 209  
 FA6 191, **206**, 208, 210  
 FA7 **206**, 208, 210  
 FA8 **206**, 210, 211–12, 213, 215

- facies associations (*cont.*)  
 FA9 206, 210, 211–12, 213–15, 217  
 geometries 192–6
- fan delta systems 10, 86, 88, 131, 132, 137, 157, 176  
 Annot sub-basin 304, 305  
 deep-sea 29–30  
 Restefonds–Sanguinière sub-basin 199  
 stratigraphical significance 197–9
- fault blocks 280–2
- fault escarpment 371, 373
- fault geometry 223–40  
*see also* staircase normal fault geometry
- fault morphologies 226–30  
 accommodation structure v. lithology 231  
 FS1 subsystem 226–8, 227  
 FS2 subsystem 227, 228  
 FS3 subsystem 228, 228  
 FS4 subsystem 228–9, 228  
 FS5 subsystem 229
- fault steps *see* staircase normal fault geometry
- fault systems  
 Barrot–Castellane fault zone 368, 368  
 coexistence and superposition 238–9  
 Fort Fault system 230  
 Gendron Faults 227, 228, 228, 230, *between* 247–8  
 Le Savelet Fault 11, 370, 371, 373, 375, 385  
 Neve Fault *between* 247–8, 250, 252–4, 254, 255  
 Ourges Fault 368, 372  
 Point Vert Fault 229, 254, 254  
 Rouaine Fault 372, 386  
 St Benoit Fault 268, 270, 270, 271, 274, 276–7, 281  
 synthetic fault sets 226–8, 237  
*see also* Caire Brun Fault; Caire Brun–Gendron  
 fault system
- faults  
 antithetic 237  
 extensional 244, 251, 252  
 heterolithic successions 228–9, 229  
 normal 223–40, 280, 376, 377  
 synsedimentary 76, 241–65
- feeder systems 194, 194, 197, 198, 199–200, 303, 350
- feldspar grains 358–60
- fifth-order sequences 423, 425
- flaser-bedding 189, 195
- flexural foreland basin 39, 50, 54
- flow characteristics 32–4, 312–14  
 competence and capacity 312  
 concentration 313–14  
 grain-size distribution 325–7  
 impact mechanisms 344  
 non-uniformity 301, 302, 306–7, 306–9, 321,  
 324–5, 325  
 pattern 321  
 unsteadiness 301  
 velocity 312–13, 321, 325–7  
*see also* debris flows
- flows *see* debris flows; hyperpycnal flows; turbidity  
 currents
- flume experiments 27, 32–4
- flute and groove casts 129, 307, 378, 380, 381, 394
- fluvio-estuarine infill 369
- flysch 19–20, 46
- fold belts 41, 70–2, 71
- folds  
 anticlines 374, 381  
 Clumanc 104, 105  
 monoclinial 277–8, 278, 280  
 synclines 370, 381, 383, 384  
 synsedimentary 75–6, 182–3  
*see also* basins
- foraminifera 68  
 datings 140–2  
 palaeobathymetric indicators 143–4
- foreland basin evolution 2, 39–63, 65, 66, 80  
*see also* basins; Grès d'Annot Basin; North Alpine  
 Foreland Basin; sub-basins
- Fort Fault system 230
- fourth-order sequences 423, 425
- fracture distribution 230–1
- Fresnel zone 404
- Garambes member 115, 124–6, 127, 128, 129, 130
- Gastres discontinuity 127
- Gastres member 115, 120, 125, 127, 130  
 mega-slide 120, 122, 128, 148–50  
 soft-sediment deformation 378, 381, 382–3, 384,  
 384
- Gendron2 Fault (FS3) 228, 228, *between* 247–8
- Gendron Fault (FS2) 227, 230
- genetic units 181–202, 195–6, 220  
 accommodation/supply variations 197–9  
 allogenic control 199  
 depositional model 198–9  
 depositional processes 196–7  
 facies 191–2  
 repetitive units 192, 193  
 two-dimensional geometry 192–6, 194, 197–8,  
 199–200
- geochemistry 12–13, 349–65  
 bed scale variability 363  
 chemical end-members 353–7, 355  
 facies logs 359  
 grain-size controls 358–61, 363, 364  
 local scale variability 358  
 sampling, analysis and petrography 352–3  
 sorting processes 361–2  
 source characterization and correlations 362
- geometric models, onlap relationships 389–99
- geometries 200, 203–22  
 Côte de l'Ane outcrop 215–17, 219  
 evolution 216  
 progradational 199–200  
 syntectonic stratigraphy 260–2  
 turbidity currents 321  
 two-dimensional 192–6, 194, 195–6  
 upstream–downstream 194

- graded bedding 20, 21
- grain size  
controls of geochemical variability 358–61, 363, 364  
distribution in turbidites 325–7
- Grand Coyer trough 9, 150–2, 151, 154, 157, 165, 174–5  
key sections 287–95  
remnant 285–300, 286, 287
- granite intrusion 49–50
- gravity deposits 4, 31  
*see also* debris flows; mega-slide
- Grès d'Annot Basin 65–95, 109, 137–40, 138, 181–3, 182  
definition 65  
early Tertiary uplift 76–8  
facies 146–50, 148, 156  
fold belt 70–2, 71  
marine transgression 82–8, 87, 88  
palaeogeography 84–5, 139, 224, 424  
palaeostructural analysis 72–6, 75, 78  
plate tectonic evolution 68–70, 69  
stratigraphy 66–8, 68  
structural setting 3–4, 70–6, 73, 90  
syndepositional deformation 78–80  
tectonic activity 91–2  
tectonostratigraphy 80–91
- Grès d'Annot Formation 68, 162  
age equivalent 106  
Annot sub-basin 113–14, 126–32, 154–8  
architectural element analysis 426–33  
basal unconformity 89–90  
base 79  
bed scale geochemical variability 363  
Cime de Dieu Delfy outcrop 409, 412, 426, 428  
correlation panel construction 247  
deposition 163, 191–2, 281  
distal and lateral expression 297–8  
evidence of synsedimentary structures 277–8  
facies 350–2, 352  
facies associations 185–91, 246–7, 248–9, 250  
facies distribution 154–7, 156  
facies and tectonics 257–9  
features and origin 243–4  
fining-upward sequences 424–5  
geometries 192–6  
isopach maps 155  
kinematic analysis 246–51, 252–5, 260  
lithostratigraphy 4, 46, 49, 50–1, 52–4, 113  
new perspectives 1–16  
onlaps 79, 80, 89–90, 369  
palaeogeography 1, 4–7, 8, 164, 351  
provenance 109  
regional correlation 7–10, 9, 18–19, 137–60, 165, 184  
sedimentology 117–26, 273–7  
*sensu lato* 4–5, 30–2  
stratigraphy 251–2, *between* 251–2, 424–5, 425
- synsedimentary deformation 79–80  
synsedimentary faulting 244, 252  
tectonic control of stratigraphy 255–7, 260–2, 263  
tectonic setting 244–6  
turbidite classification and features 118, 122  
*see also* Grès de Peïra Cava; sandstone bodies; turbidites
- Grès d'Annot Formation depositional models 10–11, 163–4, 176–7
- Grès de Peïra Cava  
correlation panel 316  
facies 314  
gross sediment distribution 317  
individual sandstone bed distribution 317–18  
interpretation 318–20  
*see also* base-of-slope sandstone bodies
- Grès de Ville Formation 97–110  
basin context 97–9  
chronostratigraphical context 99–102  
heavy mineral suites 104–6, 107, 108, 109  
Oligocene depositional environment 103, 106  
provenance 104–6, 109  
sedimentology 102, *between* 102–3  
*see also* Grès d'Annot Formation
- groove casts *see* flute and groove casts
- growth faulting *see* synsedimentary faulting
- heavy minerals  
Grès de Ville Formation 104–6, 107, 108, 109  
variability 357, 359–60, 360, 361–2
- Heresim facies model 433–5, 434
- heterolithic progradational facies association (FA2)  
185–7, 187, 188, 206, 207, 208
- heterolithic successions 150, 152, 154, 224, 252  
faults 228–9, 229  
sorting processes 361–2  
synsedimentary deformation 253, 257–9, 259
- heterolithic tabular facies association (FA1) 185, 186, 205–7, 206, 207
- high density turbidites 355, 358, 359, 362
- high-resolution sequence stratigraphy 10–11, 247, 250  
analysis 423–4  
correlation *between* 247–8, 251–2, *between* 251–2
- homolithic shallow erosional/by-pass facies (FA3)  
187–90, 188–9, 206, 207, 209
- homolithic tabular facies associations (FA4, FA5)  
190–1, 190, 191, 206, 207–8, 209
- hydraulic jumps 33–4, 214, 344
- hydrocarbon reservoirs 331, 345–6
- hyperpycnal flows 197, 220, 246
- inbound-slope model 344
- injection, sand 375, 380, 381, 383–4, 386
- intra-scour facies 306, 307, 308, 309
- intraformational matrix-supported conglomerates (FA7) 206, 208, 210

- isopach maps  
 experimental turbidity currents 323  
 Grès d'Annot Formation 155  
 sandstone bed thickness 318
- kinematic analysis  
 Caire Brun–Gendron fault system 232, 232  
 Grès d'Annot Formation 246–51, 252–5, 260
- La Ville outcrop 104, 106  
 laboratory experiments 32  
 laminasets 185, 186, 186, 191, 197  
 lateral basin-slope 311–30, 344  
 Le Laupon section 289–91, 293  
 Le Savelet fault 11, 370, 371, 373, 375, 385  
 Les Gastres *see* Gastres member  
 limestones 86–7  
 lithofacies model 401, 433–5, 433  
*Lithophaga* borings 86  
 lithostratigraphy 4, 46, 49, 50–1, 52–4, 113  
 Annot sub-basin 113–15  
 NAFB 43–54, 44  
 Nummulitic Series 162, 350  
 lobe-system deposition 128, 132, 152, 394, 426, 429  
 low amplitude erosion 188  
 low density turbidites 358, 359, 362  
 low-angle accretionary bedsets 187, 188, 196, 198, 198, 200  
 Lowe sequence 191–2  
 Lower Marine Molasse 47–9
- marine transgression 126–8, 130  
 Grès d'Annot Basin 82–8, 87, 88  
 marls 4, 68, 82–3, 276–7  
 Marnes à Globigerines *see* Marnes Bleues Formation  
 Marnes Bleues Formation 4, 46, 66, 68, 100, 125, 129, 162, 243, 369  
 age 99  
 Annot sub-basin 113  
 base 109  
 Braux–St Benoit area 269–73, 272, 273, 274  
 carbonates 353  
 datings 143  
 environment 88–9  
 onlapping sandstones 374, 375, 376, 377, 380, 392–3  
 palaeotopography 288  
 shock loading 334  
 syndepositional deformation 79  
 Marnes Brunes Inférieures 285–300, 289, 291, 353, 355  
 Carton section 289, 291, 298  
 facies characteristics 295–6, 296  
 Grès d'Annot relationship 296–8  
 Le Laupon section 289–91, 293  
 logs 289–91, 292  
 onlap topography 298–9  
 origin 297  
 Sommet de la Mole section 293–5, 294, 295  
 Vallon de Fouès section 288–9, 289, 290
- massifs 2, 3, 8, 19, 137, 138  
 Argentera–Mercantour 67, 71, 224, 243, 332, 368, 368  
 Barrot 76–8  
 Corsica–Sardinia 8, 242, 285, 314, 362  
 Maure–Esterel 8  
 Sanguinière 405
- mature sandstones 360  
 Maure–Esterel Massif 8  
 measured composite sections 144–52  
 mega-slide/mega-slump 120, 122, 128, 148–50, 378  
 megafute-casts 129  
*see also* flute and groove casts
- Mesozoic succession 72–3, 74, 77, 242, 369, 420–1  
 Miocene 47–9, 51, 52, 54–6, 56
- modelling  
 depositional 10–11, 161–2, 163–4, 176–7  
 Heresim facies model 433–5, 434  
 one-dimensional plane wave convolution 402, 403  
 stratal architecture 394–8  
 stratigraphic 10, 161–80  
 subsurface 13–14  
 three-dimensional seismic 13, 401–17
- molasse 19  
 monazite 362  
 monoclinical folding 277–8, 278, 280  
 Mort de l'Homme Ridge 83  
 mudstones 276
- NAFB *see* North Alpine Foreland Basin  
 nappe d'Autapie 368  
 nappes 2–3, 41, 50, 54  
*see also* Embrunais–Ubaye nappes
- Neve Fault *between* 247–8, 250, 252–4, 254, 255  
 Nice Arc 67, 70  
 non-depositional condensed interval 196  
 non-uniformity, turbidity currents 301–10  
 normal faults 223–40, 280, 376, 377
- North Alpine Foreland Basin (NAFB) 41, 42, 48, 56, 181  
 basin geometry and dynamics 47, 49–50, 51–2, 54–6  
 Burdigalian 50, 51, 56  
 Eocene–early Oligocene 46  
 late Miocene–Pliocene 52, 56  
 lithostratigraphy 43–54, 44  
 nomenclature 43  
 Oligocene–early Miocene 47–9  
 nummulites 115–16, 270–1  
 Nummulitic Trilogy 4–5, 46, 66  
 lithostratigraphy 162, 350
- oil exploration 29  
 Oligocene 17  
 basin death 70  
 depocentres 48

- depositional environment 103, 106  
 Grès de Ville 99, 103  
 lowermost 281  
 palaeogeography 8, 390  
 stratigraphy 46–7, 54, 54–6
- olistostromes 5, 244
- one-dimensional plane wave convolution seismic modelling 402, 403
- onlap relationships 13, 30, 32, 34, 50, 73, 369, 378, 389–99  
 Annot sub-basin 369–75  
 Annot to Chalufy 377–8, 386  
 Chalufy 30, 32, 34, 375–6, 376, 379, 386, 389–94  
 end-member types 389, 394  
 geometric models 394–8  
 Grès d'Annot Formation 79, 80, 89–90, 369  
 Le Ruch scar-fill 372, 373  
 Le Savalet to Bau de Parroux 373–5, 375  
 Marnes Brunes Inférieures 298–9  
 outer basin-margin 369–88  
 Peira Cava outlier 314, 315, 334  
 soft-sediment deformation 378–81  
 surface geometry 371–2, 372–5, 385–6
- orogens 3, 54, 66, 69, 69, 70, 78, 86, 92
- Ourges fault 368, 372
- outliers, Tertiary 91
- overflow turbidity currents 380
- overturned syncline 381, 383, 384
- palaeobathymetry  
 Annot sub-basin 303, 305  
 indicators 5, 143–4, 152, 157, 167–8  
 turbidites 311, 315
- palaeocurrent directions 286, 390  
 Barre de la Mauvaise Côte Cliff 260, 262  
 confined flows 314, 315  
 deep marine origin 212, 213  
 regional correlation 148–50, 149, 152
- palaeogeography 1, 4–7  
 Grès d'Annot Basin 84–5, 224, 424  
 Grès d'Annot Formation 1, 4–7, 8, 164, 351  
 Oligocene 8, 390  
 Peira Cava outlier 333  
 Sanguinière sub-basin 405, 405  
*see also* palaeotopography
- palaeoslope gradients 394–8
- palaeostructural analysis 72–6, 75, 78
- palaeotopography 3, 7, 12–13  
 Annot sub-basin 167  
 Marnes Bleues surface 288  
 Peira Cava sub-basin 333, 333
- Palaeozoic basement uplift 76–8
- parasequences 181–202  
*see also* genetic units
- Peira Cava outlier 314–20, 331–47, 332  
 D21 sandstone body 334–9, 337–41  
 D2566 sandstone body 339–43, 342, 343  
 depositional processes 343–4  
 facies description 335–6  
 palaeogeography 333  
*see also* Grès de Peira Cava
- permeability barriers 431–3, 432
- photomosaics, Cime de Dieu Delfy outcrop 406, 407
- plastic rheology 235, 236, 239
- plate tectonic evolution  
 Grès d'Annot Basin 68–70, 69  
*see also* orogens; tectonics
- Pliocene 52, 53, 56
- Point Vert Fault 229, 254, 254
- ponded basin 146–8, 157, 367, 373, 386
- Poudingues d'Argens Formation 4, 66, 77, 82–4, 100, 369
- pre-Cenozoic rocks 242
- Priabonian Trilogity 4, 30, 47, 137, 162, 162, 243, 349–50
- progradation 198–200
- progradational by-pass facies (FA9) 206, 210, 211–12, 213–15, 217
- provenance 74, 77, 362–3
- Pyreneo-Provençale orogen 66, 69, 70, 78, 92, 138
- quartz grains 358, 360
- quiescent phase 267
- ramp systems 79, 137, 157, 176, 178
- regional correlations 7–10, 9, 18–19, 137–60, 165, 184  
 database 140  
 depositional scenario 154–7  
 measured composite sections 144–52  
 methodology 140–4
- regression 7
- repetitive genetic units 192, 193
- research 1–3, 17–25  
 18th–19th centuries 17–19  
 1890s to mid-1950s 19–21  
 1950s onwards 21–2, 28–9
- reservoirs  
 architectural element analysis 349, 409, 426–33  
 Brazilian Cretaceous sandstones 419–37  
 Cretaceous turbidites 421, 423–4  
 outcrop analogue 422–3  
 permeability barriers 431–3, 432  
 scale hierarchy 428, 430  
 seismic modelling 401–17  
 types 426, 429, 430
- Restefonds–Sanguinière sub-basin 182, 183, 183, 197, 203–22, 205  
 correlations 184, 218, 220  
 depositional processes 196–7  
 facies associations 185–91, 204–12, 206  
 geometries 192–6  
 stratigraphy 183, 197–9  
 topography 198, 199  
*see also* Côte de l'Ane area

- rift systems 46–7, 48  
 rotation, fault planes 237–8  
 Rouaine fault 372, 386
- St Antonin feeding system 9, 144–6, 145, 146, 148, 157, 165, 172–3  
 St Antonin–Annot–Grand Coyer–Chalufy sub-basin 9, 165  
 St Benoit block 280  
 St Benoit Fault 268, 270, 270, 271, 274  
   hanging wall block 276–7, 281  
 sand bars 150  
 sand end-member 355, 356  
 sand injection 375, 380, 381, 383–4, 386  
 sand-rich turbidites 1, 4, 10, 163, 419  
 sandstone bodies  
   base-of-slope 303, 312, 319–20, 331–47  
   Chalufy 390–4  
   composite 379–80  
   D21 body, Peira Cava 334–9, 337–41  
   D2566 body, Peira Cava 339–43, 342, 343  
   sheet systems 128, 130, 157, 314, 429  
   sheet-like lobe 394  
 sandstones 17, 19, 97, 102, 185, 186, 274–7, 305  
   bed thickness 317–18, 317, 318  
   correlation 19  
   downstream thinning 318–20, 319  
   experimental thickness patterns 324–5  
   facies 335–6  
   geochemistry 356, 359  
   isopach maps 318  
   massive 117, 152  
   maturity 360  
   *see also* turbidites  
 Sanguinière Massif 405  
 Sanguinière sub-basin 405, 405, 425  
 Scaffarels member 120–4, 125, 126, 127, 129, 130  
 scar-fill 372, 373  
 Schistes-à-Blocs Formation 5, 30, 68, 90–1, 244, *between* 247–8  
 scour fill 190, 343–4, 345  
 scours 305, 306, 308  
 seafloor  
   flexure and deposition 217, 220, 261, 262  
   morphology 203–22  
   topography 12, 21–2, 104, 203–22  
   *see also* submarine features  
 sediment sources 169, 242, 285, 314, 350, 362–3  
   Annot sub-basin 132, 144–6, 169–70, 171, 176–7  
   *see also* siliclastic sediments  
 sedimentary injection 375, 380, 381, 383–4, 386  
 sedimentary structures 119, 187  
   *see also* soft-sediment deformation  
 sedimentation rates 423, 425  
 sedimentology  
   Annot sub-basin 117–26, 273–7  
   Grès de Ville Formation 102, *between* 102–3  
   seismic modelling 13, 13–14, 401–17  
     Cime de Dieu Delfy case study 405–10  
     elastic models 402  
     interpretation 412–16  
     one-dimensional plane wave convolution 402, 403  
     seismic reflection data 408  
     seismic resolution 411  
     seismic responses 410–12  
     three-dimensional data sets 412  
     three-dimensional full wave equation 402–5  
   seismic stratigraphy 29–34  
   sequence organization 409–10  
   sequence stratigraphy 7–10  
     Annot sub-basin 111–35  
     interpretation 126–32  
     *see also* high-resolution sequence stratigraphy  
 Serravallian 52  
 sheet-sand-systems 128, 130, 157, 314, 429  
 shock loading 334  
 siliclastic sediments 68, 102, 106, 116, 117, 130, 285  
 siltstones 274–6  
 slide *see* mega-slide  
 slope drape deposition 394–6  
 slopes, base positions 394–8  
 slump deposit 344  
   *see also* mega-slide/mega-slump  
 soft-sediment deformation 369–88, 391  
   onlap relationships 378–81  
   processes 381–5  
 sole marks 102, 337  
 Sommet de la Mole section 293–5, 294, 295  
 sorting processes 361–2  
 sources *see* sediment sources  
 spread systems 194, 198  
 stacking patterns 131, 132, 144, 216–17, 220, 250, 252, 257  
 staircase normal fault geometry 223–40, 237  
   accommodation structure v. lithology 231  
   fault morphologies 226–30  
   fracture distribution 230–1  
   interpretative model 234–5  
   methodology 232–4  
   secondary fault system 238–9  
 Stow sequence 185, 191, 196  
 stratigraphic modelling 161–80  
   compaction problem 167  
   Dionisos software 166  
   initial basin morphology 167–8  
   methodology 166–7, 167  
   parameters modification 171–2  
   sediment supply and source location 169–70, 171  
   simulated geometry and facies distribution 172–6, 174  
   total accommodation 168, 170  
   transport parameters 170–1  
 stratigraphy  
   Carapeba field, Brazil 423–4  
   Grès d'Annot Basin 66–8, 68



- Grès d'Annot Formation 251–2, *between* 251–2, 424–5, 425
- Grès de Ville 100
- NAPB 43–54
- seismic 29–34
- sequence 7–10, 111–35
- significance of the fan delta system 197–9
- syntectonic geometry 260–2
- see also* biostratigraphy; chronostratigraphy; high-resolution sequence stratigraphy; lithostratigraphy
- structure 2, 41–3
- Annot sub-basin 112–13, 114, 244–6
- evolution 3–4
- Grès d'Annot Basin 70–6, 73, 90
- regional 41–3
- syndimentary 277–8, 299
- truncated 72–3, 73, 74
- see also* sedimentary structures; tectonics
- sub-basins 66, 138–9, 161, 350, 351
- see also* Annot sub-basin; Peira Cava sub-basin; Restefonds–Sanguinière sub-basin; Trois Evêches sub-basin
- Sub-Briançonnais thrust sheets 368–9
- Subalpine Chains 1–2, 41–3, 42, 44
- submarine features
- channel fill 343
- plunge pools 345, 345
- ramp 10
- see also* seafloor
- surge type density flow 33, 33, 34
- synclines
- asymmetric 370
- overturned 381, 383, 384
- see also* basins
- syndepositional *see* syndimentary
- syndimentary deformation 91–2, 203–22
- Grès d'Annot 79–80
- heterolithic successions 253, 257–9, 259
- Marnes Bleues 79
- normal fault network 224, 226
- significance 217–20
- thrusting 75–6
- see also* syndimentary structures
- syndimentary faulting 76, 241–65
- Annot sub-basin 369–72, 385
- episodic 241–2
- expansion indexes 256
- kinematic analysis 242, 247–51
- Le Savelet 370, 371, 373, 375, 385
- outcrop interpretation 246–7
- stratigraphic geometry 260–2
- syndimentary folds 75–6, 182–3
- syndimentary structures 11–12
- Grès d'Annot Formation 277–8
- Marnes Brunes Inférieures 299
- syntectonic sedimentation 267–83
- see also* tectonostratigraphy
- synthetic fault sets 226–8, 237
- Taveyannaz Sandstone 46
- tectonic control
- deposition 132
- palaeotopography 7
- sequence geometry 255, 258
- stratigraphy 255–7
- tectonics 244–6
- plate tectonic evolution 68–70, 69
- syndimentary 11–12
- Western Alps 40
- see also* orogens; syntectonic sedimentation
- tectonostratigraphy
- unit 1 (basin initiation) 81–9
- unit 2 (basin deepening) 89–90
- unit 3 (basin infilling) 90–1
- Tertiary
- basal unconformity 72–3, 74, 75, 76, 82, 83, 92
- depocentres 40, 41, 42, 43, 45
- stratigraphy 43–54
- see also* Eocene; Miocene; Oligocene; Pliocene
- Tête de la Sanguinière site 244, 245, 251
- Tête Ronde Cliff 230
- thin-skinned structures 74–6
- thinning downstream 318–20
- three-dimensional seismic modelling 401–17
- three-dimensional stratigraphic modelling 161–80
- thrust belts 67, 70–1
- thrust sheets, Sub-Briançonnais 368–9
- thrust wedge 368
- thrust-sheet-top basins 54, 97–9, 98, 99, 101, 106–9
- thrusting 3, 75–6, 92
- topography
- Alpine foreland 65
- Barrême basin 104
- basin floor 12, 21–2, 104, 203–22
- confined turbidite systems 331–47
- control on sedimentation 12–13, 367, 369, 378
- onlap 298–9
- Restefonds–Sanguinière sub-basin 198, 199
- turbidity currents 267, 311–30
- see also* palaeotopography
- trace fossils 191, 213, 247
- transgression 87
- Burdigalian 50, 51, 56
- migration rate 47
- see also* marine transgression
- transgressive-regressive cycles 7, 130–2, 212
- Trois Evêches sub-basin 78, 89–90
- facies 174, 174
- regional correlation 9, 152, 165
- source area 169
- troughs *see* basins; sub-basins
- truncated structures 72–3, 73, 74
- turbidites 17, 20–1, 22, 27–38, 119–20, 122–4
- amalgamated channelized 412, 413
- Carapeba field, Brazil 423–4, 427

- turbidites (*cont.*)  
 classification and features **118**, 122  
 confined systems 331–47  
 Cretaceous reservoirs 421, 423–4  
 delta failure theory 28  
 depositional environment 191–2  
 facies 144  
 genetic units 181–202  
 geochemical variability 349–65  
 grain size distribution 325–7  
 Grès de Ville Formation 102  
 gross sediment distribution 317  
 high density 355, 358, 359, 362  
 individual sandstone bed distribution 317–18  
 interpretation 126–32  
 low density 358, 359, 362  
 low- and high-concentration 246  
 palaeobathymetry 311, 315  
 palaeochannel 380  
 sand-rich 1, 4, 10, 163, 419  
 sorting processes 361–2
- turbidity currents 12, 144, 150, 200, 301–10, 384  
 Annot sub-basin 303–4  
 deposit geometry 321  
 depositional model 319–20, 326  
 dilute 391  
 experimental study 320–7  
 flow competence and capacity 312  
 flow concentration 313–14  
 flow pattern 321  
 flow unsteadiness 301, 303  
 flow velocity 312–13, 321, 325–7  
 grain-size distribution 325–7  
 highly concentrated 380, 381, 384, 385, 386  
 lateral basin slope influence 311–30  
 low- to high-density 191–2, 200  
 medium- to high-density 212–13, 214–15  
 non-uniformity regime 301, 302, 306–9, 321, 324–5, 325  
 overflowing 380  
 sandstone thickness patterns 324–5  
 sediment distribution patterns 317–18  
 topography 267
- ultrasonic Doppler velocity profiling (UDVP) 321
- unconfined facies 304–5
- unconformities 98, 100  
 angular 73  
 base Grès d'Annot 89–90  
 base Tertiary, Château Garnier syncline 72–3, 74  
 base Tertiary erosional 73, 75, 76, 82, 83, 92  
 top Grès d'Annot 244  
*see also* discontinuities; onlap relationships
- Underfilled Trinity 162
- uplift 76–8, 91
- Upper Freshwater Molasse 52
- Upper Marine Molasse 50
- upstream–downstream geometry 194
- Val d'Illicz Sandstone 46
- Vallon de Fouès section 288–9, 289, 290
- Vallon de la Moutière site 225, 226, 245
- volcaniclastic material 106
- western Alpine Arc 39–63  
 Eocene–Miocene basin migration 55  
 regional structure 41–3
- Western Alps 40
- zircon-like heavy minerals 357, 359–60, 360, 361–2
- Zr-rich end-member 356, 358, 359