

Index

Page numbers in *italic*, e.g. *40*, refer to figures. Page numbers in **bold**, e.g. **12**, signify entries in tables.

- accretionary-lapilli tuff 291–293, *294–295*
- Alite Limestone Formation (ALF), Malaita 74–75
- apparent wander polar path (APWP), Pacific 40–41, *40, 41*
 - interpretation as true polar wander or motion between hot spots 41–42
- Austral hot spot, location **12**

- Banaba Island** *10, 16*
- basalts, submarine 321
 - environmental and climatic implications 320–321
 - extent of subaerial volcanism and implications for plume models 319–320
 - isotope studies 133–136, 147, 310
 - analytical methods 136
 - basement thickness and magma types *135*
 - drill sites *134*
 - Hf isotopes **137**, 141, *141*, **143**, *144*
 - incompatible trace-element compositions 315, *315, 316*, **316**, *317*
 - major-element composition of glass clasts 311–315, *311*, **312–313**, *314*
 - Sr, Nd and Pb compositions of bulk tuff 316–319, **318**, *319*
 - Sr, Nd and Pb compositions of site 1184 samples 136–141, **137**, **138**, *139, 140, 141*, **143**, *144*
- low-temperature alteration 259, 270, 272
 - alteration characteristics 260–269, *261, 262, 263, 264, 266, 269*
 - black and dusky green halos 270–271
 - brown halos 271
 - geological setting and samples 259–260
 - pervasively altered dark grey basalt 270
 - stable isotopes 269–270, *270*
 - study methods 260
 - temperatures of alteration 271–272
 - veins and pore space fillings 271
- relationship between magma composition and stratigraphy 319
- volatiles in basaltic glasses 239–241, 254
 - analytical methods 241–243
 - depths of crystallization 248
 - geological setting and sample characteristics 241
 - high chlorine content, causes of 248–250, *249*
 - major element compositions *243*, **244–245**
 - study results 243–247, *246, 247, 248*
 - volatile release during OJP formation 253–254
 - water in mantle source region 250–253, *251, 252*
- basement lavas obtained from OPD Leg-192,
 - experimental petrology 185, 214–215
 - analytical methods 187
 - depth and temperature of magma chamber 208–210, *209*
 - geological setting and samples 185–187, *186*
 - magma differentiation model 213–214
 - melting experiments 195–208
 - mineralogy of phenocrysts 192–195, *193, 194*
 - origin of high-An parts of plagioclase 210–211, *210, 211*
 - origin of reverse-zoned olivine 211–213, *212, 213*
 - whole rock and basaltic glass compositions 188–192, **188**, *189*, **190–191**
- Beer's law 242
- Bougainville *64*

- Caroline Basin *10*
- Caroline hot spot, location **12**
- Caroline Islands *10*
- Central Pacific Fault Zone *14*
- Choiseul *64*
- Cobb chain *11*
- Cobb hot spot, location **12**
- Coleman volcano *64*
- Colville–Lau Ridge *10*
- Coral Sea Basin *10, 64*

- Deep Sea Drilling Project (DSDP) Leg-30 83
 - drill sites 2, 2
 - site-288 biostratigraphy 105–107, *107, 108*
 - site-289 biostratigraphy 103–105, *104*
- D'entrecasteaux Basin *10*

- East Mariana Basin 2, *10, 14*
 - Cretaceous volcanoclastic sediments 353–354, 360–366
 - analytical methods 356–357
 - major and trace element compositions **355**, *357*
 - major oxides 357–358
 - Sr, Nd and Pb isotopes 358–360, *359*, **361**, *362*
 - study samples 355–356
 - trace elements 358, *360*
 - free-air gravity field *15*
 - predicted bathymetry *16, 32*
- Eastern Salient 2, *14*
 - predicted bathymetry *16, 32*
- Eauripik Ridge *10*
- Ellice Basin *10, 14*
 - free-air gravity field *15*
 - predicted bathymetry *16*
- Ellice Islands *10*
- Emperor chain *11, 14*

- Fiji *10*
- Florida *16, 64*
- foraminiferal biostratigraphy 83, 107–110
 - biozonation 84–85, *84*, **86**, **87**
 - carbon isotope stratigraphy 85–89
 - DSDP Leg-30
 - site-288 105–107, *107, 108*
 - site-289 103–105, *104*
 - methods 83–84
 - ODP Leg-192
 - site-1183 89–95, **89**, *93, 97*
 - site-1184 102–103

- site-1185 98–101, 99
 site-1186 **90, 91, 92**, 95–98, 96, 97
 site-1187 101–102, 101
 Foundation hot spot, location **12**
 France, calcareous microfossil biostratigraphy *117*
 Ghizo Ridge *64*
 Gilbert Islands *10*
 Guadalcanal *64*
 Haruta Limestone Formation (HLF), Malaita 75–77
 Hawaii hot spot *11*
 location **12**
 Hawaiian chain *11, 14*
 Hawaiian Islands *10*
 Hawaiian Lineation set *14*
 Hawaiian–Emperor seamount chain (HEB) 9–10
 Hess Rise *14*
 High plateau 2
 hyaloclastite *267*
 isotope studies
 implications for origin of OJP
 mantle reservoir hypothesis 141–145
 meteorite impact rather than plume impact hypothesis 145–147
 plate separation and ridge-centred hot-spot hypotheses 145
 ODP Leg-192 basalts 133–136, 147
 analytical methods 136
 basement thickness and magma types *135*
 drill sites *134*
 Hf isotopes **137**, 141, *141*, **143**, *144*
 Pb, Nd and Sr isotopes 136–141, **137**, **138**, *139*, *140*, *141*, **143**, *144*
 Japanese Lineation set *14*
 Kana Keoki volcano *64*
 Kashima Fault Zone *14*
 Kavachi volcano *64, 66*
 Kerguelen Plateau 2
 Kodiak hot spot, location **12**
 Kroenke Canyon 2, 32
 Kuril Trench *14*
 Kwaraae Mudstone Formation (KMF), Malaita 73–74
 large igneous provinces (LIPs) 1
 magma petrogenesis study 219–220, 234
 analytical techniques 221–222
 geological background 220–221, 221
 low-temperature alteration and effect of sulphide immiscibility 226–231
 model results 233–234, 233
 partitioning and fractionation 232–233, **232**
 results 222–226, 223, **224–225**, 226, 227, 228
 source modelling 231–232, 231
 Lau Basin *10*
 Line Islands *14*
 Louisade Plateau *64*
 Louisville chain *11*
 Louisville hot spot *17*, 21–22, 27–28
 effect of motion on palaeolatitudes 27, 27
 location **12**
 modelling motion 22–24, 26–27
 modelled drift *24*
 radial viscosity models 23
 results 24–25, **25**
 Lyra Basin 2, *14*
 free-air gravity field *15*
 predicted bathymetry *16*
 Magellan Lineation set *14*
 magmas of the OJP, origin and evolution 151–153, 174
 geographical distribution of magma types 165–167, *167*
 magma types 154
 magmatic evolution 167–168
 mantle temperature 171–173, *172*
 nature of mantle source and degree of melting 168–171, *170*
 possible mantle plume origin for magmatism 173–174
 stratigraphic sections *153*
 study analytical methods 154–155, **155**
 study results 155–165, **156–158**, *159*, **160–161**, **162–163**, *164*, *165*, *166*
 Makira *64*
 Malaita 2, *16*, 63, *64*
 Alnöite intrusions 78
 fractured Solomon terrain collage 65
 generalized stratigraphy 68–69, 68
 geology 66–67, *70*
 Late Tertiary–present-day arc volcanism in Solomon Islands 65–6
 local stratigraphic formations above Middle Pliocene unconformity 77–78
 previous stratigraphic work 67–68, **69**
 regional geo-tectonics 63–65, *64*
 value as a study site for OJP 78–79
 Malaita Anticlinorium *64*
 Malaita Volcanic Group (MVG) 67, 68, 68
 cover sequence geology
 Alite Limestone Formation (ALF) 74–75
 Haruta Limestone Formation (HLF) 75–77
 Kwaraae Mudstone Formation (KMF) 73–74
 Maramasike Volcanic Formation (MVF) 75
 Suafa Limestone Formation (SLF) 77
 eruptive environment 73
 geological map *70*
 lithological characteristics
 basalts 71, 72
 dolerite and gabbro/microgabbro 71–73, 72
 orbicular/spheruloidal basalt and gabbro 72, 73
 location 69
 petrography 73
 thickness 69–71
 Mamua Fault Zone *14*
 Manihiki Plateau *14*
 Manus Basin *64*
 Manus Trough *10*
 Maramasike *64*
 Maramasike Volcanic Formation (MVF), Malaita 75
 Maramuni–Trobriand Arc *10*
 Mariana Trench *14*
 Marquesas hot spot, location **12**

- Mellish Plateau *64*
- melting experiments on basement lavas
 experimental and analytical methods 199–201, **201**, **202**
 experimental results 201
 attainment of equilibrium 202–203, **203**
 mineral appearance and melt compositions 203–208, **204–206**, **207**
 preliminary considerations 201–202, **202**
 materials 195–199, **199**
- miarolitic cavities in basalts 264–265, **265**, 267–268, **269**
- mid-Pacific Mountain Lineation set *14*
- mid-Pacific Mountains *14*
- motion of OJP hot spot 9–10, 18, 27–28
 effect on palaeolatitudes 27
 flow line 12, *17*
 modelling 22–24, 26–27
 radial viscosity models 23
 sequence of events 12–18, *13*, *17*
 trail 10–12, *11*, *17*
- Musicians hot spot, location **12**
- Mussau Trough *14*
- nannofossil studies 83, 107–110
 basement ages 121
 Aptian 121–124
 Eocene **122–123**, *124*
 biostratigraphy 113–114
 biozonation 84–85, *84*, **86**, **88**
 carbon isotope stratigraphy 85–89
 Cenozoic
 Eocene–Miocene 120–121
 Palaeocene–Eocene **118–119**, 120–121, *120*
- Cretaceous
 lower 114–116, *114*
 summary **115–116**, *119*
 upper 116–120
- DSDP Leg-30
 site-288 105–107, *107*, *108*
 site-289 103–105, *104*
 methods 83–84, 113
- ODP Leg-192 113
 site-1183 89–95, **89**, *93*, *97*
 site-1184 102–103
 site-1185 98–101, *99*
 site-1186 **90**, **91**, **92**, 95–98, *96*, *97*
 site-1187 101–102, *101*
- systematic palaeontology 125–126
 Cenozoic species 126–129
 Cretaceous species 129–131
- Nauru Basin 2, *10*, *13*, *14*
 Cretaceous volcanoclastic sediments 353–354, **360–366**
 analytical methods 356–357
 major and trace element compositions **355**, **357**
 major oxides 357–358
 Sr, Nd and Pb isotopes 358–360, **359**, **361**, **362**
 study samples 354–355
 trace elements 358, **360**
 free-air gravity field *15*
 predicted bathymetry *16*, **32**
- Nauru Island *10*, *16*
- New Britain *10*, *64*
- New Britain Trench *64*
- New Georgia group *64*
- New Hebrides Trench *10*
- New Ireland *10*, *64*
- North Fiji Basin *10*
- Nosappu Fault Zone *14*
- Nova–Canton Trough *14*
- Ocean Drilling Program (ODP) Leg-192 42, 83, 113
 accretionary-lapilli-bearing pyroclastic rocks 275–276
 depositional environment and age 303–304
 geological setting 276–277, *276*
 lithofacies analysis 284–299, **291**, **292**
 lithologies 282–283
 lithostratigraphic associations 299–301
 lithostratigraphic members 283–284, *284–285*, **286–290**, 299–301
 methods and terminology 277–278, *277*, **277**
 number and size of eruptions 303
 primary v. secondary eruption processes 302–303
 significance 302
 volcanoclastic components 278–282, *278*, *279*, **280–281**
- age of site 1184 rocks 325–326, 329–330
⁴⁰Ar/³⁹Ar analysis 327, **327**
 samples 326–327
 study results 328–329, *328*, *329*
- compositional variability of site 1184 rocks 333–334
 analytical methods 335–336
 influence of alteration 339–346, *345*, *346*
 major-element composition 336–337, **338**, *339*, *340*
 petrogenic interpretations 346–348, *347*, *348*
 petrography 336, *337*
 radiogenic isotope ratios 339, **343**, *344*
 samples 334–335, *335*
 source region 348
 trace-element composition 337–339, **341**, *342*
- drill locations 92
- drill sites 2, 2, *32*, *39*, **46**, **47**
- origin of site 1184 rocks 301, 308–310, *309*, *321*
 environmental and climatic implications 320–321
 extent of subaerial volcanism and implications for plume models 319–320
 incompatible trace-element compositions 315, *315*, *316*, **316**, *317*
 major-element composition of glass clasts 311–315, *311*, **312–313**, *314*
 relationship between magma composition and stratigraphy 319
- Sr, Nd and Pb compositions of bulk tuff 316–319, **318**, *319*
- rock magnetic results 45–47, 55–58
 Curie temperature determination 49–51, **50–51**, *52*
 hysteresis loop parameters 51–52, *52*, **53–54**, *55*, *56*
 laboratory methods 48–49
 low-temperature properties **50–51**, *52–55*, *57*
 site setting and basement lithology 47–48
- basalt alteration characteristics
 site-1183 262–265, *263*, *264*
 site-1185 263, *264*, 265–267, *266*

- site-1186 263, 264, 267–268
 site-1187 263, 264, 268–269, 269
- biostratigraphy
 site-1183 89–95, **89**, 93, 97, 99
 site-1184 102–103
 site-1185 98–101, 99
 site-1186 **90**, **91**, **92**, 95–98, 96, 97
 site-1187 101–102, 101
- Oceanic anoxic event (OAE) 85
- Ontong Java Plateau (OJP) 1–2, 2, 10, 21–22, 307–308
 age and biostratigraphy, overview 3
 apparent Pacific polar wander path (APWP)
 40–41, 40, 41
 interpretation as true polar wander or motion
 between hot spots 41–42
- biostratigraphy 83, 107–110, 113
 basement ages 121–125, **122–123**, 124
 biozonation 84–85, 84, **86**, **87**, **88**
 carbon isotope stratigraphy 85–89
 Cenozoic **118–119**, 120–121, 120
 Cretaceous 114–120, 114, 119
 DSDP Leg-30 103–107, 104, 107, 108
 methods 83–84, 113
 nannofossils 113–114
 ODP Leg-192 89–103, **89**, **90**, **91**, **92**, 93, 96, 97,
 101
- early Cretaceous Pacific palaeomagnetic pole 31
 emplacement 45–47, 55–58
 basement lithology 47–48
 Curie temperature determination 49–51, **50–51**,
 52
 hysteresis loop parameters 51–52, 52, **53–54**, 55,
 56
 laboratory methods 48–49
 low-temperature properties **50–51**, 52–55, 57
 free-air gravity field 15
 geological evolution and palaeomagnetism,
 overview 3
 geological setting 31–32
 isotopic characteristics of ODP Leg-192 basalts
 133–136, 147
 analytical methods 136
 basement thickness and magma types 135
 drill sites 134
 Hf isotopes **137**, 141, 141, **143**, 144
 implication for origin of OJP 141–147
 Pb, Nd and Sr isotopes 136–141, **137**, **138**, 139,
 140, 141, **143**, 144
- lava compositional variability 333–334
 analytical methods 335–336
 influence of alteration 339–346, 345, 346
 major-element composition 336–337, **338**, 339,
 340
 petrogenic interpretations 346–348, 347, 348
 petrography 336, 337
 radiogenic isotope ratios 339, **343**, 344
 samples 334–335, 335
 source region 348
 trace-element composition 337–339, **341**, 342
 location at 125Ma after plate reconstruction 22
 low-temperature alteration of submarine basalts
 259, 270, 272
 alteration characteristics 260–269, 261, 262, 263,
 264, 266, 269
- black and dusky green halos 270–271
 brown halos 271
 geological setting and samples 259–260
 pervasively altered dark grey basalt 270
 stable isotopes 269–270, 270
 study methods 260
 temperatures of alteration 271–272
 veins and pore space fillings 271
- magma differentiation processes 185, 214–215
 depth and temperature of magma chamber
 208–210, 209
 geological setting and samples 185–187, 186
 magma differentiation model 213–214
 origin of high-An parts of plagioclase 210–211,
 210, 211
 origin of reverse-zoned olivine 211–213, 212,
 213, 214
- magma petrogenesis study 219–220, 234
 analytical techniques 221–222
 geological background 220–221, 221
 low-temperature alteration and effect of
 sulphide immiscibility 226–231
 model results 233–234, 233
 partitioning and fractionation 232–233, **232**
 results 222–226, 223, **224–225**, 226, 227, 228
 source modelling 231–232, 231
- magmatic processes and source region
 compositions 239–241, 254
 analytical methods 241–243
 depths of crystallization 248
 geological setting and sample characteristics 241
 high chlorine content, causes of 248–250, 249
 study results 243–247, 243, **244–245**, 246, 247, 248
 volatile release during OJP formation 253–254
 water in mantle source region 250–253, 251, 252
 modelling hot-spot motion 22–24, 26–27, 27–28
 radial viscosity models 23
- origin and evolution of magmas 151–153, 174
 geographical distribution of magma types
 165–167, 167
 magma types 154
 magmatic evolution 167–168
 mantle temperature 171–173, 172
 nature of mantle source and degree of melting
 168–171, 170
 possible mantle plume origin for magmatism
 173–174
 stratigraphic sections 153
 study analytical methods 154–155, **155**
 study results 155–165, **156–158**, 159, **160–161**,
162–163, 164, 165, 166
- palaeolatitudes
 effect of hot-spot motion 27
 effect of true polar wander (TPW) 27, 28
 partial melting below surface 179, 183
 accumulated fractional melting 181–183, **182**
 equilibrium melting 183
 modelling method 179–181, 180, 181, 182
 petrology and geochemistry, overview 3–5
 possible mantle plume origin, overview 6–7
 predicted bathymetry 16, 32, 152
 site 1184 of the ODP
 early Cretaceous Pacific palaeomagnetic pole
 38–40

- early Cretaceous palaeomagnetic palaeocolatitudes for the Pacific 33–34, **38**, 39
 geological setting 32, 32
 rock and palaeomagnetic properties of volcanics 33, 33, 34, **35–37**, 38
 systematic palaeontology 125–126
 Cenozoic species 126–129
 Cretaceous species 129–131
 value of Malaita as a study site 78–79
 volcanoclastic rocks, overview 5–6
- Ortelius Fault Zone 14
 Osborn Trough 10
- Pacific absolute plate motion (APM) 9–10, 18
 finite rotations parameters **12**
 hot-spot locations **12**
 hot-spot trails 11
 magnetic anomaly lineations and fracture zones 14
 sequence of events 12–18, 13, 17
- Pacific palaeomagnetic pole, early Cretaceous 31, 38–40, 42
 apparent polar wander path (APWP) 40–41, 40, 41
 interpretation as true polar wander or motion between hot spots 41–42
 geological setting of OJP 31–32
 predicted bathymetry of OJP area 32
 site 1184 of the ODP on OJP
 geological setting 32, 32
 palaeocolatitudes 33–34, **38**, 39
 rock and palaeomagnetic properties of volcanics 33, 33, 34, **35–37**, 38
- Pacific tectonics, interpreted from ODP samples 45–47, 55–58
 Curie temperature determination 49–51, **50–51**, 52
 hysteresis loop parameters 51–52, 52, **53–54**, 55, 56
 laboratory methods 48–49
 low-temperature properties **50–51**, 52–55, 57
 study site setting and basement lithology 47–48
- Parece Vela Basin 10
 partial melting model 179, 183
 computational method 179–181
 peridotite composition projection 180, 181, 182
 modelling results
 accumulated fractional melting 181–183, **182**
 equilibrium melting 183
- phenocrysts, mineralogy
 clinopyroxene 194–195, 194, **199**, 200
 olivine 192, 193, 194, 195, **196**
 origin of reverse zoning 211–213, 212, 213, 214
 plagioclase 192–194, 193, **197**, 198
 origin of high-An parts 210–211, 210, 211
- Phoenix Fault Zone 14
 Phoenix Lineation set 14
 phreatomagmatic eruptions 275–276, 307–308
 age of ODP Leg 192 site 1184 rocks 325–326, 329–330
⁴⁰Ar/³⁹Ar analysis 327, **327**
 samples 326–327
 study results 328–329, 328, 329
 depositional environment and age 303–304
 geological setting 276–277, 276
 lithofacies analysis 284–291, **291**, 292
 lithologies 282–283
 lithostratigraphic associations 299
- lithostratigraphic members 283–284, 284–285, **286–290**, 299
 accretionary-lapilli tuff 291–293, 294–295
 fines-poor massive tuff and normally graded tuff 293–295
 fines-rich massive tuff and normally graded tuff 295–296
 massive lapilli tuffs 296–297, 296
 member IIA 299–300
 member IIB 300
 member IIC 300
 member IID 300–301
 member IIE 301
 member IIF 301
 normally graded lapilli tuffs 297
 normally graded, symmetrically graded and massive lapillistone 297–299, 298
 thinly bedded tuff 296
- methods and terminology 277–278, 277, **277**
 number and size of eruptions 303
 origin of ODP Leg 192 site 1184 rocks 301, 308–310, 309, 321
 environmental and climatic implications 320–321
 extent of subaerial volcanism and implications for plume models 319–320
 incompatible trace-element compositions 315, 315, 316, **316**, 317
 major-element composition of glass clasts 311–315, 311, **312–313**, 314
 relationship between magma composition and stratigraphy 319
 Sr, Nd and Pb compositions of bulk tuff 316–319, **318**, 319
 primary v. secondary eruption processes 302–303
 significance of accretionary lapilli 302
 volcanoclastic components 278–282, 278, 279, **280–281**
- Pitcairn hot spot, location **12**
 platinum-group elements (PGEs) in OJP basalts 220, 234
 analytical techniques 221–222
 low-temperature alteration and effect of sulphide immiscibility 226–231
 model results 233–234, 233
 partitioning and fractionation 232–233, **232**
 results 222–226, 223, **224–225**, 226, 227, 228
 source modelling 231–232, 231
- plume conduits 23–24
 plume conduits 26
 Pocklington Rise 64
- Queensland Plateau 64
- Ranonga 64
 Ratak Islands 10
 Ratak–Gilbert–Ellice chain 13
 Russells 64
- Samoa hot spot 11, 17
 location **12**
 San Cristobal 2, 16
 San Cristobal Trench 64
 Santa Isabel 2, 16, 64
 Savo volcano 64

- Shatsky (N) hot spot, location **12**
 Shatsky (S) hot spot, location **12**
 Shatsky Rise *14*
 Simbo volcano *64*
 Society hot spot, location **12**
 Solomon Islands
 fractured terrain collage *65*
 Late Tertiary–present-day arc volcanism *65–6*
 regional geo-tectonics *63–65, 64*
 Solomon Sea Basin *64*
 predicted bathymetry *16*
 Solomon Trench *10*
 South Fiji Basin *10*
 South Shatsky Fault Zone *14*
 South Solomon Trench *10*
 Stewart Basin *2, 10, 14*
 predicted bathymetry *16, 32*
 Suafa Limestone Formation (SLF), Malaita *77*
 systematic palaeontology *125–126*
 Cenozoic species *126–129*
 Cretaceous species *129–131*
- Taba–Feni Arc *64*
 Tasman Basin *10*
- Tokelau (N) hot spot, location **12**
 Tokelau (S) hot spot, location **12**
 Tokelau chain *13*
 Tokelau Islands *10*
 Tonga Trench *10*
 true polar wander (TPW) *21–22*
 effect on palaeolatitudes *27, 28*
 Tuamotu hot spot, location **12**
 Tuvalu hot spot, location **12**
- Vanuatu Arc *64*
 Viti Levu *10*
 Vitiaz Trench *10, 64*
- Waghenaer Fault Zone *14*
 Waghenaer South Fault Zone *14*
 Wake (N) hot spot, location **12**
 Wake (S) hot spot, location **12**
 Wallis hot spot *13*
 Wallis Islands *10*
 West Torres Plateau *64*
 Woodlark Basin *64*
 free-air gravity field *15*
 predicted bathymetry *16*