

Index

Note: page numbers in *italics* refer to Figures, those in **bold** refer to Tables.

- accidents in nuclear reactors 144–6
- acid deposition 159
- acid generation 175–7
- acid waters 192–3, 322
- actinides 67
 - americium 146–8
 - anthropogenic emissions 143–51
 - borosilicate glasses 41
 - geochemical behaviour 89–111
 - immobilization 46–51, 54, 123–8
 - neptunium 78–80
 - plutonium 14–15, 17, 18–19, 76–8, 146–9
 - sorption mechanisms 549–57
 - uranyl sorption 545–9
- activation energies 114–15, 114
- adsorption 549
 - see also* sorption
- advection 156
- air classification 255–6
- air pollution
 - coal mining 173, **181**, **183**, 184–6, 190–1
 - dispersion 156–7
 - geochemical mitigation 189–90
 - geothermal energy 315
 - global 161–6
 - health/environmental impacts 154–6
 - local and regional 156–61
 - modelling 158
 - Shilbottle Coalfield, UK **199**
 - tyre combustion 485
- alkaline fly ash weathering 646
- alkali–hydrogen exchange kinetics 583–6
- alteration
 - see also* corrosion
 - actinide host phases 91–8
 - coal combustion wastes 642–52
 - glasses 115
 - hydrothermal 124, 131
- alternate fuel *see* tyre-derived fuel
- alternative energy sources 4, 7, 166
- aluminates 590–1, 596–8
- aluminium phosphates 129–30, 131
- aluminium pollution 320
- aluminium-rich minerals 177, 179–80
- aluminium–iron phases 597, 601–3
- aluminosilicate fly ash (Class F) 213, 214, 216, 229, 232–3, 249–51
- americium 146–8
- ammonia removal process 260
- amorphous silica, geothermal scaling 321, 322–4
- analogues *see* natural analogues
- ankerite 178, 179
- anthropogenic radionuclide emissions 143–51
- apatite group 439–41, **440**, 442–4, **446**
- aquifers *see* reservoirs
- arsenic pollution 318–20
- ash
 - see also* bottom ash; fly ash; incinerator wastes
 - electrostatic precipitation 436
 - oil shales combustion **267**, 273–7
 - tyre combustion 483
- asphyxiating mine gases 185–6, 189–90
- atmosphere *see* air pollution; emissions
- atmospheric structure 162, **163**
- automotive tyres energy recovery 475–98
- BA *see* bottom ash
- baffle banks 190
- Bangombé natural nuclear reactor, Gabon 123–8, 125, 547–9
- barriers 28–30, 516–19, 520, 531–2
- basalt dykes natural analogues 135–41
- basaltic glasses 114–18
- batch leaching tests 626–8, 636, 651
- beneficiation of coal combustion wastes 247–62
- bentonite barriers 516–19, 531–2
- binary cycle-type power plant 371
- binding mechanisms in cement 598–604
- bitumen waste form 54, 55
- boilers 481–2, 493
- boreholes 355, 358
 - see also* wells
- boron pollution 318–20
- borosilicate glasses
 - corrosion 583–9
 - high-level waste 16, 40–1, 54, 89–90
 - production technology 44–6
- bottom ash (BA) 211, 225
 - bricks 428
 - calcium phosphate minerals 449–51
 - ceramics 427–8
 - characteristics 412–15
 - chemical composition 227–9, 415–18, **419**, **425**, **437**
 - definition 247
 - formation 226
 - glasses 429–30
 - incinerator waste 424, 436
 - landfill 607–8
 - leachate systems 451–5, 620
 - metal separation 412, 414–15, 416
 - mineral composition 419–20, **420**
 - mineral reaction products **460**
 - municipal solid waste 411–22

- oil shales 265
 - processing 252–5
 - quality 249
- brannerite 94, 96, 102–3, 106
- bricks 428
- brine 287–90
- brushite 451
- burn-up effects 67–8
- burning *see* fire hazards

- caesium 148–9, **150**
- calcium carbonate 321, 324–6
- calcium phosphate minerals 449–51
- calcium silicate hydrate 596–7, 600–1
- calcium-rich fly ash (Class C) 213, 214, 216, 229, 233–8, 249–50
- Cambrian sandstones 290–3
- Canada
 - Cigar Lake uranium 123–34, 526
 - heat pumps 511
- canister corrosion process 519–21
- carbon dioxide
 - atmospheric concentrations 153, 165, 166
 - coal mining 185
 - deep aquifer injection 285–96
 - emissions 1, 2, 4, 10, 19–20
 - geothermal energy pollution 315–17
 - storage mechanisms 286–90
- carbon monoxide 186, 190
- carbon sequestration 285–96
- carbonate minerals 177–9, 321, 324–6
- cascaed use of waste heat 373–4
- cement
 - binding mechanisms 596–604
 - binding minerals 596–8
 - fly ash 211, 217–19, 249
 - heavy metals stabilization 595–606
 - kilns 481, **494**
 - low-level waste 53–4, 55
 - surface sorption 603–4
- ceramics
 - see also* tiles
 - crystalline waste forms **90**
 - experimental data 98–105
 - geochemical behaviour 89–111
 - incinerator waste 426–7
 - multiphase 49–51
 - single-phase 46–9
 - Synroc 49–50, 54–5, 98–100
 - technologies 51–2
- CFCs *see* chlorofluorocarbons
- chemical composition
 - bottom ash 227–9, 415–18, **419, 425, 437**
 - coal 223–5
 - Estonian oil shales 267–8, **269**
 - fly ash 227–9, **232, 240, 242, 425, 437**
 - geothermal fluids 310–15, **341, 347–9, 361**
 - glasses **586**
 - HT materials 384–7, **400**
 - oil shale ash 274–6, **274**
 - semi-coke **272**
 - spent nuclear fuels 521–3, 521
- chemical durability 38–9
- chemical pollution 315–21
- chemical stabilization agents 435–73
- chemical weathering minerals **648–9**
- Chernobyl nuclear catastrophe 144–5, **148, 150**
- chloride 312
- chlorofluorocarbons (CFCs) 161–2
- chloropyromorphite 452–4
- chromium 403, **404**
- Cigar Lake natural analogue, Canada 124, 126, 128–30
- clays
 - coal measures 180
 - fly ash 632, 647–9, 653
 - phyllosilicates 129, 130
 - smectite colloids 532–3
 - wetting and drying 188–9
- climate changes 164–5
- closed nuclear fuel cycle 8, 17
- closed-loop heat pump systems 501–3, 502, 507, 510
- co-generation of geothermal power 373
- coal
 - co-combustion with TDF 491–5
 - combustion 211, 212, 213–16, 225–7, 242, 249–51, 619–20
 - composition 212, 223–5
 - geochemistry 174–8, 620–1
 - mineralogy 174–80, 224, **225**
- coal combustion wastes 211–22, 223–46
 - see also* bottom ash; fly ash
 - beneficiation 247–62
 - disposal 211–22, 641–58
 - environmental impacts 239–42
 - flue gas desulphurization products 219, 238–9, 242
 - formation 225–7
 - gases 219, 226, 227
 - leachate geochemistry 619–39
 - mineralogy 641–2
 - secondary mineral formation 642–52
 - trace elements 240–1, 620–1
 - uses 211, 217–19, 220
- coal mining 169–209
 - see also* spoil heaps
 - environmental consciousness 170–4
 - environmental impacts 180–4
 - geochemical aspects 184–9
 - glossary of terms 171–2
 - mitigation measures 189–96
 - pollutant sources and buffers 174–80
 - Shilbottle–Whittle Coalfield 196–203
 - voids 180, **181–2, 192**
- coffinite 124, 126, 128, 129, 130, 131
- coke 211, 219, 251
- colloids
 - generation and stability 530–5, 540

- mobility 538–40, 546
- radionuclide interaction 535–8
- column leaching test 628–30, 636, 651
- combustion
 - coal 211, 212, 213–16, 223, 225–7, 242, 249–51, 619–20
 - oil shales 273–7, 279–80
 - trace elements 621–3
 - tyres 480, 483–9
- composite wastes 54
- composition
 - see also* chemical composition; mineralogy
 - nuclear waste 37–8
 - solid waste **488**
 - tyre-derived fuel **484–5, 486–7**
 - tyres 482–3, **484–5**
- concrete 53–4
 - see also* cement
- condensing cycle-type power plant 369, 371
- consistent rate law 579–94
- contaminated soil stabilization 447–8
- convective geothermal systems 297
- corrosion
 - geothermal fluids 322
 - glasses 579–94
 - HT materials 387–95, **403, 404**
 - SNF canisters 519–21
- covering system 27
- crystalline ceramic waste forms **90**
- crystallization 52

- data base, Nagra/PSI TDB 01/01 561–77
- deaths in coal mining 173
- deep geological disposal 285–96, 516
- degassing 321, 325
- density separation 252–5, 256–7
- deposition of acids 159
- diffusion processes 612–14
- direct use of geothermal energy 373–4, 375–8, 377
- directional drilling 327
- dislocation structure 68
- disposal
 - see also* injection; reuse
 - coal combustion wastes 211–22, 641–58
 - fly ash 220, 248, 631
 - geothermal waste water 302–4, 338–9
 - HT materials 382, 398–406
 - nuclear waste 31–2, 515–28, 529–43
 - spent nuclear fuel 8, 17, 18–19
 - uranium tailings 26–32
 - waste tyres 476, 477–9, **477**
- district heating 373, 376, 377
- Drax power station fly ash 625–36
- drilling *see* boreholes; wells
- dry scrubber residues **461**
- durability
 - crystalline ceramics 89–111
 - glasses 579–80
 - nuclear waste forms 38–9
 - dust 186, 190–1, **462**
- ecosystem establishment 195
- EDS *see* energy dispersive spectroscopy
- EELS *see* electron energy-loss spectroscopy
- efficiency of geothermal energy 299
- efflorescent salts 176–7
- Eggborough power plant, UK 622–3
- electric potential 358–9
- electric utility boilers 481–2
- electricity generation *see* power generation
- electron energy-loss spectroscopy (EELS) 78–80
- electrostatic separation 257–9, 436
- elemental composition
 - fly ash 629, 633
 - Nagra/PSI TDB 01/01 563, 565–6
 - tyres **486**
- emissions
 - anthropogenic radionuclides 143–51
 - carbon dioxide 1, 2, 4, 10, 19–20
 - deep aquifer storage 290–3
 - fuel blends **492, 494**
 - geothermal power plants 317
 - hydrogen sulphide 337, **338, 378**
 - methane 165
 - oil shales combustion 277–9, 280
 - opencast coal mines 191
 - particulate 621–3
 - standards 154, **156, 157**
 - stoker boilers 493
 - tyre combustion 485, 489–95
- energy consumption
 - efficiency measures 165
 - fossil fuels 153
 - geothermal power **301, 302, 303**
 - vitrification technologies 382
 - world 1, 2
- energy dispersive spectroscopy (EDS) 70, 80
- energy production
 - see also* power production
 - coal combustion 223
 - nuclear power 7, 11–14
 - oil shales 263, 265–6, 269, 270, 280
 - waste 3
- energy recovery
 - mining waste 499–513
 - MSW incineration 424
 - waste tyres 475–98
- Engineered Barrier System (EBS) 516, 520
- environmental awareness of coal mining 170–4
- environmental impacts
 - air pollution 154–6
 - anthropogenic radionuclide emissions 143–51
 - ash beneficiation 248–9
 - coal combustion wastes 239–42
 - coal mining 180–4
 - geothermal energy utilization 298–9, 374

- glassfill and glassroad 400–3
- high temperature materials 400–3
- hydrogeological modelling 201–3
- nuclear fuel cycle 7–23
- oil shale emissions 278–9
- Shilbottle Coalfield, UK 198–200
- uranium tailings 26
- waste tyres energy recovery 475–98
- equilibrium thermodynamics 561–77
- Estonian oil shales 265–79
 - atmospheric emissions 277–9, 280
 - chemistry and mineralogy 267–8, **269**
 - exploitation 268–9
 - oil production and refining 269–70
 - power generation 263, 269, 270
 - solid wastes 270–7
 - stratigraphy 266–7
- ettringite 236–7, 597–8, 650, 653
- European Hot Fractured Rock (HFR) project 355–67
- evaporites 135–41
- EXAFS *see* extended X-ray absorption fine structure
- exothermic reactions 505–6
- experimental data *see* laboratory studies
- extended X-ray absorption fine structure (EXAFS) 549, 552–7
- FA *see* fly ash
- FBC *see* fluidized-bed combustion
- FGD *see* flue gas desulphurization
- field studies, fly ash leaching 630–6
- fineness of fly ash 251–2, 255–6
- fire hazards 172–3, 175, 180, **181**, 186–7, 191–2, **199**
- fissile nuclides 8–9, 13, 17
- fission products
 - gases and metals 68–70
 - geochemical behaviour 89–111
 - natural reactors 123–8
 - types 67
- flammable mine gases 184–5, 189–90
- flash-steam geothermal plants 370
- flue gas desulphurization (FGD) products 219, 238–9, 242, 620
- fluidized-bed combustion (FBC) 211, 239
- fluids *see* geothermal fluids; liquid wastes; water
- fluoride pollution 320–1
- fluxes of metals 403–6
- fly ash (FA) 211, 212
 - beneficiation 247–62
 - characterization 232–5
 - chemical composition 227–9, **232**, **240**, 242, 425, **437**
 - composition and morphology 213–17, 227–9, **232**, **240**, 242
 - disposal 220, 248, 631
 - formation 225–7
 - geochemistry 620–1
 - incineration residues 381, 424–5
 - leaching studies 623–36
 - mineralogy 213–16, 229–32, 235–8
 - oil shales processing 265
 - particles 217, 228, 235–6, 278, 621–3
 - Portland cement 211, 217–19, 249
 - secondary minerals 647–52
 - trace elements 621–2
 - treatment technologies 247–62, 424
 - tyre combustion 485–9
 - use 211, 217–19, 248–9
 - weathering 646
- former Soviet Union 16–17
- fossil fuel cycle 4, 153–67
 - see also* air pollution; coal; emissions
- France, Hot Fractured Rock project 355–67
- frits, ceramic 428
- froth flotation 259–60
- fuels
 - see also* nuclear fuel cycles; spent nuclear fuel
 - emissions **492**, **494**
 - fossil fuel cycle 4, 153–67
 - pellets 66–71, 66
 - pressurized water reactor 521
 - tyre-derived 477, 480–2, **484–5**, **486–7**
- Gabon natural analogues 82–4, 123–34, 547–9
- garnets 49
- gases
 - see also* carbon dioxide; greenhouse gases; steam
 - air pollutants 154, 159
 - coal combustion 219, 226, 227
 - coal mining 184–6, 189–90
 - fission gas release 68–70
 - geothermal 301–2, **312**, 321, 325, 337, 345–7, 347
 - methane 165, 184–5, 190, 317–18
 - oil shale emissions 277, 279–80
- geochemistry
 - alteration 91–8
 - coal ash leachates 619–39
 - coal seams 174
 - crystalline ceramics 89–111
 - landfill leachates 611–16
 - mine water heat pumps 503–7
 - mitigation measures 189–96
 - modelling 630
 - near field 519–21
 - nuclear fuel cycle 9–10
 - phosphates 438–41
 - PHREEQC code 518, 519
 - secondary minerals 642–5
- geothermal energy utilization
 - byproducts 326
 - chemical pollution 315–21
 - direct use 298, 298, 299–301, **301**, 302, 303, 373–4, 375–8, 377
 - directional drilling 327
 - electricity generation 297–8, 298, 299, 301–6
 - environmental impacts 298–9, 374
 - hot-dry-rock systems 328–9

- scenery spoliation 326
- space heating 306–7, 501
- uses 299–301
- waste heat problems 369–74
- geothermal fluids
 - ancient flows 360–1
 - chemical composition 310–15, **341**, 347–9, 361
 - convection 297
 - disposal 302–4, 338–9
 - flow modelling 361
 - gas chemistry 345–7, 347
 - high-*T* systems 305, 307–10, 322
 - injection/re-injection 302–3, 327–8, 337–54, 355–67
 - isotopic variations 347–9
 - low-*T* systems 297, 310, 322
 - microseismicity 359
 - mineralogy 361–4, 365, 366
 - natural tracers 338–9, 344–5, 352
 - reservoir disequilibrium 349–51
 - scaling 321–6
 - tunnel waters 374–8
- GHGs *see* greenhouse gases
- glass fibres 430–1, **432**
- glass/water reactivity models 580–2
- glasses 40–6
 - see also* high temperature materials
 - activation energies 114–15, 114
 - alkali–hydrogen exchange kinetics 583–6
 - alteration layers 115
 - basaltic 114–15
 - borosilicate 40–1, 89–90, 583–9
 - chemical composition **586**
 - corrosion kinetics 579–94
 - dissolution, phase-separated 586–9
 - durability 579–80
 - fly ash 214, 229, 623–4
 - HT materials 383–6
 - incinerator waste 428–31
 - phosphates 43–4
 - reactivity with water 580–2
 - secondary minerals 589–91
 - secondary raw materials 382–3, 398–406
 - stability and corrosion 387–95
- glassfill 382–4, 398–406
- glassroad 382–4, 398–406
- glass–ceramics 52–3, 429–31, 432
- global warming 153, 162–6
- granite 357, 360–1, **363**
- greenhouse effect 162, 163
- greenhouse gases (GHGs) 19, 162–5
- ground deformation 180–4, 187–9, 192, **199**
- groundwater
 - carbon dioxide trapping 286–90, **294**
 - colloid generation 530–5
 - fly ash leachates 625–36
 - heat source 500–3
 - landfill leachates 607–17
 - near-field waste–water interactions 516–19
 - radionuclide migration 530–5
 - gypsum 219, 650
- hazardous air pollutants (HAs) 156
- hazards of coal mining **181–2**, **183–4**
 - see also* fire hazards
- haze 159, 160
- HCFCs *see* hydrochlorofluorocarbons
- HDR *see* hot-dry-rock systems
- health effects 154–6, 173, 174, 186
- heat
 - direct use 373–4, 375–8, 377
 - geothermal energy 297–336
 - ground source 500–3
 - nuclear waste 17–18
 - waste geothermal 369–79
- heat pumps 499–513
- heating
 - district 373, 376, 377
 - space 306–7, 501
 - superheating 372
- heavy metals
 - bottom ash 418
 - cement stabilization 595–606
 - landfill leachates 614–16
 - solubility 599
- HFR *see* Hot Fractured Rock project
- high temperature (HT) materials
 - corrosion **403**
 - dynamic behaviour 387–95
 - environmental impacts 400–3
 - glassfill v. glassroad 382–3, 398–406
 - physico-chemical characteristics 383–7, **400**
 - processing 383, 384, 399
 - Strasbourg test 390–5, 392, **394**
 - Switzerland 381, 411–12
 - thermodynamics 395–8
- high-level nuclear waste (HLNW) 15–16, 515–16
 - compliance requirements 38
 - glasses 40–1, **42**, 43–4, 54
 - immobilization 89–91
 - liquids 37
 - properties comparison **45**
 - repository statistics **526**
 - storage 38
- high-*T* geothermal systems 305, 307–10, 322
- HLNW/HLW *see* high-level nuclear waste
- hollandite 48, 94–5, 103–4, 106
- host phases for ceramics 89–111
- Hot Fractured Rock (HFR) project 355–67
- hot springs 306–7
- hot-dry-rock (HDR) systems 328–9, 344
- HT materials *see* high temperature materials
- human health 154–6, 173, 174, 186
- hydrated minerals 235–8
- hydrochlorofluorocarbons (HCFCs) 161–2
- hydrodynamic trapping 286–7, **294**

- hydrogen sulphide
 geothermal fluids 316, 317, 318, 320, 337, **338**, 378
 mine gas 185
- hydrogeology 201–3, 307–10
- hydrology
 incinerator ash deposits 608–11
 leachate composition 612
 nuclear fuel cycle 9–10
- hydrotalcite 116–17, 117–18
- hydrothermal alteration 124, 131
- Iceland, geothermal power 305–6, 310, 324
- immobilization
see also vitrification
 ACTs and REEs 46–51, 54
 heavy metals 595–606
 high-level waste 16, 89–91
 long-term prediction 113–21
 metals 403–6, **405**, 552–7
 natural analogues 123–34
 phosphate stabilization 435–73
 trace elements 652–4
- impoundments 27–30
- in-line technologies 383, 394
- incinerator wastes 381
see also bottom ash; fly ash; high temperature materials
 hydrology 608–11
 landfill leachates 607–17
 phosphate stabilization 448–9, 455–63
 residues 423–5, 435–6
 secondary raw materials 425–31
- injection
 carbon dioxide 285–96
 geothermal waste waters 302–3, 327–8, 337–54, 372–3
 Hot Fractured Rock project 355–67
 Lardarello geothermal field 340–51
- inorganic wastes 37–8
- inventories of nuclear waste **15**
- ion exchange 583–6
- iron oxides 241, 647
- iron-rich minerals 177–80
- isotopic composition 347–9
- isotopic methods 146–50
- Italy, geothermal power 304–5, 340–51
- kerogen 264, **269**
- kinetic mass transfer model 525–6
- kinetics
 glass corrosion 579–94
 heat pumps 507–9
- kickersite shales 266–8, **269**
- laboratory studies
 ceramics 98–105
 fly ash leaching 625–30, 636–7
 uranium tailings 30–1
- land reclamation 194–6
- landfills
 HT materials 398–406
 hydrology 608–11
 incinerator waste 607–17
 leachate geochemistry 611–16
 lysimeter investigation 608, 610–11, **612**, 614
 Switzerland 607–8, 609–10, 611
 waste tyres 477–8
- landscape degradation *see* ground deformation
- Lardarello geothermal field 304–5, 340–51
- law of consistent rate 579–94
- leachates
 bottom ash 451–5, 620
 coal ash 220–1, 241, 619–39
 diffusion processes 612–14
 geochemical factors 611, 614–16
 HT materials 392–5, 402
 incinerator ash landfills 607–17
 municipal solid wastes **437**, 449–51
- leaching
 cement 595
 coal mining waste 188, 202–3
 colloids 531
 field studies 630–6
 glasses **430**
 laboratory studies 625–30, 636–7
 nuclear waste forms 38–9, 41
 phosphate-stabilized ashes 464–5, 466
- lead 128, 600–1
- lead-iron phosphate (LIP) glass 44
- lightweight aggregate 249, 252–3
- LILW *see* low- and intermediate-level waste
- limestone 179
- Lindál diagram 298
- liners 28–9
- LIP *see* lead-iron phosphate glass
- liquid wastes
 geothermal fluids 302–3, 327–8, 337–54, 355–67
 nuclear 37
 oil shales processing 265
- liquid-dominated geothermal systems 307–10
- long-term prediction 113–21
- low- and intermediate-level waste (LILW) 37, 43, 44–6, 53–4
- low-*T* geothermal systems 297, 310, 322
- lysimeter, landfill investigation 608, 610–11, **612**, 614
- MCC-1 test 398
- Meaford power station fly ash 625–36
- melting reactions 214–15, 226
- mercury pollution 318–19
- meta-schoepite 75
- metals
see also heavy metals; trace metals
 bottom ash leachate systems 451–5
 coal combustion wastes 241
 fission products 68–70

- fluxes 403–6
- glassfill and glassroad 400–3
- immobilization mechanisms 442–7
- incinerator residues 412, 414–15, 416, 417–18, 436
- phosphate stabilization 435, 439–42
- Strasbourg test 392, **394**
- methane 165, 184–5, 190, 317–18
- microseismicity, geothermal systems 359
- migration of radionuclides 529–43
- mine gases 184–6, 189–90
- mine waters 193–4, 201–3, 503–7
- mineral trapping 289–90, 291–3, **294**
- mineralogy
 - see also* secondary minerals
 - bentonites **517**
 - bottom ash 419–20, **420**
 - Cigar Lake, Canada 526
 - coal 175–9, 224, **225**
 - coal combustion wastes 641–58
 - Estonian oil shales 267–8
 - fly ash 213–16, 229–32, 235–8, 623–4
 - geothermal fluid injection 361–4, 365, 366
 - HT materials 383–4
 - phosphates 438–41
- mines 503, 507–8, 509–11
 - see also* coal mining
- mining wastes 271, 499–513
- modelling
 - see also* analogues; natural analogues
 - air quality 158
 - fly ash geochemistry 630
 - fly ash weathering 646
 - geothermal fluid flows 361
 - glass/water reactivity 580–2
 - hydrogeology 201–3
 - landfill hydrology 608–9, 611
 - mineral trapping 291–3
 - Nagra/PSI TDB 01/01 574
 - nuclear waste management 515–28
- molybdenum 68–70
- monosulphate 598, 603
- monosulphoaluminate 237
- MSW *see* municipal solid wastes
- mullite 230
- multibarrier concept 516
- multiphase ceramics 49–51
- municipal solid wastes (MSW)
 - ash composition **425, 437**
 - incinerator residues 411–22, 423–33
 - landfill leachates 607–17
 - phosphate stabilization 435–73
 - secondary raw materials 425–31
 - vitrification 381–410, 428–31
- murataite 47, 48
- Nagra/PSI Chemical Thermodynamic Data Base
 - 01/01 561–77
 - chemical consistency 564–8
 - structure and availability 563–8
 - unreliable data 568–71, 574–5
 - update procedure 561–3
- natural analogues
 - basaltic dykes in evaporites 135–41
 - Cigar Lake deposit 128–31
 - Gabon reactors 124–8, 130–1
 - long-term prediction 113–21
 - spent nuclear fuel 82–4, 523–7
 - uranium tailings disposal 31–2
 - uranyl sorption 547–9
- natural tracers 338–9, 344–5, 352
- near field
 - geochemistry 519–21
 - waste–water interactions 516–19
- neodymium 139
- neptunium behaviour 78–80
- Nesjavellir geothermal field 305–6, 324
- New Zealand, geothermal power 305
- ningyoite 128–9
- nitrogen oxides 159, 161
- Northumberland Basin, UK 196
- Norway, heat pumps 509–11
- nuclear fuel cycles 3–4, 7–23
 - characteristics 18–19
 - closed 8, 17
 - open 8, 9, 17
 - symbiotic 13, 18
- nuclear power
 - carbon emissions reduction 19–20
 - catastrophes 144–6
 - modern reactors 13–14, 19
 - natural systems 123–4
 - production 3–4, 7, 11–14
- nuclear waste
 - see also* actinides; high-level nuclear waste; radionuclides; spent nuclear fuel
 - classification 14
 - composition 37–8
 - disposal 31–2, 515–28, 529–43
 - heat content 17–18
 - laboratory studies 30–1
 - minerals and solid phases **526**
 - near-field waste–water interactions 516–19
 - plutonium 14–15, 17, 18–19, 76–8, 146–9
 - repository performance assessment 572–3
 - volume 15, 17
- nuclear waste forms 37–63
 - cement 53–4
 - ceramics 46–52, 54–5, 89–111
 - chemical durability 38–9
 - compliance requirements 38
 - composites 54
 - glasses 40–6, 54, 89–90
 - glass–ceramics 52–3
 - radiation resistance 39–40
- nuclear weapons 9, 10
 - dismantling 14–15, 17

- testing 143–4, **148**
- Ohio, USA, carbon dioxide injection 290–3
- oil production 269–70
- oil shales 263–84
 - see also* Estonian oil shales
 - combustion 273–7, 279–80
 - genesis and composition 264–5
 - northeastern Europe 265–79
 - retorting 264
 - waste products 265, 270–7
- Oklo natural reactors, Gabon 82–4, 123–4, 125
- open nuclear fuel cycle 8, 9, 17
- open-loop heat pump systems 501, 507
- organic matter
 - bottom ash 416–17
 - fly ash 624
 - oil shale emissions 277–8
- orthophosphates stabilization 435–73
- oxidation
 - actinides 546
 - coal-bearing strata 175
 - pyrite 175–7
 - uranium dioxide 524–5
- oxides
 - iron 241, 647
 - nitrogen 159, 161
 - SNF 70–1
- oxidizing environment 65–88
- ozone depletion 161–2
- PAHs *see* polycyclic aromatic hydrocarbons
- Palimpinon geothermal field 323, 339
- palladium 70
- particles
 - emissions 621–3
 - fly ash 217, 228, 235–6, 278
- passive treatment system 194, 198
- performance assessment of repositories 561–77
- permeability of geothermal fluids 307–8
- perovskite 48, 95–8, 104–5, 106
- phase composition
 - fly ash 213–16, 229–30, **231**
 - glasses 586–9
 - HT materials 383–7
 - incineration residues **425**
 - oil shale ash 274–6
- Philippines, Palimpinon geothermal field 329, 339
- phosphate glasses 43–4, 46
- phosphate stabilization
 - see also* apatite group
 - calcium minerals 449–51
 - ceramics 448
 - contaminated soil 447–8
 - divalent metals 451–5
 - longer term performance 464–5, 466
 - mechanisms 455–63
 - metals immobilization 552–7
 - mineral reaction products **460**
 - mineralogy and geochemistry 438–41
 - municipal solid wastes 435–73
 - principles 436–8
 - solubility products **457–8**
 - phosphates 49, 129–30, 131
 - photo-oxidants 159–61
 - PHREEQC (pH redox equilibrium calculations)
 - 201–2, 518, 519
 - phyllosilicates 129, 130
 - phytotoxicity 242
 - plutonium 14–15, 17, 18–19, 76–8, 146–9
 - pollution *see* air pollution; chemical pollution; water pollution
 - polycyclic aromatic hydrocarbons (PAHs) 277–8, 490–1
 - polyphase ceramics 98–100
 - ponds, fly ash 631
 - porcelainized stoneware 427–8
 - porewaters *see* groundwater
 - Portland cement *see* cement
 - portlandite 650
 - potash salts 135–41
 - powder sintering technique 429, 430
 - power generation
 - see also* geothermal energy utilization; nuclear power
 - efficiency 165–6, 299
 - Estonian oil shales 263, 269, 270
 - fly ash emissions 621–3
 - power plants 317, 369, 371, 622–3
 - pozzolanic properties of fly ash 218, 249
 - precipitation
 - acid deposition 159
 - air pollutants amelioration 157
 - landfill leachates 609–10, 612, 613
 - phosphate stabilization 444–6
 - prediction with analogues 113–21
 - pressurized water reactor fuels 521
 - processing
 - ammonia removal 260
 - bottom ash 252–5
 - fly ash 255–60
 - HT materials 383, 384, 399
 - oil shales 265
 - reprocessing, SNF 8–9, 13, 17
 - waste tyres 479–80
 - production technologies 44–6
 - pulp and paper mills 481
 - pulverised coal combustion 211, 212, 225–6, 247
 - pyrite oxidation 175–7
 - pyrochlore 46, 90, 91–3, 100–1, 106
 - pyrolysis 480
 - quality of fly ash 249–52
 - quartz 179, 230
 - radiation 39–40, 41, 68

- radioactive waste *see* actinides; nuclear waste;
radionuclides
- radioactivity 26, 28
- radiocolloids 519
- radioecology 149–50
- radiolysis 71–2
- radionuclides
see also actinides
anthropogenic emissions 143–51
colloid influence 529–43
colloids interaction 535–8
fissile nuclides 8–9, 13, 17
isotopic distinction 146–50
long-term disposal 31–2
modelling 515–28
natural analogues 523–7
near-field waste–water interactions 516–19
oxidizing environment 65–88
safety of disposal 529–30, 561–77
uranium mining 26
weathering redistribution 76
- radiotoxicity 545
- rainfall in landfills 609–10, 612, 613
- rare earth elements (REEs)
basalt dykes 135, 136–8
behaviour 76–8
evaporites 138–40
immobilization 46–51, 54
plutonium behaviour 76–8
- re-injection *see* injection
- reactions
glasses 582–91
secondary mineral formation **643**
- reactors *see* natural reactors; nuclear power
- recovery factor 340
- recycling of tyres 476–7
see also reuse
- redox systems 65–6
- REEs *see* rare earth elements
- refining waste 271–3
- regional haze 159, 160
- release of radio nuclides 529–43
- repositories
see also disposal; reservoirs
actinides 545
colloid influence 529–43
geological 8, 9–10
nuclear waste 516
performance assessment 561–77
- reprocessing, SNF 8–9, 13, 17
- reservoirs
carbon dioxide storage 285–96
disequilibrium conditions 349–51
fluid composition 337, 339–40
geothermal fluids re-injection 338–9
geothermal systems 307–10
- respiratory diseases 186
- retorting process 264, 269–73
- reuse
see also secondary raw materials
coal combustion wastes 211, 217–19, 248–9
fly ash 630–1
heavy metal wastes 595–606
incinerator waste 423–33
waste tyres 476, **477**, 479–80
- Rhine graben 356–7
- road construction 382–3, 398–406
- Rose Run Sandstone 290–3
- Russia 16–17, 265–79
- rutile 129
- safety of nuclear waste disposal 529–30, 561–77
- Salton Sea 324
- salts, acid generating 176–7
- sandstone injection 290–3
- saturation reaction rates 580
- scaling of geothermal fluids 321–6
- scenery spoliation 326
- Scotland, heap pumps 511
- sea level rise 164
- secondary minerals
chemical weathering **648–9**
coal combustion wastes 641–58
geochemical controls 642–5
observed 647–50
precipitation in glasses 589–91
predicted 650–2
- secondary raw materials 381–2, 423–33
see also high temperature materials
bottom ash 416
bricks 428
ceramics 426–7
glass and glass–ceramics 428–31, 432
HT materials 398–406
incinerator waste 425–31
tiles 427–8
- sediment buffers 29
- seismicity 299, 359
- semi-coke 265, 271–2, 271, **272**
- separation
bottom ash 252–5
density 252–5, 256–7
electrostatic 257–9
fly ash 256–9
glass phases 586–9
metals 412, 414–15, 416
- sequestration
carbon 285–96
trace elements 652–4
- Shilbottle–Whittle Coalfield, UK 196–203
- siderite 177–9
- silica scaling 321, 322–4
- silicophosphates 49
- single-phase ceramics 46–9
- slags 211, 219, 273–7
- slope failure 188

- slurry 273
- smectite clay colloids 532–3
- smog 158
- SNF *see* spent nuclear fuel
- sodium-aluminophosphate glass 44
- sodium-rich glass 583–6
- soils
 - amelioration 276
 - erosion 326
 - impoundment barriers 29
 - land reclamation 195–6
 - phosphate stabilization 447–8
- solar radiation 162–3
- solid solutions **457–8**, 467, 573–4
- solid wastes
 - coal combustion 211–22, **488**
 - nuclear 37–8
 - oil shales 265, 270–7
 - tyre combustion 483–9, **484–5**
 - uranium mining 25–35
 - vitrication 381–410, 428–31
- solubility
 - aluminium–iron phases 601–3
 - heavy metals 599, **602**
 - trapping 287–9, **294**
 - uraninite 524
- solution pH 644–5
- solution phase immobilization 446–7
- sorption
 - isotherms 600–1
 - mechanisms 442–4
 - surface 603–4
 - uranyl 545–60
- Soultz-sous-Forêts, France, Hot Fractured Rock project 355–67
- space heating 306–7, 501
- spent nuclear fuel (SNF) 65–88, 516, 521–3
 - chemical composition 521–3, 521
 - disposal 8, 17, 18–19
 - microstructure evolution 66–71
 - natural analogues 82–4
 - oxidising conditions 74, 75–6
 - radiochemical analysis 80
 - radiolysis 71–2
 - radiotoxicity 545
 - secondary U minerals 72–4
 - water interface 522
- spiral concentrators 254
- spoil heaps
 - environmental impacts 174, 180, **183–4**
 - fire hazards 191
 - France 193
 - heat pumps 508
 - land reclamation 194–6
 - slope failure 188
- spontaneous combustion 175, 187, 191
- STABCAL (stability calculation software) 451, 452
- stability
 - colloids 530–5
 - glasses 387–95, 429–30
- stabilization
 - see also* immobilization
 - heavy metals 595–606
 - phosphates 435–73
- steam, geothermal 307–10, 337, **338**, 340–2, 342, 343, 344, 369–70
- stockpiled tyres 478–9
- stoker boilers 493
- storage
 - see also* repositories; reservoirs
 - ash 248
 - carbon dioxide 285–96
 - fissile nuclides 8, 9
 - nuclear wastes 38
- Strasbourg test 390–5, 392, **394**
- strätlingite 237
- stratospheric ozone depletion 161–2
- strontium **150**
- structure of host phases 91–8
- studtite 75
- subsidence *see* ground deformation
- sulphides 212, 321, 504, **506**
- sulphur 175–6
- sulphur dioxide 159
- sulphur-scrubbing products 219, 238–9
- sulphuric acid neutralization 28
- superheating 372
- supersaturation of glasses 389–90
- supplemental fuel 480–2
- surface coal mining 174, 186
- surface immobilization 442–6
- surface sorption 603–4
- surface temperatures 164
- sustainability of heat pumps 507–9
- swimming pools 298, 300–1, 306–7
- Switzerland
 - bottom ash landfill 607–8, 609–10, 611, **612**
 - HT materials 381–410
 - incinerator bottom ash 411–22
 - tunnel waters 375–8
- sympiotic nuclear fuel cycle 13, 18
- Synroc 49–50, 90, 98–100
- tailings, uranium mining 26–32
- tailored ceramics 50–1, 90
- TDF *see* tyre-derived fuel
- technetium behaviour 69, 80–2
- technologies
 - see also* processing
 - ceramics 51–2
 - fly-ash treatment 247–62, 424
 - glass production 44–6
 - secondary raw materials 383, 384, 399
- Tefal lysimeter, Switzerland 608, 610–11, **612**, 614

- TEM *see* transmission electron microscopy
- temperature inversion 157, 158
- temperatures
- ceramic firing 428
 - geothermal systems 297, 298, 305, 307–10, 322, 350–1, 351
 - Nagra/PSI TDB 01/01 573
 - stored heat 500–1
 - surface 164
- tests
- see also* laboratory studies
 - leaching 628–30, 636, 651
 - nuclear weapons 143–4, **148**
 - Strasbourg test 390–5, 392, **394**
- thaumasite 650
- thermal conductivity **500**
- thermal processing 259
- thermal treatment 381–410, 411–12
- thermodynamics
- data base 561–77
 - HT materials 395–8
 - uranium dioxide model 525
- Three Mile Island nuclear catastrophe 145–6
- tiles 427–8
- time-resolved laser fluorescence spectroscopy (TRLFS) 537, 538, 549
- titanite 49
- tobermorite 596, 597
- trace elements
- coal 224
 - coal ash leachates 620–1, 634–6, 651
 - coal combustion wastes 240–1
 - combustion 621–3
 - geothermal fluids **314–15**
 - leaching 623
 - sequestration 652–4
- trace metals
- bottom ash 411, 417–18, **419**
 - HT materials 386, 388, 391
- tracers
- geothermal fluids 338–9, 344–5, 352
 - landfill flows 609
- transition state theory (TST) 580, 581–2, 583–4
- transmission electron microscopy (TEM) 68–70, 69, 80–1, 85
- trapping of carbon dioxide 286–90, **294**
- treatment technologies 247–62, 424
- TRLFS/TRLFIS *see* time-resolved laser fluorescence spectroscopy
- TST *see* transition state theory
- tunnel waters 374–8
- Tyneside coal industry, England 170–4
- tyre-derived fuel (TDF) 477, 480–2, **484–5**, **486–7**
- tyres
- see also* waste tyres
 - combustion 483–9, **484–5**, 495–6
 - composition 482–3
- underground mine pumps 507–8
- United Kingdom
- power station fly ash 622–3, 625–36
 - Shillbottle–Whittle Coalfield 196–203
 - Tyneside coal industry 170–4
- United States
- carbon dioxide injection 290–3
 - fly ash characterization 232–5
 - heat pumps 509
 - nuclear waste 14, 15–16
- update procedure, Nagra/PSI TDB 01/01 561–3
- uraninite
- actinides storage 126, 131
 - Cigar Lake deposit 124
 - Gabon deposit 124–8
 - uranium release modelling 523–7
- uranium
- anthropogenic sources 76
 - Cigar Lake reactor 128–30
 - Gabon reactor 127–8
 - mineralization 124, 126
 - mining 25–35
 - natural analogues 123–34
 - production 25–6
 - secondary minerals 72–4
 - spent fuel behaviour 73–4
 - tailings disposal 26–32
- uranium dioxide
- modelling 525–6
 - oxidising conditions 74, 75–6
 - reducing conditions 74–5
 - solubility data 524
 - spent nuclear fuel 65–88, 521–3
- uranyl carbonate complexes 552–3
- uranyl sorption 545–60
- uranyl–quartz systems 554–5
- vapour-dominated geothermal fields 307–10, 337, 340
- vehicle emission standards 157
- ventilation systems 190
- vitrification
- see also* glasses; high temperature materials
 - high level waste 16
 - municipal solid wastes 381–410, 428–31
 - nuclear waste forms 43, 44–6, 54
 - phosphate minerals **462**
- volatile organic compounds (VOCs) 161
- Warakei geothermal field 305
- waste *see* liquid wastes; municipal solid wastes; nuclear waste; solid wastes
- waste disposal *see* disposal
- waste fluids *see* geothermal fluids
- waste geothermal heat
- avoidance strategies 372–4
 - environmental impacts 374
 - geothermal energy utilization 369–72
 - tunnel waters 374–8

- waste tyres
 - combustion products 483–9
 - disposal 476, 477–9, **477**
 - energy source 480–2
 - used and retreadable 476–7
 - utilization 479–80
- waste-to-energy cycle 4
- waste-water interactions 4, 516–19
- water
 - see also* groundwater
 - acid 192–3, 322
 - geothermal waste 302–4, 337–54, 372–3
 - glass corrosion 389
 - mines 193–4, 201–3, 503–7
 - reactivity with glasses 580–2
 - tunnels 374–8
 - wastewater treatment 193–4
 - wells **311**
- water pollution
 - coal mining 170–2, 174, **182, 183–4**, 189, 192–4
 - geothermal energy utilization 319–21
 - Shilbottle Coalfield, UK 198, **199–200**
- water resource depletion **182**, 189, 194, **200**
- water-to-air heat pump 501, 502
- weathering 76, 188, 646
- wells
 - geothermal fluids 301–4, 338–9, 340, 355
 - water composition **311**
 - Werra–Fulda potash district, Germany 135–41
- X-ray photoelectron spectroscopy (XPS) 554
- zeolites 589–90
- zinc 600–1
- zircon 48–9
- zirconolite 46–7, 90, 93–4, 95, 101–2, 106