

Index

Note: Page numbers in **bold** refer to tables; those in *italics* refer to figures (while some are included within page ranges).

- ⁴⁰Ar/³⁹Ar dating 268
- Aasberg-Petersen equation of state 89–90, 95
- accommodation space 232, 234
- accumulation history, reservoir 7–26
- analytical approaches 1–2, 4, 9, 28, 38, 59, 64, 209–219, 224, 235–237, 357–358, 384 *see also* chromatography; fluid inclusion analysis; Iatrascan; isotope analysis; molecular analysis; residual salt analysis; SARA separation
- ankerite 57
- API gravity 115–130, 162, **183**, **198**, **210**, 212–216, **236**, 237–239, 243, 246, 252, **331**, 346–350
- aquifer 186, 284–285, 299, 323
- aromatic hydrocarbons 70–74, 75–77, 195, **210**, 225, **240**, 244, 325–329, **331**, **340**, 344
- depletion of 70–86
- in HMWHCs 43–49
- maturity estimates 32–34, 136, 144, 178
- asphaltenes 2, 9–26, 74, 84–86, 97, 120, 208, **210**, 215, 231, 271, 353
- degradation 2
- isolation 38–40, 216
- kinetics 133–155
- petroleum charge 57
- see also* bitumen; gas deasphalting
- AVO study 197
- basin
- evolution 12
- modelling 2, 4, 100, 112, 133–174, 187–190, 270–271, 316, 381–382
- basin-centred gas prospects 373–390
- Bernard-type plot 223
- biodegradation 2–3, 14, 27, 30, 39, 40, 53–88, 101, 123–130, 209, 232, 243–245, 318–319, 323, 344, 352–353
- biogenic gas 245–247, 252
- biomarkers 1, 28–34, 38, 101, 112, 144, 233–244, 319–324, 339–342, 346, 361–364
- in fluid inclusions 316
- maturity 178, 181, 191, 241
- parameters 41
- see also* diamondoid hydrocarbons; hopanes; phenanthrenes; steranes; terpanes; thiophenes
- bitumen 74–77, 229, 264–267, 271, 275–276, 319, 325, 356, 382, 383
- bottom-hole samples (BHS) 59, 288
- bubble point 118–119, 128–129, 152, **183**, 191, 192
- burial
- history 133–154, 270–271, 273
- rates of 100, 152, 292
- calcite cementation 279–282
- Canadian hydrocarbons
- Newfoundland **20**
- Western Canada Sedimentary Basin 7–26, 42
- cap rock 136, 139, 146, 153, 276, 308, 352–353
- capillary leakage 130, 158, 168, 195, 199, 312–313, 323, 357
- failure 314, 332, 335, 351–355, 361
- see also* seal
- carbon isotope 68, 69, 72, 81, 177, 181, 184, 200, 223, 224–227, 237–252, 322–324, 344–346
- carbonate reservoirs 207–220
- charge/fill-drain cycles 314, 354
- charge risk 201, 203
- charging, petroleum 2, 7–27, 57, 69, 86, 229, 232, 247, 252, 275
- modelling 115–130, 175–206
- Chinese hydrocarbons 28, 42, 43
- chlorite 264–267, 271–273, 333
- chromatography 184, 194, 201–202, 213–218, 238, 243, 328, 329, 330, 337, 344, 358
- GC-IRMS 364
- GC mass spectrometry 38, 182, 185, 195, 224
- high temperature GC 38, 49
- liquid 236
- see also* fingerprinting; geochromatography
- chromophores 329
- cluster analysis 203–205, 290–291
- Columbian hydrocarbons **20**
- compaction 138, 267–268, 313
- disequilibrium 100, 139
- model 273–276
- compartmentalization 3, 57, 69–70, 86, 99, 111–112, 117, 129, 170, 172, 182, 186–187, 191, 202–256, 263, 279–299, 356
- compositional grading 3, 117, 119–121, 124, 207–220
- connate water 375, 384
- contamination, drilling mud 194, 247, 337
- convection 3, 122
- cracking of hydrocarbons 10, 16, 19, 24, 157, 163, 179, 271, 275, 323, 377, 382
- Darcy flow 139, 168
- Darcy's law 138–139
- dew point 21, **183**, 192, **198**, 237
- diagenesis 3, 54, 57, 77–80, 85–86, 100, 139, 191, 222, 264–278, 286, 313–316, 332–336, 347–348, 354–355, 376, 377 *see also* calcite cementation; quartz cementation
- diamondoid hydrocarbons 28, 29, 263
- diffusion 119, 120, 129–130, 193, 232, 312 *see also* diffusional mixing
- diffusive seepage 123
- dissimilatory iron reduction 2, 81–86
- distillation, simulated 37

- drill stem tests (DST) 28, **183**, **192**, **198**, 288, 292, 311, 327, 330, **331**, 343
- drilling, lost circulation in 204
- DSDP drilling 233
- dysmigration 348, 351–352
- equations of state 17, 89–98
- equilibrium potential analysis 207
- evaporation loss **331**
- exploration, application of charge models to 201–205
- expulsion of hydrocarbons *see* generation of petroleum
- faulting, impact on compartmentalization 55–59, 111–112, 305–372
- field development 175–206, 219
- economics 86, 223, 231
- optimization 99
- filling *see* reservoir filling
- fingerprinting 129, 249
- GC 3, 32, 101, 109, 201–205, 216, 218
- GC MS 182, 185
- flow, fluid 133, 139, 193
- barriers 99, 101, 111, 129, 231, 251, 283–286, 292–299, 306, 315–318, 385 *see also* compartmentalization
- compaction-driven 313
- pressure-driven 100
- rates 231
- see also* Darcy flow
- fluid inclusion analyses 189, 268–269, 305, 316, 325, 329, 332–342, 346, 351, 355, 358–364, 384
- fluid, petroleum 1
- chemistry 2, 100–102, 105–106, 231
- contacts 2, 100–101, 104–105, 108–109, 116, 123, 128–130, 200–201, 225, 335–337
- density 2, 99–112, 209
- flow modelling 133–155
- history 69, 89
- mixing *see* mixing
- molar profiles 14
- prediction 157, 159–161
- pressure 100, 102–104, 106–107, 109
- properties 231–256, 383–384
- prediction 215
- see also* API gravity of oils; bubble point; dew point; fluid composition; fugacity; GLC; GOR; pour point; PVT; saturation pressure; Total Acid Number; viscosity
- variations in composition 3–4, 99, 248
- see also* bottom-hole samples; drill stem tests; flow; hydrogen; modular dynamic formation tests; nitrogen content; production tests/samples; repeat formation tests; sidewall cores; sulphur
- fold belt gas accumulations 15–16
- fractionation 353, 361, 364
- depletion 353
- evaporative 7–9, 12, 16–17, 19, 21–24, 245, 342, 344–345
- migration 160, 346
- of core extracts 76
- see also* phase; Raleigh fractionation scheme
- fracture pressures 310–312
- fracturing, of cap rocks 146 *see also* hydraulic failure
- French oil fields 81
- front end roll over, in hydrocarbons 22–23
- fugacity 96
- control 16, 24
- Galimov plot 184, 186
- gas
- addition 7–9, 12–16, 19, 22, 85–86
- allochthonous, recognition of 1, 8–9, 24
- brightening 315, 323, 357
- caps 124–126, 128
- chimneys 128, 314–315, 353
- composition 159–164, 221–255 *see also* nitrogen
- deasphalting 54
- depletion, during migration 12–13, 357
- dissolved, isotope signature of 101
- fluid mixing 102–110
- injection *see* gas addition
- line plots 68
- washing 129, 245 *see also* water washing
- gas/oil generation index 241, 243, 319
- gas-oil ratio *see* GOR
- gasification 12, 23
- generation of petroleum 2, 27, 100, 134, 157–174, 188–189, 239, 314, 382–383
- geochemical developments 1–2
- geochromatography 179, 196
- German hydrocarbon fields 28, 221–230
- Gibbs free energy models 90
- glauconite 57, 78, 81–84
- GLR (gas-liquid ratio) **236**, 243
- GOR (gas-oil ratio), of oils 115–120, 125–130, 168, 180, **183**, 190, 192, 196, **198**, 211, 213, **331**, 342–357
- predicting 158–159
- gravitational segregation 3, 117–120, 121 *see also* Soret effect
- Gulf of Mexico basin hydrocarbons 12, 14, **20**, 21–23, 96, 97, 125, 129, 231–278
- Gulf of Suez oil fields 101
- heat flow 135–136
- high molecular weight hydrocarbons 2, 37–51, 74–79
- HMWHC *see* high molecular weight hydrocarbons
- hopanes 28, 30–32, 38, 195, **214**, 238–240, 319, **340**, 344–345
- biomarker maturity parameter 178, 181
- hydraulic
- failure 123, 200, 286, 350
- leakage 130
- rock types 384–388

- hydrocarbon
 accumulation, timing of 257–278, 297
 oxidation 15–16
 quality prediction 115
 resource in place 373
 seeps 232–234, 251
 type prediction 115
- hydrogen
 index 320, 377, 381
 isotopes 225–227, 364
 sulphide 15–16, 53, 263, 271
- Iatrascan 194, **331**, 358
- Indonesian hydrocarbon fields 14
- intergranular volume 267–268
- isotope analysis 364
 compound specific (CSIA) 185–186
 fractionation 221–230
see also carbon isotopes; hydrogen; residual salt analysis; ⁸⁷Sr/⁸⁶Sr isotopes; sulphur
- Italian hydrocarbon fields 207–220
- kerogen 375, 381–382
 kinetics 133–155, 168
 transformation ratio 168, 169, 188
- kick information 292
- kinetic modelling 2–3, 133–174, 273, 354
- Kuwait oilfields 101
- leachate analyses 288
- leak-off tests 311
- leakage 136, 146, 153–154, 168, 195–200, 232, 248, 252, 276, 312, 374
 gas diffusive 352
 history 3–4, 115
 mechanisms 122, 128–130
 model for intermittent 297–299
see also cap rock; palaeo-leakage; pressure; seal
- light hydrocarbons
 fingerprinting 129
 leakage 129
 maturity estimates 34
- lipid chemistry 43–44
- mass balance approach 4, 207–220, 373–390
- Mathias equation of state 89–90, 95
- maturity
 index 22
 map 321
 mass fraction 32–34
 modelling 355
 molecular parameters 27
 of oils 7–35, 72–73, 86, 101, 128, 185, 200, 246–247, 252, 321–324, **331**, 343–350
 suppression 151
 thermal 85–86, **214**
see also aromatic hydrocarbons; biomarkers; light hydrocarbons; source rocks
- McKenzie model 139, 143
- mechanical strength model 273
- meteoric pumping 323
- methane solubility in water 94–95, 98
- methanogenesis 82
- methanogens 69
- Mexican hydrocarbon fields 238–239
- migration of hydrocarbons 14, 85, 134, 145–152, 195–201, 305–372
 contamination 27
 distance measurement 42
 driving forces 139, 188
 efficiency 133, 146, 317, 354
 gas depletion during 12, 16–17
 modelling 157–174, 315–316
 pathways 3, 17, 247, 250, 283–284, 323, 375
 secondary 41–42, 157, 231, 321, 348
see also dysmigration; fractionation; palaeo-migration
- migration/trapping systems 4
- mixing
 contact-driven 105
 controls on 102–106, 109–110
 density-driven 102, 105, 108, 108–109, 110, 232
 diffusional 102, 108–109, 121, 122, 232, 296
 driving forces 296
 models 106–109, 115–132
 patterns 250
 petroleum 2, 4, 27–35, 207–220
 pressure-driven 105, 108–109, 110
 processes 115–132, 245
 rates of fluid 99–113, 299
 reservoir 2, 27, 345–346
 water 286
see also fluid composition; gas; viscous oil models, physical, chemical and numerical 2–4, 89–98, 100–112, 115–133, 157–174, 257–278
see also basin modelling; reservoir simulation
- modular dynamic formation tests (MDT) 59, 71, 74–76, 100, 235, 237, 249–252, 288, 292
- molecular
 analysis 207–220
 distributions 1
- markers composition 1, 28
 maturity parameters 27
 sieving 44, 49, 353
- Monte Carlo simulation 385–387
- mud additive 237, 238
- mud weight
 data 292
 monitoring 100
- naphthalenes 72
- nitrogen in gases 224
- North Sea hydrocarbons 14, 28, 111, 130, 133–206, 283–303
- Norwegian hydrocarbon basins 305–372
- oil, fluid mixing 102–110

- oleanane 356
 Oman oil fields 121–122
 overpressure development 3, 13, 100, 139, 152, 153, 168, 187–188, 191, 235, 246–247, 283, 285, 292, 295, 297, 305–372, 383
 overturn
 density-driven 108, 112
 tilting 345–346, 350
 oxidation of hydrocarbons 15–16
- palaeo-coastline 318
 palaeo-high 85
 palaeo-leakage 350–353
 palaeo-migration 317–319, 353
 palaeo-pasteurization 323
 palaeo-pressure 138
 palaeotopography 260
 paraffin deposits in pipelines and production facilities 47
 parameter ratio 4
 petroleum
 accumulation history 7–26
 density 75
 engineering calculations 8
 fluid variations 3–4
 mass fraction relationships 32–33
 see also fluid; hydrocarbon
 phase
 behaviour 231–232, 237–252
 equilibria 2, 89–98, 157–174
 fractionation 231–255, 331, 344–347, 350
 prediction 238
 separation 130
 phenanthrenes 10, 28, 31, 72, 73, 86, 214, 239, 240, 330, 340, 361
 pipelines, paraffin deposition in 47
 piston cores 233
 polar (resin) fraction of hydrocarbons 84, 97, 121, 210, 215, 325–329, 331
 porosity
 creation of secondary 257
 distribution 260–263, 268, 294
 preservation of 257
 pour point of crude oil 41, 44
 pressure 207, 236, 237, 250, 251, 286, 292, 374–375
 cells 296–300, 315
 differences, rates of equilibration 2
 discontinuity 186, 201
 disequilibrium *see* overpressure
 gradients 101, 186
 leakage 313
 modelling 136–139, 142, 151–154, 315–316
 prediction of 283
 solution, intergranular 267–268
 well 221
 see also drill stem tests; fluid; fracture pressure; kick information; modular dynamic formation tests; mud weight; overpressure; palaeo-pressures; repeat formation tests; saturation pressure
- principal components analysis 290–291, 300–302, 339, 339–340
 pristane/phytane 31, 32, 214, 217, 331, 342–345, 361
 production
 allocation 89, 231
 efficiency 251, 375
 history 221, 232, 251
 impact of viscous oil on 57–60
 models 4
 monitoring 215, 219, 231
 performance prediction 112
 tests/samples 28, 71, 224, 288
 productivity index 59, 60, 85
 PVT
 data 1, 7–26, 89–90, 97, 160, 191, 248, 288
 history 125–130
 properties 136, 168, 229, 235, 363–364
 simulation 157–174
 pyrolysates 9–11, 14, 16
 pyrolysis 2, 74–79, 86, 157–172, 353, 381
- quartz cementation 257–278, 313, 316, 332–336, 347, 350, 358–364, 384
- Raleigh fractionation scheme 241
 refilling, of leaked traps 353–355
 repeat formation tests (RFT) 28, 59, 100, 186–188, 191, 193, 200, 288, 292, 311
 reservoir
 connectivity/continuity 89, 101, 186–195, 202, 207, 219, 231–232, 238, 247 *see also*
 compartmentalization
 facies 57, 234, 262–263
 filling 2, 4, 81, 101, 112, 146, 164, 168–172, 195, 200, 229, 231, 250, 335, 343–357
 direction of 3, 134, 152
 processes 115–132
 spill route 136, 151, 152, 168, 195–196
 see also refilling
 management 238
 models 221
 quality 257–278
 simulation 89, 100, 106–110
 souring 53–88
 trap
 efficiency 378, 387
 evolution 284
 geometry 129–130, 246
- residual salt analysis (RSA) 102, 112, 191, 193–196, 200, 286–289, 300–302, 384 *see also* $^{87}\text{Sr}/^{86}\text{Sr}$
 isotopes
 resistivity logging 101
 R_w characterization 286
- $^{87}\text{Sr}/^{86}\text{Sr}$ isotopes, in formation waters 102, 106, 109, 112, 123

- salinity data 286, 297–299, 384
salt movement 232, 234
SARA separation **210**, 211
saturate hydrocarbons **210**, 225–227, 239, **240**,
325–329, **331**
in HMWHCs 43–49
saturation pressure 128–130, 159–161, 168, 170–171,
191, 211, 213, 237, 243, 247, 252
relationship to depth 116, 118
relationship to Slope Factors 21–24
see also bubble point; PVT
Saudi Arabian fields 129
scaling assessments 286
seal (aquitard) 204, 223, 227, 284–286, 376, 385
capacity 201, 374
capillary 374
failure 4, 323, 356
membrane 352
imperfect 152–154
see also cap rock
sedimentation 136, 234
rates 151, 251
segregation, physical 196–197, 200 *see also*
gravitational segregation; mixing; Soret effect
siderite 57, 75, 82–84
sidewall cores 59, 74–76
Slope Factors 7–26, **240**
smectite-illite transformation 139
Soave-Redlich-Kwong equation of state 89–94, 98, 158
Soret effect (gravitational and thermal segregation)
120–121, 123
source rocks 259, 318–319, 374–375
evaluation 89
expulsion from 317, 319–323, 377–378
facies 31, 41, 49, 125–130, 238–239, 343
kitchen 134, 143–145, 182
geometry 129–130
history 128–130
maturity 2, 4, 124, 128–129, 136, 157, 239–243, 246,
381–382
modelling 307
metagenesis 382
type 101, 157, 159–168, 172, 233–235
wax content 42–43
see also generation of hydrocarbons; kerogen;
migration
spider plot 211–212
spill point 124 *see also* leakage
star plots 203, 226, 293
steranes 28, 31, 38, 195, **214**, 238, 319, 330, **340**, 342,
344–345
cracking parameter 178, 181
isomerization ratio 239
stress
effective 138–139, 153, 273, 294
fields 138
stylolites 268
subsidence 13, 136, 138, 152
subsurface imaging 221
sulphur
in oils 211, 213, 215, 218, **236**, 243, 246
isotopes **271**
tar 53, 77–86, 208 *see also* bitumen
terpanes 10, 32, 38, 185, 195, **214**, 330, **340**
thermochemical sulphate reduction (TSR) 15–16,
271–273, 275
thiophenes 72, 73, 216, 218–219, **240**, 241, 330, **340**,
361
Total Acid Number **236**, 243, 246
UNIFAC model 89–90, 92
USA hydrocarbons
Alaska 53–88
Bossier gas play 378–388
Delaware basin 279–282
Willaston Basin 28
see also Gulf of Mexico
Van der Waals equation of state 89–90, 92
vapour-liquid equilibrium 94–97
viscosity 231
viscous oil
fluid mixing 102–110
impact on field recovery 57–60, 85
vitrinite reflectance 72, 140, 143, 320, **340**, 375, 382
Walther's Law 318
water, formation 263–264, 269, 375
composition variations 3, 101–102, 283–303
fluid mixing 102–110
movement of 101
see also connate water
water-rock interactions 294, 296, 298
water washing 101, 129, 241, 243
wax 2, 37–38, 43–51, 179, 182, 191, 195–196, 200,
203, 216, 231
inhibitors 49
isolation 38–42
precipitation prediction 49
see also source rocks
well planning 231
West Africa hydrocarbons 28, 115–117, 121, 124–128
Western Canada Sedimentary Basin 7–26
wetness, gas 223, 224, 245–252, 337, 338
wettability 109, 318, 333