

## Index

**Note:** Page numbers in *italic*, e.g. 375, refer to figures. Page numbers in **bold**, e.g. **176**, signify entries in tables.

- Aiguille de Talèfre *375, 376*  
Aiguille du midi *375, 376*  
Aiguille Verte *375*  
Al Quwayra Fault *172*  
amphibolite, mineral chemistry *194*  
anisotropy of magnetic susceptibility (AMS)  
    technique *60–61*  
Arava Fault (AF) *172–173, 172, 176*  
Argentière glacier *375*  
Arnaboll thrust sheet *355–356, 356, 357*  
ASPAS method *414–417, 414, 415, 416*  
Astor *26*
- Baihe River *67*  
basement thrust detachments, initiation by  
    fault-zone reaction weakening *347–349, 361, 368*  
    basement fault-zone initiation and growth mechanisms *364–366, 364*  
    displacement localization and detachment *366–368*  
    examples of basement thrusting in Moine Thrust Belt *349–350*  
        Arnaboll thrust sheet *355–356, 356, 357*  
        Glencoul thrust *350–352, 351*  
        Upper Ben More Thrust *352–355, 353, 354*  
    examples of basement thrusting in Pelvoux Massif *358*  
        field relationships *358*  
        microstructures *358–361, 360*  
        structural setting *359*  
    fault-zone thickness/displacement ratios *362–364, 363*  
    foreland basement thrust detachment model *366–368, 367*  
    geological setting of Moine Thrust Belt *348*  
    meteoric fluid percolation *366*  
    onset of thrust faulting and dilatancy pumping *366*  
    reaction and deformation mechanisms *361–362*  
Bassin d'Argentière **382**  
Beavan detachment *42*  
bedding, foliation and mechanical anisotropy *223–224, 246–247, 247*  
    anisotropic inclusion in cemented granular models *230–232, 231*  
    anisotropy of dilatancy and brittle strength *232*  
    damage mechanics of dilatant failure in foliated rock *236–237, 236, 237*  
    influence of bedding on brittle strength *237–240, 238, 239, 240*  
    influence of foliation *232–233, 232, 233*  
    nucleation of wing cracks in foliated rock *233–236, 234, 235*  
bedding anisotropy and brittle–ductile transitions *240–241*  
    acoustic emission activity and compaction localization *243–246, 244, 245*  
    shear-enhanced compaction and anisotropic yield caps *241–243, 241, 242, 242*  
    physical properties *224–225*  
        anisotropy of elastic properties *225–227, 225, 226*  
        anisotropy of magnetic susceptibility, permeability and electrical conductivity *227–230, 228, 229, 229, 230*  
        petrophysical description of anisotropic rocks **227**  
Begbie, Mount *42*  
    thermochronology *47*  
Besham *26*  
Bitterroot shear zone (BSZ), Montana, USA *143, 161–162*  
    analysis  
        anisotropy of magnetic susceptibility (AMS) *145, 147, 148, 149–152, 153, 154*  
        magnetic mineralogy *146–147, 147*  
        particle analysis *145–146, 146, 147–154*  
        sampling *145*  
    features *154*  
        AMS aspect ratio v. bulk susceptibility *156–159, 159–160*  
        particle fabric v. AMS *154–156, 155, 157, 158*  
        spatial variation of AMS aspertration and temperature *159–161*  
        tectonic interpretation *161, 161*  
        geological history *143–145, 144*  
Brahmaputra *111*

- Brandel Creek 83, 85  
Byerlee's law 321
- calcite  
  *C*-axis stereoplots following torsional deformation 8  
  cross polar microphotographs following torsional deformation 9  
  deformation mechanism map 11  
  deformation under torsion 9  
  shear stress, recrystallization and texture index 12
- calcite rocks, damage and recovery in  
  cataclastic regime 203–204  
  experimental results 206–207, 206  
  differential stress relaxation and elastic recovery 210–213, 210, 211, 212  
  microstructural analysis 213, 214  
  volumetric strain and elastic wave velocities 207–210, 207, 209
- experimental set-up 204  
  procedure 206  
  sample preparation 205–206, 206  
  sample properties 205  
  vessel 204–205, 204
- implications for fault zones 219–220, 219  
  mechanical analysis 214  
  compaction mechanics and recovery in Solnhofen limestone 217–219  
  damage and dilatancy in carbonate rocks 214–217, 215, 216, 216
- Canadian Cordillera 59  
  channel detachment v. rolling-hinge detachment 55–59, 56, 58  
  deformation of leucogranite 50, 50  
  AMS results 50–54, 51, 52–53, 54  
  kinematic analysis 54–55, 55  
  geological setting 41  
  metamorphic history 43  
  gedrite-cordierite rocks from Thor–Odin Dome 44  
  mineral compositions 45  
  petrography and mineral compositions 43–45  
  pressure–temperature conditions 45–47, 46
- structural history 41–43  
  thermochronology  
  footwall of detachments 47–48, 47  
  hanging wall of detachments 47  
  monazite U–Pb analyses 49
- Carrara marble 3  
  apparent stress sensitivity 336  
  cross polar microphotographs following torsional deformation 8  
  damage and dilatancy  
  cataclastic deformation and crack nucleation 216–217  
  onset of crack propagation and frictional sliding 214–216, 215, 216, 216  
  deformation under torsion 6  
  differential stress relaxation and elastic recovery 210, 211  
  differential stress v. axial strain 206  
  physical properties 205  
  shear stress vs. shear strain curve 7  
  volumetric curve and elastic wave velocities 207
- Casper Mountain 83  
cataclastic deformation 2, 3  
cathodoluminescence (CL) of mylonites  
  deformed quartz aggregates 400–402, 401, 402, 403  
  intensity and contrast formation by excess carriers from defects 398–400  
  methods and sample preparations 400
- Chamonix 375, 376  
chemical softening 13–14  
Chétif, Mont 375  
Cheyene Belt 83  
Chilas 26  
Chilas Complex 30  
Chitral 26  
Chor River 31  
clinopyroxene, mineral chemistry 193  
clinopyroxenite dykes 27, 28  
Coad Mountain 83  
Coast Belt, Canada 42  
Coble creep 291  
Col du Vallon 359  
collapse modes 40  
Columbia River detachment 42  
Columbia River Fault 42  
  thermochronology 47  
continual (cyclic) dynamic recrystallization 11–12, 12  
Cooney Hills 83  
Cordilleran Orogen, molten crust flow and detachments during collapse 39–40, 59  
  channel detachment v. rolling-hinge detachment 55–59, 56, 58  
  collapse modes 40, 40  
  conceptual models for partially molten crust flow 40–41  
  deformation of leucogranite 50, 50  
  AMS results 50–54, 51, 52–53, 54  
  kinematic analysis 54–55, 55  
  geological setting 41, 42  
  metamorphic history 43  
  gedrite-cordierite rocks from Thor–Odin Dome 44  
  mineral compositions 45  
  petrography and mineral compositions 43–45  
  pressure–temperature conditions 45–47, 46  
  structural history 41–43

- thermochronology  
   footwall of detachments 47–48, 47  
   hanging wall of detachments 47  
   monazite U–Pb analyses **49**  
 Cottonwood Park shear zone 83  
 Courmayeur 375, 376  
 creep constitutive laws 329–330, 341–342  
   rock structure and strength during creep  
     330–331, 331  
     explicit state-variable approach 333  
     internal state variables 332–333, **332**  
     state-variable approach 331–332  
   steady-state constitutive laws for  
     dislocation-creep processes **330**  
   strength evolution in calcite rocks  
     333–336, 335  
   constitutive equations for evolving  
     state **334**  
   crystallographic preferred orientation  
     (CPO) 340–341  
   dislocation structure 338–339  
   explicit internal state variables 338–341  
   grain size evolution 339–340  
   grain size evolution and mixed  
     mechanisms 340  
   grain size evolution during diffusion  
     creep 339  
   grain size evolution laws **340**  
   implicit internal state variables 337–338  
   steady or evolving state 336–337  
   strain hardening and weakening 338  
 crustal scale duplex tectonic model for LPSS  
   101, 102  
 crystallographic preferred orientation (CPO) 190  
   cataclases 119  
   creep constitutive laws 340–341  
   flint in axial compression 264–266, 266  
   micas 118  
   olivine grains 297, 298  
  
 Damara Belt 174, 175  
 Damxung Corridor 112  
 Damxung–Jiali Shear Zone (DJSZ), Tibet,  
   seismic and aseismic transtension  
   weakening effects 109–110, 136  
 brittle trends 125–126, **126**  
 depth distribution of deformation  
   mechanisms and weakening phenomena  
   129–132, 130  
 fault-zone fabrics and fracture patterns 124  
   brittle trends 125–126, **126**  
   foliation and lineation trends 124–125  
   neotectonics 126–127  
   overall distribution of deformation  
   127–128  
 fault-zone rock types 113–117, 114, 116,  
   117–118  
  
   acid metavolcanic mylonites 122–123  
   cataclases and tectonic breccias  
     119–121, 120  
   conglomerate 121–122, 122  
   fluid and seismicity/fracture-fill products  
     123–124  
   marbles and dolomites 118  
   metapelites, metagreywackes and  
     other detrital metaclastics  
     118–119  
   ultramafic rocks 123  
 fluid activity 128–129  
 foliation and lineation trends 124–125  
 geological setting  
   local setting 110–113, 112  
   overall structure 113  
   regional setting 110, 111  
 kinematic interpretations  
   main foliation and lineation kinematic  
     trends 132–133  
   sinistral shear sense 133  
 mechanical interpretations 128  
 neotectonics 126–127  
 overall distribution of deformation  
   127–128  
 possible mechanisms  
   reactivation 135–136  
   syn-creep seismogenesis model  
     134–135  
   typical lithospheric scale fault 135  
   velocity-dependent or fluid-dependent 134  
 staurolite schist and other calc-schists  
   117–118  
   acid metavolcanic mylonites 122–123  
   cataclases and tectonic breccias  
     119–121, 120  
   conglomerate 121–122, 122  
   fluid and seismicity/fracture-fill products  
     123–124  
   marbles and dolomites 118  
   metapelites, metagreywackes and other  
     detrital metaclastics 118–119  
   ultramafic rocks 123  
 Dargai 26  
 Dasu 26, 26–27 *pullout*  
 Dead Sea Transform (DST), Jordan 166, 167,  
   172–173, 172  
   shallow profiling from fault zone conductors  
     (FZC) 177  
   structural and hydrogeological  
     implications 177–180  
 deformation and deformation mechanisms  
   1–2, 3  
 Deosai Ladakh 26  
 diagonal cut cylinder technique 4, 5  
 diffusion creep 3, 10  
 Dir 26  
 dislocation creep 10

- Dolent, Mont 375  
 Drosh 26  
 dunites 27
- Elk Mountain 83  
 Elk Park 85  
 Elmers Rock 83  
 Enderby 42  
 en-masse pop-up block uplift tectonic  
 model for LPSS 100–102, 101  
 Entrèves 375, 376  
 episyenites 376–377, 377, 378, 379, 383  
 major-element geochemistry 385–389, 386,  
 387, 390  
 successive stages of granite episyenization 392  
 Esterbrook 83  
 Everest, Mount 111
- fault zone conductors (FZC) 171, 173, 174  
 deep profiling 180–180, 180  
 shallow profiling 176–177, 177  
 structural and hydrogeological implications  
 177–180  
 fault zones, electrical conductivity images  
 165–167, 181–182  
 case studies  
 Dead Sea Transform (DST) 172–173, 172  
 San Andreas Fault (SAF) 170–172, 171  
 Waterberg Fault/Omaruru Lineament  
 (WF/OL) 173–176, 175  
 West Fault (WF) 173, 174  
 deep profiling 180, 180  
 magnetotelluric (MT) measurements 167–170  
 shallow profiling 176–177  
 conceptual model of large-scale strike–slip  
 faults 177  
 structural and hydrogeological implications  
 177–180  
 fault-slip analysis methods 136–137  
 fixed-boundary collapse mode 40, 40  
 Fletcher Park shear zone 83, 84, 85, 88  
 geometry 94–97  
 microstructures 98–99  
 penetrative fabric elements 97–98  
 timing 99  
 flint, experimental deformation in axial  
 compression 252  
 crystallographic preferred orientation (CPO)  
 264–266, 266  
 experimental method 252–254  
 sample assembly 253  
 infrared spectroscopy 254–255, 254, 255  
 mechanical behaviour  
 constant strain-rate 266–268, 267  
 geological application 273  
 hydrolytic weakening 270–272, 271  
 stress relaxation 268–270, 269, 270  
 twinning, grain growth and petrofabric  
 development 272–273  
 microstructure 260–264, 261, 263, 265  
 grain size measurements 262  
 rheological results 255–260  
 empirical exponential and power-law  
 constants 258  
 empirical exponential and power-law  
 curves 258  
 stress-relaxation responses 259  
 stress–strain curves 256, 257, 259, 260  
 foliation *see* bedding, foliation and mechanical  
 anisotropy  
 free-boundary collapse mode 40, 40  
 Frenchman's Gap 42
- garnet, mineral chemistry 193  
 Garrett shear zone 83  
 Geneva 359  
 geometrical (fabric) softening 12  
 Gilgit 26  
 Glencoul thrust 350–352, 351  
 grain-size insensitive (GSI) creep 10, 11  
 grain-size sensitive (GSS) flow 10, 11  
 Grandes Jorasses 375, 376  
 granite intrusion into ductile shear zone,  
 geometry of 65–67, 66, 67, 79  
 deformation 76–77  
 intrusion geometry 77–78, 77  
 shear-zone model 78–79, 78  
 geometry of veins 71  
 feeder veins 74  
 rock faces normal to  $L_m$  and  
 $S_m$  71–73, 72  
 rock faces parallel to  $L_m$  and  
 normal to  $S_m$  72, 73  
 rock faces parallel to  $S_m$  72, 73  
 three-dimensional vein geometry  
 73–74, 73  
 host rock lithology 67  
 Sihetang shear zone 67–69, 68  
 average temperature estimates 69  
 main contact of granodiorite batholith and  
 metadiorite 69–70  
 nature of veins 70–71, 70, 71  
 structures indicative of deformation in planar  
 veins 74  
 clast-in-vein structures 75, 76  
 displacement jogs 75, 76  
 flanking structures 75, 76  
 junction structure 74, 75  
 solid-state boudins 75, 76  
 vein refraction structure 74–76, 75  
 Grenoble 359  
 Gulu 111  
 Gulu Graben 112

- gypsum, deformation in torsion 9, 277–278, 288–289  
 deformation mechanisms 284–287  
   deformation apparatus 278  
   determination of jacket strength 280  
   experimental conditions 280, **281**  
   microstructure studies on torsion specimens 280–282  
   rheological analysis of torsion test 280  
   X-ray diffraction (XRD) analyses 282  
 experimental results  
   gypsum dehydration 284  
   microstructure features 282–284, 285, 286, 287, 288  
   power-law creep component 282  
   shear stress v. strain data 282, 282, 283, 284  
 geological implications 287–288  
 starting material 278, 279  
   sample preparation and specimen assembly 278–280, 279
- Hall, Mount 42  
 Hamilton 144  
 Hartville uplift 83  
 Hatakawa shear zone 404–405  
   cathodoluminescence (CL) observations of mylonites  
     deformed quartz aggregates 400–402, 401, 402, 403  
     intensity and contrast formation by excess carriers from defects 398–400  
     methods and sample preparations 400  
   geological setting 398, 399, 400  
   micro-infrared spectroscopy of mylonites  
     mapping of deformed quartz aggregates 404, 404  
     methods 404
- He Fang Kou 66  
 Hefangkou Fault 66, 67  
 Hei Long Tan 67  
 Helbronner 375, **382**  
   major element analyses **384**  
 hydrolytic weakening 13–14  
 hypotrochoid mapping 422–423, 422
- Indus River 27, 31  
   lower crust 28  
   lower–middle crust 28–30  
   mantle 27, 27
- Indus Suture 26  
 Intermontane Belt, Canada 42  
 International Deep Profiling of Tibet and the Himalayas (INDEPTH) project 113, 130  
 intracrystalline plasticity 3
- Jiali Fault 111  
 Jijal Complex 26–27 *pullout*, 27, 28  
 Johnson Mountain 83
- Kalam 26  
 Kamila Amphibolites 26–27 *pullout*, 29, 29, 30  
   *see also* Southern Amphibolites  
 Karakoram Plate 26  
 Karakoram–Kohistan Suture 26  
 Kayal River 31  
 Kettle 42  
 Khula Kangri, Mount 111  
 Kiru Amphibolites 26–27 *pullout*, 29, 29  
 Kohistan Arc (Pakistan), shear strain  
   localization 25–26, 35–36  
   geological setting 26–27  
   high-temperature metamorphic shear zones 33–35, 34  
 Indus River section 27  
   lower crust 28  
   lower–middle crust 28–30  
   mantle 27, 27  
   late magmatic structures 31  
     deepest and deep crust 31–33, 32, 33  
     middle crust 33  
   low-temperature ductile shear zones 35  
   magmatic structures 30  
     lower crust 30, 31  
     lower–middle crust 30–31
- Kohistan Arc, Pakistan 187–188, 188, 200–201  
 experimental results  
   high-temperature measurements 197, 198, **199**  
   room temperature measurements 195–198, 197, 198, **198**  
 experimental technique 192–195  
   set-up for high-temperature high-pressure measurements 195, 196  
 reflectivity in high geothermal gradient  
   crustal sections 200, 200  
 reflectivity in low geothermal gradient  
   crustal sections 200, 200  
 sample description 188–189  
   major element composition of Sarangar gabbro **190**  
   mineral chemistry 190–192, 192, **192**, 193, 194  
   mylonite 190, 191  
   undeformed gabbro 189–190, 191  
   seismic anisotropy 199–200, 199  
   thermobarometry 189
- Kohistan–Karakoram Highway (KKH) 26, 31
- Ladybird leucogranite 42, 50  
 anisotropy of magnetic susceptibility (AMS) 50  
   kinematic analysis 54–55, 55  
   results 50–54, 51, **52–53**, 54  
 thermochronology 47

- Laramie Peak shear system (LPSS), Wyoming, USA 81–82  
 Archean–Mesoproterozoic events **93**  
 deformation of sialic crust during an arc–continental margin collision 102–103  
 geological setting and structural subdivisions 82–86, 83, 84, 85  
 rock units 86, 88  
   diabasic amphibolite rocks 91, 92  
   granitic rocks 86–90, 90  
   supracrustal rocks 90  
   ultramafic rocks 90–91  
 structural features and rock fabrics 91–94, 94  
   equal-area, lower-hemisphere projections 95–96, 97  
   post-shear-system deformation 99–100  
   shear-zones 94–99  
   tectonic models 100–102, 101
- L'Argentière 375  
 lattice preferred orientation (LPO) 6, 12, 187, 190, 199–200
- Le Tour 375  
 Lhasa 111  
 Liu Li Miao 66
- Mabel Lake 42  
 thermochronology 47
- magnetic fabric and microstructure of a mylonite 143, 161–162  
 analysis of BSZ  
   anisotropy of magnetic susceptibility (AMS) 145, 147, 148, **149–152**, 153, 154  
   magnetic mineralogy 146–147, 147  
   particle analysis 145–146, 146, 147–154  
   sampling 145
- features of BSZ 154  
   AMS aspect ratio v. bulk susceptibility 156–159, 159–160  
   particle fabric v. AMS 154–156, 155, 157, 158  
   spatial variation of AMS aspectration and temperature 159–161  
   tectonic interpretation 161, 161  
   geological history of BSZ 143–145, 144
- magnetotelluric (MT) measurements 166  
 electrical conductivity of rocks 167–168, 167  
 impedance tensor 168, 168  
 tensor rotation and induction arrows 168–169, 169
- two-dimensional modelling and inversion 169–170
- Main Boundary Thrust (MBT) 26  
 Main Karakoram Thrust (MKT) 26  
 Malton 42
- Mastuj 26  
 mechanical anisotropy *see* bedding, foliation and mechanical anisotropy
- Medicine Bow Mountains 83  
 metamorphic core complexes (MCC) 40  
 Miage Glacier 375  
 micro-infrared spectroscopy of mylonites  
   mapping of deformed quartz aggregates 404, 404  
   methods 404
- mineral phase changes 15–16
- Mingora 26
- Miyun metadiorite 67
- Moine Thrust Belt  
 examples of basement thrusting 349–350  
   Arnaboll thrust sheet 355–356, 356, 357  
   Glencoul thrust 350–352, 351  
   Upper Ben More Thrust 352–355, 353, 354  
   geological setting 348
- Monashee decollement 42
- Mont Blanc Massif (MBM) 392–394  
 geochemistry 383  
   chemical composition of Mont Blanc granite 383–385, **384**  
   major-element analyses of Helbronner area **384**  
   major-element geochemistry of episyenites and shear zones 385–389, 386, 387, 390  
   pressure–temperature–composition–mineralogy estimates 389–392, 391, **392**  
   geological setting 374–377, 375  
   metamorphic and structural map 376  
   petrography and mineralogy 379–380, 380, **382**, 383  
   episyenites 383  
   magmatic minerals 380–381  
   metamorphic minerals 381–382  
   shear zones 382–383  
   undeformed granite 380–382  
   structural context of shear-zone deformation 377–379  
   structural relationships between shear zones and episyenites 377, 378, 379  
   successive stages of granite episyenization 392
- Morcles Nappe 375  
 mylonitic gneisses 98
- Nam Tso Lake 112  
 Nanga Parbat 26  
 North Laramie River 84, 88  
 Northern Medicine Bow Mountains 83  
 Nujang 111  
 Nyainqentanghla (NQTL) range 111, 113  
 Nynzhong Graben 112

- Odin, Mount 42  
 Okanogan 42  
 Okanogan Detachment, thermochronology 47  
 olivine aggregate: deformation under torsion 6  
 olivine, effect of grain size and melt  
   distributions on rheology 291–292,  
   297–301  
   apparatus and experimental procedures  
   292–293  
   experimental results  
     crystallographic preferred orientation  
     (CPO) 297, 298  
     data 293–295, **294**, 295  
     grain size distributions 295–297, 296  
   flow-law parameters **299**  
   implications 301–302  
   sample preparation 292, 293  
   uniform stress 300  
 Omineca Belt, Canada 42  
 orthopyroxene, mineral chemistry 193  
 Owen Creek 85
- Palās 31  
 Palmer Canyon Block 83  
 Panjal Thrust (PT) 26  
 partially molten crust 16–17  
   conceptual flow models 40–41  
 Patan 31  
 Patan Complex 26–27 *pullout*  
 Pavillon 375  
 Pelvoux Massif, Western Alps: examples of  
   basement thrusting 358  
   examples of basement thrusting  
   field relationships 358  
   microstructures 358–361, 360  
   structural setting 359  
 Pennock Mountain 83  
 phyllosilicates, influence on fault strength in  
   brittle–ductile transitions 303–305, 315,  
   324–325  
   classical crustal strength profile 304  
   dry sliding behaviour 315–316  
   experimental method  
     apparatus 305–306, 306  
     sample material 306  
     testing procedure 306–308, **307**  
   experimental results, dry stage  
     run-in stage 308, 309  
   experimental results, wet stage  
     effect of muscovite content 312, 314  
     effect of normal stress 310–312,  
     311, **312**  
     effect of sliding velocity 312, 313  
     stress–displacement behaviour  
     308–309, 310  
   microstructural observations 312–315, 314,  
   315, 316
- revised model for frictional–viscous flow of  
   foliated fault rock  
     incorporation of phyllosilicate plasticity  
     319–320, 320  
     viscous–dilatational coupling 318–319, 319  
   schematic of model microstructure 305  
   strength profiles for phyllosilicate-bearing  
   mature crustal fault zones  
     further considerations and implications  
     323–324  
   model application and predictions  
     320–323, 322  
   wet sliding behaviour 316–318, 317  
 plagioclase, mineral chemistry 192  
 Plan de l'Aiguille 375, 376  
 Po Basin 359  
 polygons in shear 421–422, 430–431  
   ellipse decomposition rule 430, 430  
   methods  
     analytical solution 422–423, 422  
     finite-element model 424  
   results  
     clast shape and vertex curvature  
     426–430, 427, 428, 429  
     inclination 424–426, 425, 426  
     kinematics 424  
     stresses 424–430, 425, 426, 427,  
     428, 429  
 pore fluid effects 14  
 Precordilleran Fault System (PFS) 173  
 Priest River 42  
 pyroxenes, mineral chemistry 193
- quartz  
   cross polar microphotographs following  
   torsional deformation 9  
   deformation under torsion 9  
 quartz, recrystallized, water distribution  
   within 397–398, 404–405  
   cathodoluminescence (CL) observations  
   of mylonites  
   deformed quartz aggregates 400–402,  
   401, 402, 403  
   intensity and contrast formation by excess  
   carriers from defects 398–400  
   methods and sample preparations 400  
   geological setting of the Hatakawa shear  
   zone 398, 399, 400  
   micro-infrared spectroscopy of mylonites  
   mapping of deformed quartz aggregates  
   404, 404  
   methods 404
- reaction softening 12–13  
 Revelstoke 42  
 rheologically critical melt fraction 16, 17

- rheologically critical melt percentage (RCMP)  
16–17
- Richleau Hills 83
- Salmon Arm Lake 42
- San Andreas Fault (SAF), California, USA 166,  
167, 170–172, 171, **176**  
shallow profiling from fault zone conductors  
(FZC) 176, 177  
structural and hydrogeological implications  
177–180
- Sarangar gabbro 28, 30–31, 32
- Sarangar metagabbro 28
- second time invariant of plate motion 2
- Sellers Mountain 83
- Ser Berber Thrust 359, 360
- shape preferred orientation (SPO) 154–156, 190
- shape-fabric analysis, application of  
Geographical Information Systems (GIS)  
409–410, 419  
naturally deformed quartzites 417  
tectonites with incipient recrystallization  
417–418, **418**  
tectonites without dynamical recrystallized  
grains 418–419  
sample preparation and image processing 410  
shape-fabric parameters 410–411, 411, 412  
strain analysis 411  
ASPAS method 414–417, 414, 415, 416  
least-squares approximation to finite-strain  
ellipse 417  
TFry method 411–414, 413
- shear deformation 2, 3
- shear heating (viscous dissipation) 14–15
- shear strain localization from upper mantle to  
middle crust 25–26, 35–36  
geological setting 26–27  
high-temperature metamorphic shear zones  
33–35, 34
- Indus River section 27  
lower crust 28  
lower–middle crust 28–30  
mantle 27, 27
- late magmatic structures 31  
deepest and deep crust 31–33, 32, 33  
middle crust 33  
low-temperature ductile shear zones 35  
magmatic structures 30  
lower crust 30, 31  
lower–middle crust 30–31
- shear zones, geochemical variation 373–374,  
392–394  
geochemistry of MBM area 383  
chemical composition of Mont Blanc  
granite 383–385, **384**  
major-element analyses of Helbronner  
area **384**  
major-element geochemistry of episyenites  
and shear zones 385–389, 386,  
387, 390  
pressure–temperature–composition–  
mineralogy estimates 389–392,  
391, **392**  
geological setting and Alpine deformation  
pattern 374–377, 375, 376  
structural relationships between shear  
zones and episyenites 377, 378, 379  
petrography and mineralogy of MBM area  
379–380, 380, **382**, 383  
undeformed granite 380–382  
structural context of shear-zone deformation  
377–379  
successive stages of granite episyenization  
392
- shear zones, high-temperature and pressure  
seismic properties 187–188, 200–201  
experimental results  
high-temperature measurements 197,  
198, **199**  
room temperature measurements 195–198,  
197, 198, **198**  
experimental technique 192–195  
set-up for high-temperature high-pressure  
measurements 196  
set-up for room temperature high-pressure  
measurements 195  
reflectivity in high geothermal gradient crustal  
sections 200, 200  
reflectivity in low geothermal gradient crustal  
sections 200, 200
- sample description 188–189  
major element composition of Sarangar  
gabbro **190**  
mineral chemistry 190–192, 192, **192**,  
193, 194  
mylonite 190, 191  
undeformed gabbro 189–190, 191  
seismic anisotropy 199–200, 199  
study area location map 188  
thermobarometry 189
- Shui Yu 66
- Shuswap MCC 40, 59  
channel detachment v. rolling-hinge  
detachment 55–59, 56, 58  
deformation of leucogranite 50, 50  
AMS results 50–54, 51, **52–53**, 54  
kinematic analysis 54–55, 55  
geological setting 41, 42  
metamorphic history 43  
gedrite-cordierite rocks from Thor–Odin  
Dome 44  
mineral compositions **45**  
petrography and mineral compositions  
43–45  
pressure–temperature conditions 45–47, 46



- structural history 41–43
- thermochronology
  - footwall of detachments 47–48, 47
  - hanging wall of detachments 47
  - monazite U–Pb analyses **49**
- Si He Tang 66, 67
- Sicamous 42
- Sierra Madre 83
- Sihetang shear zone 66, 67–69, 67, 68, 79
  - average temperature estimates **69**
  - deformation 76–77
    - intrusion geometry 77–78, 77
    - shear-zone model 78–79, 78
  - geometry of veins 71
    - feeder veins 74
    - rock faces normal to  $L_m$  and  $S_m$  71–73, 72
    - rock faces parallel to  $L_m$  and normal to  $S_m$  72, 73
    - rock faces parallel to  $S_m$  72, 73
    - three-dimensional vein geometry 73–74, 73
  - main contact of granodiorite batholith and metadiorite 69–70
  - nature of veins 70–71, 70, 71
  - structures indicative of deformation in planar veins 74
    - clast-in-vein structures 75, 76
    - displacement jogs 75, 76
    - flanking structures 75, 76
    - junction structure 74, 75
    - solid-state boudins 75, 76
    - vein refraction structure 74–76, 75
- Solnhofen limestone
  - apparent stress sensitivity 336
  - compaction mechanics and recovery
    - effect of initial porosity and water 217–218, **217**, 218
    - recovery of elastic properties 218–219
  - damage and dilatancy
    - cataclastic deformation and crack nucleation 216–217
    - onset of crack propagation and frictional sliding 214–216, 215, 216, **216**
  - differential stress relaxation and elastic recovery 210, 212
  - differential stress v. axial strain 206
  - microstructural analysis 214
  - physical properties **205**
  - volumetric strain and elastic wave velocities 209
- Southern Amphibolites 27, 28
- strain localization in porous rock 433, 448–450
  - constitutive relations 435–438
    - deviatoric stress states and stress paths 438
  - field and laboratory observations 433–435
  - localization conditions
    - axisymmetric stress states 440–441, 440, 441
    - localization theory 438–440
    - results for ASC for  $k > 0$  445–447, 446
    - results for ASE for  $k > 0$  447–448, 448
    - single-yield-surface model 441–442
    - two-yield-surface model for  $k = 0$  442–445, 443, 444
    - two-yield-surface model 435, 436, 438
  - strain softening during ductile deformation 1, 2–4, 17–19
  - deformation and deformation mechanisms at depth 1–2
  - high strain deformation, laboratory investigations 4–9, 5
  - proposed mechanisms 10
    - change in deformation mechanism 10–11, 11
    - chemical softening 13–14
    - continual (cyclic) dynamic recrystallization 11–12, 12
    - geometrical (fabric) softening 12
    - partial melting 16–17
    - pore fluid effects 14
    - reaction softening 12–13
    - shear heating 14–15
    - structural softening 15
    - thermal softening/mineral phase changes 15–16
    - suggested mechanisms 3–4
  - stress-tensor groups 136–137
  - structural softening 15
- Sugar Lake 42
- Sugar Mountain 42
  - AMS results 51
- TFry method 411–414, 413
- thermal softening 15–16
- Thor, Mount 42
  - thermochronology 47
- Thor–Odin Dome 41
  - deformation of leucogranite 50, 50
  - AMS results 50–54, 51, **52–53**, 54
  - kinematic analysis 54–55, 55
  - gedrite-cordierite rocks 44
  - mineral compositions **45**
  - monazite U–Pb analyses **49**
  - pressure–temperature conditions 45–47, 46
- Three Valley Gap Fault 42
- tilted block uplift tectonic model for LPSS 100, 101
- torsion technique 4–5, 5
- transformation plasticity 15–16
- Trans-Hudson/Dakota orogen 83
- Trinity Hills 42
  - Trinity Hills detachment 42
  - thermochronology 47
- Turin 359
- Turkey Rock 84, 88

- Upper Arrow Lake 42  
 Upper Ben More Thrust 352–355, 353, 354
- Valhalla 42  
 Vallon Fault 359  
 Vancouver 42  
 Vernon 42  
 Victor 144  
 Victor Lake Fault 42  
   thermochronology 47  
 viscous dissipation (shear heating) 14–15
- water, hydrolytic weakening 13–14  
 Waterberg Fault/Omaruru Lineament  
   (WF/OL), Namibia 166, 167,  
   173–176, 175  
   deep profiling from fault zone conductors  
   (FZC) 181  
 weakening mechanisms in transtension  
   109–110, 136  
   fault-zone fabrics and fracture patterns of the  
   DJSZ 124  
     brittle trends 125–126, **126**  
     foliation and lineation trends 124–125  
     neotectonics 126–127  
     overall distribution of deformation  
     127–128  
   fault-zone rock types 113–117, *114*, *116*  
     acid metavolcanic mylonites 122–123  
     cataclasites and tectonic breccias  
     119–121, *120*  
     conglomerate 121–122, *122*  
     fluid and seismicity/fracture-fill products  
     123–124  
     marbles and dolomites 118  
     metapelites, metagreywackes and other  
     detrital metaclastics 118–119  
     ultramafic rocks 123  
   foliation and lineation trends 124–125  
 geological setting of DJSZ  
   local setting 110–113, *112*  
   overall structure 113  
   regional setting 110, *111*  
 kinematic interpretations for the DJSZ  
   main foliation and lineation kinematic  
   trends 132–133  
   sinistral shear sense 133  
 mechanical interpretations for the DJSZ 128  
   depth distribution of deformation  
   mechanisms and weakening  
   phenomena 129–132, *130*  
   fluid activity 128–129  
 possible mechanisms  
   reactivation 135–136  
   syn-creep seismogenesis model 134–135  
   typical lithospheric scale fault 135  
     velocity-dependent or fluid-dependent 134  
   staurolite schist and other calc-schists of the  
   DJSZ 117–118  
   acid metavolcanic mylonites 122–123  
   cataclasites and tectonic breccias  
   119–121, *120*  
   conglomerate 121–122, *122*  
   fluid and seismicity/fracture-fill products  
   123–124  
   marbles and dolomites 118  
   metapelites, metagreywackes and other  
   detrital metaclastics 118–119  
   ultramafic rocks 123  
 West Fault (WF), Chile 166, 167, 173, *174*, **176**  
   shallow profiling from fault zone conductors  
   (FZC)  
   structural and hydrogeological implications  
   177–180  
 Wheatland–Whalen fault zone 83  
 wing crack propagation model 215, 233–235,  
   236
- Xi Weng Zhuang 66
- Yadong *111*  
 Yadong–Gulu rift system *111*  
 Yarlung Zangbo *111*  
 Yunmengshan core complex (China), geometry  
   of granite intrusion 65–67, 66, 67, 79  
   deformation 76–77  
   intrusion geometry 77–78, 77  
   shear-zone model 78–79, 78  
 geometry of veins 71  
   feeder veins 74  
   rock faces normal to  $L_m$  and  $S_m$  71–73, 72  
   rock faces parallel to  $L_m$  and normal  
   to  $S_m$  72, 73  
   rock faces parallel to  $S_m$  72, 73  
   three-dimensional vein geometry 73–74, 73  
 host rock lithology 67  
 Sihetang shear zone 67–69, 68  
   average temperature estimates **69**  
   main contact of granodiorite batholith and  
   metadiorite 69–70  
   nature of veins 70–71, 70, 71  
 structures indicative of deformation in  
   planar veins 74  
   clast-in-vein structures 75, 76  
   displacement jogs 75, 76  
   flanking structures 75, 76  
   junction structure 74, 75  
   solid-state boudins 75, 76  
   vein refraction structure 74–76, 75
- Zofar Fault *172*