

Index

Page numbers in italics refer to figures, those in bold to tables

- Abakaliki anticlinorium 11
Abiyata basin 13
Abu Gabra basin 22
Accommodation zone 36
Accretion, by termites 195
Acoustic stratigraphy 31, 39, 40
Adamawa uplift 22
Aeolian sediments 121, 132, 133, 145, 342
Aeolian tuffs 343, 344
Afar depression 12, 19, 221, 222, 363, 366, 368
Afar Rift 233, 241
 development of 242–4
 junction with Ethiopian Rift 242
Afar triangle 12
African Rift System
 geomorphology of 9–15
 Afar-Tanzanian Rifts 12–14
 Bight of Benin Rift 9–12
 Tanganyika-Malawi Rift 14–15
 geophysical controls on sedimentation 19–27
 East African Rift System 19–22
 evolutionary differences in 26
 West and Central African Rift System 22–6
 implications of Kajong transform system in early
 development 280–1
 modern tectonics, volcanism, climate, sedimentation
 and faunas
 Asswa lineament 364–5
 eastern branch 363–4
 western branch 364
Afro-Arabian Rift System 19
Agglomerates 270, 288
Air-fall tuffs 69, 223, 241, 342–3, 344
Albite 316
Algae 161, 202, 203, 234, 327
Algal blooms 186, 327
Algal columns 327
Algal photosynthesis 325
Alkaline earth carbonates 161, 172
 precipitation of 164–5
Alkaline earths 180
Allopatric speciation 369
Alluvial fans 55, 163, 179, 182, 184, 238, 245, 277,
 279, 307
Amboseli basin 347
Analcime 165, 167, 172, 181, 182, 184, 185, 187
Analcite 54
Anastomosing faults, Kajong area 278
Anatase 167
Anticlinal arches 11
Antithetic faulting 33, 59, 60
Antithetic splay-faults 45
Apatite 230, 237, 342
Apron channel deposits 358
Aragonite 165–6, 204, 316
Arenites 315
Arkoses 279
Arkosic arenite 314
Artefacts 222, 241, 242
 see also Stone artefacts
Ash 180, 181, 314, 343
Ash falls 6, 339
Asswa lineament 364, 367
Asthenosphere 22
Aulacogens (failed rifts) 3, 14
Authigenesis 146
Authigenic aluminosilicates 150
Authigenic minerals 159, 181–2, 185, 188
Authigenic zeolites 165
Autochthonous precipitates 150
Awash River 13, 241
Awash valley, hominid-bearing formations 241–50
 Pleistocene depositional environments 248–50
 Pliocene depositional environments 244–8
 volcano-tectonic setting 242–4

B (boron) 180, 188
Ba (barium) 340, 343
Back-tilted blocks 60
Bakate Corridor (Gap) 88, 99, 100, 104, 124, 321
Baragoi, area to N 271–2
Baringo-Bogoria basin 13
Baringo-Saguta graben 267
Baryte 226–7, 237
Basalts, fissure 71
Basin lakes, Eastern Rift, size of 13–14
Basin subsidence 40, 113–14
Basinal forms, L Tanganyika 30, 32
Beach deposits 122
Beaches 124
Benue-Gongola Rift 12
Benue Rift 10–11, 23
Benue trough 3, 9, 11, 22
Benue valley 15
Biogenic ooze 36, 39
Biogenic sedimentation 146
Bioherms 207, 208, 316, 319
Biological sedimentation, modern 194–5
Biostratigraphy, Natron basin 335–6
Bioturbation 122, 164, 191, 195, 196, 198, 342, 343,
 360
 of Miocene strata, W Kenya 354, 357
Blocks, back-tilted 60
Bogoria basin
 distribution of authigenic and precipitated
 minerals 173
 early diagenetic processes in lake margin
 clastics 164–5
 minerals formed in the lacustrine sediments
 167–72
 modern sedimentary environments 163–4
 setting of 159–63
 origin and chemistry of the basin waters 161–3
 spring deposits 165–7
Bogs 214

- Bone preservation, geochemical role of volcanoes 349–50
- Border faults 32, 33, 39, 40
- Br (bromine) 180
- Braided streams 237, 249, 277
- Brines 186, 187
evolution, L Magadi 179–81
- Buttes 306
- Ca (calcium) 150, 165, 167, 180
- Calcareous concretions 316
- Calcite 54, 144, 145, 150, 165, 166, 181, 182, 185, 201, 203, 204, 205–6, 256, 316, 327, 340, 341
- Calcite cement 164, 316, 340, 343
- Calcite sedimentation 152
- Calderas 13, 61, 65, 68
- Caliche (calcrete) 53, 164, 165, 177, 178, 275, 276, 279, 306, 316
- Cambisols 253
- Carbon isotopes 325
- Carbonate beds, problems when used as markers 154–5
- Carbonate concretions 192
- Carbonate nodules 193
- Carbonate sediments 307
as climatic markers 156–7
as isotopic marker horizons 154–5
- Carbonates, non-marine 7
- Carbonatite 341, 343
eruptive 339–40
- Carbonatite-nephelinite central volcanoes
depositional environments around 355
sedimentary patterns 346–8
- Cation exchange 150
- Cements 164, 269, 270, 271, 274, 316, 324, 340
- Cenozoic rocks, northern Kenya Rift 285
- Cenozoic sediments 80, 83
- Cenozoic volcanics 75, 80, 81
- Central African Rift System 22–6
- Central African Shear Zone 4, 22
- Chalbi basin
evolution of 297–305
fossil flora and fauna 307–9
geomorphology 305–7
regional setting 297
- Chalbi playa 297, 303, 304, 305–7
geomorphology 300
location 298
topography 299
- Channel sands 124, 250
- Cheron Formation 72, 285, 291
- Chert 53, 54, 171, 181, 184, 186, 187
- Chew Bahir 158, 267
overspill 13, 99, 100, 102, 104–5, 307, 319, 321
- Chimneys 203, 208
- Chitimwe Formation 191, 196
- Chiwondo Formation 191, 195, 196
- Chloride 187
- Chlorite 259
- Cindery Tuff 247, 248
- Cl (chlorine) 150, 180
- Clay minerals 259, 261
- Clayey silt 223, 225, 227
- Clays 53, 145, 149, 164, 182, 223, 301
banded 215
laminated 91, 223, 225, 227, 232
- Claystones 88, 90, 91, 92, 165, 314
- Climatic change 154, 155, 158, 167, 307, 309, 329, 369
East African Rift 368
and mire development 216–17
and Pliocene lake fluctuations 247–8
- Climatic fluctuation and sedimentation 122
- Co (cobalt) 146, 148, 149, 151
- Coal 226, 235
- Colluvium 132, 137
- Concretions 230
- Confetti Clay 238
- Confetti Clay Marker Bed 232–3
- Conglomerates 39, 71, 163, 224, 227, 232, 271, 275, 280, 293, 323
- Contact metamorphism 236
- Continental margins, passive 19
- Continental rifts, applicability of Tanganyika model 42
- Coquinas 164, 316, 319
- Cr (chromium) 146, 148, 149, 151
- Cristobalite 226
- Crustal extension 20, 23, 26
- Crustal thinning 22
- Cyanobacteria 161, 201, 202, 203, 207, 327
- Cyclic sedimentation 188
- Danakil block 366
- Danakil depression 233
- Delta plain 116, 117, 121, 163
- Delta stratigraphy, Tulu Bor 116, 117
- Delta studies 113–14
- Delta (subaerial), microstratigraphy of, Tulu Bor 119–22
- Deltaic deposits 108, 163–4
- Deltas 182, 235
L Turkana 114–16
Turkana basin, sediment texture 142–3
- Depocentres 5, 39, 40
- Depositional environments, western Kenya 354–60
distribution of fossils in sedimentary facies 355–60
- Diagenesis
in L Turkana 150–1
and mineral precipitation, L Bogoria basin 159–74
of travertine 166
- Diagenetic reactions, L Magadi 181–2
- Diatom assemblages, Galana Boi Formation 317
- Diatom-rich sediments 216
- Diatom stratigraphy, littoral regions (Koobi Fora) 318–19
- Diatom-rich sediments 216
- Diatomaceous clays 247
- Diatomaceous shales 225–6, 290
- Diatomaceous silts 311, 313, 314, 315, 319
- Diatomites 71, 88, 90, 91, 92, 93, 241, 247, 311, 314, 315
- Diatoms 145, 161, 164, 172, 234, 257, 259, 262, 263, 264, 306, 327
- Dinosaurs 270

- Dolomite cement 164
 Doming, rift shoulders 369
 Downwarps 45, 48, 61, 72, 113, 116, 300, 307, 345, 350
 Drainage development 14–15, 101, 103
- Earthquakes 305
 East African faunas, model of evolution 369–70
 East African Rift System 4, 5, 6
 aridity of 363
 stromatolites 201–9
 Efflorescent crusts 179, 185
 Elgeyo fault 59, 60, 61, 69
 Emurungogolak 61, 68
En echelon faults 50, 60, 72
 Endemism 364, 369
 Environmental changes 155, 158, 215–16
 and tectonic uplift 368, 369
 Ephemeral storm runoff 179
 Ephemeral stream deltas 113–24
 Ephemeral stream floodplains 163, 182, 184
 Ephemeral streams 99, 100, 114, 182, 249, 262
 Equatorial Shear Zone 22
 Erionite 53, 54, 181, 182
 Erosion rates 105, 108
 Ethiopian Rift 20, 363, 368
 Ethiopian Uplands 143, 241
 Evaporite minerals
 mineralogy and morphology 167, 170
 processes and reactions 170–1
 Evaporite series, L Magadi 179
 Evaporites 13, 54–5, 164
 Extensional stress and border faults 40
- F (fluorine) 180
 Facies interruption and dislocation, volcanogenic
 control of sedimentation 136–7
 Failed rifts 3, 14
 Fairchildite 339
 Fan complex 274
 Fan-deltas 163, 164, 238
 Fanglomerates 39
 Fault-angle basins 51–2
 Fault-bounded basins 48, 294
 Fault-wedge basins 278, 279
 Faulting, Kajong area 276–7
 Faulting and basin formation 14
 Faunal evolution, correlation with tectonic evolution
 of rifts 369–70
 Faunal lists, Chalbi basin sites 308
 Feldspars 149, 316
 Fenestrae 343
 Ferrisols (laterites) 143, 146, 151
 Fining-up sequences 274, 275
 Flash flood deposits 293
 Flash floods, L Turkana 116
 Flood lavas 63–4, 86, 91
 Flood volcanics 63
 Flooding, from Naivasha basin 53
 Floodplains 182, 202–3
 Fluoride 167
 Fluorite 166, 172, 180, 181, 182, 187
- Fluvial environments 201–2, 207
 Fluvial sedimentation, Quaternary 11–12
 Fluvial sediments 86, 192, 233–5, 237–8
 Footprint Tuff 342–3
 Footprints 342–3
 Fossil bones 308, 349–50
 Fossil fruits 341
 Fossil hominids 221
 Fossil leaves 288, 341, 357
 Fossil moulds 339
 Fossil plants, western Kenya 356
 Fossil preservation, role of tephra 339–46
 eruptive carbonatite 339–40
 Kavirundu region, Kenya 341–2
 Laetolil Beds, Tanzania 342–5
 Miocene of Napak, Uganda 341
 Fossil seeds 341
 Fossil vertebrates 357
 Fossil whale 271
 Fossil wood 275, 280, 309, 341
 Fossilization 341, 342
 Laetoli rodent fauna 367
 and natrocarbonatite ash 344
 Fossils
 herbaceous 214, 215
 invertebrate, distribution in western Kenya 356
 lower (non-mammal) vertebrate, distribution in
 western Kenya 357
 Freshwater palaeolakes 206–7
- Galana Boi Beds 100, 276
 diatom assemblages 317
 facies and environments 314–16
 mineralogy and petrology 316
 stratigraphy and dating 312–14
 Galana Boi Formation (NE L Turkana) 311–21
 Gastropods 153–4, 155, 223, 236, 307, 307–8, 341
 as recorders of environmental conditions 156–7
 Gaylussite 167, 170, 181, 182
 Gels 171, 181, 182
 Geochemical control on fossilization 361
 Geochemical patterns, L Turkana modern sedi-
 ments 146–51
 Geochemical role of volcanoes in bone preserva-
 tion 349–50
 Geothermal gradients 26
 Glaciation and mire development 216
 Graben 32, 45, 72
 see also Rift entries
 Graben lakes 52
 Grain flows 137
 Grain size 129, 133, 135, 142
 termite mounds 195–6, 197
 see also Particle size
 Grain size factor 148
 Gravel fans 307
 Gravels 124, 129, 135, 192, 193, 223
 Gravity anomalies 19–21, 23, 24, 25, 26, 75, 76, 81, 82
 Gravity map, Africa 20
 Green River Formation (Wyoming) 177, 181, 182
 geochemistry and sedimentation 184–6
 Gregory graben (Rift) 5, 49, 69, 127, 302, 363, 368
 structure of 45, 47, 48

- Gregoryite 339, 342
 Grit 301
 Groundwater composition 167
 Gulf of Aden 12
 Guomde Formation 81, 100, 117
 Gypsum 316
- Hadar basin, infilling of 238
 Hadar Formation (Pliocene) 221–38
 chronology 222–3
 geological map 224
 interpretation of the sedimentary environments 233–8
 sedimentary series 223–33
 Hadar site, rodent fauna 366
 Half-graben 14, 45, 72, 161, 345, 350
 Half-graben basins 52
 Tanganyika 32, 33, 34–6, 39–42
 Halite 52, 167, 171, 179, 184, 186, 187, 226, 275, 305
 Harr Formation 88, 92
 Heavy minerals 316
 High Magadi Beds 178
 Hinged highs 34, 36, 40
 Holocene palaeoenvironments, E of Koobi Fora 319, 320
 Holocene sediments, L Turkana 312
 Hominid-bearing formations, Middle Awash valley 241–50
 Hominids 221, 241, 250
 Hot springs 52, 54, 159, 161–2, 165, 171, 180, 203, 324
 Hyaloclastites 88, 183
 Hydrocarbon accumulation 138
 Hydrocarbon exploration 22, 26
 Hydrochemistry 146–52, 161, 164–74, 178
 L Magadi 179–81
 Hydrogen index 256–7, 259
 Hydrology, L Magadi 179–81
 Hydroplastic faults 223, 238
 Hydrothermal activity 172, 203, 237, 238
 and mineral genesis, L Bogoria 161–2, 164–7, 170–2
 Hydrothermal alteration 167
 Hydrothermal environments, stromatolites in 203–4
 Hydrothermal regimes recognized by stromatolites 208
 Hydrothermal springs 161
 Hydrothermal waters, origin of 162–3
 Hypopycnal plumes 164
- Illite 54, 144, 149, 165, 234, 238, 259
 Induration, 154
 Inertinite 226
 Infiltration 103, 109
 Interbasinal ridges 33, 34, 36
 Intravolcanic sediments 63, 69–72, 88, 90, 93, 270, 285
 Iron oxides 167, 172
 cementation by 165
 Iron oxyhydroxides 143
 Isostatic compensation 22, 26
 Isostatic depression 349
- Isotopic dating
 Chemeron Formation 292
 Kaparain basalts 290
 Kaphthurin Formation 293
 Koobi Fora 91–2, 94
 Lukeino Formation 290
 Mpesida Beds 289
 Ngorora Formation 288
 Sidekh phonolites 286
 Tiim phonolites 287
- K-feldspar 184, 185, 187
 Kabarnet trachytes 285, 290
 Kajong area
 geological history of 276–7
 geology 272–6
 late Mesozoic syntectonic deposition in 277–9
 lithostratigraphic units 273–6
 Kajong Formation 275–6, 277
 Kalemie basin 29, 39, 40
 Kalossia-Tiati area 271
 Kamasia block 61, 68
 Kamasia fault 60
 Kamasia Range (Tugen Hills) 285
 Kamasia sediments 291
 Kamego Formation 69, 285–6
 Kanemite 171
 Kaolinite 143, 148, 149, 234, 253, 259, 262, 263, 264
 Kaparaina arch 60, 61, 72
 Kaparaina basalts 71, 72, 285, 290, 291
 Kaperyon Formation 72, 285, 291
 Kaphthurin Beds (Formation) 72, 285, 291, 293–4
 Karonga area, termite sedimentation 191–6
 Karroo sediments 280–1
 Kavirondo region, Kenya 341–2
 KBS Tuff 81, 153, 154, 155, 367
 Kedong basin 49, 51, 52, 53
 Kenya dome 19–20, 21–2, 45
 Kenya-Ethiopia Rifts, early Holocene palaeogeography 320
 Kenya Rift 13, 20, 21–2, 159–60, 285, 311
 characteristic tectonic terraines 48–51
 controls of rift sedimentation 55–6
 development of 48
 examples of modern sedimentary basins 51–5
 volcanic and tectonic evolution, outline of 45–8
 Kenya Rift, equator to L Turkana
 salic volcanism 63–8
 sediments 68–72
 structure 59–63
 Kenya Rift System, modern springs 173
 Kenya Rift Valley (southern), rift sedimentation influenced by tectonics and volcanism 45–56
 Kenyaite 171
 Kerogen-rich carbonates 187
 Kerogens 256
 Kigoma basin 29, 31, 33, 39
 Kinu Sogo fault belt 302
 Koobi Fora
 evolution of landscape 104–8
 palaeoclimatic interpretations 157–8
 Koobi Fora basin
 location 86
 volcano-tectonic control on sedimentation 85–94

- Koobi Fora Formation 91, 100, 117, 119, 121, 155
 Koobi Fora region, depth to metamorphic basement
 from seismic and gravity data 75–83
 extrapolation of basement depths using gravity
 data 81–2
 geological interpretation of gravity models 82–3
 geological interpretation of seismic models 80–1
 seismic interpretation 75–81
 seismic results 75
 Koora basin 53
 Kubi (Koobi) Algi Formation 85, 91, 100
 Kula fault 61
- Lacustrine carbonates 324
 Lacustrine environments, stromatolites in 205
 Lacustrine muds 138
 Lacustrine sediments 86, 88, 90, 107, 108, 233, 360
 Laetoli rodent fauna 367
 Laetoli Beds, Tanzania 342–3
 Lagas 297
 Lagoons, perennial 182, 183
 Laikipia Plateau 67, 68
 Lake Abhe 13, 203, 208
 Lake Abijata
 location 254
 palaeoenvironment during the past 2000
 years 253–64
 environmental setting 253
 evolution during the last 2000 years 261–4
 main features of sedimentation 253–61
 Lake Albert (Mobutu) 14, 156
 Lake Awasa 13
 Lake Baringo 71, 138, 161, 291, 293, 321
 Lake Bogoria 7, 52, 55, 138, 201, 202, 203, 204, 321
 evolution of hot spring deposits 168
 general setting 323
 high level lake stage 323–5
 sedimentological and ecological data 325–30
 palaeolimnology during the 4500 BP high lacus-
 trine phase 323–30
 Lake Bogoria basin (Kenya Rift), mineral precipi-
 tation and diagenesis 159–74
 Lake chemistry 161, 162
 Lake deltas (ephemeral rivers), Turkana basin, evolu-
 tion and sedimentary character of 113–24
 Lake Edward 14, 156
 Lake Eyasi 14
 Lake Gosiute 185–6
 Lake Hadar 233, 237
 Lake Kivu 364
 Lake levels, East Africa, changes in 92, 94, 134, 167,
 233, 236, 237, 238, 313, 314, 319
 early Pliocene 247
 L Abijata 262
 L Bogoria 163, 164
 L Turkana 101, 106
 Pleistocene and Holocene 253
 Lake Magadi 6–7, 52, 159, 202, 203
 comparison with L Gosiute 185–6
 diagenetic reactions 181–2
 hydrochemistry, hydrology and brine evolution
 177, 179–81
 model for rift valley hydrochemistry and sedimen-
 tation 177–88
 and Pleistocene precursors 177–81
 sedimentation 182–4
 Lake Malawi 5, 14, 364
 Lake Manyara 14
 Lake margin sediments 121, 127, 247, 360
 L Turkana 124
 Lake Naivasha 13, 52
 Lake Nakuru 52, 55
 Lake Natron 13, 49, 52, 55, 179, 201, 208
 rodent fauna 368
 Lake Oloronga 177, 178–9
 Lake Searles 186–7
 Lake Suguta 208, 321
 Lake Tanaganyika 5, 14, 364
 structural expressions of rifting 29–43
 effects of structural expressions on depositional
 processes 36–42
 and relations 29–36
 Lake Turkana 5, 13, 49, 83, 92, 99, 363
 controls on composition of modern sediments
 141–52
 depositional framework and sediment
 sources 141–2
 diagenesis in L Turkana 150–1
 geochemical patterns and discussion 146–50
 sediment characteristics, shore and profundal
 zones 142–6
 distribution of coarse-grained sediments 127–36
 models of volcanogenic regulation on lacustrine
 sedimentation 136–8
 Holocene sediments 312
 modern limnology 311
 regional geology 311–12
 regional setting 319–21
 sedimentary carbonates as isotopic markers 153–8
 water balance and circulation 114
 Lake Victoria 14–15, 156, 186
 Lake water stratification 138, 161
 Laminiae, stromatolites 203, 204, 208
 Lapilli tuffs 69, 341
 Lapurr range, sedimentary sequence 269–70
 Lariak phonolites 67
 Laterite 143, 146, 277, 280
 Latosols 253
 Lava-sediment relations, Koobi Fora 91–2
 Leaching 259
 Legemunge (Olorgesailie) basin 53
 Limestone 271
 stromatolitic 166
 Limonite 316
 Litharenites 314, 318
 Lithosphere, stretching of 22
 Lodwar area 270
 Loiengallani Formation 276, 277
 Loperot area 270–1
 Lopet phonolites 67
 Lorenyang Tuff 154
 Losiolo phonolites 65, 67
 Losuwo lavas 67
 Lubur Series 276, 279
 volcaniclastic sediments 270
 Lukeino Formation 71–2, 285, 290–1

- Magadi basin 53–5, 178–9
 subfacies 182
- Magadi-Natron basin 13, 52
- Magadi-type environments
 Green River Formation 184–6
 other, ancient 186–7
 recognition of in the geologic record 187–8
- Magadiite 54, 167, 171, 178, 181, 182, 186
- Magnetite 149, 151
- Magnetostratigraphy, Natron basin 333
- Malawi Rift, sedimentation by termites 191–8
- Mammalia fauna
 Chameron Formation **292**, 293
 Kajong Formation 275–6
 Kapthurin Formation **293**
 Lukeino Formation **291**
 Mpesida Beds **290**
 Muruyur Beds **287**
 Ngorora Formation **289**
- Mammals, distribution of in western Kenya 359, 360
- Marker beds 85, 153, 154, 247, 278, 333
- Marsabit lavas 302, 305
- Marsh 163, 182, 237
- Marsh sediment 121–2
- Marshland as sediment trap 134
- Marungu-Mpulungu basin 29
- Mass movement 100–1
- Melilitite-carbonatite tuffs 342–3
- Melilititic tuffs 341
- Menengai caldera 13
- Meromictic lakes 55
- Meromixis 138, 161
- Mesas 302
- Metamorphic assemblage, L Turkana 145
- Mg (magnesium) 149, 150
- Micrite 164, 166
- Micromammals, distribution of in western Kenya 358
- Mineral precipitation and diagenesis, L Bogoria basin 159–74
- Mineral-water reactions, diagenesis 150–1
- Mineralogy, Turkana basin sediments 143–6
- Miocene fossils 341–2
- Miocene lake hypothesis 354
 and interpretation of Nyanza fossils 345
- Miocene sediments, western Kenya, determination and characteristics of depositional environments **352–3**
- Miocene volcanics 61, 63–8
- Mire ecosystems, influence of man 217
- Mire sediments in East Africa 211–17
 general distribution 211
 late Pleistocene and Holocene climate 215–16
 mire development influenced by climatic change 216–17
 mires studied 211–13
 sediment types in mires 214–15
- Mn (manganese) 146, 148, 149–50, 151
- Molluscs 270, 275, 313
 in Koobi Fora sediments 153
- Mordenite 167, 172
- Mpesida Beds 71, 285, 288–90
- Mud, laminated 256
- Mudflats 163, 182, 183
- Mudstones 274, 275
- Muruyur Beds 285, 286–8
- Muruyur Formation 71
- Na-Al-Si gels 181, 182
- Na (sodium) 150, 180
- Nahcolite 52, 54, 170–1
- Naivasha basin 49, 51
- Nakuru-Elmenteita basin 52
- Napak, Uganda, Miocene of 341
- NASA satellite data and changing climatic conditions 156
- Natrocronatite ash 55, 180, 342, 343
- Natrocronatites 52, 181, 339, 340, 341, 342
- Natrojarosite 226, 235, 236
- Natrolite 165
- Natron basin 50, 52, 53, 54, 178–9
 preliminary magnetostratigraphic record, Pleistocene deposits 331–6
 magnetostratigraphy 333
 sampling of sediments 331–3
 stratigraphic interpretation 333–6
- Natron depression 45, 48
- Neomorphism 166
- Nephelinite 341, 342
- Ngorora Formation 71, 285, 288
- Ni (nickel) 146, 149, 151
- Niger delta 3, 9, 11
- Nitratine 316
- Nodules 193, 223, 233
- Nyanza Rift System 55
 sedimentation and fossil preservation 345–61
- Nyanza Rift Valley, early evolution 351
- Nyanza trough 59
- Nyerereite 339, 340, 341
- Oil reserves 113
- Oil shale 184, 185, 186
- Oi Bolossat basin and lake 51
- Oi Doinyo Lengai 52, 55, 180–1, 339
- Olduvai Beds 368
- Olduvai event 335–6
- Olduvai sediments 99
- Olorgesailie Formation 312
- Oloronga Beds 177, 178
- Omo River 114, 127, 136, 142, 144, 158
 source 143
- Omo Shungura site, rodent fauna 366–7
- Oncolites 54, 202, 203, 204, 207, 226, 235
- Opaline cherts 171
- Opaline silica cementation 165
- Opaline silica crusts 166, 167
- Organic-rich clays 327
- Organic-rich rocks 185
- Organic-rich sediments 119, 138, 215
- Ostracod shale 227, 230
- Ostracods 164, 223 233, 235, 236, 256, 313
- Overbank deposits 247, 275, 277
- Overland flow 103, 110, 192, 196

- Overspill 99, 100, 104, 158
 Chew Bahir 13, 99, 100, 102, 104–5, 158, 307, 319, 321
 Oxygen index 256
 Oxygen isotope ratios 154, 155–6
 modern African gastropods 156–7
 Oxygen isotopes 153, 154, 340
- PO₄ 180
 Palaeobotany, L Bogoria 327–9
 Palaeoclimates
 E Africa, late Pleistocene and Holocene 215–16
 Koobi Fora 157–8
 Palaeocurrents 248, 249, 274, 275, 277
 Palaeoenvironmental interpretations, Nyanza Rift 345–6
 Palaeoenvironments
 Chalbi basin 297–309
 L Abijata 261–4
 Middle Awash valley 244–50
 and stromatolites 201–7
 Palaeolakes 206, 207, 208
 Palaeolimnology, L Bogoria, during the 4500 BP high lacustrine phase 323–30
 Palaeomagnetic reversal 288
 Palaeomagnetic sampling 288
 Palaeomagnetism, L Natron basin 331–6
 Palaeoshorelines 207
 Palaeosols 100, 287, 357, 360
 Palaeovalleys, Koobi Fora 319
 Palynology, L Bogoria 327–9
 Papyrus swamp 215
 Parapatric speciation 369
 Paravolcanic depressions 348–9
 Particle size 100–1
 Tulu Bor 116
 Passive margins 42
 Peat formation 211
 Peat-forming mire vegetation 214–15
 Pediments 108
 dissection of 101, 103
 Pedogenesis 194–6, 360, 361
 Miocene strata, western Kenya 354, 357
 Pelagic mud 164
 Perched basins 137
 Phillipsite 53–4, 178, 187, 342
 Phonolites 48, 63, 65–8, 71, 72, 272, 285, 286, 287, 289, 345
 Phreatic diagenesis 166
 Physiographic barriers, and control of sedimentation 136
 Pillow lavas 88
 Pisoids 165
 Pisolites 182, 203
 Pisoliths 193
 ash 341
 Plateau gravels 105, 108
 Platforms 32, 42, 50
 Playa-lakes 187
 Plio-Pleistocene morphotectonics, volcanism, sedimentation and evolution of rodent faunas 365–9
 Plio-Pleistocene sediments, Turkana basin 99
 Pliocene volcanics 61, 68
 Pollen 216, 234, 241, 261, 262, 264, 368
 Galana Boi Formation 313–14
 L Bogoria stromatolite crusts 327, 328, 329
 in peat 214–15
 Pool-rim dams 203, 205
 Primates 341, 357, 358
 Principal components analyses, L Turkana modern sediments 147–50
 Provenance 148, 149
 Pseudomorphs 342
 Pyrite 172
 Pyroclastic sediments 69, 71, 290
 Pyrolysis 256
- Quartz 135, 144, 145, 256, 274, 316
 Quartzites 271, 286
 Quaternary environments, Chalbi basin, sedimentary and geomorphological evidence 297–310
 Quaternary volcanics 64, 65, 68
- Radiocarbon dating
 Chalbi basin 310
 L Bogoria 324–5, 329
 Radiometric dating 270, 271
 Chalbi basin 309–10
 Natron basin 333–5
 Rainsplash 103, 192, 196
 Ramp-valley hypothesis 3
 Ramps 50, 60, 137
 Red Sea trough 12
 Reptiles 270
 Reworked sands 132, 133
 Rhizoliths 165, 172
 Rift development, Ethiopia-Arabia 242–4
 Rift evolution 369–70
 Rift margins 13
 Rift sedimentation, controls of 55–6
 Rift systems, evolutionary differences 26
 Rift systems of Africa 9, 10
 Rift tectonics 3–7
 Rift valleys 3
 Rodent diversity (Plio-Pleistocene sediments, African Rift System), tectonic and environmental control 363–70
 Rodent faunas, East African Rift
 Middle Pliocene 366–7
 Plio-Pleistocene boundary 368–9
 Upper Pliocene 367–8
 Rodents, Uganda 341
 Root casts 226, 227
 Rotifers 161
 Rumuruti phonolites 65, 67
 Ruzizi basin 29, 39
- Salic volcanism 63–8
 Saline lakes 54–5, 159, 161, 182, 237
 criteria for recognition of environments 187–8
 lithofacies 163–4
 Saline springs 52, 167, 173, 179–81
 Salt crystallization 164

- Salt pans 182, 183
 Sand 224–5, 227, 232, 301
 Sand sheets, red clayey, Karonga areas 191–6
 Sandai Plain 165
 Sandflats 163, 182
 Sands 116, 121, 124, 163
 Sandstones 91, 223, 274, 288, 301
 Sandy shore deposits 134
 sorting variations 129, 132, 133
 Sapropelic ooze 164
 Scarp retreat 100–1
 Sclater line 364
 Searlesite 186, 187
 Sediment disturbance 164
 Sediment geometry, Tulu Bor 116–19
 Sediment plume 116, 119
 Sediment ponding 137
 Sediment processes, L Magadi 182–4
 Sediment textures 136
 Turkana basin sediments 142–3, 144
 Sediment train, arid zone 107
 Sedimentary basins 211
 creation of 50–1
 fault-controlled, West and Central Africa 23
 modern examples 51–5
 Sedimentary environments, Hadar Formation, interpretation of 233–8
 Sedimentation
 in hydrologically closed basins (L Magadi) 182–4
 L Abijata 253, 255, 256–61
 aquatic elements 256–9
 terrestrial elements 259–61
 lack of in western rift lakes 14
 Middle Awash valley, Pliocene and Pleistocene 244–50
 in rifts 6, 9
 Sedimentation rates
 Karonga area 194–5
 and local fault growth 137
 Tulu Bor delta 119
 Turkana basin 141
 Sediments (modern), controls on composition of, L Turkana 141–52
 deposition of, framework and sediment sources 141–2
 diagenesis 150–1
 geochemical patterns 146–50
 sediment characteristics, 144–6
 shore zone 142–4
 Seismic models, interpretation of, Koobi Fora 80–1
 Seismic profiles 75–80, 116, 117
 Seismic surveys, Koobi Fora 75–80
 Sera Iltomia Formation 273–5, 276, 280
 Shale 225, 227, 230, 231, 288
 black 316
 Sheetwash 182
 Shield volcanoes 63, 285
 Sidekh Phonolite Formation 65, 285, 286
 Siderite 172
 Silali 61, 68
 Silica 167
 Silica gels 54
 Silica mineral precipitation 171–2
 Silicification 166
 Silt composition 148
 Silts 53, 121, 134, 135, 143, 145, 149, 163, 164, 256, 301
 Siltstones 88, 165, 286
 Silty clay 232
 Slope processes 100–4
 Slope retreat, general model 103–4, 110
 Slope runoff 100–3
 Slope wash 124
 Smectites 143, 144, 145, 148, 149, 151–2, 164, 226, 253, 259, 261, 262, 263, 316
 Sodium silicates 171
 Soil erosion 103
 Soils 103, 144, 253
 Source areas, L Turkana sediments 151
 Sovites 340, 341
 Sparite 166
 Speciation, rodent faunas 369
 Spillover 39, 40
 Spillover facies 31
 Sponge spicules 172, 247
 Spring deposits 165–7, 182
 interpretation 166–7, 168
 Springs 324
 Sr (strontium) 166, 340, 343
 Stable isotope analysis of stromatolites 208
 Stable isotope ratios 324, 329
 as marker horizons 153–4
 Step-fault platforms 50
 Step-faults 48, 60, 61, 83
 Step-ramps 50
 Stevensite 150
 Stone artefacts 192, 194, 196, 241, 242
 Stratigraphy of African mires 212, 213
 Stratigraphy and geologic settings, Middle Awash valley 245, 249
 Strato-volcanoes 68
 Strike-etching 100
 Strike-slip faults 350
 Strike-slip movement 3, 278
 Stromatolites 13, 153, 275, 314, 316
 East African Rift 201–9
 floodplains 202–3
 fluvial channel and spring environment 201–2
 hydrothermal environment 203–4, 205
 lacustrine environments 205–7
 L Bogoria 323, 325–7, 329
 ¹⁴C dating 324–5
 Stromatolitic carbonate, biological origin for 208–9
 Structural expressions and relations, L Tanganyika 29–36
 general morphology 29–32
 key observations 32–3
 linking of fundamental units 34–6
 theme 33
 Sub-flood lava sediments 88
 Sub-volcanic sediments 69
 Subarkoses 269, 270, 271, 274, 275, 279, 314
 Sublitharenites 269, 270, 271, 274, 275, 313, 314
 Subsidence 22, 40, 48, 369
 rift basins 33
 and termite mounds 196
 Succession in mires 216–17
 Suguta basin 321

- Suguta trough 137
 Sulfate depletion 180
 Sulfate-rich systems 180
 Suregei-Asille district 87, 88
 Suregei Tuffs 85
 Swamps 214, 236, 249, 319, 329
 Swash zone 129, 135
 Sympatric speciation 369
 Synrift sedimentation 36, 39
- Talluvium 100–1, 104
 Talus 163, 305
 Tanzanian divergence 363
 Tectogenic stratigraphy, western Kenya 350–5
 Tectonic activity, East African Rift 365
 Tectonic control of sedimentation 55, 113–14, 124, 238, 277
 Middle Miocene 360
 Tectonic evolution, L Tanganyika 31–2
 Tectonic influences, Chalbi basin 302, 305
 Tectonic terraines 48–51
 Tensional stress 26
 Tephra and preservation of fossils in Cenozoic deposits, East Africa 339–46
 eruptive carbonatite 339–40
 Kavirondo region, Kenya 341–2
 Laetolil Beds, Tanzania 342–5
 Miocene of Napak, Uganda 341
 Termite mounds 191, 194
 granulometric analyses 195–6
 Termites 164
 sedimentation by, Malawi Rift 191–8
 origin of red clayey sand sheets 194–6
 red clayey sand sheets, Karonga area 191–4
 other areas 196–8
 Terrestrial environments, Karonga area 192
 Textural data, importance of 124
 Thenardite 305
 Thermal anomaly 22
 Thermonatrite 167, 171, 179
 Tholeiites 85, 88, 90, 94, 233, 236
 Tiati Grits 271, 280
 Tiim phonolites 67, 285, 286, 287, 288
 Trace elements, L Turkana modern sediments 148–9
 Trachyphonolites 64, 65, 68, 72
 Trachytes 63, 64, 65, 68, 71, 72, 285
 Transcurrent faulting 364
 Transfer faults 36
 Transform faults 36
 Transform systems 281
 braided 278
 Kajong area 278, 280
 Travertines 165, 167, 172, 173, 201, 203, 324
 diagenesis 166
 in fluvial environments 207
 Trona 52, 54, 55, 164, 167, 170, 179, 180, 183, 184, 185, 186, 343
 Tufa 165
 Tuffs 187, 224, 226–7, 232, 247, 270, 288, 314, 341
 aeolian 343, 344
 air-fall 69, 223, 241, 342–3, 344
 apron 357
 Tugen Hills, sedimentary stratigraphy of 285–94
 Tugen Hills Group 65, 69
 Tulu Bor delta
 geometry of alluvial fill 116–19
 microstratigraphy of subaerial delta 119–22
 sedimentary environments 122–4
 Turbidites 163
 Turbidity flows 137, 164
 Turkana basin 4, 6, 51, 137, 307
 dissection of pediments 101, 103
 early rift sedimentation 267–82
 early clastic sedimentation, regional survey 269–76
 Kajong area, geological history 276–7
 Kajong area, late Mesozoic syntectonic deposition 277–9
 evolution of Koobi Fora landscape 104–8
 general model of slope retreat 103–4
 geology 100
 lake deltas (ephemeral rivers), evolution and sedimentary character of 113–24
 scarp retreat 100–1
 sedimentation rates 141
 slope processes, sediment derivation and landscape evolution 99–111
 Turkana depression 5, 45, 48, 59, 281
 lithostratigraphic units 267–8
 structural setting 268
 Turkana Grits 69, 267–79, 281, 301
 age and significance 279–81
 Unity basin 22
 V (vanadium) 146, 149, 151
 Vertebrate fauna 343
 Vertebrate fossils 301, 308
 Vertisols 143, 146, 253
 Villiaumite 52, 54, 180
 Vitrinite 226
 Volcanic ash 6
 Volcanic barrier development and subsidiary basin formation 137
 significance of 138–9
 Volcanic Cameroon Line 12
 Volcanic control of sedimentation 55, 129, 233
 Volcanic infilling of rift basins 138
 Volcanic lavas, absence of in western rifts 14
 Volcanic sediments 345
 Volcanic tumescence 93, 94
 Volcaniclastic sediments 178
 difficulties in interpretation 5
 Volcanism 48, 61, 63–8, 233, 236–7, 238, 307, 311, 368, 369
 Chalbi basin region 301–2
 effects on rifts 3, 6
 Plio-Pleistocene, Kajong area 276
 Volcano-tectonic control, lake morphology 92, 94
 Volcano-tectonic model, proto-Lake Turkana 92
 Volcanogenic control of sedimentation 136–8
 Volcanogenic stratigraphy, western Kenya 346–50
 geochemical role of volcanoes in bone preservation 349–50
 paravolcanic depressions 348–9
 sedimentary patterns and carbonatite-nephelinite central volcanoes 346–8

- Warata Formation 92
Warm springs 161, 165
Weathering
 and brine evolution 180
 in Ethiopian Uplands 143–4
West African Rift System 4, 22–6
West and Central African Rift System 343
 post-tectonic subsidence 26
Wetland plant communities 211, 216
World Oceanic Rift System 19
- Yola Rift 23
- Zeolites 159, 167, 172, 181, 182, 184, 185, 187
Ziway basin 13
Ziway-Shalla basin 253
Zn (zinc) 146, 148, 149–50, 151