

# Index

Page numbers in *italics* refer to Figures; page numbers in **bold** refer to Tables.

- Abatus* **158**  
*Actinoceramus concentricus* 11  
*Actinoperygii* 91–92  
  Alepisauriformes 94, 97  
  Elopomorpha 92, 96  
  Ichthyodectiformes **86**, 92–94, 96–97  
  Teleostei 94  
*Aeneator lawsi* **158**  
*Agathoxylon* 66  
Albuliformes **86**  
Alepisauriformes 94, 97  
Alexander Island 64  
  Albian flora 68  
  stratigraphy 65  
ammonites 11, 14, 23  
angiosperms *see* leaf fossils *also* wood fossils  
*Anisodonta subovata* **158**  
*Antarctiberyx seymouri* **86**, 94  
Antarctic Peninsula  
  floristic record 65–66  
  Cretaceous 66–74  
  Neogene 74–76  
  Palaeogene 74  
  formation of 1  
  geological setting 64–65  
*Antarctodolops dailyi* *see* *Polydolops dailyi*  
*Antarctohoges*  
  *A. arcuacheilos* **158**  
  *A. diversicostata* **158**  
*Antarctoxylon* spp. 70, 71  
  *A. heterosporosum* 70  
  *A. junglandoides* 70  
  *A. livingstonensis* 70  
  *A. multiseriatum* 70  
  *A. uniperforatum* 70  
*Anthropornis* spp. 151, 152  
  *A. grandis* 151, **157**  
  *A. nordenskjoldi* 145, 147, 151, 157  
  *A. nordenskjoldi* biozone 147, 157–159  
Anthropornithinae *see* penguins  
*Apateodus* **86**, 97  
*Aptea* sp. 13  
<sup>40</sup>Ar/<sup>39</sup>Ar dating, James Ross Island Volcanic Group 192  
*Araliaephyllum* 68  
*Araucaria* spp.  
  *A. marensi* 72  
  *A. nathorstii* 72  
Araucariaceae 68, 70, 136  
*Archaeospheniscus* spp.  
  *A. lopdelli* 154–155, 157  
  *A. wimani* **157**  
Arctic, Cretaceous climate compared 58  
*Arcuatula sootryeni* **158**  
*Aristonectes* 120  
*Arrhoges* spp.  
  *A. arcuacheilos* **158**  
  *A. diversicostata* **158**  
*Ascodinium* sp. 11  
  *A. serratum* 11  
*Asterosoma* 24  
Astrapotheria **179**  
Atherospermataceae 52  
*Atherospermoxyton bulboradiatum* 70  
Atlantic Gateway 58  
*Aucellina* 11  
*Baculites* 15  
  belemnites 11  
  bennettitaleans 68, 69  
  Bibby Point Member 11, 12, 15  
  birds of the *A. nordenskjoldi* biozone **159**  
  bivalves 11, 13, 14, 23, 30  
  of the *A. nordenskjoldi* biozone **158**  
  body size, climatic significance of 183–185  
  bony fish *see* Osteichthyes  
  Botany Bay Group, fossil wood 66  
*Botula pirriei* **158**  
*Bouchardia* **158**  
brachiopods 11, 14, 23  
Brandy Bay Member 9, 10, 12, 11–14, 16, 17  
*Brassospora* 72  
bread-crust bombs 25, 43  
bryophytes 69, 75  
bryozoans 11, 14, 24  
*Bulla glacialis* **158**  
*Callorhinchus* sp. **113**, 114, 115, 120  
*Canninginopsis denticulata* 15  
Cape Melville Formation 188  
*Carcharias* sp. 88, 89  
*Celliana feldmanni* **158**  
Cerro Negro Formation 65, 66  
cetaceans of the *A. nordenskjoldi* biozone **159**  
Chester Cone Formation 65  
*Chimaera zangerli* 85–86, 97  
Chimaeridae **113**, 114, 115  
*Chlamydoselachus* spp.  
  *C. anguineus* 88, 95  
  *C. thomsoni* 86, 87, 95  
*Chlamys* sp. **158**  
Chondrichthyes **113**, 114, 115  
Chopin Ridge Group 65  
*Clavatipollenites* 68  
climate–leaf analysis multivariate programme (CLAMP) 183  
  in palaeoclimate analysis  
  method 55  
  results 56  
Cockburn Island Formation 188

- Colbert Formation 65  
*Colobanthus quietensis* 76  
*Cominella ottoi* **158**  
 conifers, deciduous v. evergreen 68–69  
*Conosphaeridium striatoconus* 15  
 contourites 32  
 corals 24  
*Cosmasyrinx brychiosinus* **158**  
 Crabeater Point Beds 65  
 Cretaceous  
   floral fossil record 65–66  
     Aptian–Albian 66–69  
     Campanian–Maastrichtian 71–74  
     Cenomanian–Santonian 69–71  
   stratigraphy 110–112  
     Hidden Lake Formation 9, 9, 11, 12, 14–15, 23–25  
     summary 15–17  
     Whisky Bay Formation 10, 11–14, 12  
   vertebrate palaeontology  
     history of research 112  
     systematics 113–120  
*Cretascyllum* 89  
*Cretorectolobus* 89  
*Cribroperidium edwardsii* 11  
 Cross Valley Formation 65, 127, 130, 137, 147, 167  
   Eocene flora 183  
   first studied 1  
*Cucullaea donaldi* **158**  
 Cunoniaceae 52, 70  
 Cupressaceae 74, 136  
*Cyatheacidites* 66  
*Cyathidites* 11, 66  
*Cyrtochetus bucciniformis* **158**
- Dacrydium* 71, 74  
*Delphinornis* spp.  
   *D. arctowski* 153, 157  
   *D. gracilis* **157**  
   *D. larseni* 153, **157**  
 density flows 26, 27, 29, 31, 32, 40  
*Dentalium pulchrum* **158**  
 Derorhynchidae **179**  
*Derorhynchus minutus* **179**  
*Deschampsia antarctica* 76  
 diamictite *see* Hobbs Glacier Formation  
*Diconodinium multispinum* 11  
*Dicotylophyllum* 68  
 Didelphimorphia **179**  
*Didymaulichnus* 24  
 Dilleniaceae 136  
 dinoflagellates 13, 15  
 Dufayel Island Group 65  
 dykes 137
- Eights, James 63  
 Elaeocarpaceae 52  
 Elasmisauridae **113**, 115, 116–117, 120–121  
*Elatocladus* sp. 67  
*Electroma notiala* **158**  
 Elgar Formation 65  
 Elopomorpha 92, 96  
 Enchodontidae **113**, 115, 116  
*Enchodus* sp. **86**, 97, **113**, 115, 116, 120  
   *E. ferox* 94  
*Endoceratium ludbrookiae* 15  
 Eocene  
   faunas compared with Patagonia 180–181  
   body size and thermal strategy 183–185  
   diversity 183  
   sample bias 182–183  
   stratigraphy *see* La Meseta Formation  
   vertebrate fossils 177–178  
     *see* penguins; Sparnatheriodontids;  
       *Sudamerica ameghinoi*  
 equisetites 68, 69  
*Eucrossorhinus* 89  
*Eucryphyoxylon eucryphiodes* 70  
*Eurhomalea florentinoi* **158**  
 Ezcurra Inlet Group 65
- facies analysis and associations  
 Hidden Lake Formation  
   conglomerates 26  
   cross-bedded sandstones 31–33  
   graded sandstones 33  
   pebbly sandstones 26–27  
   sediment sheets 31  
   stratified sandstones 27–28, 29  
   thick sandstones 28–29, 30  
   thin sandstones 29–31  
   Hobbs Glacier Formation **190**  
   James Ross Island Volcanic Group **190**  
   La Meseta Formation 127–129, 146, 149–150  
 ferns 68, 69, 74, 75  
*Ferugliotherium* 135  
*Ficophyllum* 68  
 Fildes Peninsula Group 65  
 Finlandia Formation 65  
 fish fossils **159**  
   López de Bertodano Formation, teleosts 94  
   Santa Marta Formation  
     Actinoperygii 91–94, 96–97  
     Holocephalians 85–86  
     Neoselachians 86–91, 95–96  
*Foersterichnus rossensis* 24  
*Fuscospora* 72  
*Fusinus suraknisos* **158**
- gastropods 14, 23, **158**  
*Gaudryceras* 15  
 General Circulation Model (GCM) 59  
 Gin Cove Member 9, 15  
 ginkgopsids 68, 69  
 glacialigenic sediments *see* Hobbs Glacier Formation  
 Gondwanatheria 135–136, **179**  
   *see also* *Sudamerica ameghinoi*  
 graphic logs, Hidden Lake Formation 35, 36, 38, 39  
*Gunnarites antarcticus* 111  
 Gustav Group  
   distribution maps 8, 9, 24, 50, 84, 110  
   fossils 66  
   stratigraphy 1, 7, 9, 17, 23, 83, 95  
   *see also* Hidden Lake Formation; Kotick Point Formation; Lagrelius Point Formation; Whisky Bay Formation

- Hamamelidae 71  
 Hamilton Point (James Ross Island) 191  
 Haq sea-level curve 131  
 Haslum Crags Member 111  
*Hedycaryoxylon* sp. 71  
   *H. tambourissoides* 70  
*Helminthoida* 30  
 Herbert Sound Member 85, 86, 88, 89, 90, 91, 92, 97  
*Heteroglyphis dewoletzky* 163, 172  
 Hexanchidae 113, 114, 115  
 Hexanchiformes 86–88, 95  
*Hiatella tenuis* 158  
 Hidden Lake Formation 9, 9, 10, 12, 14–15, 17, 22, 24,  
   65, 69, 71, 72  
   depositional environments  
     base of slope 33–34  
     basin floor 38–40  
     fan-delta 34–38  
 evolution of deposition 40–41, 42  
 facies analysis  
   conglomerates 26  
   cross-bedded sandstones 31–33  
   graded sandstones 33  
   pebbly sandstones 26–27  
   sediment sheets 31  
   stratified sandstones 27–28, 29  
   thick sandstones 28–29, 30  
   thin sandstones 29–31  
 flora 51, 52  
 palaeocurrent record 28  
 provenance 25–26  
 sedimentology 50–51  
 stratigraphy 23–25  
   tectonic setting 41–43  
   volcanic setting 43  
 Himalia Ridge Formation 65  
 Hobbs Glacier Formation  
   distribution map 189  
   facies associations 190  
   lithostratigraphy 193, 194–196  
   provenance 198  
   stratigraphy 188  
 Holocephalians 85–86  
 humerus, basis of penguin systematics 150, 151, 152  
 hummocky cross stratification 30  
 hyaloclastite 190, 191  
*Hydrocotyllophyllus* 68  
 Ichthyodectiformes 92–94, 96–97  
*Illicioxylon* spp.  
   *I. antarcticum* 70  
   *I. tenuradiatum* 70  
*Inoceramus* spp.  
   *I. australis* 14, 15  
   *I. carsoni* 15  
   *I. inaequivalvis* 14  
   *I. neocalidonicus* 14, 15  
 inverse grading 33  
*Isabelidium glabrum* 11, 13  
*Ischyodus dolloi* 85, 86  
*Isurus* 91  
 James Ross Basin 125, 126  
   formation of 1  
 James Ross Island 2, 50, 101, 102, 110  
   first visitors 1  
   Neogene stratigraphy 192  
 James Ross Island Volcanic Group 10, 84, 193,  
   198  
   distribution map 189  
   facies associations 190  
   lithofacies interpretations 193  
   lithostratigraphy 196–197  
   stratigraphy 190–193  
*Josepha ottoii* 158  
 K/T boundary 111  
*Kaitoa schmitti* 158  
 Karlsen Cliffs Member 111  
 King George Island 64  
   Palaeogene flora 74  
   stratigraphy 65, 188  
 King George Island Supergroup 65  
 Kotick Point Formation 9, 9, 15, 22, 24, 65  
 La Meseta Formation 65, 137, 145, 167  
   age 129, 149  
   facies associations 127–129, 146, 149–150  
   faunas compared with Patagonia 180–181  
     body size and thermal strategy 183–185  
     diversity 183  
     sample bias 182–183  
   first studied 1  
   fossils *see* penguins; Sparnatheriodontids;  
     *Sudamerica ameghinoi*  
   graphic log 148  
   impact of sea level on 130, 131  
   mammal fauna 136, 178, 179  
   map 147  
   stratigraphy 126–127  
 Lachman Crags Member 85, 86, 88, 90, 91, 92, 97  
 Lagrelius Point Formation 9, 9, 22, 24, 65  
 Lamniformes 88–89, 95–96  
 lapilli 43  
 Larsen Basin 1, 22–23, 125, 126  
   stratigraphy 65  
 Lauraceae 52, 136  
*Laurelites jamesrossii* 70  
 leaf fossils  
   Cretaceous flora 51–53  
     first recorded 49  
     preservation 51  
   use as palaeoclimate indicators 136, 183  
   methods of analysis 53–56  
   results 56–59  
*Leiodon* sp. 104, 105, 113, 120, 121  
*Lenitrophon suteri* 158  
 Lewis Hill Member 10, 11, 12  
 lichens 76  
*Lingula antarctica* 158  
 Litopterna 179  
   *see also* Sparnotheriodontids  
 liverworts 68  
 Livingston Island 64  
 stratigraphy 65  
 lizards (marine) *see* Mosasaurinae  
*Llanocetus denticrenatus* 159

- López de Bertodano Formation  
 distribution maps 127, 137, 147, 167  
 fossils 111–112  
   fish 86, 91, 94, 97  
   mosasaurs 103, 104, 105, 107  
 stratigraphy 9, 24, 65, 84
- Lophozonia* 72
- lycophytes 69, 75
- Maccoyella* 16
- Macrauchenia* 163
- Magnoliales 51
- Magnolidae 71
- Mammalia (mammals)  
 of *A. nordenskjöldi* biozone **159**  
 of La Meseta Formation 177–178, 178–180  
*see also* Sparnotheriodontidae *also* *Sudamerica ameghinoi*
- Marambio Group  
 distribution maps 12, 50, 110  
 fossils  
   mammals 177–178, 178–180  
   wood 66  
 stratigraphy 2, 7, 9, 9, 17, 23, 24, 83, 84, 85  
*see also* López de Bertodano Formation; Santa Marta Formation; Snow Hill Island Formation
- Marambio Island *see* Seymour Island
- Marambiornis exilis* **157**
- Marambiotherium glacialis* **179**
- Marsupialia **179**
- Maytenus* 75
- Megalops atlanticus* 92
- Menuites* 14, 15
- Mesetaichthys* sp. **159**
- Mesetaornis polaris* **157**
- Metacrinus* **158**
- Microbiotheria **179**
- Microbiotheriidae **179**
- mineralogy, Hidden Lake Formation 25
- Miocene stratigraphy 188
- miospore diversity, Cretaceous 58
- Modiolus thomsoni* **158**
- Monimiaceae 70
- Monteverdi Formation 65
- Mosasauroidea 101–103, **113**, 117–120  
*see also* Mosasaurinae; Plioplatecarpinae; Tylosaurinae
- Mosasaurinae 105–107, **113**, 118–120, 121  
*Mosasaurus* spp. **113**, 118, 119, 120, 121  
   *M. hoffmanni* 105, **113**, 118, 119, 121  
   *M. lemmonmieri* 105, 107
- mosses 76
- mud drapes 32
- Muderongia tetracantha* 15
- multiple linear regression models  
 in palaeoclimate analysis  
   methods 55–56  
   results 57
- Mya nucleoides* **158**
- Myrceogeneloxylon antarcticus* 70
- Myricaceae 136
- Myrtaceae 52, 73, 136
- nearest living relative (NLR) technique  
 in palaeoclimate analysis  
   methods 53  
   results 56
- Neogene  
 floral fossil record 74–76  
 glacial climate 187  
 glacier character 187–188  
 stratigraphy *see* James Ross Island Volcanic Group
- Neoselachians 86, 87, 90, 91  
 Hexanchiformes 86–88, 95  
 Lamniformes 88–89, 95–96  
 Squatiniformes 89, 96  
 Synechodontiformes 89–91, 96
- Neptune Glacier Formation 65
- Nordenskjöld palaeoflora 183
- Nordenskjöld Formation 65
- Nordenskjöld, Otto 1
- Nothofagaceae 52, 136
- Nothofagidites* sp. 71  
   *N. senectus* 71
- Nothofagoxylon* spp.  
   *N. aconcaguaense* 70  
   *N. corrugatus* 70  
   *N. kraeuseli* 70  
   *N. mendendezii* 70  
   *N. rui* 70  
   *N. sclariiforme* 70  
   *N. triseriatum* 70
- Nothofagus* 71, 74, 75, 183
- Notidanodon* spp.  
   *N. dentatus* 86, 87, 95, **113**, 114, 115  
   *N. indentatus* 88  
   *N. pectinatus* 88
- Notolophus arquinotiensis* 166–168  
 description 169–172  
 differential diagnosis 168–169  
 summary 172–174
- Odontaspidae **113**, 114, 115
- Odontaspis* sp. **113**, 114, 115
- Odontochitina operculata* 11–12
- Oligocene stratigraphy 188
- Oligospheridium* spp. 13
- Ophiomorpha* 24
- Ophiura* **158**
- Orestolobus* 89
- Orthacodus* 94
- Osmeroides* 92
- Osteichthyes **113**, 115, 116
- Ostrea* spp.  
   *O. antarctica* 129  
   *O. seymouriensis* **158**
- pahoehoe lava **190**
- Palaeodyptes* spp.  
   *P. antarcticus* 153–154, 157  
   *P. gunnari* 154, **157**  
   *P. klewowski* 154, **157**
- Palaeodyptinae *see* penguins
- Palaeocene  
 Cross Valley Formation 65, 127, 130, 137, 147, 167, 183

- palaeoclimate analysis  
   fish diversity 95–97  
   floral composition 57–59, 136, 183, 185  
     climate–leaf analysis multivariate programme 55, 56  
     leaf margin analysis 53–55, 56–57  
     multiple linear regression models 55–56, 57  
     nearest living relative technique 53, 56  
     simple linear regression models 55, 56
- Palaeogene flora 74  
*Palaeophycus* 24, 30  
 palynoflora *see* leaf fossils *also* wood fossils  
*Panopea philippii* **158**  
*Paraorthacodus* spp. **86**, 90, 91, 96  
   *P. andersoni* 91  
   *P. conicus* 91  
   *P. patagonicus* 91  
   *P. recurvus* 91  
   *P. sulcatus* 91
- Patagonia  
   Eocene faunas compared 180–181  
     body size and thermal strategy 183–185  
     diversity 183  
     sample bias 182–183
- Pauladelphys juanjoi* **179**  
 Pedersen Formation 9, 65  
 penguins  
   habitat reconstruction *160*  
   systematic palaeontology 150–151  
     Anthropornithinae 151–153  
     Palaeudyptinae 153–157  
     summary of observations 157–159
- Perissodonta laevis* **158**  
*Peroniceras* 14  
*Perrodelyphs coquinense* **179**  
*Phoradiadus divortiensis* **163**, 165, 168, 169, 170, 171  
 phoruspharoid fossils 178  
*Pilgerodendron* 75  
 pillow lava **190**, *191*  
*Pinna sobrali* **158**  
 Pirrie Col (Vega Island) stratigraphy 192, *196*  
 Placentalia **179**  
*Planolites* 24, 30  
 Plesiosauria 102, **113**, *115*, 116–117, 120–121  
 Plioplatecarpinae 104–105, 107, **113**, 118, *119*, 121  
*Plioplatecarpus* sp. **113**, 118, *119*, 121  
 Pluto Glacier Formation 65  
 Podocarpaceae 68, 70, 74, 136  
 Point Hennequin Group 65  
*Polinices subtenuis* **158**  
 pollen analysis 11  
 Polonez Cove Formation 188  
 Polydolopimorphia **179**  
 Polydolopodidae **179**  
*Polydolops* spp.  
   *P. dailyi* 177, **179**  
   *P. seymouriensis* **179**
- Prepidolopodae **179**  
 President Beaches Formation 65  
*Pristiophorus lanceolatus* **159**  
*Proteacidites* 71  
*Ptilophyllum menendez* 67  
 pumice 25, 43  
 pyroclastics 43
- Rabot Formation 85  
 Rabot Point (James Ross Island), stratigraphy *191*, *192*, *194*  
 ratite fossils 178  
*Rectithyrus whiskeyi* 13, 14  
 Reptilia (reptiles)  
   Mosasaurinae 105–107, **113**, 118–120, 121  
   Plioplatecarpinae 104–105, 107, **113**, 118, *119*, 121  
   Tylosaurinae 103–104, **113**, 117
- Rosidae 71  
 Rum Cove Member 9, 16
- SALMA 163, 179  
 Sandwich Bluff Member 112, 113  
 Santa Marta Formation 9, 9, 24, 65, 83, 84, 85  
   distribution map *10*, *22*  
   flora 51, 52  
   fossil fish  
     Actinoperygii 91–94, 96–97  
     Holocephalians 85–86  
     Neoselachians 86–91, 95–96  
   fossil mosasaurs 103  
   sedimentology 51  
*Sassafrasoxylon* sp. 71, 73  
   *S. gotwaldii* 70  
*Saxolucina sharmani* **158**  
*Scafander schmitti* **158**  
*Scapanorhynchus* sp. **86**, 87, 88–89, 96  
 scaphopods of the *A. nordenskjoldi* biozone **158**  
 sea level  
   Albian–Coniacian 17  
   Eocene 125, 126, 130  
   Haq curve *131*  
 sequence stratigraphy, La Meseta Formation 127–129  
*Serpulorbis hormathos* **158**  
 Seymour (Marambio) Island 101, 145  
   Cretaceous stratigraphy *104*, 111, *112*  
   first visitors 1  
   mammal fossils 177–178  
   map 2, 50, 102, *110*, *126*, *127*, *137*, *147*, *167*  
 Seymour Island Group 2, 83, *110*  
   fossil wood 66
- sharks **113**, 114, *115*  
   *A. nordenskjoldi* biozone **159**  
   Hidden Lake Formation 24  
   *see also* Neoselachians
- simple linear regression models  
   in palaeoclimate analysis  
     methods 55  
     results 56
- Skolithus* 24  
*Smittina* **158**  
 Snow Hill Island 2, 50, *110*  
   Cretaceous stratigraphy 111, *112*  
 Snow Hill Island Formation 9, 24, 65, 84, 111  
 Sobral Formation 65, 84, *127*, *137*, *147*, *167*  
 South American Land Mammal Age (SALMA) 163, 179
- Sparnotheriodontidae **159**, 163–164, **179**  
   systematic palaeontology using teeth **164**, 165–166  
     *Notolophus arquinotiensis* 166–168  
       description 169–172  
       differential diagnosis 168–169  
       summary 172–174

- Sparnotheriodon epsilonoides* **163**, 165, 166, 168, 169, 171
- Spartan Glacier Formation **65**
- Spheniscidae *see* penguins
- Sphenisciformes *see* penguins
- Sphenocephalidae **113**, *115*, 116
- Sphenodus* sp. **86**, 91, 94, 96  
*S. lundgreni* 89, 91
- Spinidinium echinoideum* 15
- Squamata **113**, 117–120  
*see also* Mosasaurinae; Plioplatecarpinae; Tylosaurinae
- Squatina* sp. **86**, 87, 89, 96  
*S. hassei* 89
- Squatiniiformes 89, 96
- <sup>87</sup>Sr/<sup>86</sup>Sr dating 178  
James Ross Island Volcanic Group 190–191  
La Meseta Formation 129, 149
- Staccato Formation **65**
- Sterculiaceae 52
- Styxosaurus* 121
- Sudamerica ameghinoi*  
description 138  
significance discussed 139–141  
systematics 136–137  
tooth enamel structure 138–139
- Sudamericidae **179**  
*see also* *Sudamerica ameghinoi*
- Sudanassarius antarctohimaleos* **158**
- Synechodontiformes 89–91, 96
- Table Nunatak Formation **65**
- taeniopterids 68, 69
- Taniwhasaurus antarcticus* 103–104, *105*, 107
- Tardigradidae **179**
- Taxodiaceae 68
- teeth  
use in fish palaeontology *see* fish  
use in ungulate palaeontology *see* Sparnatheriodontids
- Teleostei **86**, 94
- Teredolites* 24
- Tethyoceramus madagascariensis* 13
- Tetragleithenites acuta* 67
- Thalassinoides* 13, 14, 24
- thermal maximum, Cretaceous 58
- Thyrosopteris* 74
- Tissoa* 24
- Tonniornis* spp.  
*T. mesetaensis* 155–156, 157  
*T. minimum* 155, 156, 157
- tooth enamel microstructure, *Sudamerica ameghinoi* 138–139, *140*
- trace fossils 13, 14, 24
- Triton Point Formation 65, 67
- Trogonostylopidae **179**
- Trogonostylops* sp. **179**
- Tumbledown Cliffs Member 9, 16
- turbidity currents 26, 29, 30
- Turritella* **158**
- Tylosaurinae 103–104, **113**, 117
- Ulmaceae 52
- Ungulata (ungulates) 177, 178  
*see also* Sparnatheriodontids
- Vauréal Peak Formation 188
- Vega Island 2, *50*, 101, *102*, *110*  
Cretaceous stratigraphy 111, *112*  
Neogene stratigraphy 192, *196*
- vertebrates *see* fish; Mammalia; penguins; Reptilia
- Victorlemoinea* spp. 163, 164, *168*, *170*, **179**  
*V. laberynthica* **163**, *168*  
*V. prototypica* **163**
- volcanic rocks  
*see* Hidden Lake Formation *also* James Ross Island Volcanic Group
- Walton Formation **65**
- Weddell Formation 127
- Weinmannioxylon* spp. 71  
*W. akamoides* 70, 71  
*W. nordenskjoldii* 70, 71
- Whisky Bay Formation 22, 24, 65, 69, 192, *196*  
Bibby Point Member 11, *12*  
Brandy Bay Member 9, *10*, 11–14, *12*  
Lewis Hill Member 10, 11, *12*
- Williams Point Beds 65
- Winteroxylon jamesrossii* 70
- wood fossils 63  
Cretaceous 65–66  
Aptian–Albian 66–69  
Campanian–Maastrichtian 71–74  
Cenomanian–Santonian 69–71  
Neogene 74–76  
Palaeogene 74, 136
- Xenarthra **179**
- Xenostylus peninsularis* **179**
- Xymene lamesetaensis* **158**
- Zemacies* spp.  
*Z. canalomos* **158**  
*Z. finlayi* **158**
- Zeuglodon* sp. **159**
- Zygorhiza* sp. **159**