

Index

Page numbers in *italics* denote figures. Page numbers in **bold** denote tables.

- abandoned channel facies 133
 - influence on fluid flow 148
- Abbey Arms Wood borehole, Delamere, Cheshire 84–85
 - arsenic concentration 265–284
 - core drilling and logging 268–269
 - grain density 91, **92–93**, 94
 - groundwater quality 271
 - hydrogeology 88–89
 - lithofacies 87, **88**
 - identification 90, 96
 - mineralization 277–280
 - mini-permeametry 89–90, **92–93**, 94–95, 99
 - permeability 89–90, 91, **92–93**, 94–95, 97, 98, 99
 - petrography 277–278
 - pore water 268, 273–277
 - porosity 89, 91, **92–93**, 92–93
 - sampling 89, 268–269, 271–273
 - sediment chemistry 278–279, 280, 281–282
 - stratigraphy 86, 267
- acid-base reactions 31–32
- aeolian deposits 3, 6
 - Abbey Arms Wood borehole 87, **88**, 90–91, 95, 98
 - Otter Sandstone Formation 120
 - Penrith Sandstone 49–63
 - Wildmoor Sandstone Formation 133–134, 137
- agriculture, source of nitrates 285–286
- aliphatics 315, 316, 317, 319
 - chlorinated, sorption 33
- alluvial-fan deposition 12
- amino-G-acid tracer 20, 22, 234, 236, 238–240, 241–244
- anion sorption 33
- Annan Basin 188
- antifractures 17–18, **34**, 35
 - geophysical detection 18
- aquifers
 - biodegradation capacity 320–322
 - buffering 31–32
 - heterogeneity 83
 - effect of calcrete 124–126
 - impact on fluid flow 148, 149, 150
 - management, NW England 182
 - oxidation capability 31, 35
- Archie formation factor equations 12–13, 54, 58, 72, 205–206, 211, 215
 - pore factor *m* 205–206, 208, 210, 211, 212, 213–214
 - Penrith Sandstone 54, 61
 - resistivity relationship 199, 200, 205–206
- aromatics 315, 316, 317, 319
- arsenic
 - in groundwater
 - Abbey Arms Wood borehole 265–284
 - pore-water profile 274–275
 - source and distribution 280, 283–284
 - concentration v. depth 280, 284
 - Eaton boreholes 271
- artesian flow 189, 194
- Aylesbeare Mudstone Group 120
- bacteria, pathogenic 30
- barchan, Stoneraise Quarry 49
- barite **28**, 29
- basins, sandstone, stress 5
- benzene *see* BTEX
- biodegradation, hydrocarbon 315, 316, 317–318, 320–322
- Birmingham aquifer, minerals 28
- Birmingham Fault 130
 - resistivity imaging 19
- Birmingham University *see* University of Birmingham
- bleaching, fossil flow features 7, 8, 31, 32
- Bold Formation 169
- borehole testing 20, 22–25
- Borrowdale Volcanic Group 156
 - vertical diffusivity 158, 158–160, 161, 163
- breakthrough **34**, 35
 - tracer
 - laboratory-scale 20, 21
 - non-reactive solute column experiments 233–249
 - pore-water and borehole sampling 20, 22–25
 - regional scale 25–27
- brines, Sherwood Sandstone 327, 334, 336
- Brockram 156
 - vertical diffusivity 158, 158–160, 161, 163
- bromide tracer 20, 234, 236, 238–240, 241–244
- Bromsgrove Sandstone Formation 3, 4, 130
- BTEX 315, 316, 317, 319, **321**
- Budleigh Salterton Pebble Beds 120
- calcite *see* calcrete; cement, calcite
- calcium carbonate 119
- calcrete 119
 - conglomerates 121, 121, 122, 123–124, 125
 - effect on porosity and permeability 124
 - groundwater 119, 123, 125
 - pedogenic 119
 - rhizocretions 121, 122, 125
 - sheets 122–123
 - as source of heterogeneity, Otter Sandstone Formation 124–126
 - see also* palaeosol facies
- Calder Sandstone 156, 157
- capillary characteristic model, petroleum hydrocarbons 297, 302–308
- capillary pressure
 - in DNAPL-water-sandstone system 255–257

- mercury injection
 - Penrith Sandstone 54, 56–58, 60
 - Permo-Triassic sandstone 70–71, 72
- capture zones, well, Selby wellfield 335
- carbon, dissolved organic 30
- carbon tetrachloride 253
- carbonate
 - dissolution 6, 7, 31, 35
 - nodules 123
 - non-ferroan, precipitation 6
 - precipitation 119
 - as source of heterogeneity, Otter Sandstone Formation 119–126
- Carboniferous
 - Coal Measures Series 178, 326, 327
 - mine-water sulphate isotopic composition 334, 336
 - Limestone Series 156, 159–160, 169
 - Millstone Grit Series 169, 177
- cataclastic slip bands *see* granulation seams
- Catchment Abstraction Management Strategies (CAMS) 182
- cation-exchange capacity 32, 35, 206, 212–215
- cement
 - calcite **28**, 29
 - Abbey Arms Wood borehole 95, 96, 98, 278
 - Wildmoor Sandstone Formation boreholes 146–147, 148
- cementation 7, 205
 - quartz, Penrith Sandstone 51–52
- channel associations, multistorey, Otter Sandstone Formation 120–121, 123, 123, 124
- channel fill
 - calcrete conglomerate 124
 - facies 132–133, 134
 - Helsby Sandstone Formation 87, **88**
- channel lag deposits 124, 132, 134, 148
- channel migration 124
- chargeability, Permo Sandstone 73, 74, 75–76
- Cheshire Basin **4**, 174, 175, 177–178, 179, 266
 - faults 169, 181
 - fractures 13, 14
 - granulation seams 181
 - head gradient 12
 - hydrogeology 88–89
 - matrix heterogeneity 83–84
 - Permo-Triassic sandstone 83–100
 - structure 84, 85
- Chester Pebble Beds Formation **4**, 176
 - mudstone beds 181
- chlorinated solvents *see* solvents, chlorinated
- chloroform 253
- clay minerals **28**
 - effect on porosity, Sherwood Sandstone 106–107, 110–111, 113
 - precipitation 6
 - Wildmoor Sandstone Formation 142, 143, **144**, 145
- Coal Measures Series 178, 326, 327
 - mine-water sulphate isotopic composition 334, 336
- Cole-Cole modelling, Permo-triassic sandstone 67, 68, **69**, 72, 76
- colloids 29
- Collyhurst Sandstone Formation 169
 - conduction, matrix, and cation exchange capacity 32
- conductivity
 - electrolytic 55, 59
 - excess 206–207
 - hydraulic *see* hydraulic conductivity
- conglomerate, calcrete 121, 121, 122, 123–124
- contaminants, unsaturated flow and transport, Sherwood Sandstone 219
- contamination
 - groundwater 25
 - dense non-aqueous-phase liquids 253–262
 - light non-aqueous-phase liquids, remediation project 297–302
 - nitrate 285–295
- Criffel-Dalbeattie granodiorite 188
- cross-bedding
 - Otter Sandstone Formation 120–121, 121
 - Wildmoor Sandstone Formation 132, 133
- cross-borehole electrical resistivity tomography 219–220
 - unsaturated Sherwood Sandstone 221–222
- cross-borehole radar tomography 219–220
 - unsaturated Sherwood Sandstone 222–225
- Croxteth Fault 176
- Cu-EDTA 234, 238, 239
- Cumbrian aquifer, groundwater minerals 28
- cycles, depositional 3, 11, 34
 - Dawlish, Permo-Triassic sandstone 7
- deformation bands *see* granulation seams
- deglaciation, Dumfries Basin 189
- Delamere area, Cheshire
 - public-supply wells 269–271, 272, **273**, **274**
 - see also* Abbey Arms Wood borehole
- Delamere Fault 269–270
- Delamere Pumping Station 88
- denitrification 30
- dense non-aqueous-phase liquids (DNAPL)
 - capillary pressure 255–257
 - groundwater contamination 253–262
 - relative permeability 257, 262
 - spillage and penetration 254
 - wettability 254–255, 261
- desorption *see* sorption-desorption reactions
- diagenesis
 - burial 6, 145
 - early 6
 - post-inversion 6
 - syndepositional 144–145
 - uplift 146–147
 - Wildmoor Sandstone Formation boreholes 144–147
- diffusion time, measurement 20, 24
- diffusivity, vertical 160–166
- Dimlington glaciation, Dumfries Basin 189
- dipersivity 34–35
- discontinuities 13–18, **34**, 35
 - Cheshire Basin **14**
 - geophysical detection 18
 - Wildmoor Sandstone Formation 137–139
 - see also* fractures
- dissolution, incongruent 31, 35
- dissolution-precipitation reactions 28–29
- DNAPL *see* dense non-aqueous-phase liquids

- dolomite 134, 135, 136–137, 148
 dolomite 28, 144–145
 dissolution 31
 saturation 136
 dolomite concretions 134, 135, 136–137
 Doweel Breccia 187–188, 191
 groundwater 190
 hydraulic conductivity 195
 drift deposits, effect on recharge 290–291, 294–295
 Drinking Water Directive, European Union 253
 Dumfries Basin aquifer 187–197
 boreholes 189, 190
 contamination 189, 190–191, 194
 discharge 190, 194
 geology 189
 groundwater abstraction 189, **191**
 groundwater chemistry 191, **193**, 194
 groundwater flow, conceptual model 195–197
 nitrate concentration 189, 190, 191, **193**, 194
 dye staining 237–238, 244–245
- East Delamere Fault 85, 88
 East Irish Sea Basin, faults 169
 East Midlands aquifer
 groundwater minerals 28
 redox reactions 30
 East Yorkshire, Sherwood Sandstone 103–117, 104
 Eaton boreholes 269
 arsenic concentration 271
 Eden Valley 285, 286
 nitrate in groundwater 285–295
 numerical modelling 289–295
 recharge 285, 288, 290–295
 Eggborough
 Sherwood Sandstone 103, 104, 105
 clay-rich lamination 109–110
 grain size and pore throat size 107, 110–111, 117
 hydraulic conductivity 107, 113–114, 116–117
 petrophysical measurements **108**
- electrical resistivity
 downhole images 55
 electrical spectroscopy 65–80
 and hydraulic properties of reservoir rock 199–200
 Archie model 205–206, 211, 215
 full saturation 203, 205, **207**
 Hanai-Bruggeman effective medium theory 208–211, 212–214, 215
 measurement procedure 201–203
 partial saturation 203, 204, 205
 shaly sandstone 199, 200
 Waxman and Smits model 206–208, 211–214, 215
 Penrith Sandstone 54, 55, 58
 tomography (ERT) 219–220
 unsaturated Sherwood Sandstone 221–222, 225–227
 electrical spectroscopy 65–66
 electrochemical double layer 78–79
 electromagnetic mapping 25
 electron donors 30
 Ellesmere Saddle 174
 environment, depositional 2, 3, 6
- Environment Agency, Catchment Abstraction Management Strategies (CAMS) 182
 eodiagenesis 144–145
 eskers, Dumfries Basin 189
 ethylbenzene *see* BTEX
 European Union
 Drinking Water Directive 253
 Water Framework Directive 166, 182, 295
 evaporite
 dissolution 6
 Selby aquifer 326–327, 336
 sampling 327–328
 evapotranspiration 122
- facies association
 fluvial
 Otter Sandstone Formation 120–121
 Wildmoor Sandstone Formation 132–133
 subaerial
 Otter Sandstone Formation 120
 Wildmoor Sandstone Formation 133–134, 136–137
- fault drag 181
 fault outcrops, Wirral Peninsula, NW England 8
 fault-plane infill 181
 faulting, base-metal mineralization 266
 faults 5
 effect on permeability 17–18, 35, 181
 and groundwater flow, NW England 169–183
 Fe II, redox reactions 30, 35
 Fe III, redox reactions 30, 31
 feldspar
 dissolution 7
 see also K-feldspar
 FEMWATER finite-element model 228
 Fiddlers Ferry, groundwater flow, fault control 179–180
- flow
 electrical 55, 58
 fossil 31
 fracture 22–24
 regional scale 25–27
 groundwater 9–20
 layer-parallel 24, 34
 matrix 9
 numerical modelling 22–23
 rock mass 18–20
 unsaturated, modelling 227–229
 fluorescein tracer 22, 24
 fluorite **28**
 fluvial deposits 3, 6
 Abbey Arms Wood borehole 87, **88**, 90, 95, 98
 braided, Wildmoor Sandstone Formation 131, 132
 Otter Sandstone Formation 120–121
 formation factor 55, 58, 61–62, 72
 fracture flow 22–24, 35
 Doweel Breccia, Dumfries Basin 190, 195
 geophysical detection 18
 regional scale 25–27
 St. Bees Sandstone Formation 15
 fractures 5, 13, 14, 15, **34**, 35
 cemented 138, 139
 Cheshire Basin 14

- evidence of flow 15, **16**, 17
- geophysical detection 18
- uncemented 138, *139*
- Fylde Sandstone aquifer 169–174
 - faulting 171–174
- Gaines-Thomas convention 32
- geophysics
 - estimation of hydraulic properties 12–13, **16**
 - extent of contamination 25
- geostatistics 9
- glaciation, Dimlington, Dumfries Basin 189
- goethite 50
- grain size *see* particle-size distribution
- granulation seams 5, 18, 22, 35, 138, *139*, 145–146, 148, *149*, **150**
 - Cheshire Basin 181
 - swarm 8, 17, 18, 181
- gravity surveys 18
- groundwater
 - abstraction
 - Delamere area 269–271
 - Fylde aquifer 169–171
 - Lower Mersey Basin 179–180
 - Macclesfield 178
 - Speke 175–176
 - Wirral 174
 - age 26, 27, 33
 - biodegradation capacity 318, 320
 - chemistry 26–27
 - contamination 25, 29, 190, 191
 - dense non-aqueous-phase liquids 253–262
 - light non-aqueous-phase liquids, remediation project 297–302
 - Dumfries Basin 189–197
 - flow 9–20
 - Dumfries Basin aquifer 195–197
 - structural controls 169–183
 - management 182
 - modelling, Selby aquifer 328–330, 334
 - pH 31, 35
 - public-supply wells, Delamere area 269–271, 272, **273**, **274**
 - saline 6, 27
 - Selby Triassic sandstone 325–337
 - seasonal pressure fluctuation 155–166
- gypsum **28**
 - Mercia Mudstone 327
 - precipitation 6
- haematite, precipitation 6
- haematization 144
- Hanai-Bruggeman effective medium theory 208–211, 212–214, 215
- Haskayne, tracer testing 22
- head gradient, vertical 12
- Heath House, amino-G-acid measurement 22
- helium porosity measurement 54
- Helsby Sandstone Formation **4**, 13, 85–100, 266
 - arsenic 277, 278, *280*
 - core sampling 89–96
 - fluvial-aeolian deposits 87
 - groundwater abstraction 269, 272
 - hydrogeology 268
 - lithofacies 87, **88**
 - matrix permeability 95, 97, 98–100
 - mudstone beds 181
 - pore water chemistry 275, *276*
 - sediment chemistry 278–279, **283**
 - stratigraphy 85, 86, 87, 267
- heterogeneity
 - aquifer 83
 - effect of calcrete 124–126
 - impact on fluid flow 148, *149*, 150
- hydraulic conductivity 9, 11
 - Doweel Breccia 195
 - Eden Valley 289–290
 - effect of calcrete 125–126
 - Fylde aquifer 171–172
 - influence of fracturing 83, 292–293
 - Lower Mersey Basin 180
 - matrix
 - Cheshire Basin 83
 - Sherwood Sandstone 104, *105*, 106, 107, **108**
 - principal component analysis 114–116
 - and sedimentary facies 84
- hydraulic properties
 - geophysical estimation 12–13
 - laboratory studies 9
- hydrocarbons
 - biodegradation 315, *316*, 317–318, 320–322
 - dissolved-phase 311, 314, 315, *316*, 317
 - halogenated 253
 - kerosene
 - leakage into aquifer investigation 311–323, 298
 - petroleum 297
 - capillary characteristic model 297, 302–308
- illite 145
 - Sherwood Sandstone Group 107
- imaging
 - electrical resistivity, downhole 55
 - Penrith Sandstone 54–60
 - PEPI 20, 233, 234, 238, 245, *246–247*
 - time-lapse, contamination 25
- ion diffusion coefficient 78–79
- ion exchange 32–33, 35
- ion mobility modelling, Permo-Triassic sandstone 78–79
- iron **28**
 - redox reactions 30, 31, 35
- joints 5
 - bedding-plane 13, 15
 - see also* fractures
- K⁺ exchange 33
- K-feldspar **28**, 139, **140**, 145
 - precipitation 6
- kames, Dumfries Basin 189
- kaolinite, Sherwood Sandstone Group 107
- kerosene
 - dissolved-phase 311, 314, 315, *316*, 317
 - leakage into aquifer investigation 298, 311–323
- Kidderminster Formation **3**, **4**, 130, 131
- Kolmogorov-Smirnov test 97, **99**
- Kozeny-Carmen type permeability model 75–76

- Lancashire Conjunctive Use Scheme, groundwater abstraction 169–171
- layering, effect on breakthrough 24, 34–35
- light non-aqueous-phase liquids (LNAPL) 297
capillary characteristic model 297, 302–308
contamination remediation 297–302
see also hydrocarbons, petroleum
- Lings Farm, Hatfield
Sherwood Sandstone 103, 104, 105
grain size and pore throat size 107, 110–111
hydraulic conductivity 107, 114
petrophysical measurements **112**
- lithics **28**
- lithology 3, 5
- Liverpool, fluorescein tracer testing 24
- LNAPL *see* light non-aqueous-phase liquids
- Locharbriggs Sandstone 188, 191
- Lower Mersey Basin aquifer unit 179
hydraulic conductivity 180
- Macclesfield
groundwater flow 177–178
structural control 178
- magnacycles 3
- Manchester and East Cheshire aquifer unit 177
- Manchester Marl Formation 169
- manganese **28**
redox reactions 30, 31
- mapping, electromagnetic 25
- matrix flow 9
barriers **34**
- Mercia Mudstone Group **4**, 27, 85, 88–89
Abbey Arms Wood boreholes 266
Birmingham area 130
Devon 120, 121
evaporites 327
Fylde Sandstone aquifer 169
Selby area 325
sulphate isotopic composition 333–334, 336
Tarpорley Siltstone Formation 269–272, 272, 277, 283
- mercury injection capillary pressure 13
Penrith sandstone 54, 56–58, 60
Permo-Triassic sandstone 70–71, 72
- Mersey area, groundwater flow, fault sealing 180–181
- Mersey Basin, Lower
fractures 13
groundwater age 26, 27
- mesodiagenesis 145
- metals, in groundwater 29
- methane 30–31
- mica **28**
- micrite 122
- microcycles 3, **34**
- Mid-Cheshire Ridge 85, 266
'milletseed' quartz grains 49
- Millstone Grit Series 169, 177
- mineralization 6–7
base-metal, Overton-East Delamere Fault zone 266, 277
- minerals, sandstone **28**, 29
- miocycles 3
- Mn oxides
cation exchange capacity 32, 35
redox reactions 30, 31, 35
- modelling
facies approach 9, 11
geostatistical 9
groundwater, Selby aquifer 328–330, 334
sediment deposition 11
- MODFLOW groundwater modelling, Selby aquifer 328–330, 334
- mudstone
Cheshire Basin and Birmingham *10*
Lower Mersey Basin *10*
permeability, effect on flow 11–12
Wildmoor Sandstone Formation 133
within sandstone units 181
- Namurian *see* Millstone Grit Series
- naphthalene 315, 316, 317, 319, **321**
- NH₄⁺ exchange 33
- Nirex, Sellafield boreholes 155–166
- Nith glacier 189
- nitrate
in groundwater 189, 191, **193**, 194
Abbey Arms Wood borehole 271, 280, 284
Eden Valley 285–295
numerical modelling 289–295
reduction 30
- Nitrate Vulnerable Zone
Abbey Arms Wood borehole 271
Dumfries Basin 189
- nitric acid extraction 259, 260
- nitrogen, in permeametry measurements 89–90
- nitrogen adsorption analysis, Permo-Triassic sandstone 70
- North Head Member
St Bees Sandstone 156
vertical diffusivity 158, 163, 164
- North Sea Basin 103
- O₂ reduction 30
- oilfields, resistivity v. saturation 200
- orbital forcing mechanisms 3
- organic matter
dissolved **28**, 29
in redox reactions 30
sorption 33
- Ormskirk Sandstone 156–157
- orthoclase, Penrith Sandstone 51
- Otter Sandstone Formation 119–120
calcrete 120–126
porosity and permeability 124
stratigraphy *120*
- overgrowths
quartz
effect on porosity 51, 52
Penrith Sandstone 51, 52
- oversaturation 29
- Overton Fault 270
- Overton-East Delamere Fault zone 85
base-metal mineralization 266, 277
- oxidation
capability of aquifer 31
redox reactions 29–31
see also reduction-oxidation reactions

- palaeo-groundwater-rock interaction 2, 5–7
- palaeosol facies
 Otter Sandstone Formation 120
 Wildmoor Sandstone Formation 134, 135, 136–137
 influence on fluid flow 148
see also calcrete
- palaeowater 27
- paragenesis, Wildmoor Sandstone Formation
 boreholes 143, 144–147
- particle-size distribution, Sherwood Sandstone 106, 107
- Penrith Sandstone, Permian 4, 49–63, 50, 286–287
 chemistry 53
 fabric 53
 mineralogy 50–53
 petrophysics 53–63
 capillary pressure curves, mercury injection 54, 56–58, 60
 electrical resistivity 54, 55, 58, 59–60
 permeability 54–55, 58–60
 porosity 51, 52, 54–55, 58–60, 62, 63
 pore-throat size 53
- PEPI *see* positron emission projection imaging
- permeability
 Abbey Arms Wood borehole, Delamere, Cheshire 89–90, 91, 92–93, 94–95, 96, 98
 barriers 17
 dual 83
 effect of calcrete 124–125
 effect of dolocrete 148, 149
 matrix 9, 17, 35
 mudstone 10
 effect on flow 11–12
 Penrith Sandstone 54–55, 58–60
 reduction across faults 181
 relative, DNAPL-water-sandstone system 257, 262
- permeametry
 Abbey Arms Wood borehole, Delamere, Cheshire 89–90, 91, 92–93, 94–95, 99
 Penrith Sandstone 54
- Permian, Dumfries Basin aquifer 187–197
 Lower, Penrith Sandstone 49–63, 286–287
- Permian Magnesian Limestone 326, 328, 336
- Permian Marl 326
 sulphate isotopic composition 333
- Permo-Triassic sandstone 65, 66, 67
 cation-exchange capacity 68
 chargeability 73, 74, 75–76
 Cheshire Basin 83–100
 Cole-Cole modelling 67, 68, 69, 72, 76
 DNAPL transport 253–262
 Eden Valley, nitrate concentration 285–295
 electrical properties 74
 electrical spectroscopy 65–80
 groundwater flow, NW England 169–183
 ion mobility modelling 78–79
 lithology 3, 5
 mercury injection capillary pressure 70–71, 72
 nitrogen adsorption analysis 70
 outcrops 5, 7
 pore geometry 65–80
 pore-throat size 72, 76
 porosity 72
 properties 7
 relaxation modelling 78
 relaxation time 76, 77
 Sherwood Sandstone 103–117
 stratigraphy 4
 surface area analysis 68, 70
 van Genuchten parameters 72, 76
- phenol plume, redox reactions 31
- plagioclase 28
- Plex Moss *see* Haskayne
- plume
 phenol 31
 pollution 24, 25
 dissolved-phase 311
- polarization
 induced 13, 18
 spectral induced 65–80
- pollution
 geophysical techniques 25
 metals in groundwater 29
 in wells 25
 plumes 24, 25
- pore factor *m* 205–206, 208, 210, 211, 212, 213–214
 Penrith Sandstone 54, 61
- pore geometry, Permo-Triassic sandstone 65–80
- pore-throat size
 Permo-Triassic sandstone 72, 76, 78, 79
 Abbey Arms Wood borehole 98
 and capillary pressure 70–71, 255, 256
 DNAPL experiments 258–261
 Penrith Sandstone 53
 Sherwood Sandstone 106, 107, 110
- pore-water sampling 20, 22–25
 Abbey Arms Wood 268, 273–277
- porosity
 Abbey Arms Wood borehole, Delamere, Cheshire 89, 91, 92–93, 92–93, 96
 effect of calcrete 124–125
 effect of dolocrete 148, 149, 150
 geophysical estimation 13
 matrix 9
 Penrith Sandstone 54–55, 58–60
 Permo-Triassic sandstone 72, 73
 Sherwood Sandstone 110–111, 114
- positron emission projection imaging (PEPI) 20, 233, 234, 238, 245, 246–247
- potential repository zone (PRZ)
 Sellafield 155–166, 156
 hydrogeology 157
- precipitation *see* dissolution-precipitation reactions
- pressure, capillary *see* capillary pressure
- pressure wave propagation 162
- Primrose Hill Fault 270
- principal component analysis, hydraulic conductivity 114–116
- pyrite 28
- quartz 28
 Penrith Sandstone 50–53
 overgrowths 51, 52
- Quaternary, reductants 30
- radar tomography
 cross-borehole 219–220
 unsaturated Sherwood Sandstone 222–225

- radioactive waste, Sellafield 155
rebound, isostatic 189
recharge, groundwater
 and drift deposits 290–291, 294–295, 326
 Sellafield borehole 155, 157
Red Rock Fault 84, 85, 178–179, 181
Red Scar Basin 172, 173
red-beds, formation 30
redox *see* reduction-oxidation reactions
reduction-oxidation reactions 29–31, 35
reflection, seismic 18
relaxation modelling, Permo-Triassic sandstone
 78–79
relaxation time, Permo-Triassic sandstone 76, 77
resistivity
 DC electrical 199–216
 DC electrical v. saturation 199–200
 measurement procedure 201–203
 resistivity v. partial saturation 203, 204, 205
 resistivity v. saturation 203, 205
 Penrith Sandstone 58, 59–60
 see also electrical resistivity
resistivity imaging 18, 19, 55, 58
rhizocretions 121, 122, 123, 124, 125
rhodamine WT 237
Roaring Meg Fault 180, 181
Rothmund-Kornfeld power function relationship 32
Runcorn, NW England 7
- sabkha deposits, Wilmslow Sandstone Formation 87,
 91, 96, 97
St. Bees Sandstone Formation 4, 156, 287
 fracture flow 15
 vertical diffusivity 158, 158–160, 163, 164
St. Bees Shale *see* North Head Member
saline intrusion
 River Mersey 176
 Selby aquifer 325, 326–327, 336
sand dune, barchan, Stoneraise Quarry 49
sand production, Wildmoor Sandstone Formation
 boreholes 150–151
sandstone
 mineral components 28
 shaly
 electrical properties 199, 200
 Waxman and Smits model 206–208,
 211–214, 215
 see also aeolian deposits; fluvial deposits
Sandy Lane Quarry, Wildmoor Sandstone Formation,
 electrical resistivity 200–201
saturation, and electrical response 199–216
sedimentation, cyclic 3, 11
sedimentation models 11
Selby aquifer
 geology 325–326
 groundwater modelling 328–330, 334
 recharge 326
 saline groundwater 325–337
Selby wellfield
 groundwater chemistry 330–331, 332
 sources of salinity 326–327, 336
 sulphate isotopic composition 327, 331–334, 335,
 336
 well capture zones 335
- Sellafield boreholes 155–166, 156
 hydrogeology 157
semi-volatile organic compounds (SVOCs) 315, 316,
 317
shaly sandstone *see* sandstone, shaly
sheet-flood deposits 132
Sherwood Sandstone Group 85, 266
 arsenic 277
 base-metal mineralization 266, 277
 Birmingham area, stratigraphical nomenclature 130
 contaminant flow and transport 219
 cross-borehole geophysical methods 221–230
 unsaturated flow modelling 227–229
 groundwater flow, structural control 169–183
 groundwater quality 269
 groundwater residence time 88
 hydrogeology 266, 268
 magnacycles 3
 matrix hydraulic conductivity 105, 106, 108
 petrophysics 103–117
 hydraulic conductivity 107, 113–117
 saline groundwater, Selby 325–337
 seasonal recharge fluctuation, Sellafield boreholes
 155–166
 sulphate isotopic composition 331–332
 see also Otter Sandstone Formation; Wildmoor
 Sandstone Formation; Bromsgrove
 Sandstone Formation; Chester Sandstone
 Formation; Calder Sandstone Formation;
 Helsby Sandstone Formation; Budleigh
 Salterton Pebble Beds Formation; St Bees
 Sandstone Formation; Kidderminster
 Formation; Ormskirk Sandstone
 Formation; Wilmslow Sandstone
- silicate, dissolution 32, 35
slip surface 8
smectite, effect on porosity 107
smectite-illite diagenesis 6
solutes
 movement, geological factors 2–7
 non-reactive, transport 20–28
 Triassic sandstones, laboratory experiments
 233–249
 reactive, transport 28–33
solvents, chlorinated 253
sorption-desorption reactions 32–33, 35
South Staffordshire Horst 130
spectral induced polarization 65–80
spectroscopy, electrical 65–66
 Permo-Triassic sandstone 65–80
Speke
 groundwater abstraction 175–176
 hydraulic anisotropy 177
Stoneraise Quarry 49, 50
stratigraphy 4
stress 2, 5
sulphate 28, 29
 isotopic composition, Selby aquifer 327, 331–334,
 335, 336
 reduction 30–31
sulphide 30
- tailing 20, 21
Tarpoley Siltstone Formation 269, 271, 277, 283

- tectonization 145–146
 telodiagenesis 146–147
 tetrachloroethene 253, 255, 258–260
 sorption 33
 tetrachloromethane 253
 thin-section analysis 236, 240
 toluene *see* BTEX
 Torbay, Permo-Triassic sandstone 7
 tracers
 amino-G-acid 20, 22, 234, 236, 238–240, 241–244
 breakthrough
 laboratory-scale 20, 21
 pore-water and borehole sampling 20, 22–25
 regional scale 25–27
 bromide 20, 234, 236, 238–240, 241–244
 fluorescein 22, 24
 saline, unsaturated zone geophysics 223–227
 Triassic
 Otter Sandstone Formation 119–126
 St. Bees Sandstone Formation 156, 158, 158–160, 163, 164, 287
 sandstone, non-reactive solute transport, laboratory experiments 233–249
 Selby, saline groundwater 325–337
 Wildmoor Sandstone Formation, electrical resistivity measurement 199–216
 see also Sherwood Sandstone Group
 trichloroethene 190, 253
 trichloromethane 253

 undersaturation 29
 United Utilities
 Delamere Pumping Station 268, 269, 271
 Fylde aquifer 169
 University of Birmingham
 tracer testing 22, 23
 Wildmoor Sandstone Formation boreholes 130, 131–151, 133
 detrital mineralogy 139, **140–141**, 142, 144
 fluid flow 148, 149, 150
 fractures 137–139, **137**
 paragenesis 143, 144–147
 petrography 139, **140–141**
 sand production 150–151
 sedimentology 132–137
 unsaturated zone, contaminant flow and transport 219–230

 van Genuchten capillary pressure-saturation equation 71, 257, 304
 van Genuchten model, unsaturated hydraulic relationships 228–229

 van Genuchten parameters, Permo-Triassic sandstone 71, 72, **73**, 76
 veins 18, 19, 22
 ventifacts 120
 viruses, in well-water 25
 volatile organic compounds (VOCs) 315, 316, 317

 Water Framework Directive, European Union 166, 182, 295
 water-rock interactions **28**
 Waxman and Smits shaly sandstone model 206–208, 211–214, 215
 wells, water
 disequilibrium 29
 ground surface pathways 25
 logs 11
 pollution 25
 Wem Fault 84, 85, 178
 Wem-Audlem Sub-basin 85, 266
 West Lancashire Basin 169
 Westphalian *see* Coal Measures Series
 wettability, DNAPL-water-sandstone system 254–255, 261
 Wildmoor Sandstone Formation 3, **4**, 20, 129–151
 Birmingham University boreholes 130, 131–151
 detrital mineralogy 139, **140–141**, 142, 144
 fluid flow 148, 149, 150
 fractures 13, 137–139, **137**
 petrography 139, **140–141**
 sand production 150–151
 sedimentology 132–137
 breakthrough tracers 21
 Sandy Lane Quarry 200–201
 electrical resistivity 211–216
 Wilmslow Sandstone Formation **4**, 13, 85–100, 266
 arsenic 277, 278, 280
 groundwater abstraction 269, 272
 hydrogeology 268
 lithofacies 87, **88**
 matrix permeability 95, 97, 98–100
 pore water chemistry 275, 276
 sabkha deposits 87
 sediment chemistry 278–279, **283**
 Speke area 176
 stratigraphy 85, 86, 87, 267
 Wirral Peninsula, fault outcrops 8
 groundwater flow, structural controls 174–175
 Woodsfold Fault 169

 X-ray diffraction, Sherwood Sandstone 106–107
 xylene *see* BTEX