

Index

Page numbers in *italic* denote figures. Page numbers in **bold** denote tables.

- A7 Rhyolite, Provence 190, 283, 284
- Actinopterygii, Carboniferous–Permian 217–30
- Lower Permian 224–6
 - Stephanian 221–4
 - Westphalian 218–21
- aeolian sediments
- Permo–Carboniferous climates 127
 - ventifacts/dreikanter 287, 288
- Africa
- Early Triassic
 - magnetic polarity time scale across PTB 23–4
 - Karoo Group 23–4 - Inter-Tropical Convergence (ITC) 124
 - Karoo Basin **117**, 119
 - Karoo Group, magnetic polarity time scale across PTB 23–4
 - ocean currents, climate effects 126
 - recent precipitation 124
 - tetrapod ichnofacies and ichnocoenoses *147*, 148, 191–2
- Albania, Early Triassic 22
- algae, Chemnitz and Tocantins **49**
- Alleghanian orogenic system 120–1, **298**
- Alpine orogeny 261
- amniotes, traces (footprints) 158–63
- amphibian biostratigraphy correlations 201–15
- biostratigraphical potential of other tetrapods 211–12
 - France, Bourbon l'Archambault Basin, Massif Central 210
 - Germany, Ilfeld Basin 210
 - Italy, Perdasdefogu Basin, Sardinia 210–11
- amphibian zonation 201–8, *202*, *203*, *206*
- revised 205–8
- Anisian, global correlations *16*, 18
- Antarctic Continent, *Glossopteris* vegetation 127
- Apateon dracyiensis*–*Melanerpeton sembachense* zone 99, 105, 110, 205–7, 206
- Apateon flagrifer flagrifer*–*Branchierpeton reinholdi* zone 99, 207
- Apateon flagrifer oberhofensis*–*Melanerpeton arnhardi* zone 207
- Apateon intermedius*–*Branchierpeton saalensis* zone 110, 205
- Apateon* spp. 202–11, *202*, *203*, *206*, *209*
- zonation 205–7, 206
- Appalachians, elevation 121–4, 122
- Archimylacris lubnensis* zone, Westphalian 103
- Arctic North America, Early Triassic 20
- Argana Basin, Morocco 317–19, *318*
- biostratigraphy, environment and palaeoclimatology 319–20
 - Carboniferous and Permian faunas 317–19, *318*
- Argentina
- Characichnos* ichnofacies 191
 - tetrapod footprints 191
- aridization 125–7
- aeolian sediments 127
 - Buntsandstein hyper-arid period 285, 288–91
 - Permo–Carboniferous climates 118, 125–6
- Arthropitys*-type calamites, Tocantins 58
- Artinskian
- Permian tracksite correlations 188
 - SGCS 2, 2
- Asselian
- Permian tracksite correlations 188
 - SGCS 2, 2
- Asterochlaena laxa* 55
- Australia, Sakmarian transgressive systems 119
- Autun Basin 99–101
- correlation chart 330–1, *330*
 - general succession 100
 - sedimentological development 99–101
- Autunian
- flora 250, 309
 - Permian composite section, Lodève Basin *244*
 - sedimentary cycles, Iberian Ranges 263–4
 - as a series 5
- Balearic Islands 249, 270, 270–2
- biostratigraphical data 271–2
 - Buntsandstein 292
 - Permian–Triassic 270
- Bas-Argens basin
- A7 Rhyolite 190, 283, 284
 - tetrapod ichnofacies 189–90, *189*, 193
- Batrachichnus delicatulus* 181
- Batrachichnus* ichnofacies 148–50, *149*, 158, 179
- correlations 192, *194*
 - Early Permian correlations, Europe 187–93, *189*
 - inferred trackmakers **182**
 - reduction in ichnogenera 182
- bivalves 8
- blattids, spiloblattinid zonation 301–7, *302*, *304*, *306*, 325–36, *328*, *330*
- definition 327–9, 328
 - Morocco 301–7, *302*, *304*, *306*
 - occurrence, taphonomy and palaeocology 326–7
 - Spiloblattina oderheimensis* zone 103
 - Spiloblattina pygmaea* zone 103, 307
 - Spiloblattina weissigensis* zone 112
 - Syscioblatta dohrni*, life reconstruction 326
 - Syscioblatta dohrni* zone 331
 - Syscioblatta dohrni*–*Sysciophlebia balteata* zone 100
 - Syscioblatta* n. sp. *Obora*–*Morovamylacris kukalovae* zone 332–3
 - Syscioblatta variegata* zone 329
 - Sysciophlebia alligans* zone 101, 112, 332
 - Sysciophlebia balteata* Form G–*Spiloblattina sperbersbachensis* zone 332
 - Sysciophlebia balteata* Form H–*Spiloblattina homigtalensis*–*Syscioblatta slusiensis* zone 331–2
 - Sysciophlebia* cf. *Spiloblattina pygmaea* zone 307
 - Sysciophlebia euglyptica*–*Syscioblatta dohrni* zone 103, 331
 - Sysciophlebia grata* zone, type horizon 307, 329
 - Sysciophlebia ifeldensis* zone 331
 - Sysciophlebia* n. sp. A–*Syscioblatta* intermediate zone 329
 - Sysciophlebia* n. sp. B–*Spiloblattina odernheimensis* zone 332

- Sysciophlebia praepilata*, Stephanian 307
Sysciophlebia rubida–*Syscioblatta lawrenceana* zone
 329–31, 330
- Bohemian basins
 Boskovic Graben 112–13, 113, 224
 central and western 109–10
 correlation chart 330–1, 330
 general succession 109–11
 Krkonoše Piedmont and Intra-Sudetic Basins 110–11, 221
 sedimentological development 109–10
 stratigraphy 219–24, 219, 222
 Intra-Sudetic basin 221
- Bohemian Massif 123
 actinopterygian fishes 217–30, 219, 220, 221, 222, 223,
 224, 224, 227
- Bolzano Basin, tetrapod footprints 169
- Boskovic Graben
 correlation chart 330–1
 general succession 113
 Obora insect beds 334
 sedimentological development 112–13
 stratigraphy 224, 224
- Botryopteris* spp. 53–5, 54
- Bourbon l'Archambault Basin 4, 101–2
 amphibian biostratigraphy 210
 coal-mining 4
 correlation chart 330–1, 330
 general succession 101
 sedimentological development 101–2
- Branchierpeton reinholdi*–*Aptateon flagrifer flagrifer* zone 99,
 207
- Branchierpeton saalensis*–*Aptateon intermedius* zone 103
- Branchiosauridae 158, 201–11, 202, 203, 206, 209
- Branchiosaurus fayoli* zone 205
- Branchiosaurus salamandroides*–*Limnogyrinus elegans* zone
 205
- Branchiosaurus* spp. zonation 205
- Brazil
Characichnos ichnofacies 191
 tetrapod footprints 191
 Tocantins petrified forest
 localities and stratigraphy of source strata 40–2, 41
 Permian fossil-bearing clastic sequence 46–50, 47, 48,
 49
- Brontopodus* ichnofacies 151–2
 global correlations 194
 Middle to Late Permian correlations 193
 reduction in ichnogenera 184
- Bulgaria
 Buntsandstein 292
 correlation potential of Buntsandstein 292
- 'Buntsandstein' Group 20–1, 281–8, 282, 287, 292–3
 Provence 243, 281–8, 282, 287, 292–3
 sedimentary cycles, Iberian Ranges 267–8
- Buntsandstein hyper-arid period 288–91, 289
 comparison with central Central European Basin (CEB)
 290–1
Cornia sp. 290
 correlation potential 291–2
 dating elements 283
- Canada *see* North America
 Capitan N polarity interval 34
- Capitanian
 global correlations 16, 18
 Illawarra reversals? 31
 magnetic polarity time scale 25
 Permian tracksite correlations 188
 SGCS 2
- Captorhinomorpha 158–9
- Caseomorpha 159–61, 160
- Catalan Ranges 268–9, 271
- Central European Basin 107–14
 general succession 108
 Late and Middle Permian, magnetic polarity time scale
 across PTB 30
- Chang N, polarity interval 34
- Changhsingian
 global correlations 16, 18, 24–5, 30–1
 Permian tracksite correlations 188, 192, 194
 SGCS 2
 Thuringian microflora 243
- Characichnos* ichnofacies 152
 Brazil 191
 reduction in ichnogenera 184
- charophytes 7, 49
 Chemnitz and Tocantins 49
- Chelichnus* ichnofacies 150–1, 182, 192
 global correlations 192
 reduction in ichnogenera 182
- Chemnitz locality
 charophytes 49
 ferns 48–9
 petrified forest 40, 44–6, 45
 plant-bearing pyroclastic horizon 40, 44–6, 45
- China
 Changhsingian
 global correlations 16, 18, 24–5, 30–1
 Permian tracksite correlations 188, 192, 194
 SGCS 2
 Thuringian microflora 243
 magnetic polarity time scale across PTB
 Early Triassic 22–3
 Late and Middle Permian 25
- climates *see* Permo–Carboniferous climates
- conchostracans 7
- conifers
 Chemnitz and Tocantins 49
 petrified forests, fossil record 50–9, 52, 54, 56
- cordaitaleans, Chemnitz and Tocantins 49
- Cornberg Sandstein (Hessian Depression) Germany, tetrapod
 footprints 171, 189
- Corsica 236, 239
 igneous rocks 247
- Coyotean land-vertebrate faunachrons (LVF) 74–6, 75
- Czech Republic
 Actinopterygii, Carboniferous–Permian 217–30
 stratigraphic correlation 308
- Dernbachia brasiliensis* 52, 55
- Dienerian, global correlations 16, 18
- Discosauriscus austriacus*, zonation 99, 208
- dunes, aeolian sediments 127
- Early Pennsylvanian, climate development of central Europe
 95–136

- Early Triassic
 Buntsandstein 285, 288–91
 magnetic polarity time scale across PTB 20–1
 global chronostratigraphic correlation 16
 North America 19–20
 polarity pattern 17–19, 18
 summary 24
 polarity intervals, Diener R–N, Gries N, Smith N and Spath N 15, 16, 18, 24, 34
- Ebro Basin 261, 269–70
- Edaphosauria 159
- erosion
 calculating palaeo-erosion rates 123
 denudation rates, Himalayas 123
- Eryopsidae 158
- Eupelycosauria 159
- Europe
 climate development in Early Pennsylvanian 95–136
 doming 126
 Early Triassic, magnetic polarity time scale across PTB 20–1
 North and South Africa, stratigraphic correlation 308
 Permian footprint correlations 187–93
 Rhenic Ocean closure, climate effects 125–6
- European basins
 correlation charts 115–17, 116, 188, 330–1, 330
 Permian tetrapod track record 147–8
 sedimentological development 97–117
 tetrapod ichnofacies and ichnocoenoses 144–6, 144, 145, 147, 147–8
 tetrapod tracksites 187, 188
- ferns
 Chemnitz and Tocantins, list 48
 dominance patterns, growth habits and ecologies 50–8, 52, 54, 56
- fishes (non-marine), Carboniferous–Permian 8–9, 217–30
 Actinopterygii 218–26
 Lower Permian 224–6
 Stephanian 221–4
 Westphalian 218–21
 climatic conditions 217–18
- forests, petrified
 fossil record 50–9, 52, 54, 56
 arborescent sphenopsids, outstanding specimens 58–9
 ferns, dominance patterns, growth habits and ecologies 50–8, 52, 54, 56
 plant–plant and plant–animal interactions, re-examination 59
 geological setting and taphonomic implications 44–50, 45, 47
 Chemnitz locality, plant-bearing pyroclastic horizon 44–6, 45
 Tocantins northern region, fossil-bearing clastic sequence 46–50, 47
 localities and stratigraphy of source strata 40–2, 41
 material, preservation, methods and storage 42–4, 41
see also Brazil; Germany
- France, Permian basins
 Bas-Argens basin
 A7 Rhyolite 190, 283, 284
 tetrapod ichnofacies 189–90, 189, 193
 Bourbon l'Archambault Basin 4, 101–2
 amphibian biostratigraphy 210
 coal-mining 4
 correlation chart 330–1, 330
 general succession 101
 sedimentological development 101–2
 Lodève Basin palichnofauna 158–72, 160, 162, 166, 168, 189–90
 stratigraphic correlations 308
 tetrapod footprints 157–77, 187
 stratigraphical inferences 163–72
- France, Permian deposits 243
 Stephanian floral assemblages 247, 249
- France, Permian–Triassic Boundary (PTB) 281–96, 282, 284, 286, 287, 288
 correlation potential of Buntsandstein 291–2
 Bulgaria 292
 Italy 291–2
 Spain 292
 location map 282
 sequences 241–247, 241, 246
 timing of sedimentary, tectonic and magmatic events 246
see also Lodève Basin; Provence
- Gamkan land-vertebrate faunachron (LVF) 80, 81–2
- Germany
 amphibian biostratigraphy, Ilfeld Basin 210
 'Buntsandstein' Group 21
 Chemnitz petrified forest 40, 44–6, 45
 geological setting and taphonomic implications 44–6, 45
 plant-bearing pyroclastic horizon 44–6, 45
 North German/Polish Depression, sedimentological development 107–9
 stratigraphic correlation 308
 tetrapod footprints 171–2, 187, 188
 Cornberg Sandstein (Hessian Depression) 171, 189
 Hessian Depression 171, 189
 Saar–Nahe and Wetterau Basin 171–2, 170
 145, 187–9, 187, 188, 189
 Thuringian Forest Basin 169–71, 170
 Volpriehausen Formation 290–1
- global chronostratigraphic scale
 correlations of Permian–Triassic Boundary (PTB) 16, 18
 footprint biostratigraphy 189
 standard (SGCS), Permian 2
- global stratotype sections and points (GSSPs) 1
Glossopteris vegetation, Antarctic Continent 127
- Gondwana
 (300 Ma) precipitation 125
 Laurussia–Gondwana collision/suture 97, 121, 298
 Pangaea A reconstruction 120–1
see also Pangaea
- Gondwana glaciation 117–19, 117
 Sakmarian 119, 126
- Grammatopteris* 51–3, 52
- Griesbachian, global correlations 16, 18
- Guadalupian (Middle Permian)
 global correlations 18
 SGCS 2
- gymnosperms, Chemnitz and Tocantins 49–59, 49, 52, 54, 56
- Hercynian orogenic system 2, 120–4, 122, 298
 Westphalian climates 95, 96

- Hessian Depression, Germany, tetrapod footprints 171, 189
Himalayas, denudation rates 123
Hoedemakeran land-vertebrate faunachron (LVF) 80, 82
- Iberian Basin 270–5
 palinspastic reconstruction 264
Iberian Peninsula, map 262
Iberian Ranges 261–3
 map 263
 sedimentary cycles 263–8, 265, 267
 sedimentary gap (Middle Permian) 250
 TSUs 247
- ichnocoenosis, defined 137
ichnofacies 182–4
 defined 137
ichnotaxonomy 179–82, 187
 ‘lumping’ 180
 as proxy of biotaxonomy 179–80
- Ida Ou Ziki Sub-Basin (of Souss Basin, Morocco) 299–302, 300, 302–10, 302, 304, 306, 308, 303–10
 biostratigraphy, palaeoclimatology and
 palaeobiogeography 307–10, 315–16, 308
- Ifeld Basin
 amphibian biostratigraphy 210
 aridization, aeolian sediments 127
 correlation chart 330–1, 330
 Germany, amphibian biostratigraphy 210
- Illawarra reversals 31
- insect biostratigraphy 8, 300–6, 300, 302, 304, 325–36, 328, 330
 Late Pennsylvanian 325–6
 Stephanian profiles, Ida Ou Ziki Sub-Basin (of Souss Basin), Morocco 300–1, 303, 306
 see also blattids, spiloblatinid zonation
- Inter-Tropical Convergence (ITC) 124
- Intra-Sudetic Basin
 general succession 110, 110–11
 sedimentological development 110–12
 stratigraphy 221
- Iran
 Early Triassic, Abadeh 21
 Late Permian, Western Tethys 25–6
- Italy
 Buntsandstein 291–2
 Collio and Tregiovo basins, microfloras 235
 correlation potential of Buntsandstein 291–2
 Corsica 236, 239, 247
 Dolomites
 Bolzano Basin, tetrapod footprints 169
 macrofloras and palynomorph taxa 236
 marine fossils 238
 Early Triassic 21–2
 ichnofacies 145
 Late Permian 21–2
 Western Tethys 25–6
 Lombardy: Orobic and Trompia Basins, tetrapod footprints 167–9, 168
 Permian–Triassic sequences 231–9
 Sardinia 236–9
 Southern Alps 231–4, 237
 Tuscany 234–6, 239
 tetrapod tracksites 187, 188, 190
 see also Sardinia
- jellyfish, freshwater, *Medusina* 4, 103, 104, 105, 107
- Kapteinskraalian land-vertebrate faunachron (LVF) 80–1
- Karoo Basin
 climatic development 117
 southern Africa 117, 119
- Karoo Group, magnetic polarity time scale across PTB 23–4
- Khenifra Basin, Morocco 310–15, 313, 314
- Krkonoše Piedmont and Intra-Sudetic Basins
 correlation chart 330, 331
 general succession 110–11
 sedimentological development 110–12
 stratigraphy 221, 222
- Kungurian
 A7 Rhyolite 190, 283, 284
 Permian tracksite correlations 188, 191
 SGCS 2
- Kupferschiefer 6
- Kurdian, SGCS 2
- land-vertebrate faunachron (LVFs) 74–84, 75, 80
- Languedoc see Lodève Basin
- Late Pennsylvanian, insect biostratigraphy 325–6
- Late Permian
 magnetic polarity time scale across PTB 24–31
 global chronostratigraphic correlation 18
 polarity intervals, Chang N, Capitan N 34
- Laurussia–Gondwana collision/suture 2, 97, 120–2, 122, 298
- Pangaea A reconstruction 120–1
 post-caledonian orogens 121
- Littlecrotonian land-vertebrate faunachron (LVF) 75, 79–80
- Lodève Basin 4, 98–9
 Buntsandstein facies 245
 chronostratigraphy 164
 erosion of Permian sediments 283
 general succession 98–9
 palichnofauna 158–72, 189–90, 160, 162, 166, 168, 170, 189
 Permian composite section 244
 Autonian Group 244
 Saxonian Group 245, 244
 Permian–Triassic Boundary (PTB)
 sequences 241–245
 timing of sedimentary, tectonic and magmatic events 246
 Rabejac Formation 241, 245
 sedimentological development 98–9
 tectonostratigraphic units 241–245
 tetrapod footprints 144, 158–64, 160, 162
 correlations with other basins 164–72, 189, 166, 168, 170
 Viala Formation 241–245
- Lombardy: Orobic and Trompia Basins (northern Italy), tetrapod footprints 167–9, 168
- Lopingian
 global correlations 18
 SGCS 2
- Lower Permian
 actinopterygian fishes (non-marine) 224–6, 225
 wind velocities and monsoons 127
 lycophytes, Chemnitz and Tocantins 49

- magnetic polarity time scale across Permian–Triassic boundary
 Central European Basin 30
 Early Triassic 17–24, 18
 Africa 23–4
 China 22–3
 Europe, non-marine 20–1
 North America 19–20
 Russia and Transcaucasia 21–2
 Late and Middle Permian 24–31
 China 25
 North America 26–9
 Russia and Transcaucasia 29–30
 Western Tethys 25–6
 Siberian flood basalts, age determination 31–4
 Massif Central, Bourbon l'Archambault Basin, amphibian biostratigraphy 210
 Mauretanid orogenic system 121, 298
 Mauretanes, elevation 121–4, 122
 Mediterranean Sea, salinity trail 120
 Medullosales 57
Medusina limnica 4, 103, 104, 105, 107
Melanerpeton arnhardi–*Apteon flagrifer oberhofensis* zone 207
Melanerpeton eisfeldi zonation 207
Melanerpeton gracile–*Discosauriscus pulcherrimus* zone 101
Melanerpeton pusillum–*Melanerpeton gracile* zone 99, 100, 103, 112, 207–8
Melanerpeton sembachense–*Apteon dracyiensis* 99
Melanerpeton spp., zonation 207–8
Merrilina divergens 105
Mesogondolella britannica 105
Micromelerpetondidea 158, 211
 Middle Permian, global chronostratigraphic correlation 18
 Mitchellcreekian land-vertebrate faunachron (LVF) 75, 77–8
 monsoons, wind velocities, Lower Permian 127
Moravamylicris kukalovae zone 103, 105, 112
 Morocco
 North and South Africa, and Europe, stratigraphic correlation 308
 tetrapod footprints 191
 Morocco, Carboniferous and Permian faunas 297–324, 298, 300, 302, 304, 306, 308, 314, 318
 Argana Basin 116, 317–19, 318
 biostratigraphy, environment and palaeoclimatology 319–20, 318
 fossil content of Permian 317–19, 318
 general succession of Moroccan basins 114
 Ida Ou Ziki Sub-Basin (of Souss Basin) 302–10, 302, 304, 306, 308
 biostratigraphy, palaeoclimatology and palaeobiogeography 307–10, 308, 315–16
 fossil content 301, 305–7, 306
 Stephanian profiles 300–1, 300, 303
 Khenifra Basin 310–15, 313
 Ait Khouya quarry fauna 312
 Dahra Hill fauna 315
 flora 312
 fossil content 311–12
 geological setting 310–11
 Ifri ou Châou hill and clay pit 312–15, 313
 location map 298
 Souss Basin 116, 299–310, 300, 302, 304, 306, 308
 tetrapod footprints 191, 314–15
 Tiddas Basin 316–17
 fossil content and biostratigraphy 316–17
 geological setting 316
 New Mexico
 Coyotean land-vertebrate faunachron (LVF) 74–6, 75
 Cutler Group 73, 149
 Late Permian correlations 26
 Robledo Mountains Formation 140, 150, 167, 183–6
 tetrapod ichnofacies 183
 North America
 Canada
 tetrapod footprints 187
 tetrapods 141
 magnetic polarity time scale across PTB
 Early Triassic 19–20
 Late and Middle Permian 26–9
 tetrapod biochronology 167, 184–6
 former schemes 67
 nomenclature 70–4, 73
 standard 67, 141–3
 tetrapod ichnofacies and ichnoconozes 140, 141–3
 see also New Mexico; Texas
 North German/Polish Depression 107–9, 108
 general succession 108
 sedimentological development 107–9
 Oboira insect beds, Boskovice Graben 334
 ocean currents
 climate effects 126
 and salinity 119–20
 Orobic Basin, tetrapod footprints 167–9, 190
 ostracodes 7
 Ouachita orogenic system 120–1, 298
 Pakistan, Late Permian, Western Tethys 25–6
 palaeo-ocean currents, and salinity 119–20
 Pangaea
 A and B reconstructions 120–1
 evidence 251–2
 aridization 125–6
 map (270 Ma) 3
 tetrapod localities 66, 180
 map (300 Ma) 97
 northern, climatic development 114–17, 116, 117
 palaeotopography in European surroundings 121–4, 122
 255–360 Ma 122
 Permo–Carboniferous climates 114–17, 116, 117, 121–7, 122
 northern 114–17, 116, 117
 southern 117
 strike-slip systems, absence 120
 tetrapod footprints, distribution 180, 184–92, 189
 Panthalassa Ocean 2–3
 Pelycosauria 159, 212
 Pennsylvanian, Early, climate development of central Europe 95–136, 96, 116, 117, 122
 Pennsylvanian, Late, insect biostratigraphy 325–6
 Perdasdefogu Basin, Sardinia, amphibian biostratigraphy 210–11
 Permian
 flora and fauna 7–9

- mass extinction 15
 - formally proposed subdivisions 5
 - isotopic ages 9–10
 - petrified forests 39–63, 43, 45, 47, 48, 49, 52, 54, 56
 - polarity, summary 30
 - standard global chronostratigraphic scale (SGCS) 2
 - standard used to create global tetrapod biochronology 67
- Permian Chert Event 126
- Permian–Triassic Boundary (PTB) 281–9, 282, 286
 - magnetic polarity time scale 15–37, 16, 18
 - global chronostratigraphic correlations 16, 18
 - mass extinction 15
- Permian–Carboniferous basins
 - mapped 96
 - palaeotopography of Pangaea in European surroundings 121–4, 122
- Permian–Carboniferous climates 95–136, 116, 117, 122
 - aeolian sediments 127
 - aridization 125–6
 - Gondwana glaciation 117–19, 117
 - northern Pangaea, climatic development 114–17, 116, 117
 - palaeo-ocean currents and salinity 119–20
 - palaeogeography 120–1
 - precipitation over Gondwana 125
 - seasonality 124–5
 - southern Pangaea (Karoo Basin), climatic development 117
- Platbergian land-vertebrate faunachron (LVF) 80, 83–4
- precipitation, Gondwana, Permian–Carboniferous climates 125
- Protosauria 163
- Provence 164–7, 166, 281–91, 282, 286
 - A7 Rhyolite 190, 283, 284
 - Bas-Argens basin, tetrapod ichnofacies 189–90, 245
 - 'Buntsandstein' Group 243, 281–8, 282, 286, 292–3
 - Buntsandstein hyper-arid period 285, 288–91
 - comparison with central Central European Basin 290–1
 - dating 288–90
 - ventifacts 287
 - dating elements 283
 - Gonfaron type 287–8
 - lithostratigraphy for upper part of PTB 284
 - outcrop configurations 285
 - Permian series 245
 - upper part 283–5
 - Permian–Triassic Boundary (PTB)
 - 3 types of PTB 286
 - location map 282
 - problem 281–8, 282, 286
 - timing of sedimentary, tectonic and magmatic events 246
 - Port-Issol Formation 285
 - Sanary type 285–7, 286
 - similarities to Nurra, Sardinia 291–2
 - stratigraphical inferences based on tetrapod footprints 164–7, 166
 - Toulon–Cuers Basin 283
 - Vidauban type 288
 - see also* France, Permian–Triassic Boundary (PTB)
- Redtankian land-vertebrate faunachron (LVF) 75, 78–9
- Rheic Ocean 96
 - closure, climate effects 125–6, 127
- Roadian
 - Permian tracksite correlations 188, 191
 - SGCS 2
- Rotliegendes
 - coals 4
 - magnetic polarity time scale across PTB 30
 - as a series 5, 6, 147
- Russia
 - Early Triassic, magnetic polarity time scale across PTB 21–2
 - Late and Middle Permian, magnetic polarity time scale across PTB 29–30
 - tetrapod biochronology, former schemes 68
 - tetrapod footprints 190–1
- Saale Basin 106–7
 - climate 309
 - correlation chart 330–1
 - general succession 106
 - sedimentological development 106–7
- Saar–Nahe Basin 102–3
 - climate 309
 - correlation chart 330–1
 - general succession 102
 - iron ore 4
 - sedimentological development 102–3
 - tetrapod footprints 171–2, 187–9, 187, 189
- Sakmarian
 - end of Gondwana glaciation 119, 126
 - Melanerpeton gracile*–*Discosauriscus pulcherrimus* zone 101
 - Melanerpeton pusillum*–*Melanerpeton gracile* zone 99, 207–8
 - Permian tracksite correlations 188
 - SGCS 2
 - transgressive systems, Australia 119
- Sardinia
 - Nurra, similarities to Provence 291–2
 - Perdasdefogu Basin 240
 - correlations in amphibian biostratigraphy 210–11
 - Permian–Triassic sequences 236–9, 236, 237, 238, 239, 240, 242
- Saxonian, misleading term 6, 244, 245, 249–50
- Saxonian Group
 - Permian composite section, Lodève Basin 214, 244
 - as a series 5, 6
- Seymourian land-vertebrate faunachron (LVF) 75, 76–7
- Seymouria sanjuanensis* 105, 211
- Siberian flood basalts
 - age determination 31–4
 - magnetic polarity time scale across PTB 31–4
 - West Siberia Basaltic LIP 274
- Smithian, global correlations 16, 18
- Souss Basin 299
 - correlation chart 330–1
 - Morocco 299–310, 299, 300, 302, 303, 304, 306, 308, 310
- South Africa
 - and Europe, stratigraphic correlation 308
 - Karoo Basin 117, 119
 - tetrapod biochronology
 - former schemes 68
 - standard 67
 - tetrapod footprints 192

- South America
- Argentina, tetrapod footprints 191
 - Permian tetrapod track record, tetrapod ichnofacies and ichnocoenoses 148
 - tetrapod footprints 191
 - tetrapod ichnofacies and ichnocoenoses **146**, 148
- Spain, Permian–Triassic 250, 261–80
- Balearic Islands 250, 270, 270–2
 - biostratigraphical data 270–2
 - significance of Late Permian and Middle-Triassic palynofloras 272
 - 'Buntsandstein' Group 249
 - Catalan Ranges 248, 250, 268–9, 271
 - correlation potential of Buntsandstein 292
 - Ebro Basin 269–70
 - Iberian Basin 270–1
 - transition location 272–5
 - Iberian Ranges, sedimentary cycles 248, 250, 263–8
 - cycles I–VIII 265
 - first (Autunian) 263–4
 - second (Thuringian) 264–7
 - third (Buntsandstein) 267–8
 - macro- and microfloras 249
 - TSUs 243–9
 - Spain, Upper Carboniferous 248
 - Spathian, global correlations 16, 18
 - sphenophytes, Chemnitz and Tocantins 48, 58–9
 - list 48
 - sphenopsids, arborescent, Tocantins 58
 - standard global chronostratigraphic scale (SGCS), Permian **2**
 - Steilkransian land-vertebrate faunachron (LVF) 80, 82
 - Stephanian
 - actinopterygian, fishes (non-marine) 221–4, **222**
 - floral assemblages 247, 249
 - Ida Ou Ziki Sub-Basin, Morocco 300–1, 303
 - insect biostratigraphy 300–1, 303, 306
 - lakes, varved sediments 124
 - spiloblattnid zonation 307
 - Svalbard, Early Triassic 20
- Tambach vertebrates, Thuringian Forest Basin 4, 105
- Tatarian, as a series 5
- tectonostratigraphic units (TSUs) 239–41
 - magmatism 250
 - stratigraphy 250
 - tectonics 249–51
 - timing of sedimentary, tectonic and magmatic events 246
- Terrakea* 126
- Tethys Sea 2–3
 - Early Triassic, Iran and Italy 21
- Tethys, Western
 - magnetic polarity time scale across PTB
 - Early Triassic 21–2
 - Late and Middle Permian 25–6
- tetrapod biostratigraphy and biochronology 65–93, 179–200
 - see also* tetrapod footprints
 - abbreviations and terminology 65
 - body fossils 9, 193
 - composite standard 69–74
 - cross-correlations 84–5
 - global datum points 193–5, 194
 - ichnofacies 182–4
 - ichnotaxonomy 179–82
 - land-vertebrate faunachrons (LVF) 74–84, 75
 - Coyotean LVF 74–6
 - Gamkan LVF 81–2
 - Hoedemakeraan LVF 82
 - Kapteinskraalian LVF 80–1
 - Littlecrotonian LVF 75, 79–80
 - Mitchellcreekian LVF 75, 77–8
 - Platbergian LVF 83–4
 - Redtankian LVF 75, 78–9
 - Seymouran LVF 75, 76–7
 - Steilkransian LVF 82–3
 - pelycosaur HO and therapsid LO 193
 - Permian tetrapods record 67–8
 - previous studies 68–9
 - problems and procedures 65–7
 - tetrapod footprints 9, 179–200
 - Branchiosauridea and/or Micromelerpetondidea 158
 - Captorhinomorpha 158–9
 - Caseomorpha, Therapsida or Therosauria 159–61
 - correlations 192–5
 - Chelichnus* ichnofacies 192
 - global biostratigraphy and biochronology 189, 193–5, 194
 - global gap 193
 - Middle to Late Permian *Brontopodus* ichnofacies 193
 - North America 185
 - Permian *Batrachichnus* ichnofacies 187–93, 189
 - distribution in space and time 180, 184–92, 189
 - Africa 191–2
 - Argentina 191
 - Brazil 191
 - Canada 187
 - Europe 187
 - France 157–77, 189–90
 - Germany 187–9, 189
 - Italy 190
 - Morocco 191
 - Russia 190–1
 - South Africa 192
 - South America 191
 - United States 184–6
 - Eosuchia* and *Araoscelidia* 161–3, 162
 - footprints ascribable to temnospondyls 158, 180, 181
 - gap in records 179, 193
 - ichnofacies 182–4
 - ichnotaxonomy 179–82
 - palichnofauna 158–63, 160, 162
 - stratigraphical inferences 163–72
 - chronostratigraphy 164
 - Cornberg Sandstein (Hessian Depression, Germany) 171, 189
 - ichnoassociations 163–4
 - Lodève Basin 163
 - Lombardy: Orobic and Trompia basins (northern Italy) 167–9, 168
 - Provence basins 164–7, 166
 - Saar–Nahe and Wetterau basin (Germany2) 171–2
 - tentative correlations with other regions 164–7, 166
 - Thuringian Forest Basin (Germany) 169–71, 170
 - United States basins 167
 - traces attributed to amniotes 158–63, 160, 162
 - tetrapod ichnofacies and ichnocoenoses 137–56, **139**, **141–146**, 149
 - Africa 147, 148

- archetypes and environments **139**
- Batrachichnus* ichnofacies 148–50, **149**
- Brontopodus* ichnofacies 151–2
- Characichnos* ichnofacies 152
- Chelichnus* ichnofacies 150–1
- Europe **144–6**, 147–8
- ichnology traditions 138–40, **139**
- North America **140–3**, 147
- South America **146**, 148
- Texas
 - Choza Formation, tetrapod footprints 70–4, 73, 167
 - tetrapod biochronology, nomenclature 70–4, 73
- Therapsida 159–61, **160**
- Therosauria 159–61, **160**
- Thuringian
 - microflora 250
 - Changhsingian 247
 - misleading term 6
 - sedimentary cycles, Iberian Ranges 264–7
 - as a series 5, 6
- Thuringian Forest Basin 103–5
 - climatic development 105
 - correlation chart 330–1, **330**
 - general succession 104
 - sedimentological development 4, 103–5
 - Tambach vertebrates 4, 105
 - tetrapod footprints 169–71, **170**, 187–9, **189**
 - Thuringian Main Granite 123
- Tiddas Basin 316–17
 - Morocco 316–17
- Tocantins petrified forest 40–2, 46–50, 47, **48**, **49**
 - charophytes **49**
 - ferns **48–9**
 - fossil-bearing clastic sequence 46–50, 47, **48**, **49**
- Transcaucasia
 - Early Triassic, magnetic polarity time scale across PTB 21–2
 - Late and Middle Permian, magnetic polarity time scale across PTB 29–30
- Triassic, Buntsandstein 20–1, 285, 288–91
- Trompia Basin, tetrapod footprints 167–9, **168**
- Tuscany, Permian–Triassic sequences 234–6, 240, **239**
- Upper Permian *see* Late Permian
- Variscan orogenic system 121, 123, **298**
- Variscides, elevation 121–4, **122**
- ventifacts/dreikanterers 287, 288
- Viala Formation, Lodève Basin 242–245, **244**
- Volpriehausen Formation 290–1
- Vosges Massif 288–9, 291
- Westphalian
 - actinopterygii 218–21, **219**
 - Archimylacris lubnensis* zone 103
 - aridization 125–6
 - climates, Hercynian orogenic system 95, **96**
 - spiloblattninids 327
- Wetterau Basin, tetrapod footprints 171–2
- Wordian
 - Permian tracksite correlations **188**, 191
 - polarity 31
 - Provence **284**
 - SGCS **2**
- Wuchiapingian
 - Permian tracksite correlations **188**, 190
 - SGCS **2**
- Zechstein
 - Thuringian 6
 - Thuringian microflora 247
- Zechstein Formation, magnetic polarity time scale across PTB 30
- Zeisigwald Tuff Horizon 39, 42, **43**, **44**