

Index

Page numbers in *italics* refer to Figures; page numbers in **bold** refer to Tables

- Aishan granitoid, 303
Alashan Block, 3
Alpine-Himalaya orogen, 2
Altaiides, 224, 225
Altyn Tagh, 9
Altyn–Tagh fault, 241
amphibolite facies, Central Orogenic Belt, 4
⁴⁰Ar/³⁹Ar dating
 Dandong granite, 176, 180
 extension structures, 157, 162
 Inner Mongolian orogen, 227
 Jiaodong Peninsula, **312**
 Mesozoic igneous rocks, **81**, 104, 195, 202, 203, 205, 206, 217
Archaean cratons
 characteristics, 331–332
 map, 332
Bainaimiao island arc, 10, 225, **227**, 229–230
Baiqi Formation, **194**
Banded Ironstone Formation, 5
Baerhantu arc, 9
Baolidao complex, 10
Beihuaiyang fold belt, 241
Beijing graben, 192
Beijing–Chengde basins, 243
Beipiao Formation, 243
Bohai Sea basins, 16–19
Bouguer gravity, 20
 map of China, 19, 333
 North China Craton, 132
 Yellow Sea, 283–284, 286
Cambrian events on North China Craton, 9, 225, 234
carbonatites, **57**, 61
Carboniferous events on North China Craton, 9, 234
Cathaysia Craton, 2, 289
Cenozoic events on North China Craton
 active structures, 18
 crustal extension, 16–19, 48
 kimberlites and xenoliths, 12, 21, 46, 334, 336
 lithosphere evolution, 70, 77–78
Central Asia Fold Belt, 241
Central Asia orogen, 2, 36, 56, 78
Central Asian Orogenic Belt (CAOB), 95, 132
Central China orogen, 1, 2
Central Orogenic Belt, 3, 4, 7
Changping fault, 192
Changzhougou Formation, 190
Chaoyang Basin, 203
Chengde Basin, 203
Chengde metamorphic complex, 6
Chengde thrust fault, 192
Chengde–Xinlong thrust, 176
Chifeng basalt, 37
Chifeng Basin, 203
Chifeng Bayan Obo fault, 10
coesite in eclogite, 36
collision events on North China Craton
 Precambrian, 7–8
 Triassic, 180, 285–288
compression events
 East Laioning Peninsula, 163–164, 166
 Yanshanian, 322
Cretaceous events on North China Craton, 12, 37, 38, 48, 70, 124
 extension, 181–183, 205–207
 basins, 202
 fill and facies, 209–214, 246, 248–252
 migration, 255–256, 259
 rift-type, 193, 196
 drivers, 217–218
 East Laioning Peninsula case study, 166–167
 central area, 155–157
 north area, 157–158
 south area, 158–163
 structures
 high strain, 214–216
 low strain, 207–209
 timing of, 216–217
inversion, 216
melting, modelling of, 182
metamorphic core complexes, 202
stratigraphy, 211, 213
tectonism and sedimentation, 204–205
crust
 contribution to SCLM
 geochemical evidence, 63–67
 mechanisms, 67–68
 modelling behaviour, 68–71
 imaging. *See* seismic tomography
 structure for North China Craton, Eastern Block, **277**
 thickening, Yanshanian, 318, 322–325
Dabeigou Formation, **194**, 196, 243, 246, 247, 253, 255
Dabie Mountains Orogenic Belt, **59**, 240, 241
Dabie UHP belt, 132
 Mesozoic magmatism
 chemical data, **139–140**
 isotope data, 142–143
 rare earth element data, 144
Dabie–Sulu suture zone, 171
Dahongyu Formation, 190
Dahuanggou pluton, 173
Dandong granite
 deformation, 175–176
 timing of, 176–180
Dashi Formation, 243, 253
Daye Formation, 253
deformation studies. *See also* compression extension delamination
 North China Craton lithosphere, 218–219, 317, 326–328, 337–339
Devonian events on North China Craton, 9, 225, 234
diamond in eclogite, 36
 See also kimberlite
Diaojishan Formation, 37

- Don Ujimqin arc, 9
 Dong Ujumqi magmatic arc, 225
 Donggan gabbro, 37
 Dongjiagou shear zone, 179
 Donglanggou Formation, **195**, 196
 Donglingtai Formation, 37
 Dongqin pluton, 173
 Dongqiyyishan arc, 9
 Dongye Group, 5
 Doucun Group, 5
- earthquake epicentres, North China Craton, 295
- East Liaoning Peninsula
 compression, 163–164, 165
 summary of evidence, 166
 extension
 Buyunshan area, 157
 Liaoyang–Benxi area, 157–158
 southern peninsula area, 158–163
 summary of evidence, 166–167
 Xiuyan area, 155–157
 geological setting, 154–155
 tectonic studies
- East Marginal Fault of the Yellow Sea (EMFYS)
 282, 283, 285, 289
- East Tianshan Block, 241
- Eastern Block of North China Craton. *See* North China Craton, Eastern Block
- eclogite, 36
- Enshoo Terrane, 10
- Eren Hot–Hegenshan ophiolite zone, 225, 226, **227**, 232
- Erlian Basin, 202, 216
- extension, 181–183, 205–207
 basins, 202
 fill and facies, 209–214, 246, 248–252
 migration, 255–256, 259
 rift-type, 193, 196
 drivers, 217–218
- East Liaoning Peninsula case study, 166–167
 central area, 155–157
 north area, 157–158
 south area, 158–163
- structures
 high strain, 214–216
 low strain, 207–209
 timing of, 216–217
- Fangcheng basalts, 37, 38–39
- Fanghushan Formation, 243, 248, 253
- Fangshan metamorphic core complex, 172
- Farallon Palte, 217
- Fenghuangtai Formation, 243, 248, 249, 250, 253, 256
- Fengning–Weichang basins, 243
- Fengzoshan Group, 303
- fluid inclusion analysis
 gold from Jiaodong Peninsula, 306
 microthermometry, 308–309
 petrography, 306–308
- Foziling Group, 241, 248
- Fuping Complex, 5
- Fushan complex, 37, 38
- Fuxin basalt, 37
- Fuxin Basin, 203, 215
- Fuxin Formation, 38, 204, 243, 246, 253
- Gaofan Group, 5
- geochemistry
 analytical methods, 105, 112
 Mesozoic magmatism, 80, 83, 84, **85**
 enrichment processes, 94–95
 evidence of SCLM, 63–68, 86–88
 major elements, 88–90, **106–111**, 112, 134–142
 Sr–Nd isotopes, 92–94, 112, 114, **115**, 116, 142–143
 trace elements, 61–63, 80, 90–91, 101, **106–111**, 112, 134–142, 324, 325
 mantle-derived igneous rocks of North China Craton
 evidence for crustal contribution, 63–67
 mechanism for crustal contribution, 67–68
 modelling behaviour, 68–71
- Mesozoic volcanics, **260**
- geochronology
 Dandong granite, 175–176, **177–178**, 179
 mafic magmatism, 79–81
- gneiss, 36
- Gobi Basin, 202, 216
- gold, 22, 23, 294, 300
- Jiaodong Peninsula
 deposit classification, 304–305
 fluid inclusions, 306
 microthermometry, 308–309
 petrography, 306–308
 geological setting, 303–304
 hydrothermal history, 310
 sources, 311–312
 tectonic setting, 313–314
 timing, 310–311
 paragenesis, 305–306
- Gonganzhai Formation, 243, 253
- granulites
 Central Orogenic Belt, 4
 Henshan high-pressure granulite, 6
 North China Block, 78
- greenschist facies, Central Orogenic Belt, 4
- Guangminshan pluton, 173
- Gudaoling granite, 173
- Guojadian pluton, 174, 180
- Guojialing granitoid, 176, 303
- Guojialing pluton, 180
- Guojiazhai Group, 5
- Guyi gabbro, 37
- Guzheng complex, 38
- Gyeonggi massif, 281
- Haifanggou Formation, 243
- Hailar Basin, 202
- Hanshan microcontinent, 9
- Hanxing complex, 39
- heat flow history. *See* vitrinite reflectance
- Hefei Basin, 240–241, 243, 246–252, 256–259
- Hegenshan ocean, 225
- Hegenshan ophiolite, 225
- Hegenshan suture, 9
- Heishidu Formation, 243, 248, 251, 253
- Hengshan complex, 10
- Hengshan high pressure granulite, 6
- Hengshan metamorphic complex, 6
- Hengshan Plateau, 3

- high field strength elements (HFSE), 56, 61–63, 78, 79, 101, 324, 325
- Hohhot metamorphic core complex, 202
- Honam shear zone, 281
- Hongshan complex, 38
- Hongshishan suture, 9
- Houcheng Formation, 37, 192, 193, **195**, 196
- HREE. *See* rare earth elements (REE)
- Huaian metamorphic complex, 6
- Huailai Basin, 240
- Huajiahu Formation, 243, 253
- Huajiying Formation, **194**
- Huaqiying Formation, 37
- Huaxia Block, 241
- Hungshandian fault, 192
- Hutag Uul Terrane, 10
- igneous processes. *See* magmatism
- Imjingang fault belt (IFB), 282
- Imjingang Group, 282
- Imjingang orogen, 281
- Indo-Sinian orogeny, 12
- Inner Mongolia–Daxinganling Orogenic Belt (IMDOB)
- geological setting, 225–226
 - history of research, 223–225
 - lithospheric thinning, 234–235
 - ophiolite zone geochronology
 - Bainaimiao arc, **227**, 229–230
 - Eren Hot–Hegenshan, 231
 - Jiaoqier–Xilinhohot, 230–231
 - Ondor Sum–Xar Moron, 226–229
 - Solon Obo–Linxi, 230
 - Sunid–Baolidao arc, 231–232
 - ophiolite zones, 225
 - Eren Hot–Hegenshan, 226
 - Jiaoqier–Xilinhohot, 226
 - Ondor Sum–Xar Moron, 225
 - Solon Obo–Linxi, 225
 - tectonic evolution, 233–234
 - timing of suturing, 232–233
- Inner Mongolian Suture Zone. *See* Inner Mongolia–Daxinganling Orogenic Belt
- isotope signatures and dating. *See* $^{40}\text{Ar}/^{39}\text{Ar}$; K–Ar; Pb/Pb; Rb/Sr; Re–Os; Sm–Nd; $^{87}\text{Sr}/^{86}\text{Sr}$; Sr–Nd; U–Pb
- Izanagi Plate, subduction, 183
- Jiao-Liao massif
- geological setting, 173–175
 - map, 172
 - relation to Sulu orogen, 180–181
 - remelting evidence, 182
- Jialingjiang Formation, 253
- Jianchang basalt, 37
- Jianchang Basin, 203, 209–212, 240
- Jiangnan Basin, 243
- Jiaodong Group, 303
- Jiaodong Peninsula, 132, 174
- crustal age, 180
 - geological setting, 173
 - Mesozoic magmatism
 - chemical data, **137–138**
 - isotope data, 142–143
 - rare earth element data, 144
 - metallogensis in the gold province, 303–304
 - deposit classification, 304–305
 - fluid inclusions, 306
 - microthermometry, 308–309
 - petrography, 306–308
 - hydrothermal history, 310
 - sources, 311–312
 - tectonic setting, 313–314
 - timing, 310–311
 - map, 304
 - paragenesis, 305–306
- Jiaoliao Block, 3
- Jiaoqier–Xilinhohot ophiolite zone, 225, 226, **227**, 231–232
- Jimo volcanics, 37, 38–39
- Jinan gabbro complex, 37, 38, 39
- Jinan norite, 80
- Jining Longhua fault, 10
- Jinshan Group, 303
- Jinshan suture, 241
- Jinzhai–Huoshan–Shucheng fault, 242
- Jiufotang Basin, 203, 212–214
- Jiufotang Formation, 204, 211, 213, 243, 246, 253, 255
- Jiulongshan Formation, **195**, 243, 244, 245, 253, 255
- Junggar–Hegen suture, 204
- Jurassic events on North China Craton, 12, 37–38, 48, 70, 79, 124
- tectonics and sediments, 202–204, 204–205
- K–Ar dating, 173
- Inner Mongolian orogen, 226, **227**
 - mantle and lower crustal xenoliths, **58, 59**
 - Mesozoic igneous rocks, **81**, 104
- kimberlites, 331
- Cenozoic, 12, 21, 334, 336
 - Mesozoic, 12, 46, 21, 334, 336
 - Palaeozoic, 21, 35, 55, 62, 77, 78, 131, 201, 267, 334, 336
- Korean Peninsula, 283, 288
- Kuancheng Basin, 240
- Kunlun–Qilian–Qinling fault-fold system, 241, 283
- Kunyushan granitoid, 303
- Laioxi basins, 243
- Laiwu gabbro-diorite complex, 37, 38, 39
- Laiyuan complex, 37, 38, 39
- Lanqi Formation, 38, 243
- Laohugou Formation, 243
- large ion lithophile elements (LILE), 56, 61–63, 78, 79, 101, 324, 325
- Lhasa Block, 241
- Liangbin pluton, 173
- Liaodong Peninsula
- Dandong granite deformation, 175–176
 - timing of, 176–180
 - geological setting, 173, 174–175, 181
 - Triassic compression–Cretaceous extension
 - evidence, 181–183
- Liaohe Group, 173, 174
- Liaonan metamorphic core complex, 172, 180, 202, 203
- Liaoning Province. *See* Eastern Liaoning Peninsula *also under* Yanshan orogenic belt

- Liaoxi basalt, 39
 Linglong granite, 174, 176, 180, 303
 Lingxiang Formation, 243, 253
 lithosphere
 delamination, 218–219, 317, 326–328, 337–339
 evolution evidence in Late Mesozoic, 86–88
 enrichment processes, 94–95
 major elements, 88–90
 Sr-Nd, 92–94
 thinning, 95–96, 234–235, 333–334
 mechanisms, 45–47, 317, 337–339
 model, 47–49, 68–71
 timing, 334–337
 trace elements, 90–91
 Lluan–Qieshan fault, 241
 Louzidian normal fault, 203
 low-velocity layer (LVL), 20, 333
 map of China, 334
 LREE. *See* rare earth elements (REE)
 Luanjiahe granitoid, 303
 Luanping Basin, 192, 203
 Luanping–Chengde Basin, 240
 Luxi basalt, 39
- magmatism on North China Craton, **58–59**, 132
 distribution, 37–38
 geochemistry, 80, 83, 84, **85**
 enrichment processes, 94–95
 evidence of SCLM, 63–68, 86–88
 major elements, 88–90, **106–111**, 112, 134–142
 Sr-Nd isotopes, 92–94, 112, 114, **115**, 116,
 142–143
 trace elements, 61–63, 80, 90–91, 101, **106–111**,
 112, 134–142, 324, 325
 geochronology, 79–80, **81**
 isotope composition, 39
 map, 79
 mafic enclaves, 132–134
 mantle sources, 147–148
 origins, 143–147
 petrogenetic model, 148
 petrography, **82**
 petrology, 38–39, 80
 Majiashan Formation, 243, 253
 Manchurides, 224, 225
 mantle, lithospheric, 55–56
 IOB, 55, 77
 MORB, 55, 77
 subcontinental, 77
 chemical evidence for, 86–88
 enrichment processes, 95–96
 major elements, 88–90
 Sr-Nd, 92–94
 trace elements, 90–91
 subduction related, 77
 mantle xenoliths, 21, **43**, **44**, 46, **58**, **59**, 131, 201, 267,
 331, 334, 336
 Maotanchang Formation, 243, 248, 249, 250, 253
 Meichan Group, 241
 Mengyin porphyries, 38–39
 Mengyin shoshonite, 37
 Mesozoic events on North China Craton
 magmatism, **58–59**, 132
 distribution, 37–38
 geochemistry, 80, 83, 84, **85**
 enrichment processes, 94–95
 evidence of SCLM, 63–68, 86–88
 major elements, 88–90, **106–111**, 112,
 134–142
 Sr-Nd isotopes, 92–94, 112, 114, **115**,
 116, 142–143
 trace elements, 61–63, 80, 90–91, 101,
 106–111, 112, 134–142, 324, 325
 geochronology, 79–80, **81**
 isotope composition, 39
 map, 79
 mafic enclaves, 132–134
 mantle sources, 147–148
 origins, 143–147
 petrogenetic model, 148
 petrography, **82**
 petrology, 38–39, 80
 sedimentary basins, 240–241
 basin geodynamics, 261–262
 northern basins fill
 Cretaceous, 246
 Jurassic, 242–246
 northern basins migration
 Cretaceous, 255–256
 Jurassic, 252–255
 southern basins fill
 Cretaceous, 248–252
 Jurassic, 248
 southern basins migration
 Cretaceous, 256–259
 Jurassic, 256
 structural evolution, 259–261
 See also Cretaceous; Jurassic; Triassic
 metamorphic core complexes, 6, 172, 180,
 202, 203
 metamorphic facies, 4, 6, 78
 metamorphism, UHP, 56, 303, 304
 Mianlue suture, 11
 microthermometry, gold from Jiaodong Peninsula,
 308–309
 migmatization, Central Orogenic Belt, 4
 Mishan fault, 304
 Moho, depth at Yellow Sea, 285
 Mongol–Okhotsk Ocean, closure, 70, 124, 181, 182
 Mongolia Fold Belt, 241
 Mongolian Block (microcontinent), 70, 124
 Mongolian Orogen, 240
- Nandaling Formation, 37, 45, 193, **195**, 196, 243, 245,
 253, **260**
 Nandazhai fault, 192
 Nandian Formation, **194**
 Nantianmen Formation, 243, 246, 255
 eNd
 Jiaodong Peninsula gold, 312
 mantle derived rocks, 55, **56**, **57**, 60, 61–63,
 65, 66, **67**, 69
 Mesozoic igneous rocks, 39, 80, **85**, 86, 87, **88**, 93,
 105, 114, **115**, 116, 145
 Neimonides, 223
 North Altyn Tagh suture, 9
 North Boundary Fault, 293, 294
 North China Basin, 202

- North China Craton (Sino-Korean Block)
 Bouguer gravity, 19, 20
 evolution summary, 25–26
 geological setting, 36
 low-velocity zone depth, 20
 tectonic divisions, 283
- North China Craton, Eastern Block
 anomalous history, 332
 crustal characteristics, 77, 277
 geological setting, 36–37, 60–61, 78–79, 201
 Precambrian, 3–5, 6, 7–8
 magmatism, 58–59, 132
 distribution, 37–38
 geochemistry, 80, 83, 84, 85
 enrichment processes, 94–95
 evidence of SCLM, 63–68, 86–88
 major elements, 88–90, 106–111, 112, 134–142
 Sr-Nd isotopes, 92–94, 112, 114, 115, 116, 142–143
 trace elements, 61–63, 80, 90–91, 101, 106–111, 112, 134–142, 324, 325
 geochronology, 79–80, 81
 isotope composition, 39
 map, 79
 mafic enclaves, 132–134
 mantle sources, 147–148
 origins, 143–147
 petrogenetic model, 148
 petrography, 82
 petrology, 38–39, 80
- mantle state
 Cenozoic, 35–36
 Mesozoic
 enrichment, 42
 evolution, 40
 heterogeneity, 39–40
 lithosphere thermal history reconstruction
 method, 270–274
 results, 274–276
 theory, 269–270
 lithosphere thermal state, 267–269
 lithosphere thinning mechanism, 45–47, 95–96
 lithosphere thinning model, 47–49, 68–70
 lithosphere thinning timing, 42–45
 olivine composition mapping, 41–42
 Palaeozoic, 35
 root loss evidence, 333–334
 mechanisms, 337–339
 timing, 334–337
- orogen–craton cyclicity, 20–24
 sedimentary basins, 240–241
 basin geodynamics, 261–262
 northern basins fill
 Cretaceous, 246
 Jurassic, 242–246
 northern basins migration
 Cretaceous, 255–256
 Jurassic, 252–255
 southern basins fill
 Cretaceous, 248–252
 Jurassic, 248
- southern basins migration
 Cretaceous, 256–259
 Jurassic, 256
 structural evolution, 259–261
 seismic tomography, 20, 294, 295, 296
 methods, 297
 results, 297–300
 results discussed, 300
 structural overview, 1–3
 tectonic evolution, 172, 239–240
 Cenozoic, 16–20
 Mesozoic, 16, 180–183
 Palaeozoic, 9, 12–16
See also East Liaoning Peninsula; Yanshan orogenic belt
- North China intracontinental orogen. *See* Yanshan orogenic belt
- North Huaiyang basalt, 37
 North Orthogneiss Unit, 172
 North Qilian suture, 9
 North–South gravity lineament (NSGL), 132
 Northeast China fold belt, 102
 Northern Dabie complex, 37
 Nuhetdavaa Terrane, 10
- olivine, composition mapping in mantle modelling, 41–42, 43–44, 45, 46
- Ondor Sum complex, 10
 Ondor Sum Ocean, 225, 235
 Ondor Sum–Xar Moron ophiolite zone, 225, 226–229
 ophiolites of Inner Mongolia–Daxinganling Orogenic Belt
 geochronology of zones
 Eren Hot–Hegenshan, 227, 232
 Jiaoqier–Xilinhot, 227, 231–232
 Ondor Sum–Xar Moron, 226–229
 Solon Obo–Linxi, 227, 230
 geological setting, 225–226
- Ordos Block, 201, 202
See also Western Block of North China Craton
- Ordovician events, 9, 225, 234
 kimberlites, 21, 35, 55, 77, 78, 131, 201, 267, 334, 336
- ore-bearing fluids, 334
See also gold
- osmium isotopes, 332
- P waves. *See* seismic waves
- Pacific Plate (palaeo; Izanagi), 217
 subduction, 47–49, 183–184, 201
- Palaeoasian (Palaeo-Asian or Turkestan) Ocean, 9, 12, 47–49
- palaeogeography, Hefei Basin, 258
 palaeotemperature analysis for North China Craton, Eastern Block. *See* vitrinite reflectance
- Pb/Pb isotope ratios
 mantle derived rocks, 55, 56, 57, 60, 61–62, 64, 67, 71
 Mesozoic igneous rocks, 39, 40
- peridotites, 21, 43–44, 62, 332, 336
See also olivine
- Permian events on North China Craton, 9, 225, 234
- plagioclase, in mafic enclaves of Mesozoic igneous rocks, 133, 134
- Puqi Formation, 243, 253

- Qaidam Block, 241
 Qian Tang Block, 241
 Qianshan granite, 173
 Qianxi Basin, 240
 Qiliashan fold belt, 241
 Qingling–Dabie orogen, 11, 13, 56, 78, 79, 102
 Qinglong foreland basin, 3, 6
 Qingshan Formation, 38, 39, 45
 Qingshan pluton, 180
 Qingshilazi Formation, 194
 Qinling orogen, 181
 Qinling–Dabie collision zone, 281
 Qinling–Dabie orogenic belt, 56
 Qinling–Dabie–Sulu orogen, 172
 Qinshila Formation, 243, 246, 253, 255
 Queshan metamorphic core complex, 172
- rare earth elements (REE), 61, 78, 80, 90, 94, 96, 101, 141–142, 144
- Rb/Sr dating, 94
 - Inner Mongolian–Daxinganling Orogenic Belt, 226, 227
 - Jiaodong Peninsula, 312
 - Liaodong Peninsula plutons, 173
 - mantle-lower crustal xenoliths, 58, 77
 - Mesozoic mafic igneous rocks, 81, 105, 115
 - Yanshan volcanics, 194–195
- Re/Os ratio, 35
- Red River fault, 241
- Renao pluton, 173
- rift basins, Cretaceous
 - Dabeigou volcano-sedimentary cycle, 196
 - Nandaling volcano-sedimentary cycle, 193
 - Tiaojishan volcano-sedimentary cycle, 193, 196
 - Zhangjiakou volcano-sedimentary cycle, 196
- Sanguliu pluton, 176, 179
- Sangyi-Pingquan fault, 242
- Sanjianpu Formation, 243, 248, 249, 250, 253, 256
- sedimentary history
 - relation to tectonism, 202–205
 - sedimentary basins, 240–241
 - basin geodynamics, 261–262
 - northern basins fill
 - Cretaceous, 246
 - Jurassic, 242–246
 - northern basins migration
 - Cretaceous, 255–256
 - Jurassic, 252–255
 - southern basins fill
 - Cretaceous, 248–252
 - Jurassic, 248
 - southern basins migration
 - Cretaceous, 256–259
 - Jurassic, 256
 - volcano-sedimentary cycles, 193, 196
- seismic activity, 334
- seismic tomography (high resolution), 20
 - data set, 294, 295, 296
 - results, 297
 - mid-lower crust, 298–300
 - upper crust, 297–298
 - results discussed, 300
- seismic wave velocities (v_p), 20, 284, 287, 288, 333–334
- Shahaai Formation, 243, 246, 253
- Shangdan suture, 11
- Shanxi graben, 16–19, 19
- Shanyi–Pingquan fault, 240
- SHRIMP (sensitive high resolution ion microprobe), 6, 8
 - Dandong granite, 175–180
 - Inner Mongolian–Daxinganling Orogenic Belt, 227, 228, 229
 - Jiaodong Peninsula, 132, 312
 - mantle-lower crustal xenoliths, 58–59, 324–325
- Shuangta pluton, 173
- Siberian Craton (Plate), 70, 124, 181, 225
- Silamulun suture. *See* Solonker
- Silurian events, 9, 225, 234
- Sino-Korea–Yangtze collision zone, 282–283, 285–288
- Sino-Korean Block (Craton). *See* North China Craton
- Sm/Nd isochron, 59, 77, 94, 227
- Solon Obo–Linxi ophiolite zone, 225–226, 227, 230
- Solon–Linxi suture, 9
- Solonker (Suolun or Silamulun) suture, 8, 10, 12–13, 204, 225
- Song-Pan Block, 241
- Songliao Basin, 202, 216
- Songpan Ganzhi orogen, 2
- Sononker Suture, 181, 182
- South Boundary Fault, 293, 294
- South China Craton (Block), 70, 95
 - Mesozoic mantle-derived rocks, 59
 - tectonic divisions, 172
- South China orogen, 13, 14
- South Marginal Fault of Jeju Island (SMFJI), 282, 284, 285, 289
- Southern Taihangshan metamorphic complex, 6
- $^{87}\text{Sr}/^{86}\text{Sr}$ isotope ratios
 - mantle derived rocks, 55, 56, 57, 60, 61–62, 66, 67, 71
 - Mesozoic igneous rocks, 39, 40, 41, 80, 85, 86, 87, 88, 93, 94, 105, 114, 115, 117, 118, 145
- subcontinental lithospheric mantle (SCLM), 131
- Sulunheer Terrane, 10
- Sulu orogen, 172
 - relation to Jiao-Liao massif, 180–181
- Sulu orogenic belt, 56
- Sulu suture belt, 282
- Sulu UHPM, 303
- Sunid Baolidao arc, 231–232
- Sunjiawan Formation, 243, 246, 253
- Suolon suture. *See* Solonker
- Taihang Mountains, 3, 6
- Taihang–Yanshan orogen, 132, 147
 - Mesozoic magmatism
 - chemical data, 135–136
 - isotope data, 142–143, 145, 146
 - rare earth element data, 144
- Taihanshan metamorphic core complex, 172
- Tan-Lu (Tanlu) fault, 12, 56, 95, 132, 240, 241, 281, 293, 294, 302, 303, 304
- Tanchen–Luzhou fault, 283
- Tarim Block, 2, 13, 172, 241
- tectonic divisions, North China Craton, 172
- tectonic events, Mesozoic. *See* Jiao-Liao massif data
- thermal history reconstruction. *See* vitrinite reflectance
- thermometry, gold from Jiaodong Peninsula, 308–309
- Tiajishan box fault, 191

- Tian Shan–Yin Shan suture, 204
Tiaojiashan Formation, 191, 192, 193, **195**, 196, 243, 246, 247, 253, 255, 259, **260**
Tien Shan–Xinganling fault-fold system, 283
tonalite–trondhjemite–granodiorite (TTG), 4, 36, 78
Tongjiapu tonalite, 173
Tongshi syenite, 37, 38, 42
trace elements, North China Craton Mesozoic mafics, 61–63, 80, 90–91, 101, **106–111**, 112, 134–142, 324, 325
Trans-North China orogen, 4, 56
Triassic events in North China Craton, 12, 48, 164, 166, 234
 collision, 70, 124, 180
 compression, 181–183
 tectonics and sediments, 202–204
 tectonism/magmatism, 201
Tuchengzi Formation, 204, 205, 206, 243, 244, 246, 247, 253, 255, 259
Turkistan (Palaeoasian) Ocean, 9, 12, 47–49
U–Pb dating, 7, 8
 Dandong granite, 175, 176, **177–178**, 179
 Inner Mongolian–Daxinganling Orogenic Belt, 228, 229, 230, 231, 232
 Jiaodong Peninsula, 132, **312**
 mantle-lower crustal xenoliths, **58–59**, 68, 324–325
 Mesozoic igneous rocks, **81**, 164
 Yanshan volcanics, **194**, **195**
Uliastai margin, 10
ultra-high pressure metamorphic zone, 56
underplating, 49, 325–326
vitrinite reflectance and palaeotemperature
 method of analysis, 270
 results, 270–271, 272
 results discussed
 erosion effects, 274
 lithosphere boundary, 274–276
 palaeo heat flow, 274
 summary, 276–278
 thermal interpretation, 273–274
 theory, 269
volcanic events, Mesozoic, 319, **321**
 geochemistry
 analytical methods, 105, 112
 results, **106–111**
 results discussed, 112–116
 North China Craton rocks compared, 120–123
 petrography, 103–105
 petrogenesis, 116
 crustal contamination, 116–117
 fractional crystallization, 117–118
 source involvement, 118–120
 tectonomagmatic significance, 123–125
volcano-sedimentary cycles
 Dabeigou, 196
 Nandaling, 193
 Tiaojiashan, 193, 196
 Zhangjiakou, 196
volcanogenic massive sulfide, 5
Wangshi Group, 38, 45
Waziyu metamorphic core complex, 202
Weideshan granitoid, 303
West Beijing Basin, 240
West Liaoning metamorphic complex, 6
West Tianshan Block, 241
Western Beijing basalt, 37
Western Block of North China Craton (Ordos Block), 3, 4, 36, 60
 tectonic divisions, 172
Western Ordos Border Fault, 3
Western Shandong extension, 172
Wugingshan metamorphic core complex, 172
Wulian–Qingdao fault, 242
Wulian–Yantai fault, 172
Wulong pluton, 176, 179
Wutai Group, 5
Wutai Mountains, 3
Xar Moron fault, 10
xenoliths, 21, **43**, **44**, 46, **58**, **59**, 131, 201, 267, 331, 334, 336
 See also kimberlite
Xiadian Formation, 243, 246, 253, 255
Xiahuayuan Formation, 191, 193, **195**, 243, 245, 253
Xiangdaopu Formation, 243, 252, 253
Xiangmo pluton, 173
Xiangxi Formation, 243, 253
Xi'anli complex, 38
Xiaoheishan pluton, 173
Xiaohungshan suture, 9
Xiaotian Basin, 241
Xiaotian Formation, 38, 243, 251, 252, 253
Xiaotian–Mozitan fault, 240, 241, 242
Xiguayuan Formation, **194**
Xilamulun suture, 241
Xilin Hot microcontinent, 9
Xinglong fault, 192
Xinglonggou Formation, 37, 38, **260**
Xingshikou Formation, **195**
Xingzi metamorphic core complex, 172
Xinlonggou Formation, 243
Xinshikou Formation, 242, 243, 244, 245, 253
Xiong'er Group, 7, 8
Xishan basalt, 39
Xuanhua Basin, 240
Yagan–Onch Hayrhan metamorphic core complex, 202
Yangmulin pluton, 173
Yangtze Block. *See* Yangtze Craton
Yangtze–Cathaysia Block collision zone, 283, 288–289
Yangtze Craton (Block), 2, 36, 78, 132, 180, 181, 241, 281, 283, 289
Yangtze–Sino-Korea Block collision zone, 282–283, 285–288
Yanliao subsidence zone, 190
Yanshan fold-thrust belt, 202, 203, 204
Yanshan Movement (Mobilization), 239, 317
Yanshan orogenic belt, 103
 block interactions, 191–193
 compression evidence
 geochemistry, 322–324
 xenoliths, 324–325
 delamination model, 326–328
 fault distribution, 190

- Yanshan orogenic belt (*Continued*)
 geological setting, 189–190
 lithosphere disturbance, 196–197
 map, 102
 Mesozoic intrusives, 320, **321**
 Mesozoic volcanics, 319, **321**
 geochemistry
 analytical methods, 105, 112
 results, **106–111**
 results discussed, 112–116
 petrogenesis, 116
 crustal contamination, 116–117
 fractional crystallization, 117–118
 source involvement, 118–120
 North China Craton rocks compared, 120–123
 petrography, 103–105
 tectonomagmatic significance, 123–125
 multiple vergences, 318–322
 rift basins, 193–196
 stratigraphy, 104
 structural elements, 318, **321**
 subduction evidence, 325
 tectonic events, 318, **321**
 Laioning Province
 Triassic–Jurassic, 202–204
 Jurassic–Cretaceous, 204–205
 Cretaceous extension, 205–207, 214–216
 basins fill and facies, 209–214
 drivers, 217–218
 structures, 207–209
 timing, 216–217
 tectonic setting, 190–191, 317–318
 underplating evidence, 325–326
 Yanshan platform-fold belt. *See* Yanshan orogenic belt
 Yanshanian orogen, 12, 16, 17, 176, 191, 191–192
 Yellow Sea
 Bouguer gravity, 283–284, 286
 geophysical survey, 283–285
 Moho depth, 285
 seismic velocity, 284, 287
- Yinan gabbros, 38
 Yingshan–Dingyuan fault, 240
 Yinmawanshan granite pluton, 173, 180
 Yinshan–Yanshan belt, 240
 Yinshan–Yanshan orogen, 181
 Yinshan–Yanshan–Liaoxi belt, 79
 Yiwulushan granite, 174
 Yiwulushan metamorphic core complex, 172
 Yixian Formation, 38, 204, 243, 246, 253, 255, **260**
 Yuanbaoshan arc, 9
 Yuantongshan Formation, 243, 248, 249, 253
 Yumeng Shan metamorphic core complex, 172
 Yunmeng Shan metamorphic core complex, 180, 202, 203
 Yunxialing fault, 192
- Zhangbei–Guyuan basins, 243
 Zhangjiakou Basin, 240
 Zhangjiakou fault, 242
 Zhangjiakou Formation, 37, 192, **194**, 196, 243, 246, 247, 253, **260**
 Zhangqiao Formation, 243, 251, 252, 253
 Zhangwu basalt, 37
 Zhaofang pluton, 173
 Zhaotun granite pluton, 173, 180
 Zhaoyuan–Pingdu shear zone, 176
 Zhougongshan Formation, 243, 248, 249, 250, 253, 256
 Zhucheng–Rongcheng collision zone, 281
 Zhuxiang Formation, 243, 248, 251, 253
 Zibo carbonatites, 38
 zircon dating, 6, 8
 Dandong granite, 175–180
 Inner Mongolian–Daxinganling Orogenic Belt, **227**, 228, 229
 Jiaodong Peninsula, 132, **312**
 mantle-lower crustal xenoliths, **58–59**, 324–325
 Zuoping gabbro-diorite complex, 37, 38, 39