

# Index

Pages on which figures appear are printed in *italic*, and those with tables in **bold**

- ADN (allokinetic deformation number) 142–3, 144  
age of vein emplacements 333, 334–5, 340  
Ainsa basin 181–2, 186, **186**, 187, 188, 191, 192, 194  
allokinetic deformation 138, 139, 141–3, 144  
amplitude of stylolite peaks and relative displacement 35–6  
angularity changes across faults 93, 100  
anticrack propagation 28  
appearance of shear zones 78–81, 82, 83  
aragonite in chalk 57  
arenites *see* meta-arenites  
argillaceous sediments *see* clays  
Arran faults 91–104  
Arrats Mill, outwash sands 305, 307–10, 312–3  
asymmetrical slump folds 186, 187–9, 187, 193  
Autapie Nappe 147–61  
autokinetic deformation 138
- ball and pillow structures  
  as allokinetic indicators 141  
  earthquakes as triggers 299, 300, 302, 303–5  
  graben tectonics and 270–2  
ball clay, experimental deformation and 71, 79, 82, 83, 84, 85  
banana shaped basins 174, 174, 176  
bank collapse structures 317–8  
basal slump detachments 192–5  
basins  
  extensional and palaeotectonics 137–44  
  formation and slickensides 107–20  
  microfaulting and compaction 123–35  
  slump strain in 181–95  
  veins 325–40  
  *see also* banana shaped basins  
bedding  
  angular relationship of spaced cleavage zones to 199–200, 208–9  
  regional veins and 326  
  wet-sediment folds and 227–9  
benthos, activity in chalk 55, 57  
bimodal patterns, of poles to faults 103  
breccias 149, 152–5, 261  
brick clay, experimental deformation and 72, 79, 83  
brittle behaviour 12, 20  
  fractures in pressure solution-deposition 30, 31  
  progressive lithification and 155, 160  
  slickensides 110–1, 112, 114–8  
  water content in clays 83–4, 86  
browncoals in Kleszczów Graben 242  
buckle folds 187–9, 272–4, 277  
burial depth, indeterminate, and wet-sediment deformation 221–5, 225, 226, 227, 228, 231–4, 237  
burial related deformation 319–23  
calcite-filled veins, Autapie Nappe 149, 155, 157, 158, 160  
caldera development, Snowdonia veins and 327–9, 338  
Cam-Clay theory 1, 2  
capillary pressure, open dykelets and 39, 41, 44–5  
carbonates, unmetamorphosed *see* dolostones  
Carboniferous, Lower, Northumberland Basin 142–4  
cataclasis of grains, deformation bands and 151  
causes of deformation *see* processes of deformation  
cavities, growth of crystals within 29–31  
cementation 1  
Central Mobile Belt *see* Dunnage Zone  
chalk  
  experimental deformation of 4, 5, 65–8  
  mechanical behaviour of 6, 7, 55–61  
  Chojny Series 287, 291, 291  
  classification  
    of deformational structures in the Kleszczów Graben 256–63  
    of soft-sediment deformation 17–21  
  clays  
    consolidation of 58  
    experimental deformation of 71–2, 77–87  
    hydroplastic microfaults in 126–35  
    syn-diagenetic deformation in the Autapie Nappe 158  
  cleavage  
    relationship with bedding in wet-sediment folds 227–9  
    *see also* spaced cleavage zones  
  closed systems and spacing of tectonic layers 34–5  
  closure of dykes in hydrocarbon intrusion 47–8, 53  
  Coble Creep 2, 3  
  coccoliths in chalk 55  
  coefficients of transfer, creep relation and 25–6  
  cohesion, effect of faulting on 98  
  cohesionless materials 13, 14, 20  
  cohesive materials 12, 20  
    sand as 15  
    shearing experiments on soils 131  
  collapse pressures in chalk 57–8, 60  
  compaction  
    and microfaulting in the Soria Basin 134–5  
    definitions 1–2  
    differential *see* differential compaction  
  compositional limits of differentiated layers 33–4  
  compression  
    definitions 1–2  
    of chalk 56, 57–8, 59–61  
  compressive strength of chalk, and Young's Modulus 65, 67–9  
  computer-aided technique for determining stress tensors 133–4

- concretions, structures formed around in burial related deformation 320
- confined compression in chalk 56, 57–8, 59–61
- confining pressure  
 effective and grain cataclasis 151  
 strain rate, shear zones and 85
- consolidation  
 definition 1, 2  
 in chalk 56–7  
 of samples for experimental deformation 74
- convection, thermal in Snowdon caldera 329, 337–8
- convergent margins, syn-diagenetic deformation at 161
- convolute lamination 11, 17
- convoluted flame structures 280, 286
- convolution horizons, small-scale in the Kleszczów Graben 261–3
- creep  
 by pressure solution-deposition 25–37  
 indeterminate burial depth in wet-sediment deformation 237
- creep relation 25
- critical length of fractures 48
- critical state line 2, 6
- critical stress intensity 47–8
- cross-bedding, deformed 11–12, 17, 319
- crystals in cavities, growth of 29–31
- currents  
 causing flame structures 279, 280–6  
*see also* palaeocurrents
- curvature of fold hinges 187, 189, 192
- cycles, glacial, in the Kleszczów Graben 246, 287, 293
- cyclic liquefaction 12
- Czyżów Series 270–7, 291, 293, 295, 296
- decollements, layer-parallel, Autapie Nappe 158, 159, 160
- definitions of terms 1–6
- deformation bands 91  
 in Autapie Nappe sandstone 150–1  
*see also* faults
- deformation mechanisms *see* mechanisms
- deformation processes *see* processes
- deformation structures *see* structures
- densification  
 and creep 25  
 of chalk 56–7, 59–60  
*see also* dry density
- density gradients, unstable 17, 22, 293, 295, 317
- deposition  
 extension during 139–40  
 Silurian dolostones 201  
 zones of 29–31, 32, 34, 36
- dewatering pipes as allokinetic indicators 141  
*see also* water escape
- diachronous liquefaction initiation 305, 306
- diagenesis  
 and deformation mechanisms 159–60  
 chalk 55–7
- diapirs  
 flame structures like 280, 282, 285–6  
 mudlump caused by gravity spreading 166–7, 176, 177
- differential compaction  
 burial related deformation 319–23  
 sills and dykelets 49, 50
- differentiation, tectonic and pressure solution-deposition 31–7
- diffusion, open dykelets and 43
- diffusive-mass-transfer 2, 3
- dihedral angles, conjugate sets in Arran faults 99–100
- dimensional changes *see* volume changes
- dip  
 and density of chalk 59, 60  
 hydrocarbon intrusion and 51
- dip-slip faulting, hydroplastic slickensides and 107, 108–9, 111–2, 113, 117
- direct shear 74, 78–80  
*see also* shear testing
- discharge fluctuations and bank failures 318–9
- dish structures 307–8
- displacement of microfaults *see* movement
- dissolution  
 and stylolites 35–6  
 zones of 27–9, 32, 33, 34, 35, 36
- distributed shear 73, 74, 75, 78  
*see also* shear testing
- dolostones, Silurian 197–9, 201, 205–9
- downward migration of hydrocarbons 45, 53
- drag folds, endogenic processes and 272–3, 277
- drained compression in chalk 56, 59
- driving force systems 16–17, 18, 20  
 and pressure solution-deposition 25, 28  
 in the Kleszczów Graben 293–5
- dry density of chalk 55–6, 59, 60, 62, 65, 66
- ductile behaviour  
 Autapie Nappe sandstone 150–1, 152–3, 155, 160  
 deformation mechanisms for 11–14, 20  
 water content in clays and 83, 84, 86
- Dunnage Zone 214, 217, 218
- dykes  
 hydrocarbon 39–53  
 flame structures like muddy 280, 282, 286  
 quartz in the Soria Basin 135  
 sand *see* sand
- earthquake motions  
 allokinetic deformation and 137, 138–9  
 and liquefaction of sand 14–15  
 bank failures triggered by 315–6, 318–9  
 graben activity and 295–7  
 in Scottish Quaternary 299–305, 310, 312, 313–4  
*see also* endogenic activity
- effective confining pressure and grain cataclasis 151
- effective stress 2–3
- Elsterian  
 Upper, glaciodeltaic sequence 291, 293  
*see also* Czyżów Series
- endogenic processes 263, 269–77  
*see also* earthquake motions; subsidence
- estuary clay, recent 79, 82, 86
- euhedral crystals, growth in open cavities 29, 30
- examination of specimens, experimental deformation

- excess pore fluid pressure *see* overpressure
- exogenic processes 261
- experimental deformation of water-rich sediments 71–87
- extension  
 basins under 139–40, 142–4  
 gravity-driven emplacement of a submarine nappe and 147, 149, 160  
 gravity gliding and 174  
 hydrocarbon intrusion and 39, 45–6, 52  
 post-tectonic veins and 338–40
- fault-grading stratigraphy, earthquakes and 299, 312, 314
- fault planes  
 brittle and hydroplastic 109–14, 115, 116  
 hydroplastic microfaults and shearing experiments on cohesive soils 123, 126–31
- faulting  
 during extension 139–40, 143  
 endogenic processes and 261, 274, 276–7  
 in high-porosity sandstones 91–104  
 laterally spreading sand bodies 17  
 veins and 333, 334, 337  
*see also* fault planes; microfaulting
- feedback mechanism in tectonic differentiation 33, 36
- fibrous crystals, crack-seal process and 29–31
- fibrous quartz in Welsh Basin veins 337
- fissures 261, 274, 277  
*see also* tension cracks
- flame structures 270–1, 279–86
- flotation of organics 308, 312
- flowage structures 261, 272–3, 275, 277
- fluid escape *see* water escape
- fluid flow, Meikleour deposits 302
- fluid phase, crystals in cavities and 29, 31
- fluidization 12, 13, 14, 300  
 flame structures and 281–2, 285  
 unconsolidated sands 15, 16, 17, 20, 22
- fluids causing veins 326–7, 329, 333, 335, 338
- fluvio-deltaic strata, microfaulting in 123–35
- fluvio-lacustrine deposits 255–6, 261, 265, 269–77
- folds  
 classification of, in the Kleszczów Graben 256–61  
 gravity tectonics and 165–77  
 laterally spreading sand bodies 17  
 slumps 181, 186–95  
 wet-sediment 225–6, 227–37
- fracture condition, hydrocarbon dykelets 40–6
- fracture toughness 48
- fractures  
 brittle in pressure solution-deposition 30, 31  
 hydrocarbon migration and hydraulic 39–53  
 pre-tectonic veins and 326, 328–9
- friction angle and faulting, high-porosity sandstone 96–8
- glaciation in the Kleszczów Graben 243, 246  
*see also* glaciodeltaic deposits; glaciolacustrine deposits
- glaciodeltaic deposits 255–65, 279–86
- glaciolacustrine deposits 255–65, 279–86
- Glen Roy 310–4
- gold-bearing veins, Welsh Basin 330–1
- Goldenville Formation 199
- gouge zones 91  
*see also* faults
- graben tectonics as trigger for deformation 295–7
- grain mobilization and deformation bands 150–1, 156–7
- grain size changes in New Red Sandstone 93, 95, 99–100
- granulation seams 91  
*see also* faults
- gravitational body force as driving force system 17, 22
- gravitationally unstable density gradient *see* density gradient
- gravity gliding 155–74, 177
- gravity-induced deformation 140–1  
 in the Kleszczów Graben 287–97  
 similarity to hydroplastic faults 118, 120  
 wet-sediment sliding 213–8, 220–1, 229, 234–5, 237  
*see also* gravity gliding; gravity spreading
- gravity spreading 166–7, 174–7
- Greenland, North, Fold Belt *see* Peary Land
- Grindosonic apparatus 63–4, 65, 68–9
- growth rate of intrusion fractures 46–7
- halokinesis, glacial cycles and 242, 243, 246, 248
- hardness of chalk 59–61, 63
- Harlech Dome 332–4, 340
- helictic flame structures 282–5, 285
- Helminthoid Flysch turbiditic series 147–61
- heterogeneity, initial and pressure solution-deposition 29, 31, 34–5, 37
- High Atlas, hydroplastic slickensides in 107–20
- high-porosity sandstones, faulting mechanisms in 91–104
- histories of deformation  
 Autapie Nappe 155–7  
 Kleszczów Graben 245–8  
 Point Leamington formation 229–34  
 Soria Basin 134–5  
*see also* process of deformation
- Hog's Back, Surrey, chalk samples 59–61
- Holocene deposits in the Kleszczów Graben 248–50
- hydraulic fracturing, hydrocarbon migration by 39–53
- hydraulic jacking, veins and 326
- hydrocarbons  
 migration by hydraulic fracturing 39–53  
 reservoirs of 3, 6–7
- hydroplastic microfaulting 123, 126–35
- hydroplastic slickensides *see* slickensides
- ice weight hypothesis *see* gravity spreading
- imbricate structures, gravity spreading and 167, 174, 176
- impulsive liquefaction 13
- index of deformation (ADN) 142, 144
- inherent failure processes and tectonic activity 315
- injection structures 153–5, 156, 157, 158, 316

- interconnection of sills and dykelets 49, 50–3  
 internal extension fractures 39–40  
 intrafolial sediment deformation and neotectonics 138–9  
 intrusion extension fractures 39–53  
 irregular stringers (veins) 331  
 isolated flames 285–6
- jacking, hydraulic 326  
 Jurassic, Middle *see* Ravenscar Group
- kaolinite, experimental deformation of 71, 79, 82, 83, 85  
 karst phenomena in the Kleszczów Graben 236  
 Khalassa Basin 182–6, 189, 190, 191, 192, 194  
 Kinloch Hourn fault 312, 313  
 Kleszczów Graben 241–97  
 Kuroko-type process, modified for vein formation 327
- laminations and shear zones 78, 79–80, 81–3, 85  
 landslides 167–9, 168, 169, 170, 171  
 layering  
 sample preparation for experimental deformation 73  
 tectonic differentiation and 31–5, 36–7  
 limits of deformation, Scottish Quaternary 307  
 liquefaction 13, 300  
 and deformation structures in the Kleszczów Graben 257–61, 296–7  
 and fluid escape in syn-sedimentary deformation 316  
 earthquake-initiated 303, 305, 306, 313  
 in sand 14–15, 20  
 intrafolial sediment deformation 138–9  
 liquification 11–12, 14–17, 300  
*see also* fluidization; liquefaction  
 lithification 3–4  
 and hydroplastic faults 118  
 mechanical properties during 6  
 of chalk on the seafloor 56–61  
 syn-diagenetic deformation and 154–5, 157–8, 160  
 lithology of shear zones 81–3  
 lithons and cleavage zones in meta-arenites 200–1, 204, 205  
 load, unevenly distributed confining 16–17, 21, 22  
 load casting  
 in the Kleszczów Graben 261, 270–2, 275, 296–7  
 flamed structures 280, 285, 285  
 load structures  
 density instability and 316  
 shock-induced 299  
 unconsolidated sands and 11–12, 17  
 loading in the Meikleour deposits 300  
 Lockport Formation *see* dolostones
- magmatic processes and veining 329, 337–8  
 marlstone layers in the Autapie Nappe 158–9  
 Maroni Basin 182–3, 190, 194  
 mass flow in the Meikleour deposits 302
- mass transfer  
 as mechanism for dimensional change 197–209  
 driving force for in pressure solution-deposition 25–6, 28, 32–3, 34–5, 37  
*see also* oxides  
 mechanical behaviour of chalk 57–61  
 mechanisms of deformation  
 gravity tectonics 165–77  
 in chalk 57–61  
 in the Autapie Nappe 147–61  
 in unconsolidated sands 11–13, 14–16, 18, 20  
 shear zones in water-rich clays 85–7  
*see also* processes of deformation  
 Meguma Group, meta-arenites 199–201, 205, 207–9  
 Meikleour deposits 300–5, 313  
 melanges 149, 161  
 meta-arenites 199–201, 205, 207–9  
 metagreywackes *see* meta-arenites  
 metalliferous veins, Snowdonia 327–9  
 metamorphism  
 meta-arenites and mass transfer during 197–209  
 Soria Basin development 135  
 microfaulting  
 Autapie Nappe 149, 150–3  
 hydroplastic in the Soria Basin 123, 126–35  
 microstructures  
 experimental deformation and water-rich sediments 71–87  
 in the Autapie Nappe 149–59  
 on hydroplastic slickensides 111, 114–8  
 microstylolites 197–8  
 Migneint area 335–7, 340  
 migration of hydrocarbons by hydraulic fracturing 39–53  
 mineralization of veins and faulting 334  
 Miocene sediments in the Kleszczów Graben 245  
 modal analysis of Goldenville meta-arenites 200  
 movement, criteria for sense of 109–14, 127–30  
 mudlump diapiric structures 176, 177  
 mudslides 167  
 mudstone  
 injections in wet-sediment deformation 227  
 layers in the Autapie Nappe 157–8  
 multimodal patterns of poles to faults 92, 103
- Nabarro Herring Creep 2, 3  
 nappes, formation by gravity gliding 167, 171, 174  
*see also* Autapie Nappe  
 Needham Market, chalk samples from 57–9  
 neotectonics 137, 138–40  
 New Red Sandstone, Isle of Arran 91–104  
 Northumberland Basin 142–4  
 Notre Dame Bay, wet-sediment deformation in 218–37
- Ogofau veins 330–1  
 open dykelets 43–5, 46, 52  
 open systems, spacing of tectonic layers 34  
 Ordovician, Upper *see* Point Leamington Formation  
 organics, flotation of 308, 312  
 orientation of shear zones 78, 81–3, 85–6  
 overburden  
 changing and burial related deformation 319–20, 323

- overburden (*cont.*)  
 deformation of chalk 57–61  
 hydrocarbon intrusions and 41–5, 49, 52
- overconsolidation 4
- overgrowths, tectonic 29–31
- overpressure  
 definition 3  
 hydrocarbon intrusions and 41, 43, 44–6  
 transient and stress overshoot 101
- oxides, gain and loss in mass transfer during metamorphism of arenites 201, 205
- palaeocurrents  
 data from in Point Leamington Formation 228–9, 235, 237  
 flame structures and 280, 285
- palaeoslopes 181, 194, 195
- palaeotectonics 140–4
- Palaeozoic, Lower in the Welsh Basin 325–40
- patterns of faults and bulk strain 102–4
- peak strengths of argillaceous sediments and water content 83–5
- Peary Land, gravity gliding in 171–4
- penecontemporaneous deformation in the Kleszczów Graben 269–77, 287–97
- penetration depths of downward growing dykes 45
- penetrative sediment deformation and neotectonics 139–40
- permeability and hydrocarbon intrusion 45, 52
- pervasive homogenous flow 77, 87
- pillow structures 302–4, 307–8  
*see also* ball and pillow structures
- plant material and burial related deformation 321–2
- plastic behaviour 12, 15, 20
- Pleistocene, late, sediments in the Kleszczów Graben 248
- Pliocene sediments in the Kleszczów Graben 246
- Plynlimon Dome 334–5, 340
- podiform veins 331
- point-counts in New Red Sandstone 93, 99–100
- Point Leamington Formation 218–37
- Poisson's ratio and hydrocarbon intrusions 42–3
- poles to faults, patterns in New Red Sandstone 103
- polyphase deformations in the Kleszczów Graben 263
- 'ponding' of hydrocarbons 41
- pore fluid pressure 4  
 and deformation in the Kleszczów Graben 257–61, 293, 295  
 and hydrocarbon intrusion 40–6, 47–8, 52  
 and microstructures in the Autapie Nappe 159, 160  
 transient increases in faults 101, 104
- pore space 4
- pore throat 4
- porosity 4  
 and behaviour of chalk 6–7, 55–6, 65–7, 68  
 and grain cataclasis 151  
 sandstone with high 91–104  
 variations in dolostones 201, 206, 207
- Portland Limestone 7, 65–8
- post-tectonic veins 332–7, 338–40
- pot clay, experimental deformation of 71–2, 83
- pre-lithification deformation 5–6  
*see also* soft-sediment deformation
- preparation of samples  
 for experimental deformation 72–4, 78  
 for Grindosonic testing 64
- pressure  
 capillary *see* capillary pressure  
 effect of confining and strain rate on shear zones 85  
 pore fluid *see* pore fluid pressure  
*see also* overpressure
- pressure solution diffusion 2, 3
- pressure solution-deposition creep 25–37
- pre-tectonic veins 326–9, 330, 338
- processes of deformation  
 faulting in high-porosity sandstones 96–104  
 hydraulic fracturing and hydrocarbon migration 39–53  
 hydroplastic faults 118–20  
 in the Autapie Nappe 158–61  
 in the Kleszczów Graben 242–3, 248–50, 255–6, 274–7, 285–6, 293–7  
 in the Northumberland Basin 142–4  
 in the Point Leamington Formation 234–7  
 in the Scottish Quaternary 305, 306, 310, 312  
 in the Yorkshire Basin 315–23  
 in unconsolidated sands 11–21  
 in water-rich clays 77–87  
 mass transfer and volume loss 207–9  
 microfaulting in the Soria Basin 134–5  
 pressure solution-deposition creep 25–37  
 slump folds 187–95  
 veins in the Welsh Basin 338–40
- prod marks, microfaults and 127–9
- Purbeck, Isle of 61, 64–5
- quartz  
 dykes in the Soria Basin 135  
 in metamorphism of arenites 200–1, 202–3, 205, 207, 208  
 veins in the Welsh Basin 330–1
- Quaternary sediments  
 earthquake motions in 299–314  
 flame structures in 279–86  
 gravity tectonics and 165–77  
 penecontemporaneous deformation horizons in 287–97
- rate of deformation and solution-deposition 25, 34–5
- ratio of strengths 12–3
- Ravenscar Group 315–23
- recumbent-folded cross stratification as allokinetic indicator 141
- recumbent folds  
 in slumps 186–7, 192, 193, 195  
 tangential shear causing 17
- refolded folds in slumps 186–7, 192, 194–5
- regional pre-tectonic veins 326–7, 337
- relative fault movements 109–14, 127–30
- residual strength of argillaceous sediments 85
- rigidity *see* hardness
- rock mechanics 4
- rolling cylinder experiments and flame structures 280

- rotation  
of folds 192, 194–5  
of particles, and shear zones 86
- Saalian Chojny Series 291, 292
- saddle reef veins 331
- salt diapirs 242, 248
- sample preparation *see* preparation
- sand  
deformation processes in unconsolidated 11–21  
-dyke injections 288, 152–5, 156  
flame structures in 281  
intrafolial sediment deformation in 138  
volcanoes 316  
*see also* sandstone
- sandstone  
bodies and burial related deformation 321–3  
faulting mechanisms in high-porosity 91–104  
hydroplastic slickensides in 107–18  
syn-diagenetic deformation of 149–57, 158–61  
water escape structures in 125–6
- saturated moisture content 59, 62
- SCZ *see* spaced cleavage zones
- seafloor lithification of chalk 56–8, 61
- secondary compression of chalk 56, 59
- secondary microfaults on slickensides 111–2, 114, 115, 116, 128–9
- sediment, restriction of term 6
- sedimentary sediment deformation (as opposed to tectonic sediment deformation) 214
- sedimentation from the liquefied state 15
- sedimentation fronts 13
- seismic processes *see* earthquake motions
- seismites 138
- self-healing of fractures 30, 31
- self-induction of chemical differentiation 33
- sense of fault movements *see* movements
- sensitivity 12
- settlement of sediments 72–3, 139
- shear deformation 4, 14  
and folds in slumping 187–9, 194, 195
- shear testing  
clays 73, 74, 75, 78–80, 81, 86  
cohesive soils 131
- shear zones  
in the Kleszczów Graben 261  
in water-rich clays 77–87  
on slickensides 111, 114–8, 118, 120
- sheath folds 187, 189, 195
- shock waves causing flame structures 279, 282–5  
*see also* earthquake motions
- shortening  
bulk and volume loss 205, 207, 209  
of slumps 187–9, 193, 195
- Shropshire, West, post-tectonic veins in 337, 339
- SiO<sub>2</sub>, removal from spaced cleavage zones 201, 205, 207, 208
- sills 39, 45, 48–53
- siltstones, hydroplastic microfaults in 126–35
- simulation of sediments in the laboratory 71–4
- slickensides  
hydroplastic 107–20  
hydroplastic microfaults and 127, 130, 131–4  
microfaulting in the Autapie Nappe 150, 151–3  
sliding, superficial sediment 213–4, 220–1, 229, 234–5, 237  
*see also* gravity-induced deformation
- slip  
in the New Red Sandstone 91–2, 98–9  
of particles in shear zones 86, 87
- slope  
influence in deformation 308  
instability and bank erosion 317–9
- slump folds  
and models of soft-sediment deformation 181–95  
and wet-sediment deformation 234–5
- slumping at Glen Roy 310
- Snowdonia pre-tectonic veins 327–9, 337–8
- soft-sediment deformation  
definition 5–6  
wet-sediment deformation and 213–4
- soil mechanics 4
- solubility of a solid in its solution 25, 26, 33–4, 37
- Soria Basin 123–35
- spaced cleavage zones (SCZ) 197, 199–200, 205, 207, 208–9
- spaced solution zones (SSZ) 197–9, 200, 205–7, 208
- spacing  
of hydrocarbon dykes 46, 47, 48  
of tectonic layers 34–5
- specialized materials for experimental deformation 76
- spreading, lateral, of bedding plane sills 49
- 'squelch' structures 317
- SSZ *see* spaced solution zones
- static liquefaction 13
- strain  
and microstructures in the Autapie Nappe 158–9  
and shear zones 84–5, 86–7  
*see also* stress; stress-strain curves
- strain ellipsoids in meta-arenites 200, 201
- strain-hardening faults 92, 96, 98–101, 102–4
- stratal disruption in the Autapie Nappe 149, 158–60
- strength  
and water content in clays 83–4  
measurement of compressive 65, 67–8
- strengths, ratio of 12–3
- stress  
deviatoric and pressure solution-deposition 25, 26, 28–9, 31–2  
effective 2–3  
history of Needham Market chalk 58–9  
needed for deformation 16  
*see also* strain; stress-strain curves
- stress paths for chalk 4–5
- stress ratio 5
- stress-strain curves  
for chalk 6, 58  
for clays 79, 83–5  
for strain-hardening faults 98–102
- stress tensor, microfaulting 131–4
- strike-slip faulting 107, 109, 112, 113, 115
- structures, deformation  
and classification of soft-sediment deformation 18, 20  
and palaeotectonics 140–4  
characteristic of wet-sediment deformation 219–20

- structures, deformation (*cont.*)  
 earthquake-induced in the Scottish Quaternary 300–5, 307–12  
 in the Autapie Nappe 149–58  
 in the Kleszczów Graben 243–50, 256–63, 270–7, 280–6, 287–97  
 in the Yorkshire Basin 315–23  
*see also* microstructures
- stylolites 35–6, 37  
*see also* microstylolites
- submarine gravity nappe emplacement *see* Autapie Nappe
- subsidence, tectonic in the Kleszczów Graben 242, 243–5, 246, 248, 255  
*see also* endogenic processes
- superficial fluid velocity 14, 14
- superficial sediment sliding *see* sliding
- symmetrical slump folds 186, 187, 194
- synchronous liquefaction initiation 305, 306
- synclines in the Czyżów Series 274, 274, 277
- syndiagenetic deformation 159, 160–1
- syn-sedimentary deformation 315–9
- syn-tectonic veins 329–31, 338
- tangential shear stress, effects of 17, 18
- tectonic activity  
 and hardness of chalk 59, 60–1  
 in the Yorkshire Basin 315–6  
*see also* earthquake motions; endogenic processes; subsidence
- tectonic sediment deformation (as opposed to sedimentary sediment deformation) 214
- temperature and pressure solution-deposition creep 25, 29
- tension cracks  
 in brittle slickensides 111, 114  
 in the Kleszczów Graben 261, 263, 266, 274, 277  
 in the Soria Basin 135
- tension gash arrays of veins 331
- termination of hydrocarbon intrusion 47–8
- terminology, need for standardization 1
- Tertiary sediments *see* Khalassa Basin; Maroni Basin; Miocene; Pliocene
- thickness-weighted deformation length *see* ADN
- thin sections  
 Arran faults 92, 97  
 brittle and hydroplastic slickensides 114–8, 117, 118, 119, 120  
 preparation after experimental deformation 75, 78  
 wet-sediment deformation 226, 227
- thixotropy 12
- thrust fault regions and gravity gliding 165, 169, 171–4
- thrusting, and folding in wet-sediment deformation 236
- time, evolution with, of deposition and dissolution 29–31
- Tine-Mal Zone 108, 109, 111, 114
- Tizi n'Test fault zone 107, 108, 109, 110
- total stress 4
- translation of slumps 193–4, 195
- transport distance in dolostones and meta-arenites 207, 208, 209
- Triassic outcrops, slickensides in 107–20
- triaxial compression tests 74–5, 76, 78  
 and shear zones in clays 80, 81, 82, 84, 85–6
- triggers 14, 15, 22  
 graben tectonics as 295–7  
*see also* mechanisms of deformation; processes of deformation
- truncation surfaces in the Meikleour deposits 303–4
- tulip structures 304
- turbiditic series, syn-diagenetic deformation of 147–61
- turbidity currents *see* currents
- unconsolidated sands 11–21
- unevenly distributed confining load 16–17, 21, 22
- uniaxial stress path 4–5
- uniaxial stress ratio 5
- Variscan extension in the Welsh Basin 338–40
- veins  
 and pressure solution-deposition 31  
 in the Autapie Nappe 149, 155, 157, 158, 160  
 in the Welsh Basin 325–40
- vertical shear stress, effects of 18, 19
- vibration, Grindosonic apparatus and 63
- viscous behaviour 12, 20
- Vistulian Piaski Series 287, 288–9, 291
- void ratio 4
- volcanoes, sand *see* sand
- volume  
 and stress 2  
 changes and internal deformation 33–4  
 losses in metamorphism of arenites 200–1, 205, 207, 209  
 of cavities and deposition 29
- Vøvedal thrust fault region 171–3
- water  
 enhanced role in Meguma rocks 207, 209  
 flame structures caused by *see* currents
- water content of clays, deformation and 78, 79, 83–4
- water escape structures  
 as allokinetic indicators 141  
 in sandstones 123, 125–6, 135  
 in unconsolidated sands 18  
 syn-sedimentary deformation and 315
- water-rich sediments 71–87
- wavelength of tectonic stylolites 36
- wax model for gravity spreading 166
- wedge-shaped tension fissures 274–277
- Welsh Basin 325–40
- wet-sediment deformation  
 and soft-sediment deformation 213–4  
 in the Point Leamington Formation 219–37
- Wight, Isle of, chalk samples from 59, 61
- wrinkle marks (flame structures) 280
- yield strength  
 deformation mechanisms and 11–12

yield strength (*cont.*)

  of chalk 7, 58

yield surface 5

Yorkshire Basin 315–23

younger-on-older stratigraphic units 165–6, 173

Young's modulus for chalk 7, 63, 65–8

zones of deposition *see* deposition

zones of dissolution *see* dissolution