

Index

Figures are shown in *italic* font, tables in **bold**

- African Superswell 314
Alkyonides 1981 earthquake 12, 15, 18–21
 comparison 22, 24, 25, 26, 28
Almería 1522 earthquake 219, 232
 epicentre 220
Alpine orogeny 97, 239, 257
Altai 2003 earthquake, Russia 4, 75–81, **90**
 aftershock sequence 78–81
 epicentre 76–77, 79
 palaeoearthquake 78, 83
 surface faulting 78, **90**
anticlines, Hebron Fault 306–308
Apennines, epicentral intensity 27
archaeoseismology, Roman site in Germany 203
archeoseismic case history 5
 Baelo Claudia 93–118
 Kückhoven, Neolithic well 189–203
Astor Valley 2002 earthquake 157, 160
Athens, earthquake effects 20, 21, 25, 26
Atlantic rift shoulder 293
attenuation curve 26, 27, 28
- Baelo Claudia*, Spain, palaeoseismology
 of Roman site 5, 93–118
 age 117
 building damage 101, 107–111
 earthquake intensity 117
 geology of site 96–97, 102, **105**
 ground penetrating radar survey 94, 111–117
 palaeoseismic indicators 98–101
 seismicity 97–98
 settlement history **103–104**
 tectonic setting 94–96
Balakot city, earthquake damage 263, 264
Balakot-Bagh Fault *see* Muzaffarabad Fault
Banda Aceh tsunami, 2004 217
Baudo Fault 126
Benis Cave, Spain, palaeoseismicity 208–215
 geology 208–211
 palaeoseismic study 211–213
Bogd 1957 earthquake 270
Bolonia Bay, Spain, palaeoseismic records 93–118
box-frame construction, Neolithic
 well 192–194, 196–197
Bronze Age earthquakes, Sweden 184, 186, 187
buildings and intensity assessment 74
buildings, earthquake damage
 Baelo Claudia 101, 106, 107–111, 113, 115, 117
 Colombia 137, 138
 Greece 17, 23
 Japan 87
 Pakistan 163–170, 262–264
- Cabo de Gata lagoon, tsunami deposits 218
 core and logs 222–226, 228, 229
 geology 219–221
 sedimentation rate 230–231
Cabo de Gracia Fault 96, 97, 98, 118
calcrete, Namibia 297, 298, 301, 304, 307, 308
Cape of San Vicente, seismic source 94
Carboneras Fault Zone 218, 219, 232
Carrizales Fault 98, 100
cataclastite 310
cave collapse 208, 211, 215
Central Weather Bureau intensity
 scale (CWB) 61, 68, 69, 70
centroid moment tensor (CMT) 77, 78, 79, 84, 85,
 129, 131
charcoal burning 45
Chelungpu Fault **58**, 65, 67, 68, 69
Chi-chi 1999 earthquake, Taiwan 55, 56, 67–70,
 270, 290
 source parameters **58**
Chihhu Fault **58**, 63, 65, 66, 67
China, historic earthquakes vii
Chocó block 125
Chuetsu 2004 earthquake, Japan 55, 60–61, 63, 64
 source parameters **58**
CMT *see* centroid moment tensor
Colombia, application of ESI scale 124–125
Colombia, earthquake parameters **128**
columns, collapse 107, 109, 117
coral flowstone 208, 211, 212, 213
cosmogenic isotope measurements 310
Crete tsunامي 94
CWB *see* Central Weather Bureau intensity scale
- debris, Hebron Fault 300, 302, 303, 304, 305, 307
deglaciation and seismic activity,
 Scandinavia 173, 177, 180, 187
Denali 2002 earthquake 270
dendrochronology 192
Douro River 238, 239
 deflection 243
 geomorphology 240–242
- earth slide 185–186
earthquake damage, Neolithic well 197–199
earthquake environmental effects
 (EEE) 11–22, 26
 comparison with macroseismic effects 86–87
 intensity assessments 73–75, 163, 164–170,
 186, 187
 summary 2, 6–10, **13–14**
earthquake hazard vii
earthquake map
 Corinth Gulf 18
 Greece 15
 Greenland 176
 Himalayan Fold Belt 261, 262
 Japan and Taiwan 57
 Pakistan, north 157
 Rhine, northern 190
 Scandinavia 174
 Sweden 180
 Turkey 32

- earthquake prediction, North Anatolian Fault 52–53
 earthquake rupture model 280–287
 earthquake victims vii, 123, 130, 155–156, 259, 260
 earthquake, effects 1–3, 12–26
 summary chart **13–14**
 earthquake, records in caves 207–208
 earthquake, variable slip orientations 286
 earthquakes
 Africa, south-west 296
 Colombia **128, 129**
 Gibraltar 97–98, 117
 intercontinental 237
 Japan and Taiwan 57, **58, 59**
 New Zealand 279, 281
 Scandinavia 173–177
 earthquakes, surface rupturing 274–287
 EEE *see* earthquake environmental effects
 Elia earthquake 1988 25
 EMS *see* European Macroseismic Scale
 endokarst 207
 environmental effects *see* earthquake environmental effects
 Environmental Seismic Intensity–ESI 2007 scale vii, 1, 11–28, 73–75
 comparison with European Macroseismic Scale 17, 23
 hazard assessment, Greece 26–28
 intensity assessment 123–142, 169
 limitations and comparison 22–26
 method of application 56–57
 scale and definitions 6–10, **13–14**
 summary chart 2
 Environmental Seismic Intensity scale, application
 Greece 11–28
 Japan 55–61, 69
 Pakistan 169, 170
 Spain 117
 Sweden 187
 Taiwan 55, 57, 61–70
 epicentral intensity 4–5, 27, 74–75
 Altai 78, 79, **90**
 Apennines 27
 Murindo 140–141
 Muzaffarabad 170
 Neftegorsk 85–86
 epicentre and ESI intensity scale 69
 epicentres, Namibia 296
 ESI *see* Environmental Seismic Intensity–ESI 2007 scale
 European Macroseismic Scale (EMS) scale 1, 12, 98
 74, 163, 169
 comparison with ESI 2007 17, 23
 extrusion model, western Iberia 239

 fan, Kavak River 39, 40, 41
 faults, active 99
 Altai, Russia 79, 80, 81, 83, 86
 Benis cave 208, 212
 Carboneras 233
 Gibraltar Strait 95
 Hebron 314
 Japan and Taiwan 57, **59**
 Muzaffarabad 260, 262, 262
 Pakistan 157
 North Island New Zealand 272
 Rhine Embayment 194–195
 Turkey 32, 35–36, 39
 Köseköy site 47–51
 Vilarica, Portugal 242
 Fennis Wolf 184, 187
 fissures 20, 21
 flysch, Gibraltar Arc 96–97, **105**
 folklore and seismology 184, 186, 187
 fractures 40, **74, 107**
 ESI scale 2, 6–10, **14**
 Greece 16, 17
 Muzaffarabad 162–168

 geodetic studies vii
 geology and geomorphology, *Baelo Claudia* 96–97, 102, **105**
 geomorphology, Hebron Fault 297–301
 geomorphology, Vilarica 240–242
 geotechnical data 93, **105, 113**
 Germany 190, 192
 Neolithic site 192–194, 196, 198
 Germany, archaeoseismic case history 189–203
 Gibraltar Strait, palaeoseismology 93–94
 geodynamic setting 94–96
 geology 96–97
 glacial isostatic uplift 179
 glaciation and seismic activity 173, 177
 graben-like structure, Hebron Fault 306, 307, 312
 gravitational collapse, Namibia 314
 Great Escarpment 293, 300, 314
 Greece, earthquake map 15
 Greenland, earthquake regime 173, 177
 ground cracks 6
 Altai earthquake 79
 ESI scale 2, 3, 4–5
 Murindo 132
 Muzaffarabad earthquake 164–166
 ground effects 6–10
 Kobe earthquake 62
 Murindo earthquake 123–142
 Muzaffarabad earthquake 163–170
 ground penetrating radar survey, *Baelo Claudia* 94, 111–117
 method 111
 profiles 114–115
 ground shaking 315
 Almería 219
 Pakistan 160, 163, 265
 Gulf of Almería 218, 219
 Gulf of Saros, ruptures 32
 gypsum 221, 230, 231–233

 Hazara-Kashmir Syntaxis 260, 261
 hazard assessment *see* seismic hazard assessment
 Hebron Fault, Namibia 5, 293–315
 activity, present-day 314
 age 301
 in basement rocks 308–310
 breccia 310
 displacement 310–312, 315
 free face 304, 307
 Great Escarpment 293, 300, 314

- jog 295, 306, 308, 312, 314
 lithologies 297–301, 309–310
 map 298
 method of investigation 296–297
 satellite image 295, 313
 scarp geomorphology 297–301, 302–304
 scarp profile 302, 303, 308–309
 structural features 304–315
- Himalayan Fold Belt, recent seismicity 259–266
- Hellenic Trench 15
- Hsinchu-Taichung 1935 earthquake,
 Taiwan 55, 61–67
 source parameters **58**
- Hyogoken-nanbu 1995 earthquake *see* Kobe
- Indus-Kohistan Seismic Zone (IKSZ) 158, 259–266
- INQUA Subcommission on
 Palaeoseismology vii–viii, 1, 11, 55
- intensity assessment 73–75
 Muzaffarabad 169–170
 Sweden 180–187
- intensity degrees, definition 6–10
- intensity values 11, 12, **27**, 100
- International Union for Quaternary
 Research *see* INQUA
- Iran, historic earthquakes vii
- Iron Age, earthquakes 186, 187
- isoseismal contour, Japan and Taiwan 70
- isoseismal map, Murindo earthquake zone 140–141
 Muzaffarabad 161
- isoseismal patterns 17, 18, 20, 21
 comparison 24, 26, 27, 28
- Istmina Deformed Zone 126
- Izmit 1999 earthquake 32
- Izmit–Sapanca segment, North Anatolian Fault 44–51
 earthquake prediction 52–53
- Japan Meteorological Agency intensity
 scale (JMA) 60, 61, 62
- Japan, application of ESI scale 55–61
 method 56–57
- JMA *see* Japan Meteorological Agency
 intensity scale
- jog, Hebron Fault 295, 306, 308, 312, 314
- joints, Hebron fault 311
- Kaghan 2004 earthquake 157, 160, 260
- karst, palaeoseismic study 207, 211–213
- Kashmir Thrust, surface rupture 158–170
- Kavak River 33
- Kobe 1995 earthquake, Japan 55, 57–60, 62, 150
 source parameters **58**
- Köseköy site 47–51
 timing of events 49–51
- Kunlun 2001 earthquake 5, 145, 146
 liquefaction structures 147–153
 magnitude 150, 152
 recurrence interval 152
- Kunlun Fault 145–153
 satellite image 146
 seismicity 145, 147
 topography 146, 148
- Kythira 2006 event 12, 15, 21–22, 23, 26, 28
- La Laja Fault 96, 97
- La Laja range front 97, 98–99
- landslides **74**
 Colombia 129, 132–137
 ESI scale 2, 6–10, **13–14**, **59**
 Gibraltar 96, 106, 108, 109, 113, 115, 117, 118
 Greece 16, 17, 21, 24, 25
 Japan and Taiwan 57, 58, 63, 67
 ESI scale 60–61, 66, 68–70
 Pakistan 163–170, 264, 265
 Russia 79, 81
 Scandinavia 175
- Lefkada 2003 earthquake 26
- Linear Bandkeramik Culture (LBK) 190, 202
- liquefaction 5, 17, 18, 20
 Colombia 132, **133–135**, 137–138, 139, 142
 ESI scale 2, 3, 9, 10, **14**, 16, **59**, 142
 Japan and Taiwan 57, 58, 61, 63
 Pakistan 163
 Russia 79, 82
 Sakhalin Island 89
 Scandinavia 174, 179, 180, **181**, 184, 186
 Spain 98
 Turkey, Ottoman Canal site 46
 Turkey, Saros site 35–36, 39, 40
- liquefaction and faulting, Tibet 147–153
- Lisbon 1775 earthquake 94, 98, 257
- Loma Prieta 1989 earthquake 270, 290
- Lövenicher Sprung fault 195, 199, 203
- M7.3 1912 earthquake (Turkey) 33
 1894 51
- macroseismic intensity scale 1–3
- macroseismic effects **74**, 75, 82, 86
- magnitude and fault scarp height 312
- magnitude intensity 26
 Almería 219
 Kunlun 150, 152, 153
 Mula 214
 Muzaffarabad 155, 170, 260, 264, 266
 North Island New Zealand 285, **287**, 290
 Rhine, north 190, 195
 Scandinavia 174, 176, 180–187
 Vilarica site 242, 256
- magnitude values **27**
 comparison of data sets **187**
- Manteigas-Bragança Fault 5
 map 238
 tectonic setting 238–239
see also Vilarica Fault
- Manyi 1997 earthquake 147
- MCS *see* Mercalli-Cancani-Sieberg macroseismic
 intensity scale
- Medvedev-Sponheuer-Karnik scale (MSK) 1, 117, 214
- Mercalli intensity map
 Murindo earthquake 130
 Muzaffarabad earthquake 161, 168
- Mercalli macroseismic intensity scale 1, 25
- Mercalli-Cancani-Sieberg macroseismic intensity scale
 (MCS scale) 1, 3, 12, 20, 170
- meteo-tsunami 231
- methane venting tectonics 183
- Micro Seismic Studies Programme (MSSP) 157
- microstructures in faulting 309–310

- Middle Stone Age, age constraint 301
 Mitata village 21, 22, 23, 24, 25
 MM *see* Modified Mercalli 1956 scale
 MMI *see* Modified Mercalli 1956 scale
 Modified Mercalli 1956 scale (MM and MMI) 1, 130, 142, 162
 Muzaffarabad **159–160**, 161, 264
 Mohaka Fault 271, 272, 273, 275, 279–280
 MSK *see* Medvedev-Sponheuer-Karnik scale
 mud volcanoes, Murindo 132, 138–139
 offshore Namibia 294, 314
 Mula 1999 earthquake 5, 208, 211
 seismotectonics 214–215
 Murindo 1992 earthquake 5, 129–142
 environmental effects 132–140
 ESI assessment 124–125, 140–141
 fatalities 123, 130
 focal mechanism 131, 132
 geomorphology 125–127
 historical seismicity 127–129
 source parameters **131**
 tectonic setting 125, 126
 Murindo Fault 124, 126, 127
 geomorphology 125
 Murri Fault 126
 Mutata Fault 125
 Muzaffarabad 2005 earthquake 155–170, 259–266
 epicentre 156, 170
 fatalities 155–156, 259, 260
 field evidence 161–163
 focal mechanism 261–263
 intensity 163, 168–170
 landslides 264, 265, 266
 maps 156–158
 Modified Mercalli values **159–160**, 161, 264
 rupture 264–265
 seismological observations 160–161, 261
 seismotectonics 259–261
 source parameters **156**
 surface effects 164–168, 263–266
 Muzaffarabad Fault 156, 259
- Namibia, Hebron Fault rejuvenation 293–315
 nappes, Gibraltar 97
 natural locality, intensity assessment 74
 NCSE *see* Seismic Code of Spain
 Neftegorsk 1995 earthquake, Sakhalin Island 4, 81, 84–87, **90**
 aftershock 84–86, 87, 88, 89
 epicentre 76, 84, 85
 intensity assessment **87**, 89
 Neolithic well, Kückhoven, archaeoseismology 189–203
 seismotectonic setting 194–195
 New Zealand, transition zone rupture 269–290
 map 272
 modelling 285–286
 slip vector 269, 271–274, 280, 281, 289, 290
 Nizza 1979 earthquake 231
 Nogliki 1964 earthquake 84
 Nojima Fault **58**, 62
 North Anatolian Fault, case study 4, 32–53
 earthquakes 39, 41–44
 prediction 52–53
 timing of 32, 46–47, 49–51
 Köseköy site 47–51
 Ottoman Canal site 44–47
 radiocarbon dates **37**, 38, 39, 41–44, 45, 50
 Saros site 33–44
 slip 40–41, 46, 47, 50
 age 34, 49
 stratigraphy 34–39, 45, 48, 50
 trenches 50
 Köseköy 48
 Ottoman canal 44, 45
 Saros site 33–294, 38, 41
 North Island Fault System 4
 earthquake magnitude 287–289
 kinematics 271–274
 mechanism 270
 models 280–287
 oblique-slip 269–290
 stratigraphy 277
 surface rupturing earthquake 274–280
 trenching 274–279
- optically stimulated luminescence dating
 (OSL) 242, 244, 246–252
 ages **247–248**
 Ottoman Canal site 44–47
 timing of earthquakes 46–47
 OxCal, Saros site 41, 43
- Pakistan, Muzaffarabad earthquake 155–170
 effects 155–170
 fatalities 155–156, 259, 260
 focal mechanism and tectonics 259–266
 map 156–158
 Modified Mercalli values **159–160**
 source parameters **156**
 palaeoearthquake rupture, North Island Fault System 269–271
 palaeoearthquake, Altai 78, 83, **90**
 palaeoearthquake, Neftegorsk 87, 89, **90**
 palaeoseismic case study
 Benis Cave 211–213
 North Anatolian Fault 33–51
 palaeoseismic data summary, North Island Fault System **276**
 palaeoseismic indicators, *Baelo Claudia* 98–101
 palaeoseismology vii
 Baelo Claudia, Spain 93–118
 Kunlun Fault, Tibet 145–153
 Manteigas-Braganca Fault 237–257
 North Anatolian Fault 31–53
 Sweden 179–188
 Rhine 195
 Vilarica, data summary **256**
 palaeoshoreline 183, 184, 186
 palaeospring 99
 palaeotsunami *see* tsunami
 Palomares Fault Zone 218, 219
 Pattan 1974 earthquake 157, 160, 260, 261, 266
 Peak Ground Acceleration value (PGA) 57, **61**, 68, **69**, 70
 peat, faulted 182
 PGA *see* Peak Ground Acceleration value
 phraetic tube 211, 212
 place names and seismology, Sweden 184–185, 186

- plate tectonics
 Colombia 125, 126
 Indian-Eurasia 259
 Japan 56
 Mediterranean, western 94–96
 Nubia-Somalia 294
 Pakistan 156
 Pacific-Australia 271, 272
 Scandinavia 173, 175–176
- Po Plain, shortening of 5
- pop-up arrays 101, 106–108, 109, 117, 118
- Portugal, palaeoseismology Manteigas-Braganca Fault 237–257
- potholes, palaeo- 98, 99
- Pyrgos 1993 earthquake 12, 15–18, 22, 28
- radar survey 51, 94, 111–117
- radiocarbon dates
 Almería 226, **227**, 228, 230, 232
Baelo Claudia 109
 New Zealand 271
 North Anatolia **37**, 38, 39, 41–44, 45, 50
 Vilarıça 244, **246**, 249, 250
- rate of plate convergence 95, 125
- rate of sedimentation, Cabo de Gata 230–231
- rate of slip
 Carboneras Fault Zone 219
 Kunlun Fault 145, 147, 152, 153
 Lövenicher Fault 195
 North Anatolian Fault 32, 42, 44, 51, 52
 Vilarıça Fault 254–256
- rate of stream incision, Kunlun 152
- recurrence interval 42, 43, 52, 117
 Carboneras 232
 Indus-Kohistan Seismic Zone 160
 Kunlun 145, 152
 Rhine Embayment 195
 New Zealand, North Island 279, 289
 Sweden 186, 187
 Vilarıça 249, 256
- reverse fault 124, 290, 310
- Richter scale 187
- rockfall 6–10, 21, 24
 Altai 79, 81
 ESI scale 6–10
 Gibraltar 99, 100
- rupture
 Colombia 142
 ESI scale 2, 6–10
 Greece 17–19, 24, 25
 North Island Fault System 269–271, 274–287
 Pakistan 157–170, 264–265
 Tibet 148–149, 152
 Turkey 32, 36, 39, 41, 45, 46–48, 50–52
 age **42**, 43
 Vilarıça Fault 242, 244, 249, 256
- rupture arrest 271, 282, 290
- Russia, intensity assessment and environmental effects 73–91
- Sakhalin-Hokkaido Fault 85
- San Bartolome range front 99–100
- sand blow/boil 2, 17, 18, 61, **135**, 137
 Kunlun 147, 150, 151
- sand dykes 149, 151
- sand, Saros site 33–39, 45
- Saros trench site 33–44
 timing of events 41–44
- Scandinavia, post-glacial stress changes 173–177
- sediments, palaeoseismic study
 Saros site 33–39
 Köseköy site 47–49, 50
- seismic code of Spain (NCSE–94 1997) 94, 118
 ground acceleration parameters 116–117
- seismic hazard assessment 4, 26–28, 141
 Douro River, Portugal 237, 256–257
 Erkelezen, Germany 189, 203
 Greece 26–28
 Gulf of Almería, Spain 217, 232–233
 Istanbul 32
 Namibia 294
 North Island New Zealand 271, 287–289
 Pakistan 266
 Sweden 187–188
- seismic risk vii, 141
- seismic shaking 233, 315
- seismicity
Baelo Claudia 97–98
 Colombia 129
 Gibraltar Strait 95, 97–98, 118
 Himalayan Fold Belt 259–266
 Kunlun Fault 145, 147
 North Island New Zealand 270–274, 287–289
 Portugal 242, 256
 Rhine, northern 190
 Sweden 180, **181**
 see also under earthquake
- seismotectonic map, Muzaffarabad 261, 262, 263
- Sino-Korean, attenuation laws 27
- site-effect amplification 94, 111, 118
- slickenside 280, 285
 Hebron Fault 297, 310, 312
- slickenside analysis, Benis cave 208, 209, 211–214
- slip vector, Hebron Fault 314
- slip vector, North Island Fault System 269, 271–274, 280, 281, 289, 290
 modelling 285–286
 variable orientations 286, 290
- slip, Vilarıça Fault 239, 241
- slope movement, ESI scale 2, 6–10
- slumping 20
- soda straw structures 208
- South Atlantic opening 296
- Spain, palaeoseismic record of Roman site 93–118
- Spain, palaeoseismicity of Benis Cave 207–215
- Spain, tsunami deposits 217–233
- speleoseismology and palaeoseismicity,
 Spain 207–211
- springs, ESI scale 7–9
- stress anomaly 294, 314
- stress change, post-glacial Scandinavia 173–177
- stress, Hebron Fault 294, 296, 314
- strike-slip fault 4, 208, 214
 Almería 218
 Altai 78
 Kunlun Fault 145–153
 Murindo Fault 124
 Muzaffarabad Fault 261, 262

- strike-slip fault (*Continued*)
 Neftegor'sk 85, 86
 Vilarica Fault 239, 241, 249, 252–256
- strike-slip fault and tsunami 233
- strike-slip, North Island Fault System 269–290
 modelling 285, 286
 propagation 270
- subduction zone
 Hellenic 15, 21
 Pacific-Australian 271, 272
- submarine slip and tsunami 233
- subsidence 2, 18, 19, 20, 21
- surface cracks 162–166
- surface deformation, Chelungpu Fault 67
- Sweden, Late Holocene earthquake
 history 179–188
 dated events 180–184
 magnitude 180–184, **187**
 tsunami 179, 180–186
- Swedish Palaeoseismic Catalogue 179, 187
- synthetic seismogram, Kückhoven site 190, 199–202
 calculated parameters **200**
- Taiwan, application of ESI scale 55, 61–70
 method 56–57
- talus 99, 100
- talus shattering 181, 184, 185
- Tanda Fault 156
- Taupo Rift 271–274, 282, 285, 290
 palaeoearthquakes 285, 286
 palaeoseismic data **276**
- tectonic map
 Benis cave area 215
 Betic Cordillera 218
 Colombia 126
 Gibraltar Arc 96
 Hebron Fault 298
 Himalayan Fold Belt 260
 northern Rhine 190
 Vilarica site 238
- tectonic setting, *Baelo Claudia* 94–96
- thermal uplift, Namibia 293, 314
- thermoluminescence age
 Kunlun 152–153
 Vilarica site 242
- thrust fault 67, 86, 165, 169, 265, 266
- thrust movement 160–161
- thrust ramp, Pakistan 158
- Tibet, liquefaction on Kunlun Fault 145–153
- Tibet, surface faulting 147, **152**
- tree shaking, ESI scale 2, 6–10
- trenching sites
 Japan 59
 North Island Fault System 274–279
 North Anatolian Fault, case study 33–51
 Vilarica site 242–256
- tsunami
 Banda Aceh 217
 ESI scale 2, 6–10, 20
 Mediterranean 5, 20, 94, 217
 Sweden 179, 180–186
- tsunami, Gulf of Almería 217–233
 geological setting 218–231
 sedimentological evidence 221–233
- tsunamiite/tsunami deposits 217–233
- Turkey, surface faulting **37**, 39, 41, **42**, 45, 50
- Tuntzuchia Fault **58**, 63, 65, 66, 67
- Tuosuo Lake 1937 earthquake 147, 150
- underground structure and earthquake damage 203
- Unguia Fault 125
- uplift 2
 Greece 18
 Scandinavia 176, 186, 187, 188
- Vale Meão winery site, palaeoseismology
 study 242–249
 stratigraphy 244, 245
- Viking shoreline 184, 186
- Vilarica Basin 240–241
- Vilarica Fault 237–257
 earthquakes 239
 geomorphological analysis 239–242
 palaeoseismology study 242–257
 satellite image 239, 240
 slip 242, 253–256
- Vilarica site, palaeoseismology
 study 249–256
 method 252–253
 stratigraphy 250, 251
 trenching 242–256
- volcanism, Colombia 129
- Waimana Fault 271, 278, 280, 288
 earthquake data **276**, **283–284**
 slip vector 281
- Waiohau-Ruahine Fault 271, 277–279
 slip vector 281
- Wegener stress anomaly 294, 314
- Whakatane Fault 271, 272, 273, 288, 289
 earthquake data **276**, **283–284**
 earthquake rupture 274, 275, 277, 278, 279,
- wooden buildings 78, 87
- wooden box-frame well, Neolithic 190, 191
 construction 192–194, 197
 earthquake damage 197–199
- World Stress Map Project 175, 176