

# Index

Page numbers in *italic* denote figures. Page numbers in **bold** denote tables.

- abietane 19, 27
- acanthodians 113
- Acanthostega* 130, 133
  - habitat **155**
  - Stensiö Bjerg 93, 97, 102–105
- Acanthostega gunnari* 123, 130
- acritarchs
  - and decline of pCO<sub>2</sub> 38, 42–43, 44–46
  - genus and species richness 39, **44**
- Acroplois*, habitat **156**, 161–162
- actinopterygians 113, 123, 167–168
- adaptation
  - evolutionary 8
  - for terrestrialization 11, 12–15
- Aeronian
  - cryptospores 50
  - miospore colonization 53
- Aeronian-Telychian event, miospore biodiversity 50–51
- aestivation 145, 146, 147
- Africa, north, Devonian, plant assemblage 81–82
- Agda Dal Formation 94, 95
- Ageleodus pectinatus* **121**, 122, 124
- Aglosperma* 118
- Aglosperma avonensis* 74
- Aglosperma quadrapartita* 74, **119**
- Aglosperma*-type seeds 73–74, 76
- agnathans 113
- Aina Dal Formation 94, 95, 97
- air-breathing 114, 134, 168, 172
- algae, charophycean, origin of land plants 39
- algaenan 15, 25
- aliphaticization 25–26
- amber 17–18, 25
- Ambitisporites* 49, 53
- Ambystoma subsalsum* 169
- ammonotelism 172
- Amphibamus*, habitat **157**
- amphibians
  - osmoregulation 168
  - phylogeny 152–154
  - see also* lissamphibians
- anemochory 74
- Aneurophytales 68, 81, 84, **85**, 86
  - Gondwana 89
- Aneurophyton germanicum* **87**
- Aneurophyton maroccanum* nov. sp. 82
  - comparison with *Rellimia* 84
- Aneurophyton olnense* **87**
- anoxia 113–114
- anurans 152, 154, 169
- Apateon* 139–147
  - bone histology 140, **141**
  - bone-growth rate 143, 144, 145
    - palaeoecological influences 146–147, 163
  - skeletochronology 145–146
- Apateon caducus* 140
  - bone-growth features 144, 145
    - influence of palaeoecology 146
    - palaeohistology and bone deposition 140, **141**, 143
  - skeletochronology 146
- Apateon pedestris* 140
  - bone-growth features 144, 145
  - bone-growth features, influence of
    - palaeoecology 146
  - palaeohistology and bone deposition 140, **141**, 143
  - skeletochronology 146
- Apiculatisporites microconus* 131
- apoxogenesis 64, 65, 67
- arachnid, trigonotarbid 118
- arborane 20
- arborescence 41
- Archaea, skeletal material 20
- Archaeopteridales 60, 61, 81
- Archaeopteris* 60, 61, 63, 66, 67, 81
  - ecology 75, 76, 77
  - Red Hill 119, 120, 122, 123–124
- Archaeopteris halliana* **119**
- Archaeopteris hibernica* 118, **119**
- Archaeopteris macilenta* 118, **119**
- Archaeopteris obtusa* **119**
- '*Archaeopteris*' *rotundifolia* nov. sp. 82
- Archaeosperma arnoldii* 74
- Archaeothyris florensii*, habitat **158**
- Archaeozonotriletes* 50
- Archaeozonotriletes variabilis* 131
- Archaeodon* 122
- Archeria*, habitat **157**, 161
- aromatics 22–24
- arthropods
  - chitin 21–22
  - desiccation management 13
  - herbivory 112–113
  - Red Hill 118, 120
  - seed dispersal 74
  - trackways 118, 120
  - water-land transition 7, 171–172
- Ashgill
  - cryptospores 49
  - miospore colonization 52, 53
- Asteroxylon elberfeldense* 82
- Australia, SE, tetrapods, biostratigraphic distribution 131–132
- Avalonia, first embryophytes 51–52, 53
- avulsion cycles 115–116
- Bacteria, skeletal material 20–21
- Baggy Beds, spermatophytes 73, 75
- Ballyheigue, spermatophytes 73
- Baltica, miospore colonization 52, 53
- Baphetes bohemicus*, habitat **156**
- Baphetes kirkbyi*, habitat **156**
- Baphetes lintonensis*, habitat **156**
- Baphetes planiceps*, habitat **156**
- barinophytes 118, **119**
- Barinophyton obscurum* **119**
- Barinophyton sibericum* **119**, 124

- Baur, G. *The Stegocephali* (1896) 6
- Belgium  
 placoderms 133  
 spermatophytes 71–72, 75–76, 77
- beyerane 14, 19, 27
- biodiversity, evolution, miospores 50–51
- biogeochemical cycles 113
- biomass, carbon 40–42
- biopolymers  
 aliphatic 15–17  
 skeletal 20–24
- biosynthesis, pathways, and terrestrialization 11, 15
- Bohemian basin, palaeoenvironment 162, 163
- bones, *Apateon*  
 bone-growth rate 143, 144, 145  
 palaeoecological influence 146–147, 163  
 palaeohistology 140, 141, 143
- Boskovice Furrow 160, 162
- Bothriolepis* 123, 131, 132, 133
- Botryococcus braunii*  
 desiccation management 13  
 organic molecules 15, 25
- Brachydectes elongatus*, habitat 158, 162
- branchiosaurids 139
- Branchiosaurus petrolei*, habitat 157
- Britta Dal Formation 93, 94, 95, 97  
 climatic cycles 97, 100, 103  
 plant macrofossils 105, 106  
 sand bodies 97, 99–100, 103  
 sedimentary environment 96, 97, 98, 99–101  
 vertisols 97, 98, 100, 101, 104
- bryophytes  
 desiccation management 13  
 thalloid 39, 40, 41–42, 44
- Bufo marinus* see *Rhinella marina*
- cadalene 14, 19, 27
- cadinane 18, 19, 27
- Caerorhachis bairdi*, habitat 157
- Cairoa lamanekii* 87
- Calamophyton* 60, 61, 62, 63, 66
- Calligenethlon watsoni*, habitat 157
- cambium  
 bifacial 81  
 vascular 84
- Canowindra fish assemblage 132
- Caradoc  
 cryptospores 49  
 miospore colonization 53
- carbon, sequestration 38, 41, 43–44
- carbon cycle 40–41, 44
- carbon dioxide  
 atmospheric  
 drawdown 59–60  
 effect of terrestrialization 37–46  
 fluctuation 113  
 and terrestrialization 37–46  
 oceanic 37  
 see also pCO<sub>2</sub>
- Catskill Delta Complex, Red Hill 111–125
- Catskill Formation 114–115
- cellulose 21
- Celsius Bjerg Group 93–107  
 plant macrofossils 105, 106, 107  
 sedimentary environments 94, 96, 97  
 tetrapod environments 102–107, 131
- Cephalopteris* 105
- Cephalopteris tunheimensis* 107
- Chambers, R. *Vestiges of the Natural History of Creation* (1844) 6
- charcoal, Red Hill 119, 122
- Cheliderpeton vranyi*, habitat 157
- China, North, tetrapods 131
- chitin 20–22
- Chlorophyta, desiccation management 12, 15
- choanae 6, 7
- Cladoxylon* 62, 63, 67
- Cladoxylon taeniatum* 67
- Cladoxylopsida 60, 61, 62  
 arborescent habit 62–67, 66  
 stem growth model 64, 66–67  
 structure and growth patterns 65–66  
 vascular system 62, 63, 64, 65–67
- Cloghnan Shale 132
- CO<sub>2</sub> see carbon dioxide
- coal  
 diterpenoids 19–20  
 n-alkanes 13, 15
- Colosteus scutellatus*, habitat 156
- Combyingbar Formation 131
- Condrusia brevis* 74
- Condrusia minor* 74
- Condrusia rumex* 74
- Condrusia*-type seeds 73, 74, 75, 76
- Cooksonia caledonica* 55
- Cooksonia pertoni* 54
- Cooper Creek, analogue for Britta Dal Formation 100
- coorongite 25
- Cordaianthus devonicus* 82
- Cordaites*, fernane 20
- cortex 67
- coumaryl 22–23, 28
- cracking 24
- Crassigyridus*, habitat 156
- Crossia* 84
- crossopterygians 6
- cryptospores 13, 14, 40  
 dispersal 51  
 oldest 49, 51–52  
 Ordovician 49
- Ctenacanthus* 121, 123, 162
- Cumberland Marshes, Saskatchewan River, analogue for Red Hill sedimentation 115
- Cuneognathus* 102
- Cuneognathus gardineri* 131
- cupules, seed plants 74, 120
- cutan 15, 25–26
- cutin 15, 25–26
- Cutler Formation, palaeoecology 163–164
- Cyanobacteria  
 desiccation management 12  
 in evolution of land plants 39, 40, 41  
 mats 40, 41
- Cyclostigma* 60, 61, 107
- Czatkobatrachus* 170
- Dechra Ait Abdallah, Devonian plant assemblage 81–82
- degradation, organic matter 24

- degradation-recondensation pathway 24  
*Dendroperpeton acadianum*, habitat **156**, 162  
*Densignathus* 133  
  habitat **155**  
*Densignathus rowei* **121**, 123  
depocentres, late Devonian 114  
desiccation management  
  lipids 12–15  
  long-chain aliphatics 12–16  
  vertebrates 169  
*Desmatodon hesperis*, habitat **158**  
detritivores, Red Hill 122  
Devonian  
  miospores 51  
  plant assemblages, North Africa 81–89  
  ‘plant hypothesis’ 59  
  trees 59–68, 60  
  height-diameter relationship 61  
Devonian, Late  
  extinctions 113  
  palaeoecology, Red Hill site 111–125  
  seed plants, radiation 71–77  
  tectonics and depocentres 114  
  tetrapods, East Greenland 93–107  
Devonian-Carboniferous boundary 131  
*Diabolepis speratus*, habitat **155**  
diagenesis 24  
*Dimetrodon*, habitat 161  
dinoflagellates, aliphaticization 25  
dinospores 22  
dinosteroids, triaromatic 12  
*Diplocaulus*, habitat **157**, 161, 162  
dipnomorph clade 113  
*Discosauriscus*, habitat **157**  
dispersal  
  cryptospores 51  
  seed plants 74, 75  
diterpenoids 19–20  
*Doragnathus*, habitat **156**  
*Dorinnotheca streelii* 74  
*Dorinnotheca*-type seeds 73, 74, 75, 76  
drimane 18, 27  
*Duisbergia*, stem 64, 66–67  
  
East Kirkton tetrapod fauna 113–114  
ecosystems, marine, effect of terrestrialization  
  37–46  
Eifelian, Dechra Ait Abdallah 81–82  
*Elginerpeton* 130, 133, 134  
  habitat **155**  
Elkins, spermatophytes 72, 75, 124  
*Elkinsia polymorpha* 74, 76  
elpistostegalians 6, 112–113, 132–133  
*Elpistostege*, habitat **155**, 160  
Elsa Dal Formation 94, 95, 97  
embryophytes  
  desiccation management 12  
  oldest cryptospores 49, 51, 54  
  origin 41  
  phylogeny 6, 54  
*Emphanisporites micromnatus* var. *micromnatus*  
  53–54  
Emsian, Dechra Ait Abdallah 82  
entropy, demographic 76–77  
  
*Eoherpeton*, habitat **157**  
*Eospermatopteris* 60, 61, 63  
  growth patterns 64, 66–67  
epidogenesis 64, 65, 67  
Equisetopsida 60, 61  
*Eryops*, habitat **156**, 161  
eudesmane 14, 18–19, 27  
*Eugyrinus*, habitat **156**  
Euphyllophytes 60, 61  
Euramerica, tetrapods 133–134  
*Euryodus*, habitat **157**  
*Eusthenodon* 124  
*Eusthenopteron* 6  
  habitat **155**, 160  
Eutracheophytes 86  
Evieux Formation, spermatophytes 71–72,  
  75–76, 124  
*Eviostachya hoegii* 76  
extinction, Late Devonian 113  
  
Famennian  
  fish 132  
  Red Hill 118, 124  
  spermatophytes 71–73, 77  
  stegocephalians 167  
  tetrapods 130, 134, 135  
*Fejervarya cancrivora* 161, 168, 169  
femur, *Apateon* 140, **141**, 143, 144  
fernane 20, 28  
Filicopsida 60, 61  
fin-limb transition 6–7, 113  
fish-tetrapod transition 6–7, 131, 132, 134  
  climate 134–135  
flavonoids 27  
  signalling and warfare 17  
  UV protection 15–16  
*Foozia* 62  
forestation 41  
fossils *see* macrofossils; mesofossils; taphofacies  
Frasnian  
  fish 132  
  spermatophytes 71  
  stegocephalians 167  
  tetrapods 129–130, 134, 135  
Frasnian-Famennian biotic event 131  
friedelane 20, 28  
  
galeaspids, Zhongning Formation 131  
gametophyte generation 112  
gammacerane 20, 28  
Gauss Halvø 93, 94, 97, 102  
  climatic cycles 97, 100, 103  
  tetrapod biostratigraphy 130–131  
*Geminospora lemurata* 131  
gene expressions 8  
Genoa River trackway assemblage 131  
GEOCARB III model 38–46  
geochemistry, organic 11–27  
Geoffroy St Hilaire, E., on evolution of fish 6  
*Gigantocharinus szatmaryi* 120, **121**, 122  
Gilboa trees 61, 67–68  
*Gillespiea* 118, 124  
*Gillespiea randolphensis* 76, **119**  
gills, osmotic regulation 168

- Givetian  
 origin of tetrapods 132  
 spermatophytes 71  
*Glamorgania gayerii* 74  
 Glenisla tetrapod trackway 132–133  
*Gloeocapsamorpha prisca* 25  
 gnathostomes 113  
*Gogonasmus*, habitat **155**  
 Gondwana  
 Aneurophytales 89  
 colonization by land plants 51, 52, 53, 54–55  
 Late Devonian 167  
*Granditetrasporites zharkovae* 71  
 Greenland, East  
 Late Devonian tetrapods 93–107  
 tetrapods, biostratigraphical distribution  
 130–131  
*Greererpeton burkemorani*, habitat **156**  
*Groenlandaspis* 132  
*Groenlandaspis mirabilis* 131  
*Groenlandaspis pennsylvanica* **121**, 122  
 guaiaacyl 22–23, 28  
 gymnophionans 152, 154  
*Gyracanthus* cf. *Gyracanthus sherwoodi* 118,  
**121**, 122
- Haeckel, E., *Generelle Morphologie der Organismen* (1866) 6  
 Hangenberg Sandstein, spermatophytes 73  
 Harder Bjerg Formation 95, 102  
 Heptophyta, earliest mesofossil 54  
 herbivory, arthropods 112–113  
 heterospory 112  
 hibernation 145, 146–147  
 Hirnantian glaciation, miospore biodiversity 50  
*Holoptychius* 102, 123, 131, 133  
 Homeric, cryptospores 50  
 hopanoids 20  
 humerus, *Apateon* 140, **141**, 143, *144*  
 Huxley, T.H., fish classification 6  
 hydrochory 74  
*Hyenia* cf. *elegans* 82  
*Hylerpeton dawsoni*, habitat **157**  
*Hylonomus*, habitat 164  
*Hyloplesion*, habitat **157**  
*Hyneria lindae* 118, **121**, 123, 124  
*Hynerpeton* 130, 133  
 habitat **155**  
*Hynerpeton bassetti* 120, **121**, 123  
 hypoxia 168
- Iberospondylus*, habitat **156**, 162  
*Ichthyostega* 6, 93, 97, 130, 133  
 habitat **155**  
 Sederholm Bjerg 93, 94, 98, 102  
*Ichthyostega eigili* 130  
*Ichthyostega stensioei* 130  
*Ichthyostega watsoni* 130  
 Isoetales **119**
- Jakubsonia* 130, 133, 134  
 habitat **155**  
 Jemalong fish-tetrapod assemblage 132  
 Joggins, habitat **159**, 162
- Katschenko's line 140  
 kaurane 14, 19, 20, 27  
*Kerrya mattenii* 74  
 kidneys, osmoregulation 168  
 Knoppenbissen Formation, Refrath borehole 76
- Lamarck, J.-B. *Philosophie Zoologique* (1809) 5  
 Laurentia, miospore colonization 52, 53  
 Laurussia  
 Aneurophytales 89  
 Pseudosporochaleans 68  
*Leiocephalikon problematicum*, habitat **157**  
*Lenlogia krystofovichii* 74  
*Lepidodendropsis* 118, **119**  
*Lepidosigillaria* 60, 61  
 lepospondyls, salt tolerance 152–154, 161–162  
*Leptophloeum* 60, 61  
*Lethiscus*, habitat **157**  
 Libya, miospore colonization 52, 53  
 lignans 17  
 lignin 22–24, 25, 59–60  
 lignophytes 60, 61, 81–89  
 distribution 89  
 heterospory 112  
 origin 40, **41**  
 phylogenetics 86  
 limbs *see* fin-limb transition  
*Limnomis delaneyi* 118, 120, **121**, 123  
*Limnoscelis dynatis*, habitat **158**  
*Limnoscelis paludis*, habitat **158**  
*Limnostygis relictus*, habitat **158**  
 lipids  
 aliphaticization 25–26  
 analysis 12  
 long-chain, desiccation management 12–15
- lissamphibians  
 habitat 154, 160–161, 163, 165–166,  
 169–170  
 ornithine pathway enzymes 167–168  
 osmoregulation 168
- Livoniana*, habitat **155**  
 Llandovery, miospore colonization 52, 53  
 Llanvirn, cryptospores 49, 51–52  
 Lochkovian  
 cryptospores 51  
 miospore assemblages 55  
 miospore biodiversity 50–51  
 trilete spores 50, 51
- Lohsania*, habitat 164  
*Lorophyton* 62  
*Loxomma acutirhinus*, habitat **156**  
*Loxomma allmanni*, habitat **156**  
*Loxomma rankini*, habitat **156**  
 Ludlow, trilete spores 50  
 lungfish 6, 113, 123, 152  
 lungs 168, 172  
 lupane 20, 28  
 Lycophyta 55, 60  
 lycopsids 60, 61, 68, 112  
 Celsius Bjerg Group 105, 106, 107  
 Red Hill 118, 119
- macrofossils 54–55  
 plant, Celsius Bjerg Group 105, 106, 107

- macromolecules 16–17, 20–22, 24, 25–26  
 analysis 12  
 desiccation management 15
- Maillet, B. de, *Tellamed* (1766) 5
- Massif Central, palaeoenvironment 162, 163
- megafossils 14, 54–55  
 desiccation management 13, 15–16
- Megalichthys* 6
- Megalocephalus lineolatus*, habitat **156**
- Megalocephalus pachycephalus*, habitat **156**
- megasporangia 112
- menetogenesis 64, 67
- mesofossils 54–55
- Metaxygnathus* 130, 131, 132, 133  
 habitat **155**, 167, 171
- microbial mats *see* Cyanobacteria, mats
- Microbrachis pelikani*, habitat **158**
- Micromelerpeton*, habitat **157**
- Miller, H. *Footprints of the Creator* (1849) 6
- miospores  
 biodiversity evolution 50–51  
 colonization of land 51–53  
 Ordovician-Lochkovian 49–50  
 Zhongning Formation 131
- miRNAs 8
- monilophytes 6
- monoterpenoids 18
- Moresnetia zaleskyi* 71, 74
- Moresnetia*-type seeds 73–74, 75–76, 118
- Morocco, Devonian plant assemblage 81–82
- mudskippers, habitat 172
- myriapod, archidesmid 118
- n*-alkanes, desiccation management 13, 14, 15
- Nannochloropsis*, *n*-alkanes 13
- Nathorst Bjerg 93, 94, 96, 99, 102, 103
- Obruchevichthys* 130, 133, 134, **155**
- Obrutschew Bjerg Formation 94, 101–102  
 Devonian-Carboniferous boundary 131  
 plant macrofossils 106, 107
- Old Red Sandstone Continent 133  
 miospore assemblages 54, 55
- oleanane 20, 28
- Onchiodon*, habitat **157**
- Ophiacodon*, habitat **158**, 161, 164
- Ophiderpeton*, habitat **157**
- Ordovician, cryptospores 49, 52
- organic matter  
 analysis 12  
 degradation 24  
 preservation 24–25  
 Red Hill 122  
 sequestration 38, 41, 43–44
- ornithine pathway 167–168
- Orsadesmus rubecollis* 120, **121**, 122, 124
- osmoregulation 168
- osteogenesis *Apateon* 145
- Osteolepididae, habitat **155**
- Otzinachsonia beerboweri* 118, **119**
- oxygen, atmospheric, fish-tetrapod transition 134–135
- palaeobiogeography, stegocephalians 167
- palaeoecology  
 and bone-growth, *Apateon* 146–147  
 Red Hill 111–125  
 sedimentation 114–118  
 stegocephalians 154, **155–160**, 160–172
- palaeogeography, miospore distribution 52
- Palynodata database 38, 39
- Panderichthys* 133  
 habitat **155**, 160
- Paralleldal 93, 94, 97  
 climatic cycles 97, 103  
*Ichthyostega* 102
- parsimony, sarcopterygians 152–154, 170
- pCO<sub>2</sub> 37–38  
 and decline in *Acritarcha* 38, 42–43, 44–45  
 and rise of land plants 38–42, 43–44
- peptidoglycans 20–22
- Permian, *Apateon* 139–147, 142
- pH, oceanic 37–38
- Phacopidae 81
- phenols, lignin 22–23
- phenylpropanoid pathway 17, 22, 23
- Phlegethonia*, habitat **157**
- phloem, secondary 61, 81, 84
- phlorotannins 17
- Pholidogaster pisciformis*, habitat **156**
- photosynthesis, earliest 12
- phylocladane 14, 19, 20, 27
- Phyllolepis rosimontina* **121**, 122
- phytoplankton, decline of pCO<sub>2</sub> 38, 44–46
- Pietzschia* 60, 61, 62, 63  
 structure and growth patterns 64, 65–66, 67
- Pietzschia levis* 65
- Pietzschia schulleri* 65
- pimarane 19, 27
- placoderms 113, 118, 122  
 age 132, 133  
 last occurring 131
- plants, land  
 and decline of pCO<sub>2</sub> 38–42, 43–44  
 Devonian 59–68, 60  
 origin 39–40  
 Palaeozoic, phylogenetic tree 60  
*see also* seed plants
- podocarpene 19, 27
- pollen 23
- polymerization, oxidative 24, 25, 26
- polypteriforms 6
- polysaccharides 21–22
- porolepiforms 113
- Powichthys thorsteinssoni*, habitat **155**
- preservation pathways, organic matter 24–25
- Pridoli, trilete spores 50
- proanthocyanidins 17
- Probarinophyton* **119**
- Profile Ravine 98
- progradation 115
- propagules 74, 77  
 dispersal 75
- Proteokalon petryi* **87**
- Proterogyrinus scheelei*, habitat **157**
- Pseudobornia* 60, 61

- Pseudosporochnales  
 distribution 68  
 habit 67–68  
 morphology 62, 63, 65  
*Pseudosporochnus* 60, 61, 62, 68  
*Pseudosporogonites hallei* 74  
*Psilophyton princeps* 82  
 Pteridospermopsida 18  
*Ptyonius*, habitat **157**  
 Puertollano Basin, habitat **156, 160, 162**  
*Puertollanopus microdactylus* 162
- radiation, evolutionary 7–8  
*Rana cancrivora* *see* *Fejervarya cancrivora*
- Red Hill  
 age of deposit 118  
 fauna 118, *120*, **121**  
 flora 118, **119**, *120*  
 habitat distribution 118  
 palaeoecology 111–125  
   fire dynamics 119, 122  
   organic debris 122  
   trophic structure 122–123  
   vegetation 118–119  
 sedimentation model 114–116  
 spermatophytes 72, 75  
 taphofacies 116–118
- Refrath borehole 76  
*Reimannia aldenense* **87**  
*Rellimia*, Dechra Ait Abdallah 82–89, 83, 84, **85**  
   comparison with other Aneurophytales 84  
   fertile organs 84, **85**  
*Rellimia thomsonii* 84, **85, 87–88**  
*Remigolepis* 132, 133  
*Remigolepis major* 131  
*Remigolepis microcephala* 131  
*Remigolepis xiangshanensis* 131  
*Remigolepis xixiaensis* 131  
*Remigolepis zhongningensis* 131  
*Remigolepis zhongweiensis* 131  
 reptiliomorphs, saltwater tolerance 152, 154  
 resinite 17–18  
 resins 17–18  
 retene 14, 19–20, 27  
*Retispora lepidophyta* 95, 101  
*Rhabdosporites langii* **85**, 86, 89  
*Rhacophyton* 75, 76, 118, 119, 122, 124  
*Rhacophyton ceratangium* **119, 120**  
*Rhinella marina*, osmoregulation 168  
*Rhipidophyton* 68  
 rhizosphere 40–41, 44  
 Rhuddanian, cryptospore assemblages 50  
*Ricnodon*, habitat **157**  
 Romer's Gap 113, 134  
 rooting 40–41  
 roots 64  
   *Pietzschia* 65  
   and plant size 59–60  
 Rubisco efficiency 45, 46  
*Runcaria heinzelinii* 71
- Saale basin, palaeoenvironment **160, 162, 163**  
 Saar-Nahe Basin  
   *Apateon* 140, 142  
   palaeoecology 146–147, 162–163  
   *Sagenodus*, habitat 164  
   salinity, and biodiversity 151  
   saltwater, tolerance of, stegocephalians 151–172  
   sand bodies, Britta Dal Formation 97, 99–100, 103  
   sandstone, Stensjö Bjerg, *Acanthostega* 103–105  
   sarcopterygians 6–7, 113, *120*, 123  
     elpistostegalian 6, 112–113, 132–133  
     habitat evolution *165, 166*  
     parsimony 152–154  
   Saudi Arabia, miospore colonization 49, 50, 51, 52, 53  
   *Saurepeton*, habitat **156**  
   saurepetonids, salt tolerance 162  
   *Sauropleura*, habitat **157**  
   *Scougouphyton abdallahense* 82  
   Sederholm Bjerg, *Ichthyostega* site 93, 94, 98, 102  
   sedimentation, Red Hill 114–116  
 seed plants  
   *Aglosperma*-type 73, 74, 76  
   *Condrusia*-type 73, 74, 75, 76  
   dispersal 74, 75  
   *Dorinnotheca*-type 73, 74, 75, 76  
   early ecology 75–76  
   ecological hypothesis 76–77  
   *Moresnetia*-type 73–74, 75–76, 118  
   radiation 71–77, 112  
   *Warsteinia*-type 73, 74  
   selection, evolutionary 7  
 sequestration, carbon 38, 41, 43–44  
 serratane 20, 28  
 sesquiterpenoids 18–19  
*Seymouria*, habitat 161  
 seymouriamorphs, habitat 154, 163  
 shale, black 113  
 signalling, molecular 17–18  
 Silurian  
   macrofossils 54  
   miospores 50  
   simonellite 19–20, 27  
   *Sinolepis* assemblage 131  
   *Sinolepis szei* 131  
   *Sinostega* 129–130, 131, 133, 134  
     habitat **155**  
   skeletonochronology, *Apateon* 145–146  
   skeletons 11, 20–24  
   *Soederberghia groenlandica* 132  
   *Spathicephalus*, habitat **156**  
   *Spermasporites allenii* 71  
   spermatophytes *see* seed plants  
   *Spirorbis* 169, 170  
 spores 23  
   trilete, Ordovician 49–50, 53  
 sporophyte generation 112  
 sporopollenin 11, 22, 25  
   synthesis 23  
 stauripterids 118, **119**  
*Stauripterus* **121**  
 stegocephalians  
   palaeoecology 154, **155–160**, 160–164  
     evolutionary analysis 164–167  
     palaeobiogeography 167  
   parsimony 152–154  
   saltwater tolerance 151–172  
 stem-tetrapods 154, 169  
 stems  
   cladoxylopsida 64

- growth model 66–67
  - Pietzschia* 65–66
- Stenokoleales 81, 84
- Stenokoleos* 84
- Stensiö Bjerg 93, 94
  - Acanthostega* 93, 97, 102–105
- Stensiö Bjerg Formation 94, 95, 101
  - plant macrofossils 105, 106, 107
  - sandstone 103–105
- Streelispora newportensis* 53–54
- Struveaspis maroccanum* 82
- Styliolina* 82
- stylopod diaphyseal palaeohistology, *Apateon* 140, 143
- suberin 16–17
- sulphurization pathways 24, 26
- Synorisporites* 49
- syringyl 22–23, 28
  
- Taffs Well, spermatophytes 73, 75
- tannins 17, 27
- taphofacies, Red Hill 116–118
- tectonics, late Devonian 114
- teleosts, habitat 172
- Telychian, miospores 50
  - biodiversity 50–51
- temnospondyls 6, 139–147, 152–154, 161
- Tentaculita 81, 82
- terpenoids 17, 18–20
- terrestrialization 7–8
  - early ideas 5–6
  - evolution 39–40
  - and organic geochemistry 11–27
- Tetraedron*, algaenan 25
- Tetrahedraletes medinensis* 52
- tetrapods
  - biostratigraphical distribution 129–135
  - earliest diversification 132–135
  - ecological models 124–125
  - environments, East Greenland 93–107
  - evolution 6, 113
  - origin 132–133
  - Red Hill 123
  - water-land transition 6–7
- Tetraxylopteris*, comparison with *Rellimia* 84
- Tetraxylopteris reposana* **85**, 86, **88**
- Tetraxylopteris schmidtii* **85**, **88**
- Tiktaalik*, habitat **155**, 160, 164
- Tournaisian, seed plant dispersal 75
- tracheophytes
  - earliest macrofossil 54
  - origin 40, **41**
- Trachystegos megalodon*, habitat **157**
- trackways
  - arthropod 118, 120
  - tetrapod 131, 132–133, 134, 162
- trees, Devonian 59–68
  - height-diameter relationship 61
- Triadobatrachus* 170
- Triloboxylon*, comparison with *Rellimia* 84
- Triloboxylon arnoldii* **88**
- Triloboxylon ashlandicum* **85**, **88**
- Trimerorhachis insignis*, habitat **156**, 161–162
- triterpenoids 20
- Triturus marmoratus*, bone-growth
  - features 145, 146–147
- Tulerpeton* 130, 133
  - palaeoecology 154, **156**, 160
- Turrisaspis elektor* 118, **121**, 122
- Twofold Bay Formation 131
  
- United Kingdom, miospore colonization 49, 50, 52, 53
- uraemia, marine environment 167
- urea, osmoregulation 167, 168
- ureotelism 172
- urodeles 152, 154, 169
- ursane 20, 28
- UV protection
  - adaptation 11
  - flavonoids 15–16
  
- vegetation
  - evolution 38–42, 42, 43–44
  - Ordovician-Lochkovian 49–55
- Ventastega* 130, 133
  - habitat **155**, 160
- Ventastega curonica* 123
- Verruciretusispora magnifica* 131
- vertebrates
  - Devonian 113
  - Red Hill 118, 122–123, 124
  - water-land transition 6–7, 171–172
- vertisols, Britta Dal Formation 97, 98, 100, 101, 104
- Viriattellina* 82
- Viriattellina pseudogeinitziana armoricana* 82
- Viséan, terrestrial vertebrates 113
  
- warfare, molecular 17–18
- Warsteinia paprothii* 74
- Warsteinia*-type seeds 73, 74
- water-land transition 5–8, 113, 171–172
- Wattieza* 60, 62, 68
  - stem 64
- wax, desiccation management 13, 15
- weathering, chemical, and root growth 41, 42
- Wenlock
  - cryptospores 50
  - miospore colonization 53
- Whatcheeria deltae*, habitat **156**
- Wimans Bjerg Formation 94, 95, 96, 97
- wind, seed dispersal 74
  
- Xenacanthus* 161, 162
- Xenocladia* 62, 63, 67
- Xenotheca bertrandii* 74
- Xenotheca devonica* 74, 75
- xylem 64, 66
  - Pietzschia* 65
  - secondary 61, 67, 84, 86
  
- Ymer Ø, Britta Dal Formation 96, 100
  - tetrapods, biostratigraphical
    - distribution 130–131
- Youngolepis praecursor*, habitat **155**
  
- Zatrachys*, habitat **157**, 161
- Zhongning Formation, biostratigraphy 131
- zoochory 74
- Zosterophyllum* 13
- zygopterids 112, **119**