

# Index

Page numbers in *italics* refer to Figures. Page numbers in **bold** refer to Tables.

- Aalenian, dinosaur diversity 214, 229  
*Acarinina intermedia* 157  
Africa, dinosaur diversity 215–216, 219, 222, 225, 226, 228–229, 231–232  
age model problems, deep-sea microfossils 154, 155, 156, 157, 169–170  
Akaike information criterion 40, 171, 197, **199**, 200  
Albian, dinosaur diversity 214, 231, 235  
algae, skeletal mineralogy 11  
alveolates, fossil record 143  
anomodont fossil record  
  age v. clade congruence 78  
  collector curves 77–78  
  redundancy of data and sampling proxy 72–74  
Aptian, dinosaur diversity 214, 231–232  
aragonite, dissolution 10–11, 15  
aragonite sea 9–11  
  faunas 11–13, 14  
archosaurs, diversity, Triassic 83, 84, **85**  
arthropods, GER 42, 45, 47  
Asia, dinosaur diversity 215, 220, 222, 226, 228–229, 232  
asphalt, Buckhorn Asphalt lagerstätte fauna 12–13  
autoregressive models 197  
  
Bacteria, deep-sea 142  
Badenian, Central Paratethys Sea **125**  
  mollusc biodiversity 123, 127–135  
  palaeoclimate 133–134  
  palaeogeography 124, 126–127, 133  
  stratigraphy 126, 134  
Bajocian, dinosaur diversity 214, 230  
balance, phylogenetic trees 35, 45–46  
Barremian, dinosaur diversity 214, 231–232, 235  
Bathonian, dinosaur diversity 214, 230  
Beacon Limestone Formation 70  
bias 63–64, 67, 79  
  taphonomic 11, 14  
  terrestrial diversity and outcrop area 54  
bias hypothesis 19, 72, 79, 80–90, 97  
biodiversity *see* diversity  
biostratigraphy, deep-sea microfossil record 154  
bioturbation 147  
bird fossil record 2  
  collector curves 78  
  Mesozoic, diversity 83, 86  
  Pleistocene, diversity 59  
  
bivalves  
  aragonite sea 11–12, 13  
  biodiversity, Badenian Central Paratethys Sea 129  
  calcite sea 13  
  shell mineralogy 11, 12, 13  
*Bolboforma*, preservation 144  
Bonferroni correction 214, 215, 217–218  
brachiopods, shell mineralogy 11  
Breusch–Pagan test 198  
bryozoans, skeletal mineralogy 11  
Buckhorn Asphalt lagerstätte fauna 12–13  
  
Cabao Formation 224  
calcite sea 9–11  
  faunas 12–13, 14  
calcium carbonate, microfossil  
  preservation 144–145  
Callovian, dinosaur diversity 214, 230  
Cambrian  
  fossil record 66  
  GER 46, 48  
Campanian, dinosaur diversity 214, 231–233, 235  
carbon isotope records, information transfer  
  analysis 25–26  
carbonate compensation depth 144, 168  
carbonates  
  microfossil preservation 144–145  
  and seawater chemistry 9–15  
Carboniferous, GER 46, 48, 50  
Carnian  
  archosaur diversity 83, 84, **85**  
  dinosaur diversity 214, 227–228  
Carnivora, Late Quaternary, USA **181**  
CART (classification and regression trees) 39–40  
causal inference 19, 21  
causality 19  
causation, and correlation 21–23  
Cenomanian  
  dinosaur diversity 214, 231–232  
  marine tetrapod extinctions 202–203  
Cenozoic  
  coccolithophores 172, 174–175  
  geological completeness 80  
  GER 46, 48  
  New Zealand 105–116  
  outcrop area 55

- Cetartiodactyla, Late Quaternary, USA **181**
- Chelonioida 191, 192, 195
- Chinle Group 228
- clades, centre of gravity 39, 41, **44**, 47
- cladograms 31, 32–33
- gap excess ratio 37–50
- coccolithophores
- fossil record **144**, 161, 167–175
- species richness 171–175
- collector curves 65, 77–78
- common-cause hypothesis 4, 19, 72, 78–79, 97–99, 102
- dinosaur diversity 223
- outcrop area and diversity 54, 55–56, 59
- sea-level change experiment 23–24
- shallow marine tetrapod diversity and rock record 202
- spatial structuring, Cenozoic, New Zealand 105–106, 114–116
- testing 95–103
- completeness
- fossil record 78–79
- marine and terrestrial record 58–59
- rock record 80
- sampling 80–82
- Compton Martin lagerstätte fauna 12–13, 14
- congruence
- stratigraphic 31–50
- marine and terrestrial cladograms 58
- Coniacian, dinosaur diversity 214, 231–232, 235
- consistency index 32, 36
- see also* stratigraphic consistency index
- convergence 154
- coquinas 11, 12
- coral, skeletal mineralogy 11
- cores, deep-sea microfossil recovery 147–148
- correlation, and causation 21–23
- Crato Formation, pterosaurs 76, 77
- Cretaceous
- dinosaur diversity 54, 214, 231–233, 234–236
- fossil record, coccolithophores 172, 174–175
- GER 46
- marine tetrapod extinctions 202–203
- rock record completeness 80
- terrestrial outcrop area 55, 56, 57, 60
- Cretaceous/Palaeogene mass extinction event 203, 231–233, 234, 235
- crocodilians 59
- crocodyliforms 192, 193, 202–203
- cysts, dinoflagellate, species preservation 146
- data collection
- deep-sea micropalaeontology 151–153, 168
- incompleteness 152–153
- Deep Sea Drilling Program (DSDP) 148, 149, 153
- coccolithophore fossil record 168–169, 170, 171
- Devonian, GER 46
- diatoms
- fossil record **144**
- species preservation 145–146
- Didelphimorpha, Late Quaternary, USA **181**
- differences, first 74, **75**, 107
- differencing, generalized 74, **75**, 196
- dinoflagellates
- fossil record **144**
- species preservation 146
- dinosaur fossil record
- collector curves 65, 78
- common cause v. bias hypotheses 79
- diversity 86, 87, **88**, 211–236
- common cause 223
- Cretaceous 54, 231–333, 234–236
- K/Pg boundary event 231–233, 234, 235
- data set 211–212
- evolutionary history 227–234
- global patterns 213–214
- global v. regional 215–220, 225–226
- Jurassic
- J/K boundary event 230–231, 235
- Middle 230–231, 234
- Late Triassic–Early Jurassic 227–230, 233, 235
- T/J boundary event 228–229
- long-term trends 220–221, 233–234
- radiations and extinctions 227–234
- redundancy hypothesis 223–225
- regional sampling metrics 217–218, 226–227
- residual 219–220, 222, 223, 227, 231
- and sampling 221–225
- Dinosaur Park Formation 224
- diversity 1–2
- beta 107–108, 112–113, 183–184
- decline, Holocene 179
- dinosaurs 211–236
- foraminifera 156–157
- global 55, 213–214
- global v. regional 210–211, 215–220, 225–226
- mammal fossil record 183–187
- molluscs, Miocene, Central Paratethys Sea 123–135
- residual 60
- dinosaurs 219–220, 222, 223, 227, 231

- and sea-level change 4
- shallow marine tetrapods, Mesozoic 194–204
- and spatial structuring
  - New Zealand Cenozoic molluscs 112–116
  - measurement 117–118
- terrestrial
  - and habitat area 58, 59
  - and outcrop area 53–61
  - common-cause hypothesis 55–56, 59
  - see also* dinosaur fossil record, diversity
- diversity estimate
  - ghost range 83, **85**, 86
  - modelled, pterosaurs 76, 77
  - observed 75, 76, 77
  - phylogenetic 83, **85**, 86, 87
  - taxon 83, **85**, 86, 87, 193, **200**
- drilling, deep-sea microfossil recovery 148–150
- Durbin-Watson test 196
  
- echinoderms, GER 42, **44**, 45, 47
- echinoid fossil record, quality, sampling 81–82
- Elliot Formation 228
- entropy 19–20
- environment
  - mollusc diversity, Miocene Central Paratethys Sea 133
  - spatial structuring and diversity
    - New Zealand 113–116
    - measurement 120–121
- Eocene, fossil record, coccolithophores 172, 174–175
- episodicity, pterosaurs 74
- erosion, deep-sea microfossil record 147
- Euhelopus* 226
- Eulipotyphla, Late Quaternary, USA **181**
- Europe, dinosaur diversity 215–218, 219, 222, 226, 228–229, 231–232
- eusauropods, radiation 230
- evolution, iterative 154
- extinction 97–99, 102–103
  - dinosaurs 227–234
    - Carnian–Norian 228
    - diversity, Triassic/Jurassic boundary 228–229
    - end-Cretaceous 210, 231–233
    - J/K boundary 230, 235
  - Late Quaternary 179, 184–187
  - Mesozoic, shallow marine tetrapods 202–204
  - New Zealand molluscs 112, 113, 114–116
- fauna, spatial turnover, measurement 118–120
- FAUNMAP 180, 182
- first appearance datum (FAD) 97, 99, 101
- fish, GER 42, **44**, 45, 47
- foraminifera
  - fossil record 143–144, 168–169
  - diversity 156–157
  - macroevolution 101–103, 158, 161
- formation counts, fossiliferous 70–71, 77
- anomodonts 73–74
- archosaurians 83, **85**
- birds 83, 86
- pterosaurs 74, 75
- formations, as sampling proxies 70–71, 79
- fossil record
  - adequacy 66–67, 78
  - age v. clade congruence 78
  - bias 64, 79, 80–90
  - Cenozoic, New Zealand 105–116
  - collector curves 77–78
  - correlation with rock record 3–4
  - deep-sea microfossils 141–162
    - species preservation 143–147
  - known 64, 66
  - potential 64–65, 66
  - quality 63–64
    - correction for sampling 79–80
    - sampling 66, 81–82
    - sampling proxies 64–65, 67–71, 79–80
  - variability 2–3
- Fossil Record File Electronic Database (FRED) 106, 107, 110
- Fourier transform, amplitude-adjusted 21, 22
- FreqRat method 65
  
- GAM (generalized additive model) 39–40, 41
- gap excess ratio 32–50
  - independent variables 38–39, 40–41
  - influences upon 43–47, 49
  - as measure of stratigraphic congruence 48–50, 78
  - tree balance 35, 36–37
  - variation between geological periods 42–43, 46, 48, 50
  - variation between taxa 42, 44–45, 47–48, 50
- gap index 32, 33, 34
- gap size 39, 41, 42
  - and GER 43, 44, 45, 46
- gap variance 41, 42
  - and GER 43, 44
- gaps, macrostratigraphy 96
- gastropods
  - aragonite sea fauna 12
  - biodiversity, Miocene Central Paratethys Sea 129
  - see also* microgastropods

- Gault Clay, microfauna 14  
ghost ranges 32–33, 34, 39, 65, 82–83, 90  
and GER 43–44, 47–48  
*Globorotalia truncatulinoides* 157  
*Gojirasaurus* 229
- habitat area 55–56, 57  
correlation with outcrop area and diversity 58, 59
- Haeckelian classification 156  
*Haplocanthosaurus delfsi* 211  
haptophytes, fossil record 143  
Heard's index of imbalance 35, 36 tree?  
heteroskedasticity 198, 200  
Hettangian, dinosaur diversity 214, 229  
hiatuses 97, 99  
deep-sea microfossil record 101, 147, 153, 154
- Holocene  
diversity decline 179, 183, 184  
mammal fossil record 182, 184–187
- homoscedasticity 198  
human effort, as sampling proxy 71  
humans, as cause of Late Quaternary Extinction 179  
hydropedality 192, 193
- ichthyosaurs 192, 193, 195, 202, 203  
imbalance 35, 36, 46  
incompleteness 78–90  
deep-sea microfossils 152–153, 158  
information entropy 19–20  
information transfer analysis  
directional 19–27  
isotope ratio records 24–26
- Insectivora, Late Quaternary, USA 181  
Integrated Ocean Drilling Program (IODP) 148  
invertebrates, skeletal mineralogy 9–15
- IRAT  
deep-sea microfossil record, imperfections  
150–161  
see also microfossil record, deep-sea, IRAT
- Ischigualasto Formation 227  
isotope ratio records, information transfer analysis  
24–26
- Jarque–Bera test 196, 198  
Jehol Group, pterosaurs 74, 75–76  
Jiufotang Formation, pterosaurs 76, 77
- Jurassic  
dinosaur diversity 214, 228–231, 234  
fossil record, coccolithophores 172, 174, 175  
GER 46, 50  
marine tetrapod extinctions 202–203
- Jurassic/Cretaceous boundary 230–231, 235
- Karpatian  
Central Paratethys Sea **125**  
mollusc biodiversity 123, 127–135  
palaeoclimate 133–134  
palaeogeography 124, 126–127, 133  
stratigraphy 126, 134
- Kimmeridgian, dinosaur diversity 214, 230  
Kullback–Leibler divergence 20
- Lagerstätten 2–3  
marine tetrapods 194, 196, 199–201  
pterosaurs 74–77  
skeletal 9–15
- Lagomorpha, Late Quaternary, USA 181  
land vertebrate faunachrons, anomodonts 72–73  
Langhian transgression 126–127  
last appearance datum (LAD) 97, 99, 101  
Late Quaternary Extinction event 179, 184–187  
Lazarus taxa 65, 82–83, 90  
least squares, generalized 196–198, 199–201  
*Liliensternus* 229  
lineages, phyletic 154  
Los Colorados Formation 228  
Löwenstein Formation 228
- Maastrichtian  
dinosaur diversity 214, 231–233, 235  
shallow marine tetrapods 202, 203
- macroevolution  
and macrostratigraphy 98, 99, 101  
foraminifera 101–103, 158
- Macrostrat database 80, 95–96, 100  
macrostratigraphy 96–97  
and macroevolution 98, 99, 101  
deep-sea 101–103
- Malawi 'Dinosaur Beds' 224  
mammal fossil record  
collector curves 77–78  
Late Quaternary Extinction event 179–180  
palaeospecies-area relationships 183–186  
sampling problems 182–183  
Pleistocene, diversity 59, 60
- Manhattan stratigraphic measure 34, 36–37, 49  
Margalef index 128  
megafauna, Late Quaternary extinction 179–187  
Mengyin Formation 226
- Mesozoic  
bird diversity 83, 86  
dinosaur diversity 211–236  
GER 42, 46, 48, 50  
terrestrial outcrop area 55, 57
- Metazoa, deep-sea 142, 143

- microfossil record  
 deep-sea 141–162, 167–175  
 bioturbation, transport and erosion 147  
 IRAT imperfections 150–161  
 age model problems 154, 155, 156, 157  
 analytic methods 159–160  
 incomplete data 151–153, 158  
 reworking 153–154, 156, 158  
 taxonomy 154, 156, 157, 160–161  
 recovery of material 147–150  
 sedimentation 147  
 species level preservation 143–147
- microgastropods 13–14
- micromolluscs 13  
 preservation potential 14–15
- Micropaleontologic Reference Center 149–150,  
 151, 158
- Miocene  
 Central Paratethys Sea 123–135  
 fossil record, coccolithophores 172, 174  
 terrestrial outcrop area 55, 56, 57
- MIOMAP 180
- molluscs  
 biodiversity 14–15  
 Central Paratethys Sea 123–124, 127–135  
 Buckhorn Asphalt fauna 12–13  
 GER 42, 44, 45, 47  
 shell size bias 13–14  
 spatial structuring, Cenozoic, New Zealand  
 105–116
- morphospecies, deep-sea microfossil  
 record 144, 156
- Morrison Formation 70, 224, 225
- mosasauroids 192, 193, 202, 203
- mysticeti *see* whales, baleen
- Neogene  
 fossil record 66  
 coccolithophores 172, 174–175  
 GER 46  
 rock record completeness 80
- NEOMAP 180, 182
- Neptune database 142, 156–157, 159, 169
- New Zealand  
 Cenozoic 105–116  
 timescale 109
- Niobrara Chalk Formation, pterosaurs 74
- Norian  
 archosaur diversity 83, 84, 85  
 dinosaur diversity 214, 228–229, 235
- North Alpine Foreland Basin, Miocene mollusc  
 diversity 126, 127–135
- North America, dinosaur diversity 215–217, 219,  
 222, 226, 228–229, 231–232
- occurrence dates 37, 54, 156–157,  
 159–160, 171
- Ocean Drilling Program (ODP) 148, 149, 153  
 coccolithophore fossil record 168–169,  
 170, 171
- Ordovician, GER 46
- origination 97, 98, 99, 102–103  
 dates 37, 41, 47  
 New Zealand molluscs 112–113, 114–116
- ornithischians  
 diversity 214, 215, 228–236  
 long-term trends 220–221  
 regional sampling metrics 217–218  
 residual 219–220, 223  
 and sampling 221–222
- outcrop area  
 correlation with rock exposure 68–70  
 as sampling proxies 67–70, 79  
 terrestrial  
 and biodiversity 53–61  
 common-cause hypothesis 55–56, 59  
 global 56–57, 56  
 and habitat area 58, 59, 60
- outliers, species records 159, 160
- Oxfordian, dinosaur diversity 214, 230–231, 235
- oxygen isotope records, information transfer  
 analysis 25–26
- packages, gap-bound  
 macrostratigraphy 96–97  
 marine sediments 99–103
- palaeoclimate, mollusc diversity, Miocene, Central  
 Paratethys Sea 133–134
- palaeodiversity, marine reptiles 201
- Palaeogene  
 fossil record, coccolithophores 172,  
 174, 175  
 GER 46, 48
- palaeogeography, mollusc diversity, Miocene  
 Central Paratethys Sea 133
- Palaeozoic  
 GER 42, 46, 48, 50  
 outcrop area 55
- Paleobiology Database 5, 38, 54, 71, 80, 96,  
 99–101, 159  
 dinosaurs 211
- Paleontologic Interest Unit 71
- palaeospecies-area relationships, mammal fossil  
 record 180, 183–186

- Paratethys Sea, Central, Miocene  
 geological setting 124, 126–127  
 mollusc diversity 123–124, 127–135  
 sequence stratigraphy 126, 134
- PAST program 127, 128, 194
- Permian, GER 46, 48
- phylogeny  
 and fossil record 31  
*see also* trees, phylogenetic
- placodonts 191
- plankton  
 deep-sea fossil record 101–103, 142–162,  
 167–175  
*see also* coccolithophores; foraminifera
- plants, GER 42, 44, 45, 47
- Pleistocene, terrestrial tetrapod diversity 59, 60
- pleisiopedality 192
- plesiosaurs 191, 192, 193, 195, 203
- Pliensbachian, dinosaur diversity 214, 229–230
- Plio-Pleistocene, fossil record, coccolithophores  
 172, 174–175
- Pliocene, terrestrial outcrop area 55, 56
- Plotosaurus* 192, 193, 195, 203
- preservation, species level diversity 143–147
- preservation potential 2, 65
- pseudoextinctions 82
- pterosaur fossil record  
 age v. clade congruence 78  
 collector curves 77–78  
 redundancy and Lagerstätten  
 effect 74–77
- Quaternary, Late, extinctions 179, 184–187
- radiation  
 dinosaurs 227–234  
 Mesozoic marine tetrapods 191
- radiolarians  
 fossil record 143, 144  
 occurrences 156  
 species preservation 145–146  
 taxonomy 156, 161
- random forests 40, 41, 43, 47
- range centre of gravity 39, 41, 44, 47
- rarefaction 80, 171
- reasoning, circular, dinosaur  
 diversity 223–225
- Recent, GER 46, 48, 50
- redundancy hypothesis 72, 77  
 dinosaur diversity 223–225
- regression models 197–198, 199–201
- regression trees 41, 47
- relative completeness index 34, 49, 78
- reptiles, shallow marine  
 ecology 192–193  
 locomotion 192–193  
 palaeodiversity 201
- resampling 159
- retention index 32
- reworking, deep-sea microfossils 153–154,  
 156, 158
- Rhaetian, dinosaur diversity 214, 228–229, 235
- rock exposure, correlation with outcrop  
 area 68–70
- rock record 1–2  
 completeness 80  
 correlation with fossil record 3–4  
 gap-bound packages 96–97  
 marine sediments 99–101  
 marine formations, correlation with tetrapod  
 diversity 194–204  
 variability 3
- rock volume 80  
 and palaeodiversity 72
- Rodentia, Late Quaternary, USA 181
- sampling  
 completeness 80–82  
*see also* resampling; subsampling
- sampling bias 4, 5, 54  
 deep-sea coccolithophores 167–175
- sampling metrics, dinosaurs 217–218, 221–225,  
 226–227
- sampling proxies 64–65, 67–71, 79–80  
 coccolithophore fossil record 171–175  
 marine formations 195
- Santa Maria Formation 227–228
- Santana Formation, pterosaurs 74, 76, 77
- Santonian, dinosaur diversity 214,  
 231–232, 235
- sauropodomorphs  
 diversity 212, 214, 215, 228–236  
 long-term trends 220–221  
 regional sampling metrics 217–218  
 residual 219–220, 223  
 and sampling 221–222
- sauropterygians 193, 202
- sea-level change 3, 4  
 common-cause hypothesis 4, 23–24, 56,  
 72, 79, 167  
 dinosaur diversity 223  
 marine tetrapods 193, 194, 197, 201–202  
 habitat area and diversity 4, 56  
 marine tetrapods, extinctions 202–204
- seawater  
 chemistry 9–15

- isotope records, information transfer analysis 25–26
- Sedflux model 23
- sedimentation, deep-sea microfossil record 101–103, 147
- Shannon index 128
- shells
  - mineralogy 11
  - preservation 146
  - size bias 13–14
- silica, microfossil preservation 145–146
- silicification 14
- Silurian, GER 46, 48
- Simpson index 128
- Sinemurian, dinosaur diversity 214, 229
- Solnhofen Limestone, pterosaurs 74
- South America, dinosaur diversity 215–216, 222, 226, 228, 231–232
- South Urals basin redbeds, tetrapod fossil record, sampling 81, 82
- spatial structuring, Cenozoic
  - New Zealand 105–116
    - biodiversity 107–108, 112–113
    - environment 108–109, 113
- Spearman rank correlation 24, 35, 107, 170, 172
- species, preservation, fossil record 143–147
- species occurrence 37, 54, 156–157, 159–160, 171
- squamates 59, 191, 192, 202, 203
- steinkerns 11
- stramenopiles, fossil record 143
- stratigraphic consistency index 34, 35, 36, 49
- stratigraphy, Miocene, Central Paratethys Sea 126, 134
- subsampling 66, 171
- sulphur isotope records, information transfer analysis 25–26
  
- taphonomically active zone 11, 14
- taxic rate, measurement 118
- taxon diversity estimate 83, 193, **200**
- taxonomic group, and GER 41, 44–45
- taxonomy, deep-sea microfossil record 154, 156, 157, 160–161, 169
- Tendaguru beds 225
- tetrapod fossil record
  - GER 42, **44**, 45, 47
  - Mesozoic, shallow marine
    - diversity and rock record 191–204
    - extinctions 202–204
  - Pleistocene, diversity 59
  - quality, sampling 81
- thalattosaurs 191, 192, 193, 202
- theropods, diversity 214, 215, 228–236
  - long-term trends 220–221
  - regional sampling metrics 217–218
  - residual 219–220, 223
    - and sampling 221–222
- time bins 1
  - anomodonts 72–73
  - deep-sea microfossils 170, 171
  - dinosaur diversity 212–213
    - Late Quaternary megafossils 180, 182
    - shallow marine reptiles 193, 195–196
- time series analysis 1, 19, 106–107, 109–113, 194–204
- Tithonian, dinosaur diversity 214, 230
- Toarcian, dinosaur diversity 214, 229–230
- transfer entropy 20
- transport, deep-sea microfossils 147
- trees, phylogenetic
  - balance 35, 45–46
  - bootstrapped 47
  - gap excess ratio 41–50
    - independent variables 38–39, 40–42
  - linear models 40–42, **44**
  - non-linear models 39–40
  - origination dates 37, 41
  - regression 41, 47
  - size 35–37
- Triassic
  - archosaurian diversity 83, 84, **85**
  - dinosaur diversity 214, 227–228
  - GER 46, 48, 50
  - marine tetrapod extinctions 202–204
  - terrestrial outcrop area 57
- Triassic/Jurassic boundary mass extinction 228–229
- trilobite fossil record, collector curves 77–78
- Turonian, dinosaur diversity 214, 232
- turtles 59, 191, 192, 193, 195, 203
  
- unconformities 97
  - see also* hiatuses
- undulation, axial 192
- USA, Late Quaternary, mammal fossil record 180–187
  
- vertebrates, fossil record 191, 211
- Vienna Basin, Miocene mollusc biodiversity 124, 126, 127–135
  
- whales, baleen, diversity 86–87, **88**
  
- Yixian Formation, pterosaurs 76, 77
  
- Zorzino Limestone, pterosaurs 74