

Index

Pages on which figures appear are printed in *italic*, and those with tables in **bold**

- Agat field **319**, 323
albite in Sherwood Sandstone Group 332, 333
albitization 197, 198
alluvial fan 126–7, 128, 129
aluminium mobility 63–4
amphibole stability **269**
anatase in Sherwood Sandstone Group **327**, 331–2
anhydrite in Sherwood Sandstone Group **327**, 331
dissolution 332, 335
eodiagenesis 329
mesodiagenesis 330
stable isotope composition 181, 182, 185–6
ankerite
Bothamsall oilfield 56, 60
Viking Formation 284–5, 286, 287, 291
Wilcox Formation 226, 228, 232
apatite in turbidites 146, 147, 148, 149
aragonite
Bridport Sands 106, 107, 109, 110
Catalan Basin beach ridge systems 130
Corallian Formation 345
Lincolnshire Limestone 204
arkose 306, 309
Aylesbeare Group 330
- bacteria and carbonate precipitation 112–3, 115–6
Barton sand **30**, **31**, 32, 33, 34, 35
barytes in Sherwood Sandstone Group **327**, 331–2
Basal Permian Sands 177, 184–5
beach-ridge systems
deposits 123–4
diagenesis 127–30
dolomitization 134–7
reef associations 125–6
stable isotopes 134
trace elements 132–4
beekite 90, 91, 96, 98
Beer (Devon) stratigraphy 87, 88, 89
berthierine 104, 105, 106, 109
bicarbonate 112–3, 115–6
bioclast silicification
description 88–92
discussion 99–100
 $\beta^{18}\text{O}$ values 96–8
role of drusy quartz 101
biodegradation of hydrocarbons 16–7
biotite alteration 147
bitumens 21
Black Grit porosity and hydrocarbons 299, 230, **231**, 306, 307
Blaen Twrch turbidite 150
bloedite 119, 120
Bog Quartzite 299, 300, **303**, 306
Bothamsall oilfield
diagenesis 65–8
petrography 55–60
Brage field **318**
- Bridport Sands
cementation 109–10, 117
outcrop 103–4
petrography 104–7
stable isotopes 107–9
Budleigh Salterton Pebble Beds
cementation 332
outcrop 175, 325–6
stable isotopes 179
Burlington Formation
diagenesis 251–4
dolomitization
modelling 254–6
petrography 239–45
timing 245–51
stratigraphy 237–40
- $\delta^{13}\text{C}$
Bridport Sands 107–9
Burlington–Keokuk Formations 241, 243
Catalan Basin beach ridge systems 132, 134
Corallian Formation 349–50
Great Estuarine Group 272–3, 274
Norwegian reservoir rocks 317, **318**, **319**, 321, 322
Sherwood Sandstone Group 179–85
Viking Formation 281, **282–3**, 289
Viking Group 112–4
Yingtang Formation 164–6
calcite cements 21
Bridport Sands 109–10
Burlington–Keokuk Formations 245, 247
Catalan Basin beach ridge systems 127, 130
Corallian Formation 343, 344, 345–6
Great Estuarine Group 272
Lincolnshire Limestone
ferroan 205–6, 207–8
non-ferroan 205, 206–7
Los Monegros playas 120
North Coles Levee 194–5
Norwegian reservoir rocks 315–6
Sherwood Sandstone Group 178, **327**, 328–9, 332
Viking Formation 281, 286, 287, 290
Viking Group 114–6
Welsh Borderland sandstones 304, 309
Wilcox Formation 244–5, 226, 229–31
Cambrian *see* Comley Sandstone; Hollybush Sandstone
Cannonball Doggers 42–4
carbon in Jet Rock concretions 43
carbon isotopes
fractionation in concretions 47–8
see also $\delta^{13}\text{C}$
carbonate cements
growth 1
influence of sulphur 21
isotopic composition 179–85

- sources 313–4
 - see also* calcite; dolomite; magnesite
- Carboniferous *see* Bothamsall oilfield; Burlington–Keokuk Formations
- Carboniferous Limestone, role in Jurassic diagenesis 214–5, 216
- Catalan Basin 123, 124, 125
- catalysis and sulphate-hydrocarbon reactions 23
- cathodoluminescence (CL)
 - Burlington–Keokuk Formations 239, 241, 243, 244
 - Corallian Formation 343, 345–6, 347, 348
 - Lincolnshire Limestone 204, 205, 206
 - Sherwood Sandstone Group 177–8, 182, 329
 - Viking Group 112, 113
 - Welsh Basin turbidites 142, 147
 - Wilcox Formation 222, 224
 - Yingtang Formation 161–62
- cement
 - fringing 109–10, 115
 - mosaic 110, 115–6
 - pendant 115
 - see also* anhydrite; calcite; carbonate; dolomite; illite; kaolinite; phosphate; quartz; siderite; smectite
- cementation modelling
 - mathematical basis 3–6
 - results 6–12
- cementation rate constant (β) 6, 12
- Cenomanian in Devon 87
- chalcedony
 - Cenomanian
 - bioclasts 90, 94
 - nodules 93, 94–5
 - Chicks Grove Plant Bed nodules 76–9, 81–3
 - Sherwood Sandstone Group cements 327, 334
 - Yingtang Formation 160
- Chalgrove borehole 341, 343
- chert
 - Burlington–Keokuk Formations 249–51
 - Cenomanian
 - bioclasts 99–100
 - nodules 94, 95, 100
 - Chicks Grove Plant Bed 74–80
- Chicks Grove Plant Bed
 - chert petrology 74–80
 - silica circulation 80–3
 - stratigraphy 73–4, 75
- chlorite
 - Viking Formation 281, 286, 287, 290
 - Welsh Basin turbidites 147, 148, 149
- Chondrites* 144, 151
- clay minerals
 - Viking Formation 280, 291
 - Welsh Borderland sandstones 302, 304
- Cleethorpes drillcore
 - log 177, 189–90
 - stable isotopes in cements 183–5
- Comley Sandstones hydrocarbons 303, 304, 305, 306–8
- compaction effects
 - diagenesis 198
 - porosity 37–8
- compressive strengths in UK sands 37
- concretions
 - formation
 - early theories 41–2
 - role of methane 48–52
 - in Great Estuarine Group 264, 266–8
- Corallian Formation
 - depositional environment 340–1, 343
 - diagenesis 341–3, 345–6
 - facies analysis 350–2
 - geochemistry 346–50
 - stratigraphy 339–40
- Cretaceous *see* Cenomanian; Folkestone sand; Small Cove Hardground; Soreq Formation; Viking Formation; Woburn Sands
- Cretaceous sandstones of Norway
 - cementation studies 315–6
 - petrology 314–5
- crude oil thermal cracking 16–17
- Curling Stones 42–4
- Degree of Pyritization (DOP) 52
- Devonian *see* Dongganglin Formation; Tangding Formation; Yingtang Formation
- dickite 285
- doggers 42–4, 266
- dolomite cements and dolomitization
 - Burlington–Keokuk Formations
 - cathodoluminescence 239, 241–5, 246
 - mixed-water model 254–6
 - petrography 239, 240, 241
 - timing 245–51
 - Catalan Basin beach-ridge systems 126–7, 128, 129, 130, 134–7
 - Lincolnshire Limestone 205
 - Los Monegros playas 120
 - North Coles Levee 194
 - Sherwood Sandstone Group 182, 186, 327, 328, 332–4, 335
 - Viking Formation 284–5, 286, 287, 290
 - Yingtang Formation
 - geochemistry 162–7
 - mixed-water model 167–8
 - petrography 160–2
 - stratigraphy 158–60
- Dongganglin Formation 158, 159
- Dowsing Fault Zone 173
- Draugen field 318
- Duntulm Formation
 - cementation 266, 270
 - depositional environment 262, 263, 264
 - stratigraphy 261
 - vitrinite reflectivity 271
- East Yorkshire–Lincolnshire Basin
 - Permo–Triassic petrology 176–7
 - stable isotopes 182–7
 - stratigraphy 177
 - structure 173, 176
- Elgol Sandstone Formation 261
- epidote stability 269
- evaporite precipitation 119
- Exogyra* silicification 91, 96, 98

- Fayetteville Shale concretions 42
feldspar
 diagenesis
 Bothamsall oilfield sandstones 56, 57, 65, 66, 67
 Sherwood Sandstone Group 327, 329–31, 331, 333
 Viking Formation 284, 286
 Wilcox Formation 225–6, 227
 occurrence in beds of Llandoverly age 147, 302, 304, 306, 307, 309
 see also albite; plagioclase
florencite 147
fluid flow modelling 3
fluid inclusions 316–7
fluorescence in chert nodules 78–9
Folkestone sands 30, 31, 32, 33, 34
Folly Sandstone 298, 300, 303
fossil silicification see bioclast
francolite 147
Frio Formation cementation
 comparison with Wilcox Formation 232–33
 ankerite 226, 228
 calcite 224–5
 feldspar 226
 quartz 222–4
- garnet stability 269
geothermal gradient in Texas 229
Girvanella 341
glauconite 281, 286, 301, 306
goethite 335
Grantham sand 30, 31, 32, 33, 34, 35
Great Dirt Bed 75, 85
Great Estuarine Group
 depositional environment 262
 diagenesis
 concretions 266–8
 early changes 262–4
 late changes 264–6
 shell mineralogy 269–70
 water chemistry 272–4
 Inner Hebrides basin 259–60
 mineralogy 260–2
 Tertiary volcanic effects 270–2
griestoniensis Zone turbidites 142, 143–4
Guallar playa 120, 121
Guangxi region palaeogeography 158
Gudrun field 318
Guilin Formation 158
Gullfaks field 318, 322
gypsum 119, 120, 332
- haematite
 Catalan Basin beach-ridge systems 126
 Sherwood Sandstone Group 326–8
halite 119, 120
Harwell 4 borehole 341, 343, 345
Haven Cliff (Devon) stratigraphy 87, 88, 89
heat of reaction in sulphate-hydrocarbon
 chemistry 24
Hild field 320
Hoar Edge Grit 299, 300
- diagenesis 300–1, 304, 310
hydrocarbons 303
Hollybush Sandstone hydrocarbons 300, 303, 306, 308
hydrocarbons
 redox chemistry 16–19
 geological significance 20–5
 Welsh Basin occurrences 298–9, 301, 303, 304–6
 porosity and migration 310–11
 see also methane
hydrogen sulphide 20–1
- illite
 Bothamsall oilfield sandstones 56, 58, 59, 60, 66, 67
 North Coles Levee 196
 Sherwood Sandstone Group 327, 335
 Viking Formation 284, 285–6, 287, 291
 Wilcox Formation 229, 232
Inoceramus silicification 90, 91, 92, 93, 94
iron in carbonates
 Burlington–Keokuk Formations 239
 Corallian Formation 346–9
 Lincolnshire Limestone Formation 206, 209, 210, 211
 Yingtang Formation 166
iron oxides
 Catalan Basin beach-ridge systems 126–7
 Sherwood Sandstone Formation 326–8
 Viking Formation 281, 286
iron oxyhydroxides 150, 151, 152
isotopes see $\delta^{13}\text{C}$; $\delta^{18}\text{O}$; $\delta^{34}\text{S}$; $^{87}\text{Sr}/^{86}\text{Sr}$
- Jet Rock concretions
 chemistry 42–4
 formation 52–3
Jurassic see Bridport Sands; Chicks Grove Plant Bed; Corallian Formation; Grantham sand; Great Estuarine Group; Jet Rock; Kellaways Sand; Lincolnshire Limestone; Viking Group
Jurassic sandstones of Norway
 cementation 315–6
 petrology 314–5
- kaolinite
 Bothamsall oilfield sandstones 56, 58, 59, 60, 61, 65, 66, 67
 North Coles Levee 196, 197
 Norwegian reservoir rocks 316, 320
 Sherwood Sandstone Group 327, 333, 334
 Viking Formation 284, 285, 286, 287, 290, 291
Keg River Formation 24–5
Kellaways Sand 30, 31, 32, 33, 34
Keokuk Formation
 diagenesis 251–4
 dolomitization
 modelling 254–6
 petrography 239–45
 timing 245–51
 stratigraphy 237–8
Kilmaluag Formation 261, 264
Kingella silicification 90, 92
kyanite stability 269

- Lealt Shales Formation 261, 262, 263, 265–6
 lepispheres 75–9
 limonite 334
 Lincolnshire Limestone
 diagenesis
 pre-burial 204
 post burial 204–6
 stratigraphy 202–3
 litharenite 306
 lithification measurement 34
 Longmynd 298, 301
 Los Monegros playas 119
 lutecite rosettes 89, 90
- magnesite 120–21
 magnesium
 Corallian Formation 346–9
 Lincolnshire Limestone 209–10, 212
 see also dolomitization
 manganese in carbonates
 Burlington–Keokuk Formations 239
 Corallian Formation 346–9
 Lincolnshire Limestone 208–9
 Yingtang Formation 166
 manganese oxide 327, 334
 manganese oxyhydroxides 150, 151, 152
 Marchwood drillcore
 cements 329, 332, 334
 stable isotopes 179–80
 log 173, 187
 reservoir properties 334–5
 marine water and dolomitization 135, 136, 137,
 167–8
 matrix geometry modelling
 method 4–6
 results 6–12
 Mercia Mudstone 171, 330
 meteoric water in diagenesis
 Catalan Basin beach-ridge systems 126–7, 135
 Cenomanian 100–1
 Chicksgrove Plant Bed 81, 82, 83
 Corallian Formation 345–6, 350
 Lincolnshire Limestone 204
 Viking Formation 288–9, 291, 292–3
 Welsh Borderland sandstones 310–11
 Wilcox Formation 230
 Yingtang Formation 167–8
 methane and methanogenesis 20, 45–6
 and concretions 48–52
 mica 147, 148, 149
 see also biotite; chlorite; muscovite
 microbes
 concretion control 42
 phosphate diagenesis 150, 151
 microfibrils in sands 32–4
 Midgard field 318
 mineral stability, heavy 268–9
 mirabilite 119, 120
 muscovite 56, 57, 66, 67
- Neomiodon* preservation 263, 266, 267, 269
 neomorphism in shelly limestone 269–70
 Nettlecombe borehole 329
 Nisku Formation 24, 25
 nodules
 siliceous 92–6
 formation 100–1
 $\delta^{18}\text{O}$ 99
 see also concretions
 North Coles Levee reservoir 191, 193
 Norway, oilfield sandstones
 calcite textures 315–6
 fluid inclusions 316–7
 petrology 314–5
 stable isotopes 317
 Norwich Crag sand 30, 31, 32, 33
 nucleation of concretions 41–2
- $\delta^{18}\text{O}$
 Bridport Sands 107–9
 Burlington–Keokuk Formations 241, 243
 Catalan Basin beach-ridge systems 132, 134
 Cenomanian 96–9
 Corallian Formation 349–50
 Great Estuarine Group 270, 271, 273, 274
 Norwegian reservoir rocks 317, 318, 319, 320,
 321, 322
 Sherwood Sandstone Group 179–85
 Viking Formation 280–91
 Viking Group 112–4
 Wilcox Formation
 ankerite 226, 228
 calcite 224–5, 226
 feldspar 225–6, 227
 quartz 221–2
 Yingtang Formation 164–6
 opal
 chert nodules 75–6, 80, 81
 role in silicification 100
 Ordovician *see* Black Grit; Hoar Edge Grit;
 Stiperstones Quartzite
 organic matter decay
 concretion control 42
 phosphate diagenesis 150, 151, 152
 Oseberg field 321
 Otter Sandstone 173, 177, 329
 Oxford Shallows block
 Corallian Formation environment 340–1
 facies analysis 350–2
 oxidation states of sulphur 18–19
 oxygen isotopes *see* $\delta^{18}\text{O}$
- Pecllet number 3
 permeability modelling 1–3
 Permo–Triassic *see* Budleigh Salterton Pebble Beds;
 Mercia Mudstone; Otter Sandstone;
 Sherwood Sandstone Group
 phosphate cements
 appearance 144–7
 development 148–53
 Pine Point (Canada) 25
 Pito playa 120
 plagioclase dissolution 196, 198

- porosity
 modelling and hydrodynamics 3, 4, 7, 8, 9, 10, 11
 North Coles Levee sandstone 196–7
 UK uncemented sands 32, 34, 37–9
 Welsh Borderland sandstones 300, 301, 302, 304
 primary 308–9
 secondary 306–8, 309, 310
- Portlandian stratigraphy 75
- potassium mobility 64–5
- Praexogyra* spp. 269, 271
- Praemytilis* spp. 269
- pressure solution 39
- pyrite
 Jet Rock 43, 44
 North Coles Levee 197–8
 Viking Formation 281, 286
 Welsh Basin turbidites 147, 148, 149
- quartz
 Bothamsall oilfield sandstones 56, 60, 66, 67
 Cenomanian 101
 Chicks Grove Plant Bed 75, 80, 81
 Sherwood Sandstone Group 327, 329–30, 331, 332, 333
 Viking Formation 281, 284, 286, 287, 290
 Welsh Borderland sandstones 304, 305, 309
 Wilcox Formation 221–4, 229–31
- quartz arenite 300–1, 304
- quartzine 90
- redox reactions and sulphur 16–19
- reefs
 development 125–6
 diagenesis 130–2
- replacement reactions 79–81
- reservoir properties
 Sherwood Sandstone Group 335–6
 Welsh Borderland sandstones 306, 309, 311
- Reynolds number 3
- Rhaxella* 341, 343
- rip-up clasts 147, 150
- rutile stability 269
- $\delta^{34}\text{S}$ in anhydrite 185–6
- St Genevieve Limestone 239
- St Louis Formation 239, 247
- San Joaquin basin 191, 192
- Seaborough borehole 329
- shear strength in UK sands 36
- shell preservation 269–70
- Sherwood Sandstone Group
 diagenesis 186–7
 early 326–9
 late 334
 middle 329–34
 outcrops and stratigraphy 173–4, 325–6
 petrology 175–8
 reservoir properties 334–5
- Shrewton borehole 330, 332
- siderite
 North Coles Levee 193, 194
 Viking Formation 281, 284, 286, 287, 290
- silicification
 bioclasts 88–92
 d^{18}O 96–8, 99–100
 nodules 75–9, 92–6
 d^{18}O 99, 100–1
 silica sources 80–1
 see also quartz
- Silurian see Bog Quartzite; Folly Sandstone; *griestoniensis* Zone; Trecoed Beds
- Skudiburgh Formation 261, 263, 264
- Small Cove Hardground 94, 96
- smectite
 North Coles Levee 196
 Viking Formation 284, 285–6, 287, 291
 Welsh Basin turbidites 147
 Wilcox Formation 229, 232
- sodium in dolostones 166
- solute supply modelling 3
- solution-mineral equilibria modelling 60–3
- Soreq Formation 168
- Southampton Western Esplanade drillcore
 cements 329, 332
 stable isotopes 181–2
 log 189
 reservoir properties 334–5
- Spergen Formation 239, 249
- sphene stability 269
- stable isotopes see $\delta^{13}\text{C}$; $\delta^{18}\text{O}$; $\delta^{34}\text{S}$
- staurolite stability 269
- Stevens sandstones 193–8
- Stiperstones Quartzite 299, 300
 diagenesis 306
 hydrocarbons 303, 304, 306–8
- strontium
 concentrations
 Corallian Formation 346–9
 Lincolnshire Limestone 211–4
 Yingtang Formation 166
 isotope ratios
 Burlington–Keokuk Formations 239
 Corallian Formation 346–9
 Lincolnshire Limestone 211–4
 Wilcox Formation 225, 227, 229
- subarkose 301–4
- sublitharenite 301–4
- sulphate-hydrocarbon redox reactions 16–19, 44–5
 bacterial sulphate reduction (BSR) 15
 geological significance 20–5
 thermochemical sulphate reduction (TSR) 15
- Sussex Sandstone 297
- Tangding Formation 159–60
- temperatures, diagenetic
 Lincolnshire Limestone 205
 North Coles Levee 195–6, 198
 Norwegian reservoir rocks 320, 322, 323
 Sherwood Sandstone Group 332
 sulphate-hydrocarbon reactions 21–2
 Viking Formation 287–8
 Wilcox Formation 228–9
- Tertiary see Barton sand; Catalan Basin; Frio Formation; North Coles Levee; Norwich Crag; Thanet sand; Wilcox Formation
- Texas Gulf Coast stratigraphy 220

- Thalassinoides* 93, 95
 Thanet sand **30, 31, 32, 33**
 thenardite 121, 122
 thermal cracking 16
 titanium dioxides 147, 148
 tourmaline stability **269**
 trace elements
 Catalan Basin beach-ride systems 132–4
 Corallian Formation 346–50
 Lincolnshire Limestone 214–5
 Trecoed Beds 300
 hydrocarbons 298, **303**, 304, 306–8, 310
 Troll Field 110–11
 turbidites in Welsh Basin 143–4, 298
 cementation 144–7
 mineralogy 147
 phosphate diagenesis 148–53
- Valtos Sandstone Formation 261, 263, 266–8, 270
 Viking Formation
 deposition 278–9
 diagenesis 288–93
 temperature 287–8
 mineralogy 281–6
 Viking Group sandstones
 cementation 112, 114–6, 117
 stable isotopes 112–4
 petrography 111–2
 stratigraphy 110–11
 vitrinite reflectivity 22, 271–2
 volcanism and burial 270–1, 274
- Warsaw Shale 239, 255
 Welsh Basin, Palaeozoic
 palaeogeography 143–4
 sediments 298, 299
 Welsh Borderland sandstones
 diagenesis 300–6
 hydrocarbons 298–9, **303**
- porosity 306–10
 stratigraphy 298, 300
 Wessex Basin
 environments in Corallian 343, 350–2
 Permo–Triassic sediments 175–6, 179–82
 structure 173, 174, 339–40, 341
 Western Esplanade drillcore *see* Southampton
 Wilcox Formation
 diagenesis
 ankerite 226, 228
 calcite 224–5, 226
 feldspar 225–6, 227
 quartz 221–4
 reaction sequence 228–32
 stratigraphy 220
 Wilmington (Devon) stratigraphy 87, 88, 89
 Winterborne Kingston drillcore
 cements 329, 330, 332
 stable isotopes 181, 185
 log 175, 189
 reservoir properties 334–5
 Wistow drillcore 182–3
 Woburn Sands **30, 31, 32, 33**
 Wytch Farm drillcore
 cements 329, 330, 331, 332
 stable isotopes 182, 185
 log 189
 reservoir properties 335–6
- xenotime 147
- Yingtang Formation
 dolomitization chemistry 166–7
 mixed-water model 167–8
 stable isotopes 164
 petrography 162
 stratigraphy 159, 160
- zircon stability 147