

Index

Page number in *italic* denote figures. Page numbers in **bold** denote tables.

- Aberfeldy SEDEX deposits 190
barite 189, *190*, 196, *197*, *198*, 199
stable isotopes 200–210
diagenetic alteration 203, 206–207
Neoproterozoic marine sulphate 208–210
stratigraphic variation 208–209
breccia 196
dating 195
deformation 194–195
depositional environment 198–199
geology 194–195
mineralogy 196–199
S-isotopes 235
stratigraphy 193–195
Agnew–Wiluna belt 26, 33, 53
nickel deposit 35, 68
agriculture 315–317
aluminium, in metamorphic fluids 120
apatite, Sunrise Dam Gold Mine 129, *130*
Appin Group *194*, *214*, 215, *216*
S isotopes 235
Sr isotopes 219
Archaean cratons 2, 16
Yilgarn Craton 24–72
Arctic, exploration potential 272
Ardrishaig Phyllite Formation *216*
S-isotopes *216*, 234
stable isotopes 207
Argyll Group *194*, 195, 208, *214*, 215, *216*
S isotopes 235
Sr isotopes 219
arsenic, criticality **299**, 300
arsenopyrite, Massawa gold deposit 140,
143, *144*
asteroids, mining 5
Atlantic Ocean, mineral deposits 14
Auch Estate *218*
gold mineralization 221
S-isotopes **233**, **236**
sulphides 222, 223, 224, **225**, **231**
Auchtertyre
S-isotopes **233**
sulphides **231**
aurostibite 148
Avoca Fault *162*, 163
Aynak copper deposit 270
bacteria
geomicrobiology 269
halophilic sulphate-reducing
and gold (III) chloride stability 252
gold immobilization 250–261
sulphate-reducing 4
Badon–Kakadian batholith 137, 138
Balbalinga Fault 55
Ballachulish Limestone *194*, *216*, 217, 219
Ballachulish Slate *194*, 215
S-isotopes 234, 235
banded iron formations 2, 15
controls on 70–71
fluids 94–99, 98
cold near-surface 97
diagenetic 94
fluid-source scheme 97–99
heated meteoric water 96–97
hot basinal brines 95
hot interacting with country rocks 95–96
metamorphic 94–95
Hamersley Province 81, **82**, 83–90
hypogene 27
iron fertility 101–102
mineral systems approach 99–110
paragenetic sequences of oxides 94
textural modifications 93–94
Western Australia 81–111
Yilgarn Craton 27, **32**, *35*, 70–71, 81, **82**, 91, 93
barite, Aberfeldy SEDEX deposits 189, *190*, 196,
197, *198*, 199
stable isotopes 200–210
diagenetic alteration 203, 206–207
Neoproterozoic marine sulphate 208–210
stratigraphic variation 208–209
Basque Lake *257*
halophilic sulphate reducing bacteria 251
Beebyn BIF deposit, carbonate alteration 103
Beebyn/Madoonga, M-G deposits **87**, **88**, 90, 91, 92
Beinn Chuirn Anticline 240, *241*
Beinn Udlaidh Main Vein 218
gold mineralization 219
breccia bodies 221, 224, **229–230**, **237**
sulphides 222, 224, **225–226**, **229–230**, **236–237**
Ben Challum Quartzite *216*
SEDEX mineralized horizon 224, 232
S-isotopes 235, 238, 239
Ben Eagach Schist 193–194, 195, 208, *216*, *218*
barite 189
depositional environment 198, 199
metal source rocks 240–242
mineralogy 196
S-isotopes **204**, 234, 235, 238, 239
Ben Lawers Schist 194, 208, *216*, *218*
depositional environment 196, 199
metal source rocks 241
sulphides 232, 234–235
Ben Lui Schist *194*, *216*, 235
Benambran Orogeny 163, 165
Bendigo Goldfield 3
black shale 161, 168, 169–177, 179
source of gold 180–184
trace element capture 179
deep water channel–levee complex 161, 165–167,
175–177, 183–184
grey shale 168, 169, 171, **172**, *173*, *174*, *175*, 179
trace element capture 179
mineralization 165
palaeo-redox 179

- Bendigo Goldfield (*Continued*)
 pyrite 171–174, 178, 179
 sedimentary environment 175–177
 sedimentology 165–167
 amalgamated sandstone facies 166, 167, 177
 sandstone–granulite facies 166, 167, 177
 sandstone–mudstone facies 166, 167, 176
 thick-bedded sandstone facies 166, 167, 177
 structural controls 164
 turbidite-hosted quartz vein system 161, 164
 analysis 167–168
 chemistry 168–174
 chemostratigraphy 174–175
 fluid inclusions 164
 ‘Ordovician mud pile’ 162–163
 organic carbon 168, 170, 176, 181
 trace elements 169–174, 177, 178, 179–180
 turbidity currents 175–177
- Bendigo Zone 162
 deformation 163–165
 geological setting 162–165
- biofuels 306
- Birimian Terrane 135, 137
- Bismark Sea, mining 313
- Bitter Springs anomaly 216, 217, 219
- black shale 3, 4
 Bendigo Goldfield 161, 168, 169–177
 Castlemaine Group 163, 175–176
 source of gold 180–184
 trace element capture 179–180
 vein formation 165
- Boddington Cu–Au deposit 27, 31
- Bonahaven Dolomite 194, 216
 S-isotopes 234, 235
 stable isotopes 207, 219
- Boring Billion 16–17
- Boundary Slide 215, 216, 235, 239, 240, 241
- breccia
 Beinn Udlaidh Main Vein 221, 224, 229–230, 237
 Glen Orchy 221, 222
 Massawa gold deposit 140, 141
- brine, basinal
 chemistry 120–121
 hot 95, 98, 99
- Brockman Iron Formation 84, 86
- Broken Hill, metamorphic enrichment 123
 burial, iron ore preservation 110
- Burtville Terrane 24, 26, 28, 34
 crustal evolution 57, 60–61, 65, 66
 Sm–Nd isotope data 36, 38–39, 51, 54
- calcite, solubility 103
- canga 105, 110
- carbon dioxide, atmospheric 319–320
- carbon isotopes, Dalradian Supergroup 216, 217, 219
- carbonate–silicate alteration 103
- Carn Mairg Quartzite 194, 195, 196, 198, 216
 sulphides 232
- Castlemaine Group 162, 163
 channel–levee system 165–167, 175–177
 deformation 164
 ocean upwelling zone 163, 175
 sedimentology 165–167
 turbidity current 175
 cementation, iron ore 105, 110
 chalcocite 148
 channel–levee systems 161, 165–167, 175,
 183–184
- Chichester Range
 M-G and M-mpIH-(G) ores 83, 85, 86, 88
 burial 110
- chloride, in metamorphic fluids 120
- ‘Christmas trees’ 84, 90
- chromite deposits 15
- coal production 320
- Coire a’Ghabalach 218
 gold mineralization 221
 sulphides 222, 225, 236
- Coire Nan Sionnach 218
 gold mineralization 219
 sulphides 222, 224, 228
- collisional plate margins 2, 12
 mineral deposits 13, 14–15
 MVT Pb–Zn deposits 13, 14
 tin 14
 tungsten 14
 uranium 14
- Columbia supercontinent *see* Nuna supercontinent
- companion metals 268, 295, 297–298
- Cononish deposit 214, 218
 S-isotopes 214, 219–221, 222, 224, 226–229,
 232, 233, 236–237
- convergent plate margins 11–12
 mineral deposits 13, 14, 15, 101
 level of emplacement 14
- copper
 criticality 299, 300
 future requirement 311–313
 ocean floor 312–313 *see also* porphyry
 copper–gold deposits
- Cornwall, granitic tin deposit 281–282
- cratons, preservation potential 15
- Creag Sheileach 218
 sulphides 221, 222, 225
- criticality 5, 268–269, 291–301
 evaluation 293–300
- crust
 evolution, Yilgarn Craton 57–71
 formation 23–24
 generation
 and granulite-facies metamorphism 10, 11
 magmatic arcs 10–11
 mantle plume activity 10
 subduction zone activity 10
- Cu–Au deposits *see* porphyry copper–gold deposits
- Cu–Zn VMS deposits, Yilgarn Craton 27
- Dales Gorge Member 84–85
- Dalradian Supergroup 4, 195, 213–243
 deformation 215, 217
 depositional history and age 215
 geological setting 215–217
 isotope stratigraphy 217, 219
 carbon 216, 217, 219
 strontium 216, 217, 219
 magmatism 217
 metamorphism 215, 217
 metasediment stable isotopes 207, 234

- stratigraphy 194, 195, 216
 age correlation 235, 238
 sulphides 234–235
 Tyndrum mineralization 214
- decarbonation reactions, acceleration 124–125
- deformation, during metamorphism 119
- dehydration reactions, uplift and erosion 125, 126
- Delamerian Orogeny 163
- desilicification 94, 102–103, 105, 106, **107–108**
- devolatilization reactions 124, 125
- dewatering, metamorphic rocks 120
- Dialé-Daléma sedimentary basin 136, 137
- diamond deposits 13, 15
- Dingo Range greenstone belt **29, 34**
- Dorothy Hills greenstone belt **28, 34**
- Duketon komatiites 57, 65, 66
- Duntanlich barite deposit 189, 194, 196, 199
 stable isotopes **204, 206, 208**
- duricrust 105, 110
- e-tech elements 5, 265
- Eas Anie structure 216, 218, 219
 gold mineralization 219
 sulphides **226–228, 229, 236–237**, 239–240
- Easdale Slate Formation, sulphur isotopes 207
- Easdale Subgroup 4, 194, 195, 208
 metal source rocks 242, 243
 S-isotopes 235, 239–240
- Eastern Goldfields Superterrane 24, 25, 26
 comparison with West Yilgarn superblock 25, 52,
 65–66, 70
 crustal evolution 57, 60–61, 63
 geochronology 34
 gold deposits 27, 68–69
 nickel deposits 33
 Sm–Nd isotope data 36–37, **38–45**, 52, 53, 56
see also Sunrise Dam Gold Mine
- eco-efficiency 272
- electrum 148, 219, 223
- emerald deposits, Columbia 121
- Emily Shale 166, 174–175, 181, 182, 183
- energy 5–6, 309–311
 fossil/non-fossil transition 317–321
 global consumption 305–306
 options 306–308
 renewable 272, 306
- epithermal Au–Ag deposits 13, 14, 15
 tectonic diffusion estimates **279**
- epochs, metallogenic 286–288
- Ethan Shale 166, 167, 175
- evaporites, marine sulphate 189
- exhumation, iron ore 105, 106, **109**
- extension, iron ore deposits 104
- extensional plate margins 12
 mineral deposits 13, 15–16
- Falémé Series 136, 137
- faults
 Bendigo Zone 163–165
 Great Glen Fault 214, 215
 iron ore deposits 104, 110
 orogenic gold paradigm 135
- Fe-oxide–Cu–Au deposits *see* IOCG deposits
- ferricrete 105
- fertilizers 315–317
- fluid flow
 control in gold mineralization 70
 Tyndrum mineralization 240, 242
- fluid inclusions, Massawa gold deposit 138, 148–154
- fluid pressure, metamorphism 124
- fluids
 iron ore formation 97, 98, 99
 continuum model 99, 100 *see also* magmatic fluids;
 metamorphic fluids
- fold–thrust systems, iron ore deposits 104
- folds
 Aberfeldy SEDEX deposits 194
 Bendigo Zone 163–165
- Forrestania greenstone belt 26, 33
 BIF deposits 71
 nickel deposits 67, 68
- Foss Quarry, barite stable isotope studies 200
- Foss SEDEX deposit 193, 194, 196, 197, 198
 deformation 194–195
 depositional environment 198–199
 stable isotope studies 201–210
- fossil fuel consumption 317–319
- French Burn barite beds 197, 198, 199
- gallium, criticality of supply 268
- Gara gold deposit 136, 137
- Garden Gully Anticline 164
- Gaskiers glaciation 193
- Geographic Information Systems (GIS) 270
- geometallurgy 272
- geomicrobiology 269
- germanium, criticality of supply 268
- glaciation, Neoproterozoic 215
 impact on marine sulphate 192–193
- Glen Orchy 214, 218
 gold mineralization 221–222
 breccia bodies 221, 222, 239, 240
 cross-cutting 221, 222
 S-isotopes **233, 237**, 239, 240
 sulphides 222, 223, 224, **228–229, 230–231**
- global warming 319–320
- goethite *see* martite–goethite (M-G) ore
- gold
 Bendigo black shales, source 180–184
 concentration variability 249
 epithermal, tectonic diffusion estimate **279**
 magmatic fluids 135, 137
 metamorphic fluids 122, 125–126
 orogenic 3, 13, 14, 15, 16, 17
 Massawa Gold Mine 143, 145, 146–148
 paradigm 135
 Sunrise Dam Gold Mine 127–131
 Yilgarn Craton 68–70
 sulphate-reducing bacteria 4, 250–261
 turbidite-hosted quartz vein 161
- Tyndrum area
 mineralization 219–222
 host rock alteration 232
 ore petrography 222
 S-isotopes 222, 224, **225–231**
 fractionation 232, **236–237, 238**
 magmatic origin 232, **233, 234**
 sedimentary origin 232, **233, 234–235, 238**

- gold (*Continued*)
 source rocks 240–241
 Yilgarn Craton 25, 27, **28–31**, 35, 68–70, 71 *see also*
 epithermal Au–Ag deposits; porphyry
 copper–gold deposits
- gold (III) chloride stability
 halophilic sulphate-reducing bacteria
 bacterial enrichment 253, 256
 biofilm 256–257, 258–260
 colloid formation 260
 ICP-AES analysis 253–254, 258
 SEM-EDS 252–253, 254–255
 TEM 253, 255, 258
 XAFS 253
 XANES 253, 255, 260
- Golden Grove Cu–Zn VMS deposit 27, **30**, 34
- Golden Mile gold deposit 27
- Gondwana supercontinent 10, 11, 15
- Gonkoto gold deposit 136, 137
- Grampian Group 214, 215, 216
 S-isotopes 235
 Sr isotopes 219
- Grampian Highlands, Aberfeldy SEDEX 190
- Grampian Orogenic Event 215, 217
- granite
 high-Ca 25, 27, **29–31**
 high-HFSE 25, **30–31**
 low-Ca 25, 27, **29, 31**
 mafic 25, 69, 70
 Sn–W 14–15
 syenitic 25
 Yilgarn Craton 24–27, **28–32**, 63, 64–65, 69, 70
see also tin deposits, granitic
- granitoids, Mako Series 136, 137–138
- graphitic schist 4, 140, 141
- Great Glen Fault 214, 215
- Greenbushes Sn–Ta VMS deposit 27
- greenstone belts
 volcanic activity 15
 Yilgarn Craton 24, 26, **28–30**
- grey shale
 Bendigo Goldfield 168, 169, 171, **172**, 173, 174,
 175, 179
 trace element capture 179–180
- greywacke 139, 140, 141
- groundwater 99
- Halliday's Veins 218
 gold mineralization 219
 S-isotopes 220
- Hammersley Province
 banded iron formations 81, **82**, 83–90
 carbonate–silicate alteration 103
 cold near-surface supergene stage 97
 comparative fluid source scheme 97, 98, 99
 desilicification 103, 106, **107**
 exhumation 105, 106, **109**
 hot basinal brines 95
 iron fertility 101–102, 106, **107**
 meteoric water 96–97
 paragenetic sequences of oxides 94
 preservation 106, **109**, 110
 satellite ore bodies 85, 90
 stratigraphy and mineralogy controls 104–105
 structural controls 104
 supergene alteration 110
- heat flow
 control in gold mineralization 70
 evolution 9
 heat pumps 306
- hematite
 friable 110
 specular **82**, 90, 91, 92, 97 *see also* martite–macroplaty
 hematite (M-mpIH) ore
- Hemerdon tungsten–tin deposit 270
- Herchules Unit 182, 183
- Hershells Unit 166, 175
- Hershman–Hirshenfeld Index 295
- Highland Boundary Fault 214, 215
- Hope Downs, M-G ore 83, 85, **88**
- hydrofracturing 125
- hydrologic cycle 308, 309
- hydrothermal cycle 308, 309
- hydrothermal ores 2–3, 27, 97, 98, 99
 formation duration 123
 metamorphic fluids 117–131
- Iapetus Ocean 15, 198, 215
- Ida Fault 24, 25, 26, 52, 53, 66
- Iltay Boundary Slide *see* Boundary Slide
- impact of supply restriction 294, 296, 298, **299**, 300
- indium, criticality of supply 268
- IOCG deposits 13, 15, 16, 17, 269
- iron *see* banded iron formations; martite–goethite (M-G)
 ores; iron ore
- iron fertility, banded iron formations 101–102,
 106, **107**
- iron ore
 channel (pisolitic) **82**
 detrital **82**
 formation
 carbonate–silicate alteration 103
 cementation 105, 110
 desilicification 94, 102–103, 105, 106, **107–108**
 exhumation 105, 106, **109**
 fluid continuum model 99, 100
 fluid source scheme 97, 98, 99
 hypogene-hydrothermal 27, 97, 98, 99
 mineral system approach 99–110, 106
 permeability 103–105, 106, **108–109**
 preservation 106, **109**, 110
 stratigraphy and mineralogy controls 104–105
 structural controls 104
 weathering 105, 106, 110
 Western Australia 83–93
see also banded iron formations; magnetite ore;
 martite–goethite (M-G) ore; martite–macroplaty
 hematite (M-mpIH) ore
- iron–manganese crusts 271–272
- Jack Hills greenstone belt 26
 magnetite–martite and M-G ores **87**, **88**, 91, 93, 94
- Jack Hills metasedimentary gneiss belt 27
 BIFs 70
- jamesonite 148
- Joffre Member 84–85
- Jude Shale 166, 175
- Juneau gold belt 123

- Kalgoorlie Terrane 24, 26, **29**, 34
 crustal evolution 61, 62, 63, 65
 gold deposits 27, **29**, 35, 68–69
 nickel deposits 33, 66–68
 Sm–Nd isotope data 37, **40–45**, 51, 53, 54, 56
- Kambalda camp nickel deposit 27, **29**, 33, 34, 35, 68
- Kangaroo Flat Mine drill section 168, 169
- Kankberg gold–tellurium mine 269
- Kédougou–Kéniéba inlier 136, 137–138
- Kilbridge 218
 gold mineralization 219, 221
 sulphides 222, 224, **228**
- kimberlite, diamond deposits 13, 15
- Kingsley Unit 166, 175
- Kinta tin field 284
- komatiites *see* nickel, komatiite-associated
- Koolanooka BIF deposit 70
- Koolyanobbing BIF 27, **29**, 70, **87**, **88**, 90, 91, 92
 carbonate alteration 103
 controlling structures 104
 exhumation 105
 iron fertility 101
- Kurnalpi Terrane 24, 26, **29**, 34
 crustal evolution 57, 60–61, 65
 gold deposits 27, 68–69
 Sm–Nd isotope data 36–37, **38–41**, 51, 53, 54
- Lake Johnston greenstone belt 26, 33
 magmatism 63, 66
 nickel deposits 67
 Sm–Nd isotope data 55
- lamproites, diamond deposits 13, 15
- lamprophyre sills
 alteration 232
 S-isotopes 234
 sulphides 222, 224, 232
- Laurentia 215
- Laverton greenstone belt 27, **28**, **29**, 34
 gold camp 35, 68, 69
- Leny Limestone, *Pagetides* 215
- level of emplacement, and preservation potential 14
- LiDAR 270
- lithium 5, 314
- Loch na Cille Boulder Bed 194, 195
- Lu–Hf isotope data, Yilgarn Craton 24, 25, 57, 67
- ‘lumping’ 105, 110
- Lumwana copper deposit 270
- Macraes gold deposit 3
- Madoonga *see* Beebyn/Madoonga
- magma, preservation potential 12, 13
- magmatic arcs 10–11
 mineral deposits 14
- magmatic fluids
 gold ore genesis 135, 137
 Massawa gold deposit 154, 156–157
- magmatism, Yilgarn Craton 57, 60–61, 63–65
- magnesium 317
- magnetite ore 15, **82**
- Main Transcurrent Shear Zone 136, 137, 138
- Mako Series 136, 137–138
- manganese nodules 313
- mantle
 as source of ore fluids 3, 130, 131 *see also*
 subcontinental lithospheric mantle
- mantle plumes 10, 57, 65, 67
 deflection 68
- Marda greenstone belt 55, 63, 66, 67, 68
 BIF deposits 70, 71, 91
- Marinoan glaciation 4, 192–193, 195, 215, 219, 235
- Marra Mamba Iron Formation 84, 85, **86**
 mineralogy and permeability 105
- martite–goethite (M-G) ore 81, **82**
 Beebyn and Madoonga **87**, 91
 Chichester Range 85, **86**
 controlling structures 104
 Koolyanobbing **87**, 90, 91
 MAC and Hope Downs 85, **86**
 satellite ore bodies 85, 90
 Windarling **87**, 91
- martite–macroplaty hematite (M-mpLH) ore 81, **82**, 103
 Chichester Range 85, **86**
 controlling structures 104
 erosion 105
 friable 110
 Mt Tom Price 83–84, **86**, 103, 104
 Mt Whaleback 85, **86**, 104
 satellite ore bodies 85, 90
- martite–macroplaty hematite–goethite (M-mpLH-(G) ore
 Chichester Range 85
 Paraburdoo 84–85, **86**
- martitization 105
- Marvel Loch gold camp 69
- Massawa gold deposit 3, 136, 138–158
 breccia 140, 141
 carbonaceous shale 140
 Central Zone 139, 140
 mineralization 142, 143, 145, 147
 fluid inclusion study 138, 148–154
 microthermometry 149, **150**, 151–152
 P–T trapping conditions 152–154
 Raman spectroscopy 152
 gabbroic sills 140, 141
 geology and structure 138–140
 graphitic schist 140, 141
 greywackes 139, 140, 141
 intrusives 140, 141
 magmatic fluid 154, 156–157
 mineralization
 arsenopyrite/pyrite–Au 140, 142, 143–145
 quartz–molybdenite veins 142–143, 145–146
 quartz–stibnite–Au 142–143, 146–148
 Northern Zone 139, 140, 141
 mineralization 143, 145
 ore body geometry 140
 secondary ion mass spectroscopy 138
 siliciclastic sedimentary rocks 140, 141
 stable isotope study 138, 154, **155**, 156–157
 volcanoclastics 139–140, 141
- Matthew Ridge, magnetite–martite and M-G ores
87, **88**, 91, 93, 94
- Meall Garbh Psammite 216
 S-isotopes 234
 sulphides 232
- Mesa Gap BIF ore 92
- metabasites, Ben Eagach Schist 196, 208

- metalogenic epochs and provinces, granitic tin deposits 286–288
- metamorphic fluids 3, 94–95, 98, 99, 117–131
 chemistry and evolution 119–121
 dehydration heat requirement 123
 gold precipitation 122, 125–126
 orogenic gold paradigm 135
 mantle source 130, 131
 mineralizing potential 121–126
 salinity 120–121, 122
- metamorphic rock
 devolatilization reactions 123, 124, 125
 dewatering 120
 fluid history 118–119
 fluid pressure 124
 permeability 124
 porosity 118–119, 124
 rheology 119
 storativity 123–124
- metamorphism
 acceleration 124–125
 fluid availability 118–119
 fluid production 123–124
 granulite-facies, and crust generation 10, 11
 prograde 3, 117, 118, 119
 deformation 119
 regional, time scale 123
 Yilgarn Craton 25
- meteoric water 96–97, 98, 99
- methane 318, 319
- mineral deposits
 depth, and survival 13–14
 and global tectonic cycles 9–18
 and supercontinent cycles 13
- mineral reserves 5, 266–267, 292
 USGS Reserve Base 272, 292–293, **294**, 295, 300
- mineral resources 266, 267
 estimation 5, 277–278
 probabilistic 267
 tectonic-diffusion 268, 278–279
 life cycle 291, 292, 293
 recycling 291, 293
- mineral systems analysis, BIFs 99–110, 106
- mineralogy, in iron ore formation 104–105
- minerals
 criticality 5, 291–301
 and security of supply 268–269
 exploration and development 267, 269–270
 eco-efficiency 272
 new baseline datasets and technology 270–271
 new frontiers 271–272
 global demand for 265
 global production 265, 266
 obstacles to future availability 269
 ore deposit models 269
- mining
 asteroids 5
 CO₂ footprint 5, 273, 319
 eco-efficiency 272
 seafloor 5, 271–272, 313
- Mining Area C, M-G ore 85, **86**, **88**
- Mississippi Valley type Pb–Zn deposits 13, 14, 15
- molybdenite mineralization 145, 220, 221, 224, **230–231**, **237**, 239, 242
- Morila orogenic gold deposit 135, 137
- Mother Reef 218
 gold mineralization 219
 S-isotopes 220
- Mt Keith nickel deposit 27, 33
- Mt MacGrath Formation, erosion 105
- Mt Magnet gold camp 68
- Mt Morgans gold camp 71
- Mt Sefton greenstone belt **28**
- Mt Tom Price 83
 carbonate alteration 103
 M-mplH ore 83–84, **86**, **88**, 89, 90, 92
- Mt Whaleback, M-mplH ore 85, **86**, **88**
- Mt William Fault 162, 164
- Murchison Domain 25, 26, 34
 BIF iron deposits 27, **30–31**, 35, 70, **87**, 91
 crustal evolution 55, 57, 63–64, 65, 66
 gold camp 35, 68–70
 rifting 55, 57, 64, 66
 Sm–Nd isotope data 37, **46–47**, 48, 54, 55, 56
- Narryer Terrane 24, 26, 34
 BIF deposits 27, **32**, 35, 70, **87**, 91, 93, 94
 crustal evolution 64–66
 Sm–Nd isotope data **48–49**, 49, 54, 56, 57
- natural gas 320–321
- Nd isotope signature *see* Sm–Nd isotope data
- Neoproterozoic
 marine sulphate 189–210
 Tyndrum mineralization 214–243
- Ni–Cu sulphide deposits 13, 15, 33
- Ni–Cu–PGE deposits, Yilgarn Craton **28–29**, 67
- nickel, komatiite-associated 9
 Yilgarn Craton 27, **28**, **29**, 33, 35, 62, 66–68
- niobium, supply risk 268
- Norseman–Wiluna greenstone belt 26, 27, 33, 53
 nickel deposits 66
 nuclear power 307–308
 uranium resources 309–311
 ocean extraction 311
- Nuna supercontinent 10, 11, 14, 16, 17
- ocean circulation 308, 309
- ocean power **306**
 uranium 311
- ocean resources
 copper 312–313
 lithium 314
 manganese nodules 313
 mining 313–314, 317
 salt, bromine, magnesium 317
 uranium 311
 zinc 313 *see also* seafloor
- Olympic Dam deposit 269
- ophiolites 15
- ore cementation 105, 110
- ore deposit formation 308–309
- ore deposit models 4, 269
- Oromin Joint Venture Group gold project 136, 137
- Owen Shale 166, 167, 175
- oxygen isotopes
 Aberfeldy barite 200–210
 Massawa gold deposit 154, **155**, 156–157

- oxygenation, ocean, Neoproterozoic 4, 189, 191–192, 193
- Oyu Tolgoi porphyry copper–gold deposit 270
- Pacific Ocean, mineral deposits 14, 16
- Pagetides*, Leny Limestone 215
- palaeo-redox, Bendigo Goldfield 179
- Panasqueira, granitic tin deposit 280, 281
- Pangea supercontinent 10, 11, 14, 15
- Paraburdoo, M-mplH-(G) ore 84–85, **86, 88**
- passive margins
 - mineral deposits 15
 - and $^{87}\text{Sr}/^{86}\text{Sr}$ anomalies 10, 11
- Pb–Zn deposits 9, 16
 - clastic dominated 13, 15, 16, 17
- permeability
 - high-grade iron ore 103–105, 106, **108–109**
 - metamorphic rock 124
- phosphate 315–317
- plate margin processes, and preservation bias 14
- platinum group elements (PGE) deposits 13, 15
 - Yilgarn Craton **28, 29**
- population 304–305
- porosity
 - decarbonation reactions 124–125
 - metamorphic rock 118–119, 124
- porphyry copper resources
 - mining costs 313
 - probabilistic assessment 267
 - tectonic-diffusion assessment 268, 278, **279**
- porphyry copper–gold deposits 270, 13, 14, 27
- Port Askaig Formation 194, 195, 216, 235
- preservation, of iron ore deposits 106, **109**, 110
- preservation potential 2, 12, 13, 24
 - level of emplacement 14
- preservational bias, rock record 2, 10–14, 16
- prospectivity, and mineral endowment 16–18
- provinces, metallogenic 286–288
- pyrite
 - Bendigo Goldfield 171–174, 178, 179
 - and CAS 191–192
 - Dalradian Supergroup 207
 - Massawa gold deposit 140, 143, 144
- quartz
 - solubility 103, 104, 105 *see also* Bendigo gold deposit, turbidite-hosted quartz vein system; Tyndrum massive quartz vein mineralization
- quartz–molybdenite veins 142–143, 145–146
- quartz–stibnite–Au mineralization 142–143, 146–148
- quartzite, Aberfeldy SEDEX deposits 194, 196, 198
- Railway Shale 166, 174, 180, 181, 182, 183
- rare earth elements
 - reserves 267
 - seafloor extraction 315
 - supply risk 268
- Ravensthorpe greenstone belt 26, 33
 - nickel deposits 67, 68
- recycling, mineral resources 5, 291, 293
- Reko Diq porphyry copper–gold deposit 270
- Reserve Base 272, 292–293, **294**, 295, 300
- reserves *see* mineral reserves
- resource base 266, 267
- resources *see* mineral resources
- retrogression 118
- rifting
 - Burtville Terrane 60, 65
 - and komatiite emplacement 67
 - Murchison Domain 55, 57, 64, 66
- River Vein 218
 - sulphides **228–229, 230–231, 237**
- robinsonite 148
- rock record
 - episodic 10
 - preservational bias 10–13
- Rodinia supercontinent 2, 11, 14, 198, 215
 - mineral deposit record 16–18
- Romsey Sub-Group 163
- Ross Orogeny 163
- Rowes Shale 166, 167, 175, 180, 182, 183
- Sabadola gold deposit 136, 137
- saddle reefs, Bendigo Goldfield 164, 180
- Sadiola gold deposit 136, 137
- St Arnaud Group 163
- Sakatti copper–nickel–PGE deposit 270
- salinity, metamorphic fluids 120–121, 122
- sandstone, Castlemaine Group 163
- seafloor
 - exploration potential 5, 271–272
 - manganese nodules 313
 - massive sulphide (SMS) deposits 271, 313, 314
 - mining 271, 313–314
 - REEs and yttrium 315
 - see also* ocean resources
- seawater 5
 - lithium extraction 314
 - uranium extraction 311
- SEDEX (Sedimentary Exhalative) deposits
 - see* Aberfeldy SEDEX deposits; Ben Challum Quartzite
- segregation, metamorphic 122–123
- selenium, criticality 268, **299**, 300
- Senegal–Mali Shear Zone 136, 137
- shale
 - 'average' 169, 171, **172**
 - Bendigo Goldfield 161, 163, 166, 168–169, 175–177, 179
 - chemostratigraphy 174–175
 - comparison with 'average shale' 169, 171, **172**
 - source of gold 180–184
 - trace elements 169, 170–174, 179–180
 - Hamersley Province ore bodies 90 *see also* black shale; grey shale
- shale gas 320
- shear zones
 - Massawa gold deposit 138, 140
 - retrograde 119
- silica, solubility 102–103
- silicon, in metamorphic fluids 119–120
- skarn 124, 125
- Sm–Nd isotope data
 - Yilgarn Craton 24, 25, 26
 - analysis 33, 35
 - Eastern Goldfields Superterrane 36–37, **38–45**
 - evaluation in space and time 57–71

- Sm–Nd isotope data (*Continued*)
 interpretation 35–36
 Narryer Terrane **48**, **49**
 results 36–57
 South West Terrane **46–47**, 48–49
 spatial evaluation 50–57
 Youanmi Terrane 37, **44–47**, 48
- Sn–Ta VMS deposit, Yilgarn Craton 27
- Snowball Earth 4
- soil 317
- solar power **306**, 307
- Solwara I, SMS deposit 313
- Sons of Gwalia gold deposit **27**, **29**
- South West Terrane 24, 26, **31**, 34
 crustal evolution 62, 64, 65
 Sm–Nd isotope data **46–47**, 48–49, 54, 55, 56
- Southern Batter Fault 84, 89
- Southern Cross Domain 25, 26, **29–30**, 33, 34
 BIF iron deposits 27, **29**, 35, 70, **87**, 91
 crustal evolution 62, 63, 65–66
 gold camp 35, 69
 nickel camp 35, 66–67, 68
 Sm–Nd isotope data 37, **44–47**, 53, 54, 55, 56
- Southern Highland Group 194, 214, 215
- Sr isotopes, Dalradian Supergroup 216, 217, 219
⁸⁷Sr/⁸⁶Sr ratio 10, 11
- Sron Garbh 218
 PGE-bearing intrusion 221
 S-isotopes 234
 sulphides 222, 224, **229**, **231**
- standard of living 304–305, 308, 321
- Stawell Zone 162, 163
- stibnite, Massawa gold deposit 143, 146–148
- stability, metamorphic rocks 123–124
- Stralinchy Diamictite 195, 219
- stratigraphy, in iron ore formation 104–105
- Sturtian glaciation 192–193, 195, 215, 219
- subcontinental lithospheric mantle (SCLM) 15
- subduction zones, crustal generation 10, 12
- sulphate
 bacterial reduction 191, 192, 193
 carbonate-associated 189, 191, 192, 208, 210
 Neoproterozoic marine 189–210
 abundance 190
 and glaciation 192–193
 isotopic composition 191–192, 203–210
- sulphide
 Aberfeldy, stable isotopes 200–210
 metamorphic fluids 120
 metasedimentary 4, 224, **231**, 232
 seafloor mining 271, 313, 314
 Tyndrum massive quartz vein mineralization 214,
 219–221, 222, 223, 224, **225–231**
- sulphur isotopes
 Aberfeldy barite 200–210
 Massawa gold deposit 154, **155**, 156–157
 Neoproterozoic ocean 189, 191–192
 Tyndrum mineralization 214, 219–221, 222, 224,
225–231, 232
 magmatic origin 232, **233**, 234, 238–243
 sedimentary origin 232, **233**, 234–235, 238–243
- Sunrise Dam Gold Mine 3, 27, 127–131
 apatite 129, 130
 deformation **127**
- fluids 128
 sources 130–131
 metamorphism and architecture 127–128
 veins 128, 129
- supercontinent cycles 10, 11, 12
 mineral deposit distribution 13–14, 15, 16
- supergene processes 97, 98, 99, 105, 110
- supergene-modified hypogene fluid models 81, 97, 98, 99
 Mt Tom Price iron ore 84, **88**
 Paraburdoo iron ore 85, **88**
- supply risk 294–295, 296, 298, **299**, 300
- Tayvallich Volcanics 194, 195, 215, 216
 sulphides 235
- tectonic cycles, and mineral deposits 9–18
- tectonic-diffusion model estimates 268, 278–279
- tellurium
 criticality 268–269, **299**, 300
 seafloor exploration potential 271
- tetrahedrite 148
 Massawa gold deposit 143
- Teutonic Bore/Jaguar Cu–Zn VMS deposit 27
- thorium, nuclear power generation 309–310
- tin deposits, granitic 14
 age of deposits 280–283
 size of deposits 283–285
 tectonic diffusion model 268, 285–289
 metallogenic epochs and provinces 286–288
 potentially mineable 288–289
 types and formation 279–280
- tungsten 14, 270
- turbidites
 Bendigo Goldfield 161, 165–167, 175–177, 183–184
 chemistry 168–174
 chemostratigraphy 174–175
 Castlemaine Group 163, 176–177
- Tyndrum Lead Mine 218, 219
 S-isotopes 220, 224
 sulphides **229**
- Tyndrum massive quartz vein mineralization 214,
 218, 219
 fluid-flow pathways 240, 242
 gold mineralization 219–222
 S-isotopes 222, 224, **225–231**
 fractionation 232, **236–237**, **238**
 magmatic 232, **233**, 234, 238–243
 sedimentary 232, **233**, 234–235, 238–243
- host rock alteration 232
- metal source rocks 240–242
- sulphides 214
 Neoproterozoic S-isotopes 214, 219–221
- Ulrich Range greenstone belt **28**, 34
- uplift, dehydration reactions 125, 126
- uranium deposits
 formation settings 14
 nuclear power generation 309–311
 ocean extraction 311
 unconformity-related 269
- vanadium VMS deposit, Yilgarn Craton 27
- Vital Shale 175, 182, 183
- volcanic-hosted massive sulphide (VMS)
 deposits 13, 14, 15, 16, 27

- Waroonga Fault 52, 53
 weathering, iron ore formation 105, 110
 Weld Range BIF deposit 26, 27, 35, 70, 71
 Beebyn and Madoonga M-G **87, 88, 90, 91**
 West Yilgarn superblock 24, 25
 BIF deposits 70
 Eastern Goldfields comparison 25, 52, 65–66, 70
 geochronology 34, 52, 53, 55
 Western Shale 166, 174, 182
 Whitelaw Fault 164
 Bendigo Goldfield mineralization 165
 Wiluna West BIF deposit **87**
 wind farms **306, 308**
 Windarling BIF deposit 27, **29, 70, 71, 87, 88, 91,**
 92, 93
 carbonate alteration 92, 103
 controlling structures 104
 exhumation 105
 Windimurra vanadium VMS deposit 27

 Yalea gold deposit 136, 137
 Yamarna Terrane 24, 26, **28, 34**
 crustal evolution 57
 Sm–Nd isotope data 36, **38–39, 51, 54**
 Yilgarn Craton 2, 24–72
 BIFs 27, 35, 70–71, 81, **82, 91, 93**
 carbonate–silicate alteration 103
 cold near-surface supergene stage 97
 comparative fluid source scheme 97, 98, 99
 desilicification 103, 106, **107–108**
 exhumation 105, 106, **109**
 hot fluids 95–96
 iron fertility 101, 106, **107**
 meteoric water 96–97
 paragenetic sequences of oxides 94
 preservation 106, **109, 110**
 stratigraphy and mineralogy controls 104–105
 structural controls 104
 supergene alteration 110
 Burtville Terrane 24, 26, **28, 34**
 crustal evolution 57, 60–61, 65, 66
 Sm–Nd isotope data 36, **38–39, 51, 54**
 crustal evolution 57–71
 Cu–Zn VMS deposits 27
 Eastern Goldfields 24, 25, 26, **28–29, 33, 34**
 comparison with West Yilgarn 25, 52, 65–66, 70
 crustal evolution 57, 60–61, 63, 65–66
 geochronology 34
 gold 68–69
 Sm–Nd isotope data 36–37, **38–45, 52, 53, 56**
 geochronology 34
 geological setting 24–27, **28–32, 33**
 gold mineralization 25, 27, **28–31, 35, 68–70**
 granites 24, 25, 26, 27, **28–32, 34, 63, 64–65**
 greenstone 24, 26, **28–30**
 Kalgoorlie Terrane 24, 26, **29, 33, 34**
 crustal evolution 61, 62, 63, 65
 Sm–Nd isotope data 37, **40–45, 51, 53, 54, 56**
 komatiite-associated nickel 27, 33, 35, 62, 66–68
 Kurnalpi Terrane 24, 26, **29, 34**
 crustal evolution 57, 60–61, 65
 Sm–Nd isotope data 36–37, **38–41, 51, 53, 54**
 Lu–Hf isotope data 24, 25, 57, 67
 metamorphism 25
 mineral systems 27, **28–32, 33**
 Murchison Domain 25, 26, **30–31, 34**
 crustal evolution 55, 57, 63–64, 65, 66
 gold 68–70
 Sm–Nd isotope data 37, **46–47, 48, 54, 55, 56**
 Narryer Terrane 24, 26, **32, 34**
 crustal evolution 64–66
 Sm–Nd isotope data **48–49, 49, 54, 56, 57**
 PGE **28–30**
 Sm–Nd isotope data 24, 25, 26, 33
 analysis 33, 35
 evaluation in space and time 57–71
 interpretation 35–36
 results 36–57
 spatial evaluation 50–57
 Sn–Ta VMS deposit 27
 South West Terrane 24, 26, **31, 34**
 crustal evolution 62, 64, 65
 Sm–Nd isotope data **46–47, 48–49, 54, 55, 56**
 Southern Cross Domain 25, 26, **29–30, 33, 34**
 crustal evolution 62, 63, 65–66
 Sm–Nd isotope data 37, **44–47, 53, 54, 55, 56**
 vanadium VMS deposit 27
 West Yilgarn superblock 24, 25
 Eastern Goldfields comparison 25, 52, 65–66, 70
 geochronology 34, 52, 53, 55, 65–66
 Yamarna Terrane 24, 26, **28, 34**
 crustal evolution 57
 Sm–Nd isotope data 36, **38–39, 51, 54**
 Youanmi Terrane 24–25, 26, 33
 crustal evolution 62, 63–64, 65–66
 Sm–Nd isotope data 37, **44–47, 48, 56**
 Youanmi Terrane 24–25, 26, 33
 crustal evolution 62, 63–64, 65–66
 Sm–Nd isotope data 37, **44–47, 48, 56**
 yttrium, seafloor extraction 315

 zinc, ocean resources 313
 zircon, U–Pb crystallization, and age of supercontinents
 10, 11, 12–13