

Index

Pages on which figures appear are printed in *italic*, and those with tables in **bold**. Note that specific thermometers and barometers appear listed under 'thermobarometers'.

- abbreviations for mineral names xi–xii
Abukuma terrain, Japan 481–5, 519
Acadian orogeny 453–9
accretionary margin 223
accretionary prism 481, 520
activity-composition relations 2, 6, 16–7
 alkali feldspar 3
 amphibole 3, 6, 25
 cordierite 47
 epidote 3, 277
 garnet 3, 12, 16, 48–9, 277
 ilmenite 2
 micas 3
 olivine 3
 plagioclase 2, 12, 16, 48, 50, 333
 pyroxenes 3, 48, 277, 542
 spinel 2
 ternary feldspar 3
Adirondack Mountains, New York 315–7, 316
Alpine metamorphism 551–5, 557, 561
Aldan shield, Siberia 55–8, 279
Alps 111–13, 127, 174, 539–43, 545–9
aluminium silicates *see* thermobarometers, triple point
amphibolite facies 227, 249–50, 293, 300, 311, 319–23, 331, 337, 351, 359, 365, 371, 386, 389, 391, 427, 449, 469, 471, 481, 487, 496
 thermobarometry 15–17
analytical errors 64, 152, 461
anatexis 187–200, 235, 299, 316, 365, 507
 see also melting
Andes 223–30, 224
anorthosite 265–72, 315–16
Appalachians 125, 127, 178, 215–31
 Massachusetts and New Hampshire 453–9, 454
 northern New England 215–21, 216, 218
 southern 309–13, 310
Arunta block, Australia 349–54
⁴⁰Ar/³⁹Ar dating 135–9, 149–59, 161–70, 306, 365, 414, 418–19, 474, 539, 545, 560–1

Badcallian orogeny 298–9
barometry *see* thermobarometry, thermobarometers
bathograds 215, 217–19, 220–1
block movements 103–11
blueschist facies 344, 365, 423, 429, 539, 553, 559
 thermobarometry 23–4
Bohemian massif 507–11
Brittany 441–7, 501–5, 502
Bronson Hill anticlinorium, New England 207, 215, 217, 454, 456–7, 459
burial metamorphism 223–7, 230

Calabria, Italy 337–41, 338, 344
Caledonides
 central Scandinavia 391–409
 north Norway 413–20, 414
 south Norway 385–9
Canadian Shield 223–41, 245–60, 319–23
Cap Corse, Corsica 557–61, 558
carbon dioxide
 fugacity 278, 282
 inclusions 282
cation order/disorder 7–8, 22, 25
charnockite 315–17, 325
Churchill Province, Canada 223–41, 319–23
cleavage
 age of 161–6
 formation 162–6, 173
 relation to illite crystallinity 179
closure temperature 133–4
Coast plutonic–metamorphic complex, Alaska 447–51
collision 331, 335, 406, 444–5, 451, 491, 520, 562
 continental 265, 271–2, 341, 346, 374, 377, 381–2, 407
arc-continent 346
contact metamorphism 428, 435, 449, 461, 485, 533
contact metamorphic facies
 thermobarometry 26–7
continental margin 341
convergent orogens 117–28
cooling rate 266–8, 299
corona textures 280, 282, 295, 300, 305, 351, 360, 456–7, 497–8, 507, 509–10, 557, 559
crenulations 84, 88, 91, 93, 98, 100–1, 182
crustal extension 104–5, 225, 255, 257, 353, 365–8, 465–6
crustal thickening 103–11, 131–2, 187–200, 219–21, 252–4, 271–2, 323, 334–5, 346, 380, 423, 507
 magmatic 187, 198, 200, 477
 tectonic 187, 423, 511

dating *see under* specific techniques
decarbonation 9
decompression *see* uplift
decrenulation 100
deformation 88, 91, 447–9
 coaxial 91, 93
 heterogeneous 91
 non-coaxial 91, 93, 95, 365
deformation partitioning 91
dehydration 9, 17
diapirs 441, 507
 serpentine 537
 see also plutons
diffusion 71, 78–9, 134–5, 403
 see also zoned minerals

Eastern Ghats belt, India 265–72

- eclogites 343, 427, 435, 507, 513, 523, 533, 535–6, 539–40, 542, 553
 eclogite facies 67, 429, 508, 513–6, 515, 535
 thermobarometry 22–3
 ensialic metamorphism 258
 Eoalpine metamorphism 539–43, 545, 549, 553, 559
 epidote amphibolite facies 537, 543
 erosion 104, 121, 124, 252
 exchange thermometry 6–8, 59, 276, 277, 361, 525
 see also thermobarometers
 exhumation 117, 121, 124, 126–7
 exsolution 299
 extension *see* crustal extension
- fabrics 357, 366, 385, 443–4, 447, 473
 see also porphyroblast textures
 Finnmark, N. Norway 163, 164, 413–20
 fission track dating 132–3, 135–6, 140, 340, 380, 561–2
 fluid composition 278, 351, 457
 P-T-fluid regimes 279
 fluid infiltration 204, 207, 210
 heat transfer by 203–11
 fluid pressure 9, 11, 22, 121
 fold belts 275, 343–7
 foreland basin 117, 119, 121
 forward modelling 70–1
 fugacity 278–9, 280, 282, 283, 289
 Furulund Group, central Scandinavia 391–409
- geobarometry *see* thermobarometry
 geochronology *see* under individual techniques
 geotectonic regimes 275–6
 geothermal gradient 121, 252–3, 257, 339, 341, 343, 345, 361, 492, 505, 542, 554
 geothermometry *see* thermobarometry
 Gibbs method 64–5, 66
 Glenelg, Scotland 513–6, 513
 Gran Paradiso Massif, W. Alps 545–9
 granite–greenstone belts 233, 331
 granulite facies 55–8, 249, 265–72, 293, 298–300, 303–6, 309–13, 319, 325–8, 331–5, 337, 339, 343–7, 351, 357–62, 487, 495, 507
 thermobarometry 17–22
 greenschist facies 226, 249, 306, 337, 351, 365, 371, 377, 391, 415, 469, 481, 487, 553–4, 559
 thermobarometry 15
 Grenville orogeny 309, 313, 315
 growth rates 96, 403
 growth zoning *see* zoned minerals
- heat transfer 189–91, 221, 268–9
 Hercynian belt, Europe 343–7, 344
 Brittany, France 441–5, 501–5
 Calabria, Italy 337–41
 Massif Central, France 423–37
 Oberfalz, Bavaria 507–11
 Sardinia, Italy 371–4
 Hidaka belt, Japan 487–92, 488
 high pressure metamorphism 343, 345, 533, 557
 Himalayas 377–82, 378
 hot spots 204–11
 Hudsonian orogeny 319–23
 hydrothermal systems 211
- inclusion trails *see* porphyroblast textures
 inherited argon 161–2
 Inverian orogeny 297–300
 inverted metamorphic sequences 415, 417, 419, 423–37, 450
 ion microprobe 132–3, 138–9, 142
 island-arc 478, 491, 520, 530
 isobaric cooling 272, 317, 340, 353, 361, 542
 isocryst 182
 isopleths 4, 5, 20, 21, 73–4, 75, 77
 Ivrea zone, W. Alps 344, 345–6
- K–Ar ages 135, 156, 161–70, 306, 339, 340, 343, 349, 354, 365, 366, 371, 379–80, 453, 474, 481, 530, 539
 Karelian greenstone belt, USSR 287–8, 288
 Kelyphite 280, 282, 508
 Kiseynew belt, Canada 223–241, 236
 Kubler values *see* thermobarometers: illite crystallinity
- laser microprobe 132, 138, 150–1
 leucosomes 236, 310, 374
 Limpopo belt, Zimbabwe 331–5, 332
 low grade metamorphism 161–71, 173–83, 174–9, 223, 377, 507
 low pressure metamorphism 187, 258–60, 270, 351, 457, 474, 481–5, 501, 507
 Lukmanier Pass, central Alps 111–14, 112, 113
 Lützow–Holm Bay region, Antarctica 325–8, 326
- M-domains 84, 91, 93, 95, 101, 111
 Madagascar, southern 293–5, 293
 magma migration 193–8, 200
 magmatic heat transfer 187–200, 362, 437
 magmatism related to metamorphism 187–200, 315, 341, 477, 488–9
 mantle melting 190–1, 198, 200
 marginal basin 226, 227, 229, 230, 392, 406, 408, 504
 Massif Central, France 344, 423–37, 424
 mélange 533
 melting 189–96, 200, 310, 346, 351, 380, 456–7, 491
 latent heat of 189, 191
 see also anatexis
 Merrimack Synclinorium, New England 204–11, 219, 457–9
 metamorphic facies 11
 thermobarometers for 13–27
 see also under individual facies names
 metamorphic facies series 521, 523
 migmatite 249–51, 279, 343, 346, 350, 357, 441, 456, 458, 463, 501–5, 509
 mineral formulae—normalization 7, 25

- Moine metamorphism, Scotland 149–58
 Musgrave Ranges, Australia 303–7
 mylonite 258, 429, 458, 462–3, 489, 495, 507
- Nabitah belt, Arabian Shield 469–78, 470
 Nain province, Canada 319–23
 Namaqualand province, southern Africa 357–62
 nappe tectonics 346, 385, 407, 408, 423, 453, 507, 549, 557–61
 Naxos, Cyclades 365–8, 365
 New Mexico 461–6
- obduction 485, 557
 ocean-floor metamorphism 223, 227, 230, 551
 ophiolite 224, 227, 377, 391, 408, 469, 539–43, 551–5, 557–61
 orogens 121–7
 orogenesis 103–4, 117–28, 131
 mass balance 119–21
 overstepping 403
 overthickening 252–3, 257, 258, 259
 overthrust 117, 119, 406, 444–5, 482, 505, 554
 oxygen fugacity 457
 oxygen isotopes 204, 209
- paired metamorphic belts 501, 519
 petrogenetic grids 11, 12, 17, 251, 322, 461, 476
 Pielavesi, Finland 495–8, 496
 Piemonte Zone, W. Alps 539–43, 545–9
 plutons 207–8, 216, 217, 257, 266–7, 434, 447, 449, 457, 470, 481
 polymorphic reactions 9
 polyphase metamorphism 310, 315, 465, 507
 pore pressure ratio 121
 porphyroblast textures 83–95, 98–100, 110–11, 113, 235, 250, 357, 371, 385–6, 393, 429, 434, 482–3, 526, 527
 Precambrian granulite terranes 265–72, 275, 276, 293–5
 prehnite-pumpellyite facies 224, 226, 377, 449
 thermobarometry 14–15
 pressure-distance diagram 253–5, 259
 pressure shadows 526
 pseudomorphs 542, 553, 557
 P–T history 67–69, 103–9, 117, 125, 196–8, 203, 205, 219, 229, 237, 238, 240, 240–1, 252, 254, 266–72, 276, 285, 295, 300, 306, 311, 312, 315–17, 321, 322, 327, 334, 339–40, 339, 360, 361, 366–8, 368, 373, 374, 380, 381, 388, 389, 396–407, 416, 418–20, 428, 429, 433, 434, 435–6, 443–5, 450–1, 454, 456, 465, 465–6, 482–5, 491, 497, 498, 503, 510–1, 575, 516, 528, 529, 535, 536, 541, 547, 548, 554.
 P–T–t path *see* P–T history
 pumpellyite facies 14–15
 pumpellyite-actinolite facies 521
- Q-domains 84, 91, 93, 111
- Rb–Sr ages 150, 158, 293, 331, 339, 340, 343, 349, 357, 371, 379–80, 406, 414, 443, 453, 474, 481, 530, 539
 reaction polygon 76, 77
 reaction space 74, 75
 relative thermobarometry 63–79
 relict inclusions 250, 299, 325, 327, 339, 386, 427, 481, 508
 retrograde metamorphism 285, 299–300, 306, 327, 345, 351, 353, 360–1, 386, 461, 489, 492, 507–11, 561
 rifted margin 117, 118, 119
- Saglek area, Labrador 319–23, 320
 Sanbagawa belt, Japan 519–30, 522, 533–7, 534
 Sardinia, northern 344, 371–4, 372
 Scourian complex, Scotland 297–300
 Sharyzhgay complex, Siberia 279–81
 Shear zone 300, 303, 333–4, 353, 392, 441, 462, 487, 561
 Sheath folds 526, 553
 Slave province, Canada 245–60, 246
 Sm–Nd studies 300, 339, 349
 solvus thermometry 8–9
see also under thermobarometers
 Southern Alps, New Zealand 114, 125, 127
 strain shadows 84, 85, 86
 subducted slab 537
 subduction 259, 275, 341, 346, 470, 530, 542, 554
 Sulitjelma, central Scandinavia 391–409
 Svecofennian orogeny 495
 symplectite 299, 320, 322, 327, 507–8, 513, 533
 syndeformational growth 83, 91, 95, 98
 Taconic orogeny 309, 313
 tectonic blocks 523, 533–7
 tectonic denudation 306
 Thelon Tectonic Zone, Canada 245–60, 246
 thermal aureoles *see* contact metamorphism
 thermal budget 215
 thermal modelling 103–9, 114, 132, 187–200, 204–11, 219–21, 238–40
 block movement 105–9
 cooling 268–9
 extensional thinning 104–5
 fluid infiltration 209–11
 magmatic intrusion 188–200, 221, 267
 thermobarometers
 Al-silicate stability 9, 17, 26, 220, 299–300, 311, 454, 461
 amphibole equilibria 25, 443, 559
 calcite–dolomite 8, 15, 16, 26, 475, 514
 conodont colour index 13, 14
 cordierite equilibria 11, 46–53, 58, 294, 339, 345, 360, 455, 497, 504
 cymrite–celsian 25
 garnet–biotite 6, 207, 266, 276, 294, 300, 322, 337–8, 359, 371, 379, 386, 395, 399, 415, 425, 426, 429, 433, 435, 441, 451, 455, 461, 463, 485, 496, 497, 503–4, 528
 garnet–cordierite 46, 276, 294, 351, 359, 490, 497
 garnet–hornblende 299, 300, 305, 510
 garnet–ilmenite 497
 garnet–plagioclase 294, 435

- garnet–plagioclase–Al–silicate–quartz 2, 4,
11–12, 16, 46, 49, 207, 237, 322, 326, 343, 359,
387, 425, 426, 433, 442, 461, 485, 497, 503,
511, 516
- garnet–plagioclase–muscovite–biotite–quartz
16, 68–9, 371, 387, 395, 399, 425, 426, 429,
433, 435, 461, 497
- garnet–plagioclase–wollastonite–quartz 2, 26,
477
- garnet–rutile–ilmenite–Al–silicate–quartz 2,
5, 326, 380, 503
- garnet–pyroxene (\pm plagioclase) 18, 19, 22, 46,
47, 52, 266, 299, 305, 322, 326, 331, 333,
337–9, 343, 351, 359, 429, 433, 458, 490, 497,
509, 514–5, 528, 542, 559
- graphitization 525
- hornblende–plagioclase 300, 322
- hornblende–plagioclase–epidote 322
- illite crystallinity 13, 162–3, 173–83, 415, 419
- jadeite/omphacite composition 2, 429, 435, 509,
516, 542, 559
- magnetite–ilmenite 18
- phengite equilibria 15, 24, 373, 427, 429, 433,
545–9, 554
- pyroxene–plagioclase–quartz 266, 305, 322
- pyroxene thermometry 9, 266, 303, 322, 326, 433,
510
- sapphirine assemblages 7, 19, 293–5, 326
- scapolite–plagioclase–calcite 475, 483
- stable isotopes 14, 15, 22, 24, 528
- two-feldspar thermometry 8, 266, 299
- thermobarometry, principles 12–3, 54–5
absolute 63, 72
relative 63, 73–7, 391–409
differential 65–6
- thermodynamic data base 1–6, 45–50
- thermometry *see* thermobarometry, exchange
thermometry, solvus thermometry
- thrusts 303, 306, 419, 423, 425–37, 487, 507, 526–7,
539, 551–2
propagation 417
transcurrent shearing 319, 323
triple point exposures 465
triple point isobar 207, 217
Troms, Norway 385–9
U–Pb ages 135–6, 139, 217, 224, 238, 239, 248,
258, 280, 306, 315, 319, 339, 340, 345, 346,
443, 498, 559
uplift 117, 124, 135, 235, 255–6, 268–9, 327, 341,
513, 542, 548–9, 560
uplift path 319–23, 511
uplift rates 103, 255, 269, 449
- Variscan *see* Hercynian
- veins 205
- volcanism 223–30
- Voltri Group, Italy 551–5, 552
- volume changes 2, 4
- wedge 119–21
- Winding Stair Gap, N. Carolina 309–13, 310
- xenoliths 345
- zeolite facies 224, 226–7
thermobarometry 13–14
- Zermatt-Saas Zone, Switzerland 539–43, 540, 541
- zircons
depth profiling 142, 143
zoned minerals 65–6, 77–9, 158, 224, 303, 322,
326, 360, 366, 386, 394, 396, 400, 402–5, 417,
444, 461, 483, 507, 527–8
diffusion zoning 71, 79, 315
growth zoning 66–7, 79, 371, 484, 501, 511