

# Index

Page numbers in *italics* refer to Figures. Page numbers in **bold** refer to Tables.

- accretion, rate of 272, 279, 280
- acid spring 53, 54
- acidic crater lake 3–4, 223
  - HCl degassing 97–105
  - Laguna Caliente 73–74, 84, 88
  - Taal volcano 131–149
  - see also* Copahue Volcano
- acidic pit lake 194
- acidification 30, 285
- acoustic flare 144, 145–147
  - São Miguel 241–242, 244–248, 250–251
- acoustic imaging, Taal crater lake 143–146
- acoustic impedance 234
- acoustic plumes 236
- age calculation 272, 280
- Al-sulphate **20**, 22
- alkaline trap, measurement 97
- aqueous flux 25–32
- aquifer 148, 257
  - acidification 105
  - hydrothermal systems 65–67, 69, 70
- arc volcano 132
  - gaseous emissions 28–29, 30
- argon carrier gas 225, 226, 227, 231
- Arrhenius relation 224
- arsenic 269, 270, 276, 285
- arsenite 278
- ash 270, 279, 281, 284
  - trace elements 277
- atmosphere in volcanic monitoring 39–40, 43
- atmospheric carbon dioxide 283
- Azores archipelago 5, 234–235
  
- bacteria 284
  - methane reducing 219
- Banyu Pahit river system 11, 12, **20**, 58
  - element flux **26–27**, 28–29
  - groundwater 13
  - springs 53, 54, 60–62, 65
  - water composition 21–23
- bathymetry
  - Fogo crater lake 246
  - Kawah Ijen crater lake 52, 58, 59, 64, 67, **68**
  - Lake Nyos 180–181, 184
  - Newberry crater lakes 257, 259
  - São Miguel lakes 236, 237, 240
  - Taal crater lake 143, 144, 145, 148–149
- beach sediments, silicification 259, 260, 284
- Belogol'skii's equation/coefficients 178, **195**, 199
- biogenic material 225, 277, 282
- biological mask 248, 251
- biota, Newberry crater lakes 263, 264, 269
- blue flame 40, 45
- bubble backscatter 143–144, 145–146
- bubble plume 265
  - CO<sub>2</sub> model 164, 166–168, 171–174
  - echograms 237, 240–242, 244–248
  - São Miguel crater lakes 233–251
- ebullition degassing 155, 156, 157, 158
  
- caldera collapse 259
- Cameroon Volcanic Line 177
- Capaccioni, Professor Bruno vii–viii
- carbon cycle, Newberry crater lakes 281–284
- carbon dioxide [CO<sub>2</sub>] 4–6, 112, 115
  - in Nyos-type lake 2
  - Taal Volcano 132, 134, **136**, 139–142, 144, 148, 149
- carbon dioxide, Kawah Ijen 22, 52, 58
  - monitoring 36, 44–47, 53, 62–63, 69
  - survey 59–60
- carbon dioxide bubbles 269, 282, 283, 284
- carbon dioxide monitoring, Lake Nyos 177–184
  - rate of degassing 183–184
  - sampling and observation 178
  - sound speed and electrical conductivity 193–202
  - sound speed in water 185–195
- carbon dioxide removal, Nyos and Monoun lakes 205–211
- carbon dioxide sequestration, Frio Fm, USA 218, 219
- carbon dioxide, concentration in limnic eruption 163–174
  - evolution of profile 164–166
  - numerical model 169–174
  - plume rise 166–169
- carbon dioxide, echo sound investigation 233–251
- carbon dioxide, emission rate 242–245, 248–251
- carbon dioxide, estimation of flux 65
- carbon dioxide, gas membrane sensor test 223–231
- carbon dioxide, rate of accumulation 173
- carbon dioxide, source 233
- carbon isotope analysis 258–259, 279
  - data 253, 259, **266–267**, 269, 271, 272, **273–274**, 281–285
- cation concentration **14–15**, 269, 277, 279
- Center for Volcanology and Geological Hazard Mitigation 36, 52, 54, 61
- CH<sub>4</sub> *see* methane
- chemical potential 224
- chemistry 105
  - Copahue crater lake 107, 110, 112, 116–122
  - Laguna Caliente 88
  - Newberry, lake sediment 277–281
  - Nyos, lake water 216–218
  - Poás Volcano 73, 77, **78–79**
  - Taal crater lake 135–141, 146–149
- chloride [Cl<sup>-</sup>] in crater lakes 102, 103, 113
  - Copahue 110, 117–121
  - Newberry 265
  - São Miguel 236, 238–239, 243, 248–250
  - Taal 135, **136**, 139, 142, 143
- chloride balance equation 88
- chloride budget **87**, 88, 89, 92
- chloride degassing 92

- Cinchona earthquake 75, 83, 84, 91–92  
 Cl<sup>-</sup> *see* chloride  
 climate, Newberry Volcano 257, 258, 274  
 CO<sub>2</sub> *see* carbon dioxide  
 compressibility of solution 202  
 condensate fluid 13, 19  
 conductivity 245, 261, 263  
 controlled degassing 164, 166  
 Copahue Volcano, Argentina 103, 104, 148  
 Copahue Volcano, crater lake 98, 107–127  
   eruptive history, 1995–2015 115–121  
   geophysics 125–126  
   isotope composition 112–115  
   observations: chemistry, temperature 110–112  
   volcano-hydrothermal model 121–125  
 crater lake *see also* acidic crater lake  
   Kawah Ijen 10, 20–21  
   Laguna Caliente 73–93  
   as monitoring tool 104  
   Newberry Volcano 253–285  
   São Miguel 235, 236–250  
 cyanobacteria 263, 282, 285  
   mercury concentration 277
- database, volcanic lake 2  
 deep water removal system 206  
   CO<sub>2</sub> concentration 207  
 deflation  
   Copahue Volcano 119, 125–126  
   Taal Volcano 134, 147  
 deformation survey 125–126, 133–134  
 degassing 2, 74, 75, 88, 125  
   Copahue crater lake 119  
   São Miguel crater lakes 233–251  
   and siderite reactions 221  
   Taal crater lake 131–132, 134, 143–147, 148  
 degassing systems, Monoun and Nyos lakes  
   decreasing activity/CO<sub>2</sub> 205–209  
   pipe flow dynamics 169–171  
   rate of 173, 174, 183–184, 193  
   solar-powered pumping 209–211  
 degassing, Kawah Ijen 62–63  
   measurements/monitoring 44–52  
   survey 59–60  
 depth, dissolved gas measurements 230  
 differential optical absorption spectroscopy (DOAS)  
   SO<sub>2</sub> emission rate 36, 49–50  
 diffuse CO<sub>2</sub> degassing, echo sounding survey 234–237,  
   242, 244–246  
 diffusion coefficient 243, 248  
 diffusivity coefficient 224  
 digital elevation model (DEM) 52, 69  
 diode laser spectroscopy 50–52  
 diurnal variation 13, 22, 24, 40–41  
 dome 10, 84, 235, 254, 255 *see also* silicic dome  
   fumarole 74, 79, 85, 86, 88, 92
- earthquake  
   Cinchona 75, 84, 91–92  
   Taal 132, 148  
   volcano-tectonic 36, 38, 59, 126  
 East Lake, Oregon 254–257  
   sediment data 269–281  
   water chemistry 260–269, 272, 274, 276
- echo sounder survey 69  
   methods and data 132, 134, 135,  
   234, 236  
 echo sounder survey, CO<sub>2</sub>  
   Fogo crater lake 244–246  
   Furnas crater lake 242–244  
   Kawah Ijen 62, 63–64, 65  
   São Miguel Island 233–251  
   Sete Cidades crater lakes 236–242  
   subaqueous degasification 246–248, 250  
   Taal Volcano 144–149  
 ecosystem 285  
 ejection velocity 1  
 El Chichón crater lake, Mexico  
   clay sedimentation 156–160  
   floating clay patterns 153–156  
 electrical conductivity 215  
   and sound speed 195, 197, 199–200  
   Lake Nyos 178–180, 184, 185  
   Taal 134, 136, 137  
 electrical potential (Eh) 63, 64, 70, 218, 219  
 element (major) data 14–17, 19, 20, 26–27, 28–29  
   Newberry crater lakes 267–268, 269–281,  
   274–275, 278  
   *see also* trace and rare earth element  
 element flux (to the environment) 9–32  
   component flux 23–25  
   composition 13–23  
   global context 25–31  
   methods 10–13  
   quantification 9  
 environmental impact 10, 23, 25, 31, 32, 223  
 eruption mechanism 89–92  
 eruption trigger 84  
 eruptive column 123  
 Etna, groundwater 25, 30, 32  
 eutrophication 248, 251  
 evaporation, calculation 85–86, 87
- fatalities 1, 2, 5, 132, 193, 205  
   due to CO<sub>2</sub> emission 163, 177–178, 185  
 Fick's law 243, 248  
 fish kill 148  
 fish, mercury level 263, 271, 278, 284  
 flaming fumarole 40  
 flare *see* acoustic flare  
 flood basalt 30–31  
 fluid recycling dynamic, Poás Volcano  
   acidic crater lake 73–74  
   analysis and sampling 74–77  
   composition and temperature 77–84  
   mass balance 84–89  
   phreatic eruption cycle 89–93  
 flux measurement 13  
 Fogo volcanic lakes 238–239, 246–250  
 forecasting eruptions 59, 84, 92  
 fountain height, CO<sub>2</sub> degassing pipe 172–174,  
   205, 206, 208, 209, 210  
 freezing, crater lake, 257, 258, 274  
   Copahue 110, 119, 124, 126  
 fumarole 62–65, 88, 92, 98, 105, 251  
   condensate 77, 78–79, 81, 139  
   fed from crater lake 101–103  
   gas composition 16–20, 21, 38, 44–52

- gas discharge 132, 141, 143, 144  
as monitoring tool 104
- fumaroles  
Copahue crater lake 121, 123  
El Chichón 160  
Laguna Caliente 74  
Newberry Volcano 255  
São Miguel 242  
Taal 134, 146, 148, 149
- fumaroles, Kawah Ijen 10, 11, 40, 44–46  
flux 24–30  
monitoring 36–52
- furnas 244, 250  
Furnas crater lake 244–250  
Furnas volcano 234, 235, 238–239
- gas *see also* degassing and named gases  
anomaly 70  
carbon isotopes in bubbles 282, 283  
chemistry **16–18**, 19–21, 22, 28–29, 31, 44–46, 74  
distribution, 3D mapping 230  
monitoring 51, 53–54, 105  
removal from deep water 205–211  
sampling 11–13, 38
- gas condensate 139, 141
- gas emission **28–29**, 31  
SO<sub>2</sub> 36, 44–50
- gas emission, CO<sub>2</sub> 269  
fatalities 163, 177–178, 185  
global 233  
São Miguel 233–237, 242–251  
Taal crater lake 132, 134, 149
- gas membrane sensor, testing 223–231  
description of the sensor 225–226  
measurements 226–227  
statistical comparison 230–231  
temperature, CO<sub>2</sub> and CH<sub>4</sub> profiles 227, 228–230  
theory and test sites 224–225
- gas self-lifting, CO<sub>2</sub> 205–206, 211  
method 164
- gaseous volcanic flux 25–31
- geochemical tracer 97, 143
- geochemistry, crater lake 4, 5  
Kawah Ijen volcano 13, **14–19**, 19–21, 25–31  
Manoun and Nyos, water **200**
- geology  
Newberry crater lakes 253–256, 259–260  
São Miguel Island 234–235  
Taal Volcano 132–134
- geophysical investigation, Kawah Ijen volcano 3–4  
echo sounding 62–63  
hyper-acidic environments 57, 63–68  
instruments and methods 59–60  
multi-scale wavelet tomography 60  
self-potential 60, 63
- geothermal fluid 115  
Newberry, Oregon 255, 270, 272, 277, 285
- geothermal system, Azores 235
- glacial boulders 259  
glacial meltwater 115
- global CO<sub>2</sub> emissions 233
- global volcanic flux 9  
calculation 30–31
- gravity, and magma intrusion 90
- groundwater 13, 30, 32, 65, 272  
Banyu Pahit 21, 23–25  
flow detection 63  
and magmatic gas 59  
self-potential 60
- gypsum 10, **20**, 22, 36, 77, 119
- H<sub>2</sub>O/HCl ratio 98
- H<sub>2</sub>S [hydrogen sulphide] 25, 51, 139, 141, 143, 277  
degassing 134  
monitoring 44–46
- H<sub>2</sub>SO<sub>4</sub> [hydrogen sulphate] 97, 98, **99**, 101
- hazard 1, 57, 59, 185, 285  
assessment 74  
crater lake 107, 131–132  
gas 46, 47  
wet volcanoes 36
- HCl [hydrogen chloride] 112
- HCl, degassing acidic crater lakes 97–105  
Cl<sup>-</sup> concentration **100**, 101, 102  
crater lakes and fumaroles 101–103  
experiment set-up 98  
HCl/H<sub>2</sub>O ratio 98, 101–103  
magmatic gases in water 97–98  
monitoring 103–105  
pH measurements 98, **99**, 101
- HCO<sub>3</sub><sup>-</sup> [hydrogen carbonate] concentration  
Lake Nyos **217**, 219  
Newberry crater lakes 265, **266–267**, 282  
São Miguel crater lakes 236–239, 243, 248–250
- HCO<sub>3</sub><sup>-</sup> concentration calculation 180–181  
sound speed method 185, 188, 190, 194–195, 197–198, 201
- health and safety issues 36, 51–52
- helium 142, 143, 236, 238–239, 243–244, 245
- helium isotope ratio 135, **140**, 143, 144, 148, 177  
São Miguel crater lakes 236, 237, 244, 245, 248, 249
- Henry's law 194, 224, 225
- Hg *see* mercury
- hot springs 77–80, 88, 124, 126  
Copahue volcano 108–118, 120  
Newberry Volcano 253, 255, 265–268, 272, 276–281, 283–285  
São Miguel crater lakes 235, 243, 244, 250
- hydroacoustic survey 132, 148–149  
bubble plumes 240, 244, 245–248, 250–251
- hydrochemistry 132  
São Miguel lakes 248–250
- hydrogen carbonate *see* HCO<sub>3</sub><sup>-</sup>
- hydrogen chloride *see* HCl
- hydrogen sulphate 97, 98, **99**, **101**
- hydrogen sulphide *see* H<sub>2</sub>S
- hydrology, Newberry Volcano 255, 257
- hydrothermal activity and tremors 125
- hydrothermal reservoir 132–133, 146–149
- hydrothermal surface alteration 63
- hydrothermal system 2  
geophysical investigation 57–70  
Newberry Volcano 246, 255, 259, 271, 276–278, 284–285
- hydrothermal water, erosion 250
- hyper-acidic crater lake 36, 46, 57, 127, 223  
geophysical investigation 59–60, 63–65

- ice melt 263  
inflationary deformation 133–134, 146–148  
infrasound array 38–39, 40–41  
interferometry 218  
iodine isotope, recycling 115  
ion chemistry 195, 236, 265  
  Taal crater lake 136, 137  
ion chromatography 74, 98  
iron (cation) 217, 218  
iron dissolution 4–5  
iron in groundwater, reaction 219  
iron sequestration 285  
isotope composition  
  Copahue crater lake 112–115  
  Laguna Caliente 73, 77–80, 81–82, 83, 90  
  Taal crater lake 132  
isotope ratio 135
- Japanese paper art 153, 154, 156, 160
- Kawah Ijen volcano, Indonesia 3–4  
  1817 eruption 36–37  
  conceptual model 52–54  
  element flux, passive degassing 9–32  
  flux in global context 25–31  
  geophysical investigation 57–70  
  stratovolcano 10  
  wet volcano workshop, 2014 35–54  
Kelud volcanic lake 69
- Lagoa Azul crater lake 241, 242, 246–248, 250  
Lagoa do Fogo crater lake 235  
Lagoa Verde crater lake 241–242, 247, 248, 250  
Laguna Caliente, crater lake 73–93  
  lake level, seasonal variation 82, 83  
Lake Monoun, *see* Monoun and Nyos lakes  
Lake Nyos, *see* Monoun and Nyos lakes  
lake temperature 19, 23, 40, 42–43, 60–61  
  monitoring 36–37  
lake volume calculation 83, 84, 86, 87, 89  
lake water budget 272, 274, 276  
lake water composition, Kawah Ijen volcano 23  
lake, low- and high-activity 2, 223  
laterite 219  
limnic eruption 185, 205, 206, 209, 213  
  definition 177–178  
  forecasting 4  
  Monoun and Nyos lakes 193  
  numerical modelling 163–174  
  risk 251  
liquid sulphur pool 91, 121
- magma 121–122, 134  
  Newberry Volcano 255  
  Taal crater lake 132–134  
magma chamber, monitoring 149  
magmatic CO<sub>2</sub> 209, 213, 233  
magmatic gases in water 97–98  
magmatic reservoir 126  
magmatic-hydrothermal system  
  monitoring 54, 70  
  Poás Volcano 77, 89–92  
magnesium *see* Mg  
magnetite 219  
magnetotelluric survey 132  
mantle degassing 143, 177  
mantle source  
  CO<sub>2</sub> 225  
  helium 248, 249  
Marangoni flow 153, 154–158, 160  
marbling technique 153  
mass balance, Laguna Caliente 84–89  
mass flux 30  
mass spectrometry 135  
mass wasting, monitoring 52  
measurement and calculation, CO<sub>2</sub> 178  
Merapi volcano 53, 58, 61, 66, 70  
mercury  
  Newberry crater lakes 263, 265, 276, 277, 278, 284  
  toxicity 253, 270–271  
meromictic volcanic lake 223–224, 253  
meteoric water 59, 68–69, 274  
  Copahue crater lake 109, 112–115  
  Laguna Caliente 74, 77–81, 83–85, 87, 88  
  Newberry crater lakes 268–269  
  Taal crater lake 132, 135, 139, 143, 146, 149  
methane [CH<sub>4</sub>] 22, 5, 219  
  gas membrane sensor test 223–231  
Mg/Cl ratio 118, 148  
  Laguna Caliente 78–79, 82, 83–84, 90, 92  
Mg/Cl ratio, indicator 148  
microbial activity 223  
Mid Atlantic Ridge 234  
mid-ocean ridge basalt 248  
mine-pit lakes 98  
MK method, CO<sub>2</sub> determination 193, 195, 197,  
  199, 201, 202  
  comparison with sound speed method 185, 187,  
  189, 190  
monitoring 118, 127  
  CO<sub>2</sub> in Nyos lake 177–184  
  and Monoun 164, 165, 173–174, 193–194  
  deep water CO<sub>2</sub> 206  
  dissolved gas 230  
  for HCl 103–105  
  hyper-acidic environment 63–68  
  siderite precipitation 221  
  Taal crater lake 131–132  
  wet volcano 36–52  
Monoun and Nyos lakes, Cameroon 2, 4–6  
  degassing pipe flow dynamics 169–171  
  fatalities 177, 193, 205  
Monoun and Nyos lakes, deep water removal 205–211  
Monoun lake, CO<sub>2</sub> concentration 163–174  
  sound speed and electrical conductivity 193–203  
  sound speed in water 185–192  
Monticchio lakes, Italy 224, 226–230  
multi-scale wavelet tomography 60, 63, 68, 69, 70  
multiGAS 44, 45, 46, 47, 51, 97–98
- native sulphur, Kawah Ijen volcano 10, 12, 13, 19, 21,  
  24–25, 53  
negative thermal anomaly 110, 112, 117–120, 124, 126  
Newberry Volcano, Oregon, USA 253–285  
  biota 263, 264  
  caldera hydrology 255, 257  
  carbon cycle 281–284  
  geology 253–255, 256, 259–260

- geothermal system 255  
 limnology observations 260–263  
 sampling and methodology 257–259  
 sediment data 269–281  
 stable isotope data 268–269, **270**, 271  
 water chemistry 265–268
- noble gas 143
- numerical model, limnic eruption 163–174
- Nyos Lake *see* Monoun and Nyos lakes
- Nyos-type lake 2, 4–5
- obsidian 255, 259
- overturn within lake 272, 274
- oxidation–reduction potential 215
- oxygen isotope data  
 Copahue volcano 112–115  
 Laguna Caliente 77, 81, 83  
 Newberry volcano 259, 268–269, **270**  
 Taal volcano 139, 141
- palaeoshoreline 259, 260–261, 284
- palaeosol 10
- passive degassing, Kawah Ijen 10, 31–32
- Paulina Lake, Oregon, chemistry 254–257, 259–285
- Pavin lake, France 224, 227, **228**, 230
- permeability 124
- permeability coefficient 224
- pH and siderite precipitation 215, **217**, 221
- pH and sound speed 195
- pH in lake water  
 Copahue 110–112, 116–117  
 Lake Nyos 178, 179, **180**  
 Monoun and Nyos 185  
 Newberry 258, 263, 265, **266–267**, 282  
 São Miguel 236, 237–239, 242–244, 245, 250, 251  
 Taal 134, 135, **136**, 137, 144
- pH measurement 98, **99**, 101, 102, 164
- photosynthesis 261, 282–285
- phreatic eruption 1, 4, 5, 10, 36, 59, 70, 132  
 Copahue volcano 105, 120–121, 124, 125  
 degassing 101  
 Poás Volcano **75**, 76, 80–81, 83, 84, 86  
 2006 cycle 89–93
- phreatomagmatic eruption 120–121, 123, 225, 255  
 Copahue volcano 109–110
- pipe flow dynamics, CO<sub>2</sub> 164, 166  
 equations 169–171
- plants, mercury concentration **277**
- Plinian eruption 154
- Poás Volcano, Costa Rica 4  
 fluid recycling 73–93, 97
- pollution 36, 253, 270
- prediction parameters 149, 213  
 lake chemistry 107, 118  
 limnic eruption 185, 285  
 phreatic eruption 93, 105
- pressure build-up 70  
 Copahue volcano 108, 124  
 Laguna Caliente 74, 89
- probabilistic methods 5
- pyroclastic material 121–123, 125
- radio isotope data 272, 279
- radiocarbon age 259, 260
- rare earth elements (REE) **26–27**, 30, 31  
 Copahue crater lake 116–117  
 Newberry crater lakes 265
- red-brown lake surface 214, 221
- residence time 2, 5, 53, 84
- rhyolite dome 255 *see also* silicic dome
- ring crater 250
- river water flux, Banyu Pahit 24
- rock dissolution 112, 116
- rock fall 38, 53, 92
- rock fracturing 70
- rock-forming elements 118–119, 120, 122, 127
- rollover events (in stratified lakes) 223, 225
- Ruapehu, New Zealand 36, 46, 54, 70, 91, 148
- salt-gradient solar pond 194
- São Miguel Island, CO<sub>2</sub> emission 233–251
- saturation index (SI) 220–221
- scrubbing 30, 31, 93, 98, 104, 105  
 SO<sub>2</sub> 97
- sealed hydrothermal system 68, 70
- sealing minerals 91, 108, 116
- sealing zone 124
- seawater 135, 138–139, 146, 149
- secchi disk 258, 261
- sediment accretion rate 272
- sediment data, Newberry caldera lakes 269–281
- sedimentation, Suminagashi pattern 157–160
- seepage rate estimation, Laguna Caliente 86–89
- seepage springs, Banyu Pahit river 21, 23–24, 53
- seismic array 38
- seismic tomography 132
- seismicity 126, 134, 147–148  
 Copahue 125–126  
 Kawah Ijen volcano 36, 38, 46, 47, 70
- self-gas lift 6
- self-potential 58, 59, 60, 63, 65–66, 67, 69
- Sete Cidades crater lakes 236–242, 246, 248–250
- Sete Cidades volcano 234, 235
- siderite precipitation, Lake Nyos 4–5, 213–221  
 chemical reactions and iron source 218–221  
 degassing and chemical reactions 221  
 field study methods 214–218  
 iron sources and reactions 218–221  
 laboratory analysis 216–218
- silica 277–279
- silicic dome 36, 38, 52, 57, 61–62, 69, 70
- silicification, beach sediments 259, 260, 284
- single-beam echosounder 60
- single-hose method, dissolved gases 224, 225, 227–230
- snowmelt water, Copahue volcano 109, 110, 112, 113
- SO<sub>2</sub> [sulphur dioxide] 139  
 degassing 98, **99**, 101, 134  
 emission rate 49–50  
 monitoring, Kawah Ijen 36, 44–50
- SO<sub>4</sub>/Cl ratio 59, 97  
 Laguna Caliente **78–79**, 80, 82, 83, 84, 88, 90, 92  
 volcanic risk indicator 118
- SO<sub>4</sub><sup>2-</sup> [sulphate] concentration 236, 238–239, 243  
 Copahue crater lake 110, 112, 113, 117–121  
 flux 9, 13, 22, 24–25, 30  
 Laguna Caliente 77, 90  
 São Miguel 248–250  
 Taal volcano 135, **136**, 138, 139, 141–143

- solar-powered pumping 206, 209–211  
 solfataric activity 120  
 solubility coefficient 224  
 sound speed and electrical method, CO<sub>2</sub> calculation  
   assessment of method 202  
   field survey 195–197, 198–201  
   laboratory work and equations 194–195, 198  
 sound speed equation 202  
 sound speed in water, CO<sub>2</sub> 185–195  
   calculations 188–190  
   discussion of method 190–192  
   field survey 187  
 specific conductance 258, 262  
 specific conductivity 110, 112, 144  
 spring 59, 60, 65, 67, 121, 132  
   Banyu Pahit river 21, 23–24, 65  
   stable isotope composition 112–115  
   use in monitoring 53, 68  
 SS–EC method, CO<sub>2</sub> determination 185, 190, 201, 202  
 stable isotope data **16, 270, 273–274**  
   Newberry Volcano 253, 259, 268–274, 280, 284–285  
   Taal crater lake 134, 139–141  
   water balance equations **281**  
 stable isotope sampling 13  
 steam-driven eruption 1, 154  
 stratification of water, CO<sub>2</sub>  
   Monoun and Nyos lakes 164, 166, 172, 182, 184, 191–192  
   São Miguel 236–237, 240  
 stratification of water, CO<sub>2</sub> and CH<sub>4</sub> 225  
 stratification of water, thermal 261, 262, 280–281  
 stratovolcano 92, 234, 250  
 strombolian eruption 103, 235  
 structure-from-motion photogrammetry 52  
 subsidence rate, Copahue crater lake 119, 125  
 sulphate *see* SO<sub>4</sub><sup>2-</sup>  
 sulphur 65, 110  
   flows 89–90, 92  
   isotope 115  
   liquid 116, 119, 124  
   native 10, 12, 13, **19**, 21, 24–25, 53  
   pyroclastic 121–122, 124  
   sealing capacity 91  
   speciation 46, 104  
   spherules 21, 62, 63, 77, 90, 108, 149  
   in water column 62, 63  
 sulphur dioxide *see* SO<sub>2</sub>  
 sulphur mining 25, 36–38  
   elements removed **26–27**  
 Suminagashi patterns 5  
 Suminagashi-like clay patterns  
   El Chichón crater lake 153–154  
   Marangoni flow 154–156  
   Suminagashi technique 154, 156  
 surface tension 154–155, 160  
 Surtseyan eruption 107  
 syringe method, CO<sub>2</sub> analysis 164, 178  
   water chemistry 135–141, 146–149  
   temperature 282  
   fumarole 19  
   gas membrane experiment 224, 227, **228**  
   gas speciation 22  
   geothermal reservoir 279  
   hot spring 280  
   Kawah Ijen volcano **14, 16**  
   monitoring 36, 59  
   Newberry Volcano 255  
   vent 38, 40–44  
 temperature and sound speed 185, 188, 194, 197, **198**, 199–200, 201  
 temperature, lake  
   Copahue 110–112, 115–121  
   Kawah Ijen 20, 60–62  
   Laguna Caliente 74, 80–83, 86, **87**, 90–92  
   Newberry 261–263  
   Nyos 178, 179, **180**  
   São Miguel 236, 237–239, 242–245, 250  
   Taal crater 135–137, 144, 149  
 thermal anomaly 64–65, 70  
 thermal infrared 42–44, 59, 61, 64  
 thermal stratification 261, 262, 280–281  
 thermocouple 37, 39–43, 59  
 total CO<sub>2</sub> 237, 243, 245, 248  
   Monoun and Nyos lakes 178–182, 195, 197, 200, 202  
 total dissolved solids (TDS) 2, 20–21, 23  
   Laguna Caliente **75**, 82, 83  
   Newberry crater lakes 265  
   Taal crater lake 135  
 total element flux 25, **26–27**, 28–29  
 total stored acidity 98, 101  
 toxicity 270  
 trace element **16–18**, 20  
   Newberry crater lakes 265, 270–272, **275**  
   Newberry volcano 253, 258–259  
 trachyte dome 235  
 tremor source 38–39, 41  
 tremors and hydrothermal activity 125  
 trigger mechanism, limnic eruption 172  
 triggering event 91–92  
 turnover, lake 265, 280  
  
 ultraviolet camera, SO<sub>2</sub> emission 47–49  
 Upper Río Agrio river 108–110, 127  
   chemistry 112–121  
  
 velocity, bubbles 246, 248, 250  
 velocity, CO<sub>2</sub> flux 168  
 vent 90  
   clearing 89, 91  
   CO<sub>2</sub> monitoring 51–52  
   Taal crater lake 148–149  
   temperature 38, 40–44  
 vivianite 270, 276, 278, 285  
 VOLADA volcanic lake database 2  
 volcanic ash 270, 277, 278, 281, 284  
 volcanic fluid, input rate 86–88  
 volcanic hydrothermal fluid 139  
 volcanic lake  
   classification 2, 3  
   monitoring and research 1–3, 127

- volcanic-hydrothermal system, Copahue volcano *108*,  
109–110, *124*
  - 1992–2012 eruptions 115–121
- volcano-hydrothermal fluid 234
- volcano-hydrothermal system 3–6, 31–32, 59
  - future research 5–6
  - monitoring 36
- volume change 126
  
- water chemistry 4, 21–23, 37–38, 53
  - Kawah Ijen volcano **14–15**
  - Newberry 265–269, **270**, 271
  - Taal crater lake 132–143, 146–149
- water circulation, Newberry crater lakes 281, 282
- water residence time 280, 283
- water sampling 13
  - for iron measurement 214–215, 216
- water stratification *see* stratification
  
- water transparency 258, 261
- water vapour monitoring 44–47
- water, removal rate 211
- wet volcano 3, 4, 92
- wet volcano workshop, 2014
  - conceptual model 52–54
  - Kawah Ijen volcano 35–54
  - methods 38–52
  - monitoring network 36–38
- wind 85
  - floating clay transport 156–157, *158*
  - in volcanic monitoring 38–39, 42, 49–50,  
*51*, 52
  
- Yadamari crater 97
- yellow lake *146*, 149
- Yugama Lake, Japan 148
- YY method for CO<sub>2</sub> determination 185