

Index

Page numbers in *italics* refer to Figures. Page numbers in **bold** refer to Tables

- accretion 53, 60
- aeolian facies 38–39, 41–42, 45–47
- African Transform Margin, basins 28
- age
 - Atlantic break-up 161–163
 - Cretaceous cooling 100
 - fission track *106–108*
 - Re–Os 123
- algae 133, 135, 136
- alkaline lake 87, 92, 93, 94
- Alpine orogeny *122*, 127, 143, *144*, 150, 152–153
- Angola 3
 - drainage basin *114*
 - margin evolution 112
 - rift 159, *160*
 - topography *100*
- Angola–Gabon rifted margin 49–71
 - domains 54–61
 - geology 51–54
 - structural variation 61–71
 - structure 49–51
- Angola, fission track analysis 99–116
- Angolan margin
 - ocean–continent transition 159–174
 - stratigraphy *81*
- apatite fission track analysis 5, *128*
 - integration with regional geology 110–115
 - results 102–103, *104–105*
 - sample details 101–102
 - thermal history interpretation 103–110, 127
- Argentina fold belt 197, 203–204
- aromatic hydrocarbons 133, *134*, 136, *140*, 141, *142*
- Atar Group carbonates
 - reservoir potential 145–150
- Atlantic *see also* South Atlantic
- Atlantic break-up 99–100, 113, 115–116
 - age 161, 163
- Atlantic opening 2, 28, 125
- Atlantic rift system 77, 208
- Atlantic spreading 5, 195

- bathymetry *160*, 161, *163*, *164*
 - South Atlantic 53, 79
- Bioko Deformation Zone 18, 20
- biomarker 140, 141
 - Precambrian 132–136, 133
- bitumen 129, 133, *135*, 145–150
 - vitritine reflectance 140, **141**, *142*, 143
- black shale *46*, *122*, 129, 132, 133, 184, 212
- Bouguer gravity data 205
 - box fold *199*, 201, 202
- Brazilian margin *64–66*, 70
 - stratigraphy *81*
- brine 148–149
- burial 23, 100, *113*, 115
 - Taoudeni Basin 136, 140–145, 152–153

- Cabina Basin 78–79, 82, 83
- Cameroon Fracture Zone 14–15, 23
- Cameroon Volcanic Line 4, 7–24
 - petroleum geology 20–24
 - regional tectonics 7–10, 13–20
 - seismic data 10–13, *14–17*
- Campos Basin *64–65*, *91*, 92, 94
 - geology 78–79
 - megasequences 80, 82, 83, 86
 - stable isotope range *87*
- Cape Fold Belt 195, 197–200, 202–205, 208
 - reactivation 190
- carbon isotope values 90
- carbon-ring monoaromatics 136, *140*
- carbonate 54, 100
 - lacustrine 4–5
 - play *77*
- carbonate–siliclastic sequence 120–121
- carbonate, Proterozoic 119, 120–121, *122*, 124
 - reservoir 145–153
 - source rock 129, 136
- Central African Shear Zone 8, *19*
- Central Atlantic Magmatic Province 125, 127
- chemistry, lake 84, 89–93
- chert 89
- chromatography 132, *133*, *142*
- claystone (conundrum) facies 27–47
- climate (palaeo-) *46*
- climate and burial 3
- CO₂, atmospheric 90
- Colorado Basin, Argentina 5, 205, 206, *207*
- compressional deformation 17–20, 23–24
- compressional domain 219–220
- computer-processed interpretation 30, 31
- condensate 129, 134
 - Proterozoic 120
- conference summary 3–5
- continent–ocean boundary *52*, *56*, *59*, 60, 202
 - location 159–162, 165–167, 169–174
- continental break-up 177, 178, 196, 206–208
- continental crust 54, 56, 60, *65*, *66*
 - hyper-extended 167, 169, 171–174
 - thickness 10, 61, 62
 - thinning 58, *67*, 68
 - thinning factors 161–171, 173

- conundrum facies, African Transform
 Margin 27–30, 35, 36
 depositional model 41–47
- cooling 100–101, 103, 127
 timing 107–113, 115
- coquina facies 78, 82–84, 87, 90–92, 94
- coupling point 52, 57, 58, 59, 67, 68
- crustal basement, thickness 161, 164, 166
- crustal heterogeneity 196, 206–208
 data and study methods 178
 passive margin 177, 189, 190
- cyanobacteria 93, 135
- cyclicality 94
 conundrum facies 43, 45–46
 lacustrine carbonates 83–84
- décollement 201
 gravity collapse structures 211, 213, 215,
 218–220, 225, 226
- deep water fold–thrust belts 211, 220–222, 224
- deformation 67
 oceanic crust 7–24, 71
- delamination 55, 68, 69, 70
- density 45, 164, 165, 166–167, 173
- denudation 100, 111–113, 115, 116, 143
see also erosion
- depositional environment 22, 146
 Aptian salt 173–174
 conundrum facies 41–47
 lacustrine carbonates 86–91
 pre-salt sequence 83–84
- detachment fault *see* fault, detachment
- diagenetic study 146
- dolomite 146, 147, 149
- domain, extensional 215–217, 224
- domain, passive margin 211–227
- domains, rift margin 54–61
 distal 58–60
 necking 52, 58, 65, 67
 oceanic 61
 outer 60–61
 proximal 54–58
- Douala-Rio Muni Basin 4, 8, 9
 petroleum geology 20–23
- effective elastic thickness 163
- electrical log 130
- electrically conductive zone 196
- erosion
 Namibian margin 111–113, 185, 188, 190
 Taoudeni Basin 124–125, 141, 143, 144, 146, 151
- eukaryotic algae 133, 135, 136
- evaporite 1, 79, 82, 100
- exhumation 5, 52, 58–60, 62, 67, 68–70
 Namibe Margin 99–100, 110–113, 115–116
- exhumation point 52, 56, 57, 59, 65, 67
- extension/compression, passive margin 211–227
- extensional domain 215–217, 224
- Fairhead–Wilson Line 19, 20, 24
- fan system 35, 36, 47
- fault evolution, rift to drift 189–190
- fault growth model 188
- fault, detachment 50, 52, 57, 65, 66
 in shale 211, 213, 222, 226
- fauna, diversity 82, 87, 92, 93, 94
- flooding surface 122, 213, 218, 220–222, 225–227
- fold–thrust belts (gravity collapse) 211, 220–224
- fracture zone 8, 14–15, 17, 18, 19, 24
- free air gravity 160, 161
- freshwater lake 92, 93, 94
- frictional cohesion 225–226
- gamma-ray log 30–40, 45, 91, 130
- gamma-ray value 27, 42
- Gariep Belt 179, 186, 187, 189, 206, 207
- gas, Proterozoic 120, 129, 149–150, 152
 chromatography 132, 133
- gas/condensate 20, 21, 23
- geochemistry 132, 136, 151–152
- geophysical models and lithology 60
- geophysics *see* gravity, seismic, wireline
- Ghana coast, drill site 44
- glacial erosion 111, 112, 116, 151
 Neoproterozoic 124
- glaciation 122, 132
- glacigenic deposits 121, 122, 123, 197, 204
- global sea-level 169, 173, 174
- Gondwana 1–2, 81, 125, 132
 break-up 5, 78, 212
- Gondwana Fold Belt 197, 205–208
- Gondwana Orogeny 197, 201, 204
- Gondwana suture 196
- granitoid body, Precambrian 187, 189
- gravity 3, 4, 7
 and magnetic interpretation 202–203, 205–206
 and seismic 164–165, 172–173, 203–204
 South Atlantic 8, 9
- gravity anomaly inversion 160, 161, 164–169, 170–172
- gravity collapse structures 5, 53, 185, 201
 data and study method 213–215
 detachments 220–222
 development model 222–226
 domain, compressional 219–220
 domain, extensional 215–217
 domain, transitional 217–219
- Gulf of Guinea 4
 oceanic crust deformation 7–24
 petroleum geology 20–23
 seismic data 10–13, 14–17
 tectonics 7–10, 13–20
- hanging-wall (H-) block 51, 52, 55–56
 lateral variation 62, 63, 64, 66, 68–71
- heat flow 68
- Hercynian orogeny 122, 125, 143, 150–152
 burial history 144

- hopane 133–136, *137–139*, 141
 hotspot 4
 hydrocarbon 3, 4
 generation 99, *113*, 115, 143, 145
 Proterozoic 119
 reservoir potential 145–150
 source rock 128–129
 hydrogen index 131, 133
 hydrology, South Atlantic Lake 91–94
 hyper-extended domain 50, 52, 53, 57, 65, 67
 distal 58–60, 68

 Inter-Tropical Convergence Zone 45, 46
 inversion 197, 201, 206, 219
 Gulf of Guinea 18, 19–20, 23, 24
 seismic imaging 13–17
 isopach map, Kudu Basement Ridge *183*
 isotope data 84, 86–87, 90–91
 Ivorian Basin 29, 42, *44*

 joint inversion, seismic/gravity 164–166, 169,
 172–173

 Karoo Basin 197, *198*
 Karoo deformation front 199
 Karoo Supergroup *198*, 205
 kerogen 131, 132, 136, 140
 Kribi Fracture Zone 10, *11*, 12, *14–15*
 Kudu Basement High 202
 Kudu Basement Ridge *181–184*, 187, 189
 Kudu wells 184, 185, 188
 Kwanza Basin 100
 facies 82–83, 85
 geology 78–80, 94
 hydrocarbon *113*
 oxygen isotope analysis 86, 87
 seismic line 94, 159, *160*
 well logs *91*, 92

 lacustrine carbonates 4–5, 77–78, 86–91
 lacustrine deposits, South Atlantic
 chronostratigraphy 77–78, 81–83
 depositional model 86–91
 facies 83–84, 85
 geology 78–79
 isotope data 84, 86, 87, 90–91
 lake evolution 94–95
 lake hydrology 91–94
 seismic profiles 79, 80
 lacustrine, biomarker 136
 lake, freshwater 90, 92
 large igneous province 53, 125
 laser particle size analysis 30–31, 32, 37, 38
 Liberia–Sierra Leone Basin 29
 lineament 17, 78
 lithospheric stretching 195
 thinning factor 162–169, *170–171*, 173
 thinning factor equation 161

 magmatic body, modelling 203
 magmatism 60, 61, 167, *168*, 171, 188
 decompression melting 162–163
 Mesozoic 125, 127, 128, 152–153
 and hydrocarbon generation 143, 145
 South Atlantic 52, 54
 magnesium, lacustrine 89–90
 magnetic anomaly 60, 61, 123, 196
 M4 age 178
 magnetic intensity map 203, *206*
 Malabo Hinge Zone 10–16, 20, 23
 mantle 15, 57, 58–60, 65, 66
 exhumation 62, 163, 165, 167, 172, 173
 plume 125
 mass chromatogram *142*
 mass transport complex 219, 225
 maturation 23, 24, 152
 maturity index 141
 Mauritania, Proterozoic petroleum play 119–153
 maximum flooding surface 122, 213, 218, 220–222,
 225–227
 mechanical stratigraphy
 Orange Basin 211–227
 megasequence 79, 94, 178
 Cretaceous 185, *187*, 188
 Orange Basin 201, 214–224
 pre-rift 180–181
 synrift 182–184
 Tertiary 185–186
 thermal subsidence 190
 transitional 184, *186–187*
 mercury injection seal analysis 30–32,
 33–34
 methane 129
 methyladmantane 141
 index *143*
 microbialite 83, 84, 85, 87, 88, 89
 depositional environment 93, 94
 Mid-Atlantic Ridge 8
 mid-ocean ridge 53
 migration 150
 moat subsidence 12
 Moho 10, *11*, 13, 52, 55–59
 gravity modelling *160*, 161, *162*,
 164–165, *166*, *172*

 Namibe Margin, exhumation and
 subsidence 99–116
 denudation episodes 111–113, 115–116
 geology/tectonics 99–101
 hydrocarbon exploration 115
 samples and results 101–103
 thermal history 103–110
 regional integration 110–115
 Namibian passive margin 177–190
 regional setting 178, *179*
 neutron density 27, 30, 32, *34*
 Niger Delta Complex 18

- ocean
 - layering 61
 - upwelling 45–46
- Ocean Drilling Programme
 - conundrum facies 42–45
- ocean–continent transition
 - Angolan margin 159, 160
 - boundary location 79, 169–174
 - integrated quantitative analysis 160–165
 - structure 165–167
 - thermal subsidence modelling 167–169
- oceanic crust 164
 - deformation 7–24, 71
 - thickness 163, 172
 - transition to continental 166–167, 169, 171–174
- oil exporting countries 1
- oil, Proterozoic 120, 152
 - source rock 129, 131, 133, 136–142, 149–150
- Orange Basin 179, 190, 196, 208
 - chronostratigraphy 197, 213
 - development 186–189
 - gravity collapse structures 211–227
 - rifting 206, 207
 - seismic interpretation 181, 195, 200, 201–205
- Orange River, capture 188
- oxygen isotope ratio 84, 90, 93

- palaeobathymetry
 - Aptian salt 159
 - base Aptian salt 167–169, 173–174
- palaeogeography 43, 83, 124
- palaeogeothermal gradient 109, 111, 112, 113
- palaeotemperature 103, 111
- palaeothermal methods 99
- palaeowind 42, 43, 45
- Pan-African orogeny 124
 - age 122
 - burial history 144
 - inversion 197
 - uplift/erosion 150, 151, 152
- Pangaea 70, 125
- passive margin 8, 79, 99, 115, 195, 197
 - crustal heterogeneity 189–190
 - Namibia 177–190
- permeability 30–32
- petrographic analysis 33, 36–37, 38–42, 47
- petroleum geology, Gulf of Guinea 20–23
- petroleum play, Atar Group carbonates 128–153
 - chronology 151, 152
 - generative potential 131, 132, 152
- petrophysical analysis 30–41, 47, 148–150
- plate motion, timing 20
- plate reconstruction 202
 - South Atlantic 43, 66, 70, 205–208
- plate, upper and lower concept 50, 52, 54, 55–57, 59
 - lower plate setting 64–68
 - upper plate setting 62–64, 65
- porosity 30, 45
 - Atar Group carbonates 146, 148–150
 - lacustrine carbonates 83, 84, 86
- potash salts 93–94
- potential field modelling 60
- pre-salt basins 79, 88, 159
- pre-salt stratigraphy 78–81, 83, 94
 - Angola 3, 4
- pressure solution 147
- Proterozoic petroleum play *see* Taoudeni Basin
- provenance 22, 47, 103, 108, 110–111, 116
- pyrolysis analysis 131, 133, 136, 140

- quantitative analysis, seismic and gravity 169, 171–174
 - methodology 160–165
- quartz claystone facies 27–47

- radiometric age 121, 123
- reactivation structure 12–13, 16–17, 22
- reconstruction
 - Africa–Brazil 66, 207
 - South Atlantic 70, 205–208
- remote sensing technologies 3
- reservoir 22
 - carbonate 145–153
- residual depth anomaly 161–163, 165–167, 169, 172
- resistivity 32, 34–36, 38–40
- rift age 162, 168, 169, 173
- rift history 189–190
- rifted margin, mapping 49–71
 - domain classification 54–61
 - key characteristics 71
 - lateral variation 61–70
 - terminology 51
- rifting 197, 212
 - Angolan margin 159, 160
 - South Atlantic 77, 178, 206–208
- Rio Grande Rise 78, 79
- rivers 100, 112, 114, 115, 188
- Rodinia, break-up 123–124

- sag basin 53, 69, 71, 123
 - lower plate setting 50, 57, 63, 64–65, 68
 - subsidence 173
- Sag basin 77, 79
 - oxygen isotope 86, 87, 90
 - sequence 81–83, 88, 89, 92, 94
- salt detachment 211
- salt, Aptian 2, 53, 59, 79, 93–94, 172
 - palaeobathymetry 167–169, 173–174
- salt, seismic imaging 165
- Santos Basin 64, 78–79, 80, 82–83, 85
- scanning electron microscopy 31, 37–39
 - field emission 39–41, 42
- seafloor spreading 52, 68, 162, 189–190, 207
- seal 150–151, 152
 - analysis 30–33, 34–35
- seamount 8, 24

- Seamount Inversion Structure 10–12, *13–17*, 19, 20, 23
- seaward-dipping reflectors 1, 2, 52
- Namibian margin 178, 179, 188
- Orange Basin 200, 201, 202
- segmentation, passive margin 189–190
- seismic data 3, 4, 9, 20, 55
- and gravity 164–165, 172–173
- Gulf of Guinea 10–13, *14–17*
- seismic facies 178, 180–186, 213–220
- seismic interpretation 32–33, *35–36*, 44
- salt 165
- seismic profile
- Angola–Gabon margin 54, *56–57*, 59, 63, 65
- Angolan margin 159, *160*, 165, 166
- Campos Basin 65, 80
- Cape Fold Belt 203, 204
- Douala-Rio Muni Basin 11, 16
- Ivorian Basin 44
- Kudu Basement Ridge 181, 182, 184
- Kwanza Basin 80
- Orange Basin 181, 200, 202, 204, *216–219*, 222–223
- South Atlantic pre-salt sequence 79, 80
- Taoudeni Basin 125, *126*, 149
- seismic study 189
- Douala-Rio Muni Basin *13–17*
- Namibian margin 178, 180–182, 184–185, 188–189
- Orange Basin 195, 201–205, 213–220
- South Atlantic 199–205
- sequence stratigraphy 178, 180–186, 213–220
- serpentinized mantle 58–59, 163, 167, 172
- shale detachment 211, 213, 222, 226
- shrub microbialite 84, 85, 88, 89
- sidewall core analysis 30–31, *34*, 37–42, 47
- silica 45, 89, 146
- siliciclastic reservoir 150
- siliciclastics 79, 84, 87, 88
- Taoudeni Basin 120–125, 129, 132, 145, 146, 149
- Silurian transgression and source rocks 132
- size analysis 30–31, 32, 37, 38
- source rock 78, *113*, 152, 188
- Douala Basin 20–23
- identification 129–136
- maturity and burial 136, 140–145
- South Africa
- chronostratigraphy 197
- geology 195, 197–201
- gravity collapse structures 211–227
- South Atlantic domains 1, 2, 5, 54–61
- South Atlantic fracture zones 8
- South Atlantic Lake 91, 92, 93–94
- lacustrine deposits 77–95
- South Atlantic rift 60, 178
- South Atlantic, break-up 5, 195–199
- Central Cape 199–201
- Gondwana structures 203–205
- lateral variations 202
- Orange Basin 201
- South Atlantic, passive margin 177, 179
- South Atlantic, reconstruction 66, 70, 205–208
- South Atlantic, sedimentary basins 53
- spore coloration index 143
- spreading ridge structure 12, *13*, *16–19*
- St Helena Seamount Chain 7, 8
- stacked detachments 221–222, 225, 227
- steranes 133, 135–136, *137–139*
- steroids, Precambrian 136, *140*, 141
- stevensite 82, 84, 87–89, *91*, 93, 94
- storm wave base 88, 89
- strain distribution 224–225
- stratigraphical column
- Angola and Brazil *81*
- Douala-Rio Muni Basin 22
- Ivorian Basin 29
- Namibian margin *180*
- Orange Basin 197
- Taoudeni Basin *122*
- stratigraphy, South Atlantic 79–83
- stromalite 84, 88, 89, 121, 123
- isotope age 87
- source rock 129, 135, 146, *147*, 149
- subsidence 77, 99, 100, 123, 124
- South Atlantic Lake 91–94
- subsidence analysis 163–164, 167–169, 172–173
- Taoudeni Basin (Proterozoic)
- exploration history 119–121
- reservoir potential 145–151
- source rock potential 128–145
- stratigraphy 121–123, *130*
- structure 123–128
- traps and seals 150–151
- tectonic domains 1, 2, 54–61, 211–227
- tectonic model, Gulf of Guinea 17–20, 22
- tectonostratigraphy, Namibian margin *180*
- temperature 146, 148
- lake 90
- thermal cracking 146, 148
- thermal gravity anomaly correction 161
- thermal history 100, 103–115, 127
- age 162–163
- thermal maturity 135, 136, **141**
- indicators *142*, *143*
- thermal subsidence 188, 190
- modelling 160, 167–169, *170–172*, 173
- thermochronology studies 100
- thick-skinned deformation 20
- thin-skinned tectonics 199
- thrust faults 215, 218–222, 224
- Tod (Atar I₅) Formation 127, 129
- age 123
- reservoir potential 145–146, 148–149, 152
- source rock 131–137, 140–143
- total organic carbon 43, 45, 46
- lacustrine deposits 82, 93
- Tod Formation 131–132

- transfer zone 69–70
- transitional domain 211, 217–219
- traps 150–152
- travertine 87, 90, 91, 94
- triple junction 206, 207
- turbidite fan system 35–36, 47

- unconformities, supergroup 121–125, 128
- unconformity, basin-wide 99, 178, 215
- underplating 52, 62, 162
- uranium 45, 103

- velocity 160, 161, 164–167
- Ventana Fold Belt, Argentina 195, 203–204, 208

- vitritine reflectance data 100, 115, 140, 142, 143, 144
- volcanic rocks 9, 11, 202
 - age 8–9
 - passive margin 200, 201
 - source 46–47
- vug 146, 147, 149

- Walvis Ridge 78, 79, 93–94, 177
- West Africa, marginal countries 1
- West African Craton 119, 123–125, 127, 128, 132
- West African Rift System 125
- wireline log interpretation 30–41, 130

- X-ray diffraction 30–31, 37