

# Index

Page numbers in *italics* refer to Figures. Page numbers in **bold** refer to Tables.

- accretionary prism, Barbados 87
- accumulation into trap 133–136
- activity coefficient 131
- aerobic oxidation, post-migration *167*, 181–182
- air contamination, noble gases 137, *143*
- air-saturated water (ASW) 12
  - coalbed methane reservoir 159, *172*, *174*, 175–176, 180, 183
  - noble gas isotopes *128*, 132, 137, *139*, 140, 170
  - tritiated *169*
- Alaskan lake, methane 37
- algae 93, 108
- alkane 56, 57, 61, 74
  - cracking 63–68
  - see also n*-alkane
- amino acid 54–55, 58, 59
- ammonium 73
- anaerobic enzymes 114
- anaerobic oxidation, post-migration *167*, 181
- anaerobic, bacteria 95
- analytical technology, isotopic structure 76–77
- Antrim Shale, Michigan Basin 162, 183
  - methane 37, 39–40
  - propane 69
  - shale gas 142
- aquatic/terrestrial organic matter 108–110
- aquifer contamination 143
- aquifer recharge management 2
- Archean basement *16*
- argon <sup>36</sup>Ar <sup>38</sup>Ar <sup>40</sup>Ar 129–133, 137–143
  - Ar\* (radioactive decay) 153, 159
  - biogenic v. thermogenic source *171–174*, 175–176, 178–180
- asphaltene 118
- associated/non-associated gas 28–36, 43–48
  - Whitcar and Bernard plots *40–41*, 42
- atmosphere
  - He isotope ratio *169*
  - Ne and Ar isotope ratios *167*
- atmosphere-derived gas 178, 179
  - noble gas inventory 132
  - noble gases 130, 137–141
- Austria, source rock 115–116
  
- bacteria 95, 108
- Barbados, oil field 93, 94
  - samples 85–87
  - V isotope composition 95, *96–97*
- Barents Sea, basin analysis *115*, 116–117
- Bernard plot *24*, *25*, *41*, 42–43
- Bighorn Basin (USA), integration case study 5–17
- biodegradation 118
  - V isotopes 85, 87, 92, *93*, 95
  - $\delta^{13}\text{C}$  values 114
- biogenic gas 1–2, *32*
  - clumped isotopic equilibrium 37–38
  - clumped isotopic non-equilibrium 38
  - composition control 38–39
  - biogenic methane 183
    - origin 23–24, *27*, *29*
    - shallow or deep 45–47
  - biogenic v. thermogenic gas source 3, 151–184
    - Illinois Basin, study area 160–162
    - integrated methodology 153–160
    - numerical modelling 170–175
    - results and discussion 175–184
    - sample analysis 165–169
    - sample collection 162, 165
- biological activity, isotope fractionation 93
- biomarker 73, **86**, 87, 99, 118, 120
  - compound-specific isotope analysis *109*, 117
  - molecular 105
  - terpane 9
  - vanadium isotope 84
- biomolecules 55–60, 73
  - equilibrium control 55–57
  - kinetic control 57–59
- biosignature 74
- biosynthesis 56, 108
  - C and H isotopes 110
- Birchtree mine, Canada 37, 38, 48
- bitumen *54*, 61
  - isotopic structure 67–68
  - $\delta^2\text{H}$  isotopes 113
- blocking temperature 30
- bond reordering 190, 197–198, *199*
- Bravo Dome *135*, *142–143*
- Brazilian reservoirs, gas 43–45
- bubble phase 171, 172
- bulk and clumped-isotope composition 64
- Bulk Silicate Earth (BSE) 89–90, 92
- bulk stable isotope composition value 76
- Bunsen solubility constant, noble gases 170, 172, 173
- burial 55, 95
  - carbonate 190
  - curve, offshore Angola *192*, 198, *199*
  - diagenesis 197–200
  - dolomitization 195
  - history *7*, *10–11*, *13*, 31
  - temperature 25, 29–30, 35
  - see also* catagenesis
  
- C *see* carbon
- calcite, bond reordering 190, 197–198, *199*
- carbohydrates 54–55, 58–59
- carbon dioxide 2
  - He isotope ratio 137
  - mantle derived *135*, *142*
- carbon isotopes
  - C and H in exploration 105–121
    - methodology 106–108
  - C<sub>3</sub>/C<sub>2-3</sub> ratio *24*, *25*, *37*, *39*, 41–43, 46–48
  - methane/noble gases *171*, *173*, *174*
  - in organic matter 108–113, 178
  - in propane 69, *70*

- carbon stable isotope  $\delta^{13}\text{C}$   
 and clumped-isotope, temperature 43–45, 46, 47  
 in methane 165–168, 169  
 natural gas 161–162
- carbonate clumped-isotope thermometry 4–5, 189–200
- catagenesis 54, 55, 59, 153, 171
- characterization tools *see* petroleum exploration tools
- charge history 115, 118–119, 120
- chemical degradation, analytical technology 76
- chemical kinetics and equilibrium 74
- chemical purification methods  
 V isotope analysis 88–89
- chemistry, noble gases in fluids 131–132
- chlorophyll 83, 90, 93, 95
- chromium Cr 84, 91
- clean-burning fuel 151
- climate archive 58–59
- clumped isotope 45–47  
 temperature 24–48  
*see also* methane clumped isotopes
- clumped isotope, characterization tool 189–200  
 fluid inclusions 191  
 methodology 191–193  
 results and discussion 193–200  
 $\Delta_{47}$  C and O isotopes 190, 196
- clumped isotopologue ( $\Delta i$  value)  
 Antrim Shale, measurements 183  
 defined 25–27, 75
- $\text{CO}_2$  *see* carbon dioxide
- coal  
 gas source 34  
 pyrolysis experiment 31–33, 35  
 seam sample analysis 169  
 seam solids 176, 177
- coal-derived methane 44
- coalbed methane 37, 141, 142  
 gas source 151–184
- coalbed methane reservoirs  
 natural gas source 178–179  
 noble gases 175–176
- compound-specific isotope analysis (CSIA) 105–106, 111  
 application 114–120  
 methodology 106–108  
*n*-alkanes 106
- condensate-fraction compounds 67, 68
- condensates 117
- contamination, noble gas 143
- conventional hydrocarbon system 128–129, 135,  
 142–143, 144  
 gas 140
- conventional reservoir  
 methane clumped-isotope measurement 28–30  
 non-associated gases/methane 34  
 oil-associated gases/methane 32–34
- conventional thermogenic gas 41, 44
- Cr *see* chromium
- cracking 3, 23, 34, 55, 95  
 ethane 32, 35, 71  
 kerogen 113  
 reactions 61–67  
 secondary 69, 71, 74, 135
- crude oil, vanadium isotope study 83–99  
 biodegradation 95  
 maturation 95–98  
 sampling and methods 85–90  
 source and reservoir 90–95
- crust, noble gas 142–143, 175  
 inventory 133  
 production rate 131
- crustal fluid 159  
 noble gases 135, 153, 171–172, 178–180
- CSIA *see* compound-specific isotope analysis
- D *see* deuterium
- data inversion techniques 139
- dating  
 noble gases 130  
 radiogenic ingrowth 139–141
- degassing  
 $^4\text{He}$  isotope 136  
 deep crust 141  
 solid Earth 132
- density function theory (DFT) 63
- depositional environment 87, 111  
 C and H isotopes 110  
 noble gases 127  
 V isotope composition 90, 92–95, 98  
 V/Ni 83–85
- detrital zircon analysis 16
- deuterium  $^2\text{H}$   $\delta\text{D}$  56, 57–60  
 in clumped isotopologues 24–28, 32, 36  
 D/H ratio 59  
 in gas 38–48  
 in propane 66–67, 69–71
- diagenesis 54, 55, 59  
 carbonates 189–191, 192  
 dolomitization 190, 191  
 Eh–pH 95
- dolomite, bond reordering 190, 198–200
- dry gas 153
- Eagle Ford Shale, Texas 69, 70, 71
- Eh–pH conditions 95, 98  
 V isotope composition 90
- elemental analysis, crude oil  
 Ni, V, S isotope analysis 89
- Elk Basin Field, USA 6, 7, 12  
 burial history 11, 13
- endogenous v. exogenous thermogenic gas 179–180
- energy demand 1–2
- environmental sciences 2
- enzyme activity 38–39, 93, 114
- enzyme, reversibility 39
- equilibrium, biogenic gas 40–42
- equilibrium, controls 55–57, 74
- Escherichia coli*, carbon isotope structure 57, 68
- ethane 56, 178  
 biogenic v. thermogenic 181–183  
 clumped isotopes 25, 36, 37, 43, 49  
 in coalbed methane reservoirs 159  
 cracking reactions 61–65, 72  
 noble gases 175–176  
 stable isotopes 165, 167–168  
 $\Delta^{13}\text{C}_2\text{H}_6$  proxy for secondary cracking 71
- ethanol 66
- evaporative fractionation 113–114, 117, 120
- exogenous thermogenic gas source 179–181
- exploration *see* petroleum system, exploration tools

- fatty acids 57–59, 68  
 fauna/fossil, palaeoseep mounds 14, 15  
 fissiogenic production 140  
   noble gases 130–131  
 fluid flow, noble gases 133–136, 144, 173  
 fluid inclusions, palaeothermometry 4, 189–200  
   Elk Basin Field 12, 13  
   sample characterization 191, **194**  
   temperature 193  
 fluid migration 152–153, 159, 176  
   compound-specific isotope analysis 105–106, 109, 114–120  
   H isotope analysis 113  
 fluid residence time 179–180  
 food science forensics 76  
 fractionation 66–67  
   methane/ethane/keragen 61–63  
   noble gases 137  
 fugacity 131
- gas chromatography 106, 165, 168, 169  
 gas composition, Illinois Basin **156, 158**  
 gas constituents, isotopic structure 68–72  
   <sup>13</sup>C<sub>2</sub>H<sub>6</sub> in ethane 71  
   site-specific <sup>13</sup>C in propane 69, 70  
   site-specific D in propane 69–71  
 gas generation 24, 35  
   temperature 25–26, 31, 37  
 gas maturity, noble gas 141  
 gas migration 179–180  
 gas production 160, 162  
 gas release 141, 144  
 gas sample/analysis 162, 165–169  
 gas shale 129  
 gas stripping 170–171, 181  
 gas washing 113  
 gas wetness 71, 72, 159  
 gas–oil 140  
   ratio (GOR) 28–34  
 gas–water ratio, proxy 170  
 gas–water system 138, 176  
 gas, methane in natural gas 23–49  
 gas, noble 127–144  
 gas, thermogenic or biogenic source 151–184  
 geochemical properties, V isotope **86**  
 geochemical techniques 2–5, 127, 143  
   compound-specific isotope analysis 114–115  
   integrated hydrocarbon and noble gas data 153–160  
   integration case study 5–17  
 geochronology **86**, 87, 94, 130  
   groundwater 139–141  
 geothermal gradient 197–198  
 GGS-R groundwater gas stripping and re-dissolution 170–171, 181  
 glacial meltwater 182  
 global energy demand 1–2  
 graphitization 54, 55, 72–73  
 gravity, API **86**, 117–118, 131, 134, 139  
 greenhouse gas 2, 23  
 groundwater 5, 159, 170–171, 173, 182  
   residence time 179–180  
 groundwater, noble gases 134, 136–141  
   age 142  
   modelling 128, 144
- Gulf of Mexico, gas 37, 70, 71  
 Gullfaks field, North Sea, biodegraded oil 114
- H *see* hydrogen isotope  
 H<sub>2</sub>S in crude oil 92, 95  
 halokinesis, trap structures 191  
 He *see* helium  
 heavy metal analysis 5  
 helium <sup>4</sup>He 143, 152–153, 170  
   <sup>3</sup>He/<sup>4</sup>He isotope ratio 137, 142, 169  
   <sup>4</sup>He/<sup>20</sup>Ne, proxy for radiogenic He 170  
   biogenic v. thermogenic 175–183  
   primordial 159  
   terrestrial inventory 132–133, 135  
 Henry's law 129, 131–132, 134, 138–139, 159  
 hopanoids 59  
 humin 73  
 hydraulic fracturing 35–36, 129  
 hydrocarbon generation and source rock 2, 3  
 hydrocarbons, use of clumped-isotope studies 45–47  
 hydrogen isotope  
   in organic matter 109–110, 111  
   site-specific 69–71  
   <sup>2</sup>H natural gas **161–162**, 169  
   <sup>2</sup>H petroleum fluids 113  
 hydrogen isotopes of *n*-alkanes  
   analytical procedure 106–108  
   application 113, 114–120  
   controls 108–114  
   sample preparation 106  
 hydrogen sulphide, in crude oil 92, 95  
 hydrogenotrophic source 38, 178  
 hydroxyprolysis 64–66, 71  
 hydrothermal fluids, V isotope composition 94
- Illinois Basin, Pennsylvania 153, 154  
   geology 160, 162  
 illite, age analysis 4, 7, 10, 16  
 in-reservoir processes 105, 109, 119–121  
   C and H isotopes 113–114, 115, 117  
   compound-specific isotope analysis 120–121  
 infrared spectroscopy 27, 77  
 instrument calibration, isotopic structure 73  
 integrated geochemical analysis 2–4, 115, 120  
   Bighorn Basin, USA 5–17  
 isoprenoids 116, 118, 120  
 isotomer, nomenclature 75  
 isotope composition, *n*-alkanes 105–121  
 isotope thermometry 4  
 isotope, reservoir characterization tool 189–200  
 isotopes *see also* methane clumped isotopes  
   noble gas ratio **129**  
   use in petroleum analysis 4–5  
   vanadium in crude oil samples **86**  
   Δ<sub>47</sub> derived temperatures 196  
 isotopic equilibrium 32  
   defining 74  
   δ<sup>13</sup>C and δD 36–37  
 isotopic structures 53–54  
   biomass to hydrocarbon evolution 54–55  
   biomolecules 55–60  
   cracking reaction/KIE 61–67  
   fractions, bitumen/oil/condensate 67–68  
   future work 73–75

- isotopic structures (*Continued*)
  - gas constituents 68–72
  - graphitization 72–73
  - kerogen 60–61
- isotopic techniques 24–25
- isotopologue 53
  - methane 24, 25–27, 152
  - nomenclature 75
- isotopomer 75
- jargon 76
- K-40 potassium 133, 159
- kerogen 54, 55, 61, 73–75, 84
  - C isotope properties 111
  - cracking 69, 113
  - graphitization 73
- kinetic isotope effects (KIE) 56–64, 72–74, 95, 113
  - experimental simulations 64–67
- krypton <sup>84</sup>Kr 129, **131**, 133, 137–141, 144
  - gas–water interaction 176, 180
- Laramide Orogeny 7
- lignin 54, 55, 73
- lipids 54, 55, 59
  - C and H isotopes 110–111
- magnesium Mg in plant chlorophyll 83, 95
- mantle fluid 144, 159
  - gas 182–183
  - He ratio 137
  - noble gas 135, 136, 142–143, 175–176
  - noble gas inventory 130, 133
- Marcellus Shale, Pennsylvania 71, 72
- mass spectrometry 165, 166, 169
  - analytical technology 76–77
  - clumped isotopes 191–193
  - GC-IRMS Isotope Ratio 106–108
  - GC-MS, GC-FID 106
  - IRMS (Isotope Ratio MS) 58–59, 69
  - MC-ICP-MS (multicollector inductively coupled plasma MS) 84
  - techniques 4–5, 12, 27, 68, 69, 70, 75, 77
  - TIMS (thermal ionization MS) 84
  - V isotope analysis 89–90
- mass-dependent isotope fractionation 83
- maturation, vanadium isotope 92, 95–99
- maturity indicator 71, 118, 141
- metal element extraction, crude oil 87–88
- metalation 90, 95–99
- metamorphism 55, 72–73
- meteoric water 152, 170, 176, 178
  - groundwater 128, 159
- methane clumped isotopes 23–49
  - future research 48–49
  - measurement 27
    - biogenic gases 37–39
    - mixed biogenic and thermogenic 37, 39–40
    - thermogenic gases 28–37
  - molecular and isotopic techniques 24–25
  - synthesis 45–47
  - theory and nomenclature 25–27
  - Whiticar and Bernard plots 40–43
  - $\delta^{13}\text{C}$  v. clumped-isotope temperature 45–47
  - methane thermometry 4, 12, 45–47
  - methane, stable isotope composition **162**, 165–168
  - methanogenesis 153
    - in coalbeds 178
    - rate of 48
    - reversible 71, 72
  - methanogenic archaea 152, 160
  - methanogens 23, 38
  - Mg magnesium 83, 95
  - microbial activity 71, 95, 99, 111, 114, 167, 180
  - microbial gas 2, 3, 23
    - methane 138, 155, 160
    - noble gases 141, 178–179
    - shallow or deep source 46–47
  - mid-ocean ridge basalt (MORB) 133
    - He isotope ratio 175–176
  - migration 2, 170, 172
    - Bighorn Basin 7–17
    - noble gases 133–136, 178–179
  - molecular and isotopic composition 5, 152, 159
    - gas ratio in coal gas 162, **163–164**
  - n*-alkane 62, 63–68, 74
  - n*-alkanes, in exploration
    - analytical methodology 105–108
    - compound-specific isotope analysis 114–121
    - controls on  $\delta^{13}\text{C}$  and  $\delta^2\text{H}$  values 108–114
  - natural gas
    - constituents 68–72
    - formation temperature 33
    - methane 25–49
    - production, Illinois Basin 160, 162
    - production, USA 151
    - reservoir classification 28
    - source determination 153–159
      - $\delta^{13}\text{C}$  and  $\delta\text{D}$  26, **47**
  - neon <sup>21</sup>Ne <sup>22</sup>Ne 129–132, 137–141, 142, 167–168
    - coalbed methane reservoir 159, 175–180
    - Ne\* (radioactive decay) 153, 159
  - New Albany Shale
    - Illinois Basin 153, 154–155, 160, 162, 165
    - stable isotope composition 165, 166–167, 170, 173
    - thermogenic gas source 180–181, 183
  - nickel mine, methane 37
  - Niger Delta, integrated basin analysis 115, 119
  - Nigerian oil 107
  - NIST Crude Oil Reference Material 84, 85, 88–90, 91, 94
  - nitrogen N<sub>2</sub> 165, 168, 175, 176
  - noble gas 5
    - definitions and overview 127–129
    - fluid chemistry 131–132
    - isotope ratio **129**
    - migration 178–179
    - in petroleum systems 133–136
      - analysis 136–143
      - primordial origin 129–130
      - production, radioactive 130, **131**
      - terrestrial inventory 127, 130, 132–133
  - noble gas in coalbed methane
    - biogenic v. thermogenic source 151–184
    - composition **157–158**, **161**, 175
  - nomenclature, isotopic structure 75–76
  - non-equilibrium biogenic gas 40–42, 48
  - non-oil-associated gas 33, 41, 44

- North Sea, Rotliegend 34, 112  
nuclear magnetic resonance (NMR) 57–58, 68, 69, 75  
analytical technology 76  
nucleogenic noble gases 159, 176, 178–179
- oil source correlation 115  
oil window/generation temperature 33, 97  
oil-associated gas 41  
oil–oil correlation 115, 117  
oil–water system 138  
oil, isotopes 67–68, 106  
Oman, carbonate platform 197  
organic compounds  
diagenesis-maturation 110–111  
isotopic structure 53–75  
maturation/oil generation 111–113  
 $\delta^{13}\text{C}$  and  $\delta^2\text{H}$  isotopes of *n*-alkanes 108–110  
organic geochemistry 105  
organic matrix removal, crude oil 87–88  
osmium  $^{187}\text{Os}/^{188}\text{Os}$  ratio 14  
Re–Os ratio 12  
oxygen isotope composition 59, 61
- palaeoaltimetry 190  
palaeoclimate 108, 120, 190  
palaeogeographical maps 7, 9–11  
palaeoseep mounds 12, 15  
palaeothermometry  $\delta^{18}\text{O}$  189  
*see also* thermometry  
Pee Dee Belemnite scale (PDB) 69, 193  
petroleum system  
defined 128  
elements and processes 128–129  
mixing models 136–139  
noble gas introduction 133–136  
petroleum system, exploration tools  
clumped isotopes 189–200  
*n*-alkanes (C H isotopes) 105–121  
noble gases 128  
play summary chart 8  
petroleum systems analysis 1–4  
Bighorn Basin 5–17  
future challenges 4–5  
pH, vanadium species 94–95  
Phosphoria Formation 7, 9–10, 12, 16, 17  
photomicrographs, dolomite 195  
phytane 117, 118  
Pinda Formation, offshore Angola 193–200  
geology 191, 192  
plants, hydrogen isotopes 59–60, 109–110  
play summary chart, Bighorn Basin 8  
pollutants 53, 66  
porewater  $\delta^{18}\text{O}$  and  $\delta^{13}\text{C}$  values 193, 195,  
197, 200  
porphyrin, V isotopes 83, 90, 92, 95, 96, 99  
post-genetic processes, natural gases 181–182  
potassium  $^{40}\text{K}$  133, 159  
Potiguar Basin, Brazil 30–31, 43, 44, 69, 70, 71  
Potwar Basin, in-reservoir processes 115, 117  
praseodymium, Pr/*n*C<sub>17</sub> ratio 86, 95  
precursor molecules 53, 57, 59  
primary migration 134  
primordial noble gases 129–130  
pristane 117, 118  
propane 56, 63, 72, 74, 167  
clumped isotopes 25, 31, 36, 37, 43, 49  
site-specific  $^{13}\text{C}$  65–66, 67, 69  
site-specific D 66–67, 69–71  
protein 54  
Prudhoe reservoir 120  
pyrolysis 61, 63–69, 71  
analytical technology 76–77  
experiment 112
- radiogenic noble gases 130, 159, 176  
radiogenic production 136, 137, 142–143  
Rayleigh distillation 43, 48, 71, 138  
Rayleigh equation 114  
Re *see* rhenium  
redox index, crude oil 85  
residence time 152–153  
rhenium Re, Re–Os geochronology 12, 14, 16  
Rotliegend, Germany 34
- San Juan, coalbed methane 141, 142  
sea water, temperature 197  
sea water, vanadium isotopes 84, 93–95  
secondary cracking 69, 71, 74, 135  
secondary migration 128–129, 134–135  
sedimentary organic matter, evolution 54, 55  
Seelyville coal seam 153, 154–155  
comingled gases 175–178, 180–183  
sample/analysis 160, 162, 169  
sequestration, CO<sub>2</sub> 2  
Sethenow coefficient 129, 131–132  
Sevier Orogeny 7  
shale gas 25, 142, 151, 162, 181  
Sirte Basin, N Africa, source correlation 115, 119  
solubility, noble gases 133–134, 137, 159  
source rock 99, 117, 120, 127  
classification 133  
compound-specific isotope analysis 106, 109, 115, 119  
Springfield coal seam 153, 154–155  
comingled gases 175–178, 180–183  
sample/analysis 160, 162, 169  
stable isotope analysis 77, 105–108  
methodology 106–108  
*see also under* natural gas and *n*-alkanes  
stable isotope composition 53  
gas, water 152, 159  
methane 175, 176  
natural gas 161–162  
vanadium 83–84  
stable isotope values in methane  
carbon 165–168  
 $\delta^{13}\text{C}$  and  $\delta\text{D}$  26, 47  
 $\delta^{13}\text{C}$  and  $\delta^2\text{H}$  169, 170  
stable isotope values in *n*-alkanes  
 $\delta^{13}\text{C}$  and  $\delta^2\text{H}$  108–114  
starch 58  
sugar 58, 72, 74  
sulphur, crude oil 84  
synthetic natural gas standards 169
- Tarim, China 115, 118–119  
temperature  
clumped isotope v. fluid inclusion 189–200  
clumped isotopes, methane 24–48

- temperature (*Continued*)  
 gas formation 37–38, 152  
 isotopic fractionation 83, 97  
 noble gas isotopes 153  
 numerical modelling 170  
 oil generation 33  
 primary precipitation 197  
 reservoir 28, 37, 139, 141 179
- terpane biomarker 9
- terpenes 59, 60
- terrestrial noble gases 129–130
- tertiary migration 136
- thermal history 47–48, 200  
 $\delta^{18}\text{O}$  189
- thermal history reordering model (THRM) 198
- thermal maturity 3–4, 25, 155, 160  
 index 95–96, 97–98, 113, 114  
 and magmatism 182–183  
 noble gas 141, 178  
 $\delta^{13}\text{C}$  value, methane 43, 167  
 $\delta^2\text{H}$  values 111, 117–119, 120
- thermochemical sulphate reduction 114
- thermogenic hydrocarbons 12
- thermogenic methane 23–24, 27, 166  
 clumped-isotope measurement 28–32, 36  
 temperature 46–47  
 $\delta^{13}\text{C}$  and clumped-isotope 43–45
- thermogenic v. biogenic gas *see* biogenic  
 v. thermogenic gas
- thermometry 4, 12, 45–47  
 fluid inclusion 189–200
- thorium Th 130, 131, 133, 152, 159  
 coal seam solids 176, 177, 180
- titanium Ti 84, 91
- toluene 114
- trace element 84, 85, 86, 90, 93
- trace gas components 172–175
- trace metal 83
- tracer, crustal fluids 159
- tracer, noble gases 127–144
- Tricyclic Index 86, 95, 97–98
- tritiated air-saturated water 169
- U-238 *see* uranium
- unconventional hydrocarbon system 129, 135, 142–143, 144  
 gas 140  
 unconventional reservoir 151, 152  
 associated gases 35–36  
 methane clumped-isotope measurement 28–34  
 non-associated gases 34–35  
 unconventional thermogenic gas 41, 44  
 uranium  $^{238}\text{U}$  130, 131, 133, 152, 159  
 coal seam solids 176, 177, 180
- vanadium isotope analysis 5, 12  
 V/(V+NI) ratio 93, 96  
 V/Ni ratio 83  
 valance state 84, 94
- vanadium isotope composition, crude oil 83–99  
 biodegradation 93, 95  
 depositional conditions 90–95  
 maturation 95–98  
 method 85–90  
 results 86, 90, 91–93
- Venezuela 93, 94  
 La Luna Formation 84  
 sampling for V isotope study 85, 86
- Vienna Pee Dee Belemnite scale (VPDB) 69, 193
- vitrinite reflectance 4, 118, 160, 179, 183
- volatiles 129–130, 132
- volcanic degassing 132
- water *see also* air-saturated water  
 chemistry 152  
 hydrocarbon generation 133–134  
 meteoric, H isotope 110  
 noble gas inventory 132  
 resource protection 2
- water washing 138
- water–hydrocarbon interaction models 137–139, 140
- West Sak reservoir, N America 115, 119–120
- wet gas 71, 72, 159
- Whitcar plot 24–25, 40, 41–42
- xenon Xe 129–131, 133, 137–141, 144  
 Xe\* (radioactive decay) 153, 159
- yeast, carbon isotope structure 57, 68
- zircon analysis 16, 17