

Alphabetical index to Items 1-404

THE FOLLOWING index lists those geographical and formational names that appear prominently in the Items. In each case the reference is to the *Item number*, not the page. No systematic indexing has been attempted, the object being to give a convenient entry to the Items from key names. The geographical distribution of items can be discovered by following through the entries given under *Africa*, *Americas*, *Antarctica*, *Asia*, *Australasia* and *Europe* as well as under individual countries, states and counties where conveniently abstracted.

General names of rocks (e.g. *glauconite sands*) as well as stratigraphical names or stages have been omitted, since they involve varying degrees of interpretation.

This index refers to items 1-337 in *The Phanerozoic Time-scale* (1964) volume as well as to items 338-404 in this volume; items numbers 338-404 are distinguished below by italic type.

- Aberdeenshire, 92
Abkhaziya, 20
Adams County, 158
Africa, *see* Congo Republic, Kenya, Tanganyika
Agadir, 377
Aigus River, 341
Alabama, 156
Alaska, 89, 381-2, 404
Alberta, 199-202, 218-9, 233, 362-5
Aldrich Station Formation, 262-4
Allier, 172
Alpes-Maritimes, 222
Alturas Formation, 254
Americas, *see* Argentina, Canada, Greenland, Jamaica, Mexico, U.S.A.
Anaa, 388
Anglesey, 196
Antarctica, 188
Aral Sea, north of, 21
Ardoisère basin, 172
Argentina, 310
Arizona, 160, 251
Arkansas, 224
Arma de Taggia, 377
Armenia, 323
Arthur's Seat, 360
Ashcroft area, 10
Ashinsk series, L., 116
Asia, *see* Indonesia, Mongolia, New Guinea, U.S.S.R.
Athis granite, 41
Atlantic, 371, 374-8
Australasia, *see* Australia, New Guinea, New Zealand
Australia, 30, 65-9, 95, 97, 121, 175, 184, 190, 354, 357-8, 385
Austria, 82
Avawatz Formation, 260-1
Aven d'Orgnac, 389
Ayrshire, 350
Bad Hall, 82
Badzhal River, 336
Bahamas, 378
Bail Hill volcanics, 351
Baja California, 217, 331
Bakewell, 360
Baksan River, 213
Bald Peak basalts, 317
Ballantrae igneous complex, 350
Baltic Series, 100
Bamburg, 359
Barbados Marine Terraces, 374-6
Bargate Beds, 49
Barrasford, 359
Barrow Hill basalt, 360
Barstow Formation, 38
Basses-Alpes, 221
Bausenberg, 395
Bays Formation, 156
Bazovsk volcanic suite, 334
Bear River granite, 98
Bearpaw bentonites, 365
Bearpaw Mts, 37
— Shale, 201
Beechy Ferry bentonites, 365
Belanger bentonites, 365
Belaya River, 213
Belgium, 36
Berkeley Hills, 258, 270-4, 317
— latite, 68
Bertie Formation, 164

Alphabetical index to Items 1-404

- Bickerdike, 362
Bidahochi Formation, 251
Big Bend National Park, 301
Billiton granite, 71
Bilstein granite, 356
Binnewater Sandstone, 159
Bishop tuff, 107
Bi Uingen region, 34
Blount County, 183
Blue clay (Baltic Series), 100
Blyava graptolite shale, 349
Bochumer Greensand, 58
Boisdale Hills granite, 70
Boundary Beach, 385
Bracciano volcano, 403
Bracks Formation, 290
Brassfield Limestone, 158
Brassac, tufs de, 63
Brézouard granite, 356
Brisbane, 175
Britain, *see* Great Britain
British Columbia, 10, 11, 35, 203, 366
Bruneau basalts, 243
Bugulu mountains, 339
Bukanskoye deposit, 211
Bureinsk region, 336-7
Burlington County, 12, 15
Burntisland, 360
Butterly dolomite, 47
- Cabo de las Huertas, 377
Cache Creek, 226
Calais granite, 5
Caliente Formation, 39
California, 25-6, 38-9, 75-6, 79, 81, 86, 104,
106-8, 112-13, 115, 146-51, 153-4, 226,
246-9, 252, 254, 258-61, 270-5, 317, 319
Calvados, 42
Cameron, 160
Camillus Formation, 165
Campo de Tiro, 377
Campsie Fells, 360
Canada, 3, 10, 11, 35, 70, 98-9, 170, 187, 199-
203, 216, 218-9, 233, 347, 352, 362-6; (*see*
also separate provinces)
Cape Breton Island, 70, 347
Cape Gaspé, 3
Caribbean Sea, 367-70, 372-3
Carters Limestone, 156
Cascades, North, 40
Cassiar Mts, 35
Castro Daire granite, 122
Catskill Mts, 159
- Caucasus, 138, 181, 206, 212-13, 220, 343-4,
346
Cedar Mountain area, 266-7
Cerberean volcanics, 354
Cerrillos Hills, 132
Chasmops Limestone, 157
Château-Chinon granite, 119
Châteinois granite porphyry, 356
Chattanooga Shale, 2, 94
Cheticamp, 347
Chevkino, 235
Chinle Formation, 160
Chisos Volcanic Formation, 301
Churt, 49
Ciscaucasia, 23
Clarke Bluff, 320
Clarno Formation, 298
Clayton, 13, 14
Clearwater Formation, 233
Coal Valley (Nevada), 27, 262-65
— Formation, 27, 265
Coleman, 202
Colorado, 24, 131, 134, 306-7
Colt Creek, 362
Congo Republic, 55
Contra Costa County, 252
Cook Islands, 387
Coral, 374-6, 378, 380, 383-8
Coso Formation, 248
— Mt, southern, 247
Cores 367-73
Cracow, 342
Craigmont, 366
Craster, 359
Creetown granite, 93
Crimea, 326
Crocker's Well area, 184
Cronese basin, western, 275
Crowsnest volcanics, 202
Cypress Hill, 363, 365
Czechoslovakia, 174, 209-10
- Daghestan, 138, 181, 206
Dartmoor granite, 8
'Datsky Stage', 206
Dayville, 253, 280
Dedham granite, 353
Del Rio Formation, 205
Denton Formation, 205
Denver Formation, 306-7
Derbyshire, 162, 360
Dergunovka, 64
Devon, 8, 193, 227
Dolomites, 361

Alphabetical index to Items 1-404

- Domengine Formation, 115
Dommartin, 119
Dorset, 56
Dortmund, 59, 61
Drammen granite, 45
Drewsey Formation, 255
Dumfriesshire, 351
Duntroonian sediments, 126
Durham, 91, 176, 359
Durulguev granitoid, 325
- Eastport volcanics, 355
Edinburgh, 360
Egan Range, 155
Eggleston Limestone, 156
Egorevskoe deposit, 72, 322
Eifel, 395-402
Elba, 109
Elmore County, 243, 250
Ely, 297
Emscher, 57
England, *see* Great Britain
Eniwetok Atoll, 380
Enogerra granite, 175
Ermolino, 234
Erzgebirge Mts, 174
Escragnolles, 223
Esk Rift Valley granite, 358
Esmeralda Formation, 266-9
Essener Greensand, 61
Essex Porphyrite, 192
Esthonia, 163
Europe, *see* Austria, Belgium, Czechoslovakia, France, Germany, Great Britain, Italy, Norway, Poland, Portugal, Spitsbergen, Sweden, U.S.S.R.
Exeter Volcanic Series, 193
- Fakhralo, 103
Fife, 360
Filipowice Tuff, 342
Fish Lake Valley, 268-9
Fisher's Hill, 189
Fisset Brook Formation, 347
Fithian illite, 32
Florida, 379
Folkestone, 51
— Beds, 241
Fore-Caucasus, 237
Fort Lee, 9
Fort Ternan, 313
France, 41-2, 63, 87, 119, 171-3, 221-3, 244, 356, 377, 389
Franz Josephs (Kejser) Fjord, 1
- Frontier Formation, 204
Front Range, 24
- Gabriel Island, 384
Gaspé, Cape, 3
Gault, 51, 242
Genesco County, 165
Georgia, U.S.S.R., 20, 90, 194-5, 214
Gering Formation, 285-6, 316
Germany, 31, 57-62, 73, 77-8, 88, 110-11, 130, 174, 228-31, 395-402
Gien-sur-Cure granite, 173
Glenns Ferry Formation, 250, 308-9
Golden, 306-7
Gorodenko, 238
Grand Grève Formation, 3
Great Britain (*see also separate counties*)
 England, 6, 8, 49-52, 56, 91, 105, 162, 176-80, 193, 227, 236, 239, 241-2, 359-60
 Scotland, 92-3, 191, 350, 351, 360
 Wales, 196
Great Laba River, 212-3
Green Cove, 304
Greenland, 1, 232
Grizzly Peak volcanics, basalt, 272-4; intrusion, 270-1
Gros Ventre Shale, 48
Guichon Creek batholith, 10, 366
Gulf Coast, 54, 101, 114, 123-4, 152
Guria, 85
Gyranda volcanics, 357
- Hagerman, 257
Haldon Hills, 227
Hampshire, 179
Hanover, 57, 62, 73
Harmon Shale, 203
Harney County, 276-7
Harrison Formation, 80
Hartz, 31
Harzburger gabbro, 31
Haslemere Brook, 50
Hatchetigbee Formation, 101
Hawaii, 383
Hecla Hoek mica-schists, 4
Hedgehog volcanics, 355
Hell Creek, 364
Hérault, 244
Herefordshire, 162
Hermon Shale, 203
Hernandez Valley, 86
Herne, 58
Hett Dyke system, 359
Hillhouse Basalt sill, 191

Alphabetical index to Items 1-404

- Hill of Fare granite, 92
Hochsimmer, 397
Hoheley, 398
Holbrook, 251
Holy Island, 359
Holyhead basic dyke, 196
Holyrood granite, 352
Hoppin Hill granite, 353
Hordhorn, 111
Hornerstown Formation, 14, 15
Hotailuh Batholith, 35
Hsanda Gol Formation, 311
Hudson Hope, 203
Huis Jacques, 119
Hunter Valley, 30, 65-6
Hutchinsonian sediments, 128
Hythe Beds, 50
- Idaho, 243, 250, 257, 308-9, 330
— batholith, 330
Illinois, 32
In der Erle, 398
Indian Ocean, 384, 386
Indiga River, 120
Indonesia, 71
Inguri River, 214
Irkutsk basin, 182
Irtysk River, 338
Isle of Wight, 239
Italy, 109, 361, 403
- J. Kipp bentonite, 365
Jackman monzonites, 7
Jackson Hole, 256
Jamaica, 198
Jarbridge rhyolite, 281
John Day basin, 83
— Formation, 197, 283-4, 288-9, 315
- Kadenberge, 110
Kaiatan sediments, 123
Kalibergwerk, Upper Rhine, 130
Kaluga district, 211
Kamchatka, 136-7
Kam Formation, 53
Kap Franklin granite, 1
Kapiti Phonolite, 314
Karatau Series, 118
Katanga, 55
Kazakhstan, 338-41
Keeler quadrangle, 248
Kejser Franz Josephs Fjord, 1
Kelasury, 90
Kent, 51, 105
- Kenya, 312-14
Keregetass volcanics, 339
Kern County, 259
Kessyusse Beds, 185
Key West, 379
Khalzan granitoid massif, 324
Kharborovsk, 336-7
Khavis-Jvary, 90
Kiahera Series, 312
Kiera, Mt, 68
Kiev Tier, 23
Kineo volcanics, 96
Kingsclere, 179
Kinnekulle, 157
Kinnick Formation, 79
Kintzheim granite and leptynite, 356
Kirkconnel, 351
Kirkcudbrightshire, 93
Kisinsk volcanic suite, 334
Kneehills bentonite, 363-5
Kneehills tuff, 200
Koberzhik borehole, 209
Kodor River, 20
Kojtash granite, 345
Kokhp granitoid massif, 323
Koksala-Burgen interfluve, 340
Koldarsk suite, 340
Kolm, Swedish, 34
Koshatki deposit, 210
Kowalski mountains, 342
Kozebuan Formation, 382
Kreyenhagen, 146-51
Kristianstad, 225
Kruisschens, 36
Kuibyshev area, 16
Kutais region, 195
Kutan rhyolite, 343
Kuttung series, Upper, 30
— Lavas, 66
Kyzylkiy Massif, 341
— riebeckite, 341
- Laacher volcanic rocks, 395-402
La Foux, 221
La Grulla, 217
Lake Ainslie volcanics, 347
Lake Victoria, 312
Laminarites Beds, 117
Leilenkopf I, 400
Leilenkopf II, 399
Leilenkopf III, 396
Leningrad, 100
Lenin Hills, 215
L'Epiphanie, 187

Alphabetical index to Items 1-404

- Lethbridge, 201, 365
Little Red Deer Valley, 364
Little Wenlock basalt, 360
Lodo Formation, 113
Lone Tree Gulch Ash B, 291-2; Ash F, 293-4;
 Ash G, 295; Ash J, 296
Longhoughton, 359
Loomis, 76
Lower Greensand, 49-50, 239, 241
Lvov region, 238
Lyme Regis, 56
Lysaya Hill, 207-8
- Maardu deposit, 163
MacMurray area, 216
Magadan Batholith, 328
Mahe Island, 386
Maine, 5, 7, 96, 355
Makatea, 388
Malaya Laba river, 343
Malheur County, 255, 279
Mallorca, 377
Manche, 42
Mangaia, 387
Mannville Formation, 219
Mannville Group, 233
Marshall Islands, 380
Manyberries bentonite, 365
Manzat basin, 172
Marshalltown Formation, 12
Martinsburg Shale, 189
Maryborough Basin granite, 358
Mascall Formation, 280
Massachusetts, 44
 — granites, 353
Massacre Lake, 282
Mathews' Landing Marl, 152
Mauritius, 384
Mediterranean, 377
Melnyk district, 210
Mendocino County, 25
Merriam's Middle Member, 315
Mexico, 217, 331
Miami oolite, 379
Middleton-in-Teesdale, 359
Middletonian Formation, 381
Miedzygórz glauconitic sandstone, 348
Mill Creek, 202
Milne Land, 232
Mitchell, 283-4, 289, 298-9, 315
Mojacar, 377
Monaco, 377
Monastirsk volcanics, 332
Mongolia, 311
- Montana, 37, 204, 364
Moody's Branch Formation, 114
Moose River synclinorium, 96
Morgan County, 300
 — Ranch Formation, 28
Morocco, 377
Morrill County, 286, 316
Moscow, 72, 215, 234, 322
Mount Capanne granodiorite and veins, 109
Mowry Shale, 204
Münster basin, 58
Murray Shale, 183
- Nacatoch Sand, 224
Narrangansett basin, 43
Nataneby River, 85
Natrona County, 291-6
Navesink Formation, 13
Nebraska, 80, 278, 285-6, 316
Nevada, 27-8, 155, 262-9, 281-2, 297
Nevenhaus, 111
Newfoundland, 352
New Guinea, 318
 — reef complexes 390-4
New Jersey, 9, 12-15
New Mexico, 132
New South Wales, 30, 65-8
New York, 159, 164-8
New Zealand, 17-18, 125-9, 135, 320
Niau, 388
Nicola area, 10
Nictaux granites, 99
Nièvre, 119, 173
Norfolk, 177-8
Normandy, 41-2
North Atlantic, 371
Northbridge granite-gneiss, 353
North Caucasus, 343-4, 346
North Fork Creek bentonite, 365
North Island, New Zealand, 18, 126-7, 129,
 135
Northumberland, 359
Norway, 45-6, 192
Norwood tuff, 300
Nova Scotia, 70, 98-9, 347
Nuratau mountains, 345
- Oahu, 383
Oberpfalz, 77-8
Ohio, 158
Okhotsk sea, 328
Oklahoma, 29, 47, 186
Olary district, 184
Olduvai Gorge, 245

Alphabetical index to Items 1-404

- Olenek Highland, 185
Olga-Tetyukhinsk region, 332-5
Olodonin granitoid, 325
Onon River, 324
Ontario County, 164
Oporto, 122
Oregon, 83, 197, 253, 255, 276-7, 279-80,
283-4, 288-9, 298-9, 315
Orgnac Cave Stalagmite, 389
Orne, 41
Oslo nordmarkite, 46
Otibanda Formation, 318
Ouljian, 377
Oxfordshire, 180
- Pacific Ocean, 380, 383, 387, 388
Pala mine, 319
Palisade sill, 9
Paris basin, 87
Paskapoo bentonites, 362
Patagonia, 310
Paterson toscanite, 30, 65
Payette Formation, 279
Pelukian Formation, 404
Pembina coal bentonite, 365
Pembina coal seam, 199
Peredovoy conglomerate, 344
Pinole tuff, 252
Poland, 342, 348
Polynesia, 388
Pont-Erambourg, 41
Porterville, 300
Portland Sand, 52, 179-80
Portugal, 122
Potosi volcanic series, 134
Praslin, 386
Predazzo granite, 361
Predkavkaz'e, 23
Presidio County, 84, 287, 290
Primorye, 139-45, 332-5
Puy-de-Dôme, 63, 172
- Quebec, 3, 170, 187
Queensland, 69, 121, 175, 357-58
Quincy granite, 44
- Rabat, 377
Rattlesnake Formation, 253
Raudfjorden, 4
Reculver, 105
Red Deer Valley, 364
Red Hill dyke, 190
Rhine, Upper, 130
Rhode Island Formation, 43
- Rieden, 401
Ricardo Formation, 259
Rio Gallegos, 310
Ripley Formation, 54
Rochester, 166-8
— Shale, 166
Rocky Boy stock, 37
Rottnest Island, 385
Rusinga Island, 312
Ryazan beds, 235
- Sacramento, 108
St Mary River tuffs, 365
Sakmarian limestone, 120
Salzgitter, 60, 228-31
San Jose pluton, 331
San Juan Mountains, 131, 134
Sande, 192
Sandomierz, 348
Sandringham Sands, 177-8
Santa Cruz Formation, 310
Saratov, 207-8, 240
Saunders, 362
Scaldisian sediments, 36
Schellkopf, 402
Scotland, *see* Great Britain
Scott's Bluff County, 285
Semeitau lavas, 338
Settons Lac de, 175
Seyern River, 121
Seychelles, 386
Shap granite, 6
Shasta Bally batholith, 75
Shasta County, 75, 249
Sheep Creek Formation, 278
Shinkolobwe uraninite, 55
Shropshire, 162, 360
Siberia, 185
Sierra Nevada, 76, 107
Siesta Formation, 258
Sikhota-Alin, 329
Silver Lake, 260-1
Sioux County, 80, 278
Skryleyeva Ravine, 212
Smith Valley, 28
Smithville, 94, 102
Snobs Creek rhyodacite, 95
— — rhyolite, 354
Snoqualmie granite batholith, 40
Snowy River granite, 97
Sodus Formation, 168
Soester Greensand, 59
Sokolki, 19
South Island, New Zealand, 17, 125, 128, 320

Alphabetical index to Items 1-404

- South Table Mt, 306-7
South Urals, 349
Spain, 377
Speeton Clay, 236
Spitsbergen, 4
Sprucefield, 219
Stade, 110
Staffordshire, 162, 360
Stalingrad borehole no. 4077, 22
Stanthorpe granite, 69
Stave Creek Formation, 124
Steens basalt, 276-7
Stirlingshire, 360
Stoney Athi River, 314
Strawberry Creek, 200, 363, 365
Stroud Claim, 257
Submarine cores, *see* Cores
Sucker Creek bentonite, 365
Summit tuff, 155
Surrey, 49, 50, 241
Survilliers, 87
Sussex, 242
Sutter Buttes, 108
Sutter Formation intrusion, 246
Sweden, 34, 157, 169, 225
Swindon, 52
Swingle quarry, 44
- Table Mt, South, 307
Taggia, 377
Talkeetna Mts, 89
Tanganyika, 245
Tas-Aran series, 21
Taskudak trachydacite, 340
Tasmania, 190
Tassaranskaya suite, 21
Tavari intrusions, 194
Teewinot Formation, 256
Tehachapi Mountains, 79
Tehama Formation, 249
Teisendorf (Ob.), 88
Tennessee, 2, 94, 156, 183
Tenterfield, 67
Terroros, 377
Teton County, 256
Texas, 84, 101-2, 205, 287, 290, 301
Thanet Sands, 105
Thetford Mines, 170
Thrumble Hill, 359
Timan, northern, 120
Tintic district, 133
Tongaporutuan, 135
Topley intrusions, 11
Torre in Pietra, 403
- Transbaikalia, 324-5
Triceratops zone bentonites, 364
Tuamotu Islands, 388
Tunnel de Rocher, 377
Turgay, 21
Twin Falls County, 308-9
- Uksk beds, 118
Ullu-Chay, 206
United Kingdom, *see* Great Britain
United States of America, *see* U.S.A.
Upper Ardley bentonite, 365
Upper Greensand, 56, 227
Urals, middle, 33; southern 116, 118, 349
Urm River, 337
U.S.A., 2, 5, 7, 9, 12-15, 24-9, 32, 37-40, 43-4, 47-8, 54, 75-6, 79-81, 83-4, 86, 89, 94, 96, 101-2, 104, 106-8, 112-15, 123-4, 131-4, 146-56, 158-60, 164-8, 183, 186, 189, 197, 204-5, 224, 226, 243, 246-309, 315-17, 319, 330, 353, 355, 364, 379, 381-3, 404; (*see also individual states*)
U.S.S.R., 16, 19-23, 33, 53, 64, 72, 85, 90, 100, 103, 116-18, 120, 136-45, 163, 181-2, 185, 194-5, 206-8, 211-15, 220, 234-5, 237-8, 240, 321-9, 332-41, 343-6, 349; (*see also individual republics*)
Utah, 133, 300
Utica Shales, 187
Uzbekistan, west, 345
- Vakis-Jvary, 85
Valentine, 290
Valros basalt, 244
Ventura County, 39
Veraya Tier, 16, 64
Verkhnekamensk Formation, 53
Verkhoyano-Kolyma fold-belt, 321
Vestergotland, 169
Vestfold, 192
Victoria, Australia, 95, 97, 354
Victoria, Lake, 312
Victoria Land, 188
Vieja Group, 84, 287
— Series, 290
Viking Formation, 218
Vire-Carolles granite, 42
Virginia, 189
Vladimirsk granite, 333
Volcano Bracciano, 403
Volga basin, 240
— River area, 22, 207-8
Vosges granites, 171, 356

Alphabetical index to Items 1-404

- Vya, 282
Vyatka River, 19
- Wagonbed Springs, 303
Waiauan sediments, 129
Waipawan stage, 17
—— —, below, 18
Waitakian sediments, 127
Wales, *see* Great Britain
Warburton, 95
Warwickshire, 162
Washington, 40
—— Greensand, 224
Watut basin, 318
Weardale granite, 91
Weches Formation, 205
Weno Formation, 205
West Dereham, 177-8
Western Australia, 385
Western Hill County, Bearpaw Mountains, 37
Westland, 320
West Lothian, 191
Westmorland, 6
- West Walker River Canyon, 26
West Uzbekistan, 345
Whaingaroon sediments, 126
Wheatley, 180
Wheeler County, 288
Whin sill, 176, 359
Whitecourt, 199, 363, 365
Whitneyan sequence, 83
Wichita Mt granite, 186
Wight, Isle of, 239
Williamson Shale, 167
Wiltshire, 52
Windous Butte, 297
Wind River basin, 305
Winona Sand, 123
Worcestershire, 162
Wrecclisham, 241
Wyoming, 48, 204, 256, 291-6, 302-5
- Yano-Kolyma region, 327
Yatyrghvarta intrusions, 346
Yorkshire, 236
Young's Bend area, 2

Subject Index

Radiometric dates. Age-determinations cited in the paper and abstracted as Items in Part 1 of this volume are included in this index; *Item* numbers are printed in *italics* within brackets []. Item numbers do not appear in the text, but are listed in this index on p. 355.

Abbreviations: gl. = glaciation; int. = interglacial or interstadial; f following a page number indicates that the reference extends over more than three pages.

- Alaska, high sea-levels, 253-4, [381-2, 404]
 albedo, 173, 179
 Alleröd int., 176, 195, 235-6, 238, 271
 altimetric evidence, 267, 282f
 Amersfoort int., 237-8, 271-2, 330
 Antarctic Ocean, 128f, 141, 153f, 231-2
 —Polar Front, 231-2
 Arctic Ocean, 142, 158
 astronomical time-scale, 166-7, 171, 182, 326
 Atlantic Ocean, 128f, 145-6, 152f, 184f, 266,
 269, 271-2, [371, 377]
 Avon terraces, 237, 310f
- Bahamas coral, 254, [378]
 Barbados marine terraces, 254, [374-6]
 Barentian gl., 303
 Biber gl., 278, 281
 Bilshausen boring, 265, 276
 Blake event, 140, 143, 327
 Bogotá boring, 257-9
 Bölling int., 235-6, 271
 Braintree line, 304
 break in sequence, 152, 159, 185, 192, 205f,
 213-4, 221, 224, 227, 278, 285, 293, 303,
 326, 332, 336f
 Brörup int., 237-8, 271-2, 330
 Brunhes epoch, 127, 132f, 142-3, 145, 149,
 153-4, 335f
- Calabrian stage, 159, 267, 269, 278, 281, 285,
 332
 Caribbean, 128, 164, 184f, 239, 328, [367-70,
 372-3]
 climate, indicators in cores, 184-6, 192-3, 198,
 203, 212, 214, 217, 224-6, 335
 climate-depth curve, 164, 196-7, 200
 climate-time curve, 163-4, 171f, 186f, 204, 219f,
 225, 229-30, 255, 258, 266-7, 286-7, 337
 Climatic Optimum, 170, 195, 236
 —sequence, average from cores, 163, 171,
 192, 195, 223, 255, 258, 266-7, 286-7, 337
 coral reefs, 254, [374-6, 378, 380, 383-8]
 Coralline Crag, 278, 303
Coscinodiscus nodulifer, 218f, 224
- Cromer int., 193, 203, 255, 275f, 290, 302-4,
 311, 329
 cycle, climatic, 126, 163f, 191f, 212, 215, 227,
 229, 231-2, 327-8, 335
 —, insolation, 166f, 181-2, 192-4, 203-5, 227,
 231, 327-8
 cycles, comparison, 168f, 177-8, 194, 222
 —, short period, 176, 328
 —, tables of, 182, 194, 222, 232, 248, 252,
 255, 269, 277, 280-1, 289, 297, 300, 303,
 306, 320, 324-5, 338-9
- Dates, astronomical, 166-7, 182, 326
 — of coral growth, 254, [374-6, 378, 380,
 383-8]
 — — high sea-levels, 251f, 266f, [374-88,
 404]
 — — terrestrial glaciations, 125, 248,
 280-1
 —, potassium-argon, 239f, [395-403]
 —, radiocarbon, 233f
 —, tables of, 143, 182, 194, 232, 236-7, 240,
 247-8, 252, 255, 277, 279-81, 300, 323-4,
 338-9
 —, uranium decay series, 239, 251f, [367-88,
 404]
- deep-sea cores, Antarctic, 128f, 141, 153f, 231-2
 — —, Arctic, 142, 158
 — —, Atlantic, 128f, 152f, 184f, 271-2,
 [367-73]
 — —, average climatic sequence, 163, 168,
 171f, 192, 195, 223, 255, 258, 266-7,
 286-7, 337
 — —, breaks in sedimentation, 152, 159,
 185, 192, 205f, 213-4, 221, 224, 227, 278,
 326, 332, 336f
 — —, carbonate content, 184-5, 190-1,
 217, 219-21, 223-4, 230, 335
 — —, Caribbean, 128f, 164, 184f, 239, 328,
 [367-70, 372-3]
 — —, climate indicators, 184-6, 192-3,
 198, 203, 212, 214, 217, 224-6, 335
 — —, climate-depth curve, 164, 196-7,
 200

Subject Index

- deep-sea cores, climate-time curve, 163-4, 168, 171f, 186f, 204, 219f, 225, 229-30, 255, 258, 266-7, 286-7, 337
 ———, climatic cycle, 163f, 191f, 212, 215, 229, 231-2, 286-7, 335
 ———, coarse fraction, 184, 189
 ———, depth-time curve, 164, 187, 218, 336-7
 ———, Indian Ocean, 229-31
 ———, Mediterranean, 229
 ———, Pacific, 128f, 152f, 217f, 335f
 ———, with both magnetic and climatic evidence, 153f, 206f, 335f
 ——— sediments, classifications compared, 194, 222
 ———, mixing by organisms, 128, 141, 153, 188, 220, 338
 Denekamp int., 237-8, 280
 diatom ooze, 157-8, 160, 162
 diatoms, abundance, 192-3
 discoasters, 152, 154-6, 205, 207, 210f
 Dömnitz int., 273, 280, 330
 Donau gl., 264, 278, 281, 286, 288, 331
 Drenthe gl., 243, 246-8, 255, 273, 280, 301

 East Anglian sequence, 301f
 Eburonian (Günz I) gl., 264, 277, 279, 281
 Eemian int., 172, 237-9, 248, 252-3, 255, 272, 280, 298, 301, 309-10, 313, 317-8, 321-2
 Eifel volcanics, 239f, [395-402]
 Elster-Mindel gl., 125, 243, 247-8, 255, 261f, 275, 277, 280, 291
 Emiliani's climatic stages, 191-2, 194-5, 222, 248
 Eniwetok coral, 254, [380]
 Epoch 5, 137-9, 143, 147-9
 Ericson's zones, 194-5, 197f, 202f, 216, 226, 272, 275

 First Welsh Glaciation, 314, 320
 Florida, high sea-level, 254, [379]
 foraminiferal zone N22, 155, 159, 161
 forty thousand year cycle, 163f, 212, 227, 231-2, 280, 326, 335

 Gauss epoch, 127, 129-30, 135, 138, 143, 145-6, 148-9, 155, 211, 213
 Gerdau int., 273, 280, 330
 Gilbert epoch, 127, 129-30, 137-8, 143f
 Gilsa event, 131, 134, 143, 145f, 207f, 213
 Gipping gl., 301, 303, 311, 315
 glaciation, Biber, 278, 281, 331
 ———, Donau, 264, 278, 281, 286, 288, 331
 glaciation, Drenthe (Saale I), 243, 246-8, 255, 273, 280, 301
 ———, Eburonian, 264, 277, 279, 281
 ———, Elster-Mindel, 125, 243, 247-8, 255, 261f, 275, 277, 280, 291
 ———, First Welsh, 314, 320
 ———, Gipping, 301, 303, 311, 315
 ———, Glütsch, 275, 280
 ———, Greatest, 273, 330
 ———, Günz, 243, 247-8, 250, 255, 264, 277, 280-1, 288-9, 305-6, 314
 ———, Kander, 275, 280
 ———, Menapian (Late Günz), 243, 247-8, 255, 264, 277, 280, 305-6, 314
 ———, Saale-Riss, 246-8, 273, 280, 301
 ———, Warthe (Saale II), 248, 273, 280, 301
 ———, Weichsel-Würm, 170, 235f, 248, 255, 271, 280, 319-20, 330
 glaciations, duration, 331
 ———, earliest, 155, 158, 160, 250-1
 ———, Italian, 249-50
Globigerina eggeri, 226
 ——— *rubescens*, 230-1
Globorotalia sp.1, 155-6, 205, 207, 210f
 ——— *menardii* complex, 163, 168, 174, 193-4, 196-7, 202f, 208-9, 212-4, 328
 ——— *flexuosa*, 185, 187, 189-91, 239, 271-2
 ——— *truncatulinoides*, 155, 157, 159-60, 205-7, 210f
 Glütsch gl., 275, 280
 Great Interglacial, 265, 274, 330
 Greatest Glaciation, 273, 330
 Günz gl., 243, 247-8, 250, 255, 264, 277, 280-1, 288-9, 305-6, 314

 Hengelo int., 237-8, 280
 high sea-levels, Alaska, 253-4, [381-2, 404]
 ———, Ireland, 321-2
 ———, Mediterranean, 251-3, 266f, 325, [377]
 ———, Morocco, 251-3, 266f, 325, [377]
 ———, radiometric ages, 178, 251f, [374-88, 404]
 ———, Southern England, 282f
 ———, summarized, 255, 266-7, 269
 ———, U.S.A., 266, 332
 Holstein (Hoxne) int., 243, 247-8, 254-5, 274, 280, 292, 301-3

 Indian Ocean, 141, 144, 146, 156, 229-31
 insolation curve, 168f, 181, 188, 215, 254-6, 258-9, 262-4, 328, 335-7
 ——— cycles, 166, 181-2, 192-4, 227, 231, 327-8
 interglacial geoid, 266-8, 282, 286-7, 298, 326

Subject Index

- interglacials, 243, 247-8, 251f, 272f, 279-81, 290, 292f, 298, 301f, 310f, 321f, 329-30
—, length of, 265, 274, 330
interstadials, 170, 235f, 248, 271-2, 280, 313, 319-20, 329-30
Irish high sea-levels, 321-2
Italian glaciations, 249-50
Items (radiometric dates),
 367 Caribbean core A179-4, 187, 239
 368 Caribbean core A254-BR-C, 187, 239
 369 Caribbean core V12-122, 186, 239, 337
 370 Caribbean core 240-M1, 187, 239
 371 N Atlantic core 280, 239
 372-3 Caribbean cores P6304-8&9, 187, 239
 374-6 Barbados marine terraces, 254
 377 Mediterranean and Atlantic Morocco littorals, 251-3, 255
 378 Bahamas coral, 254
 379 Miami oolite, 254
 380 Eniwetok Atoll coral, 254
 381 Middletonian Formation (Alaska), 253-4
 382 Kozebuan Formation (Alaska), 253-4
 383 Oahu coral (Hawaii), 254
 384 Gabriel Island coral (Mauritius), 254
 385 Western Australia coral, 254
 386 Seychelles coral, 254
 387 Mangaia coral (Cook Islands), 254
 388 Tuamotu Is. coral (Polynesia), 254
 395 Bausenberg, alkali basalt (Germany), 240, 242, 247
 396 Leilenkopf III, basalt in tuff (Germany), 240, 242, 247
 397 Hochsimmer, basalt (Germany), 240
 398 Hoheley & In der Erle, tuff (Germany), 240, 242, 247
 399 Leilenkopf II, tuff (Germany), 240
 400 Leilenkopf I, tuff (Germany), 240, 242, 247
 401 Rieden, selbergite intrusion (Germany), 240
 402 Schellkopf, selbergite (Germany), 240
 403 Tuff with black pumices (Italy), 249, 253, 327
 404 Pelukian Formation (Alaska), 253-4
- Jaramillo event, 132-4, 140-1, 143, 145, 149, 154, 206f, 213, 335, 337, 339
- Kaena event, 130, 135, 138, 143, 145, 149
Kander gl., 275, 280
Kedichem formation, 243, 277
- Köppen-Milankovitch hypothesis, 167f, 255-6, 280, 335
— —, objections, 178
- Lacustrine sediments, 257f, 329
Lake Harrison, 308, 315f, 320
Lamont chronology, 178, 193f
— cores, conflicting interpretations, 195f
— zones, 194f, 202f, 216
— —, reinterpretation, 202f
- Last Interglacial, 252, 272-3, 279-80, 325, 329
latent heat, 173, 179
Lefte borings (Italy), 261f, 267, 275, 277, 281
Lingsfort formation, 243
Lowestoft gl., 302-3, 314
- Magnetic profiles, 144-5, 149
Majorcan shore-lines, 253, 266f, [377]
Maldon Till, 295, 302-3
Mammoth event, 130, 135, 138, 143, 145, 149
Marks Tey boring, 265, 301
Matuyama epoch, 127, 130f, 143, 145-6, 149, 154-5, 205f, 213, 335f
— -Brunhes boundary, 127, 132f, 141, 143, 208, 335
- Mediterranean cores, 229
— shore-lines, 251-3, 266f, 325, [377]
- Menapian (Late Günz) gl., 243, 247-8, 255, 264, 277, 280, 305-6, 314
- Mexican borings, 260-1
mid-oceanic ridges, 142f
- Milankovitch's hypothesis, 167f, 255-6, 280, 335
- Milazzian, 253, 266, 269, 280, 290, 325
- Mindel-Elster gl., 125, 243, 247-8, 255, 261f, 275, 277, 280, 291
- Monastirian, 252-3, 266, 269, 280, 297-8, 313, 324-5
- Morocco, shore-lines, 251-3, 266f, 325, [377]
—, succession, 325
- Netherlands succession, 243-4, 276f
non-sequence, 152, 159, 185, 192, 205f, 213-4, 221, 224, 227, 278, 285, 293, 303, 326, 332, 336f
- Normanian levels, 329
- Olausson's horizons, 219, 222, 248, 255
— stages, 194
- Olduvai event, 130-1, 135, 143, 145-7, 149-50, 155-6, 207, 211, 213, 335
- Ölgod I & II int., 275, 280, 330
- Ouljian stage, 252, 325

Subject Index

- oxygen isotope, 163, 184, 186f, 194-6, 224, 229, 328
- Pacific Ocean, 128f, 146, 152f, 217f, 335f
- Padul boring (Spain), 258, 260
- palaeoecological evidence, 161, 184, 189, 225-6
- Palaeolithic industries, 272, 282, 290-1, 293f, 303, 306, 323-5
- palaeomagnetic dating of cores, 152f, 208f, 327, 335
- epochs, 127, 134-5, 138-9, 143
- events, 127, 134-5, 138-9, 143
- time-scale, 127f, 142-3
- palaeontological boundaries, synchronism, 161
- Pastonian stage, 276, 280, 303
- Paudorf int., 170, 236-7
- Penck & Brückner's nomenclature, 183, 327
- plankton, 191, 217, 219f, 230
- Pliocene platform, 285, 287, 332
- Plio-Pleistocene boundary, 159-60, 202, 205, 207, 216, 227, 278, 285, 332
- polarity epochs, 127, 134-5, 138-9, 143
- pollen fluorescence, 327
- variations, 192-3, 225, 257f
- pores, foraminiferal, 225-6
- Pterocanium prismatium*, 154-6, 340
- Radiocarbon dates, 233f
- —, corrections to, 234
- radiolarian zones, 153f, 160, 231
- radiometric dates, 233f
- —, tables of, 236-7, 240, 247, 252, 255
- rate of sedimentation, 137-8, 201, 212, 220, 226, 338-9
- red clay, 226-7
- Red Crag, 278, 303
- Rhine terraces, 239f, 277
- Rhume int., 265, 276, 280, 302
- Riss (Saale) gl., 246-8, 273, 280, 301
- river terraces, Avon, 310f
- —, Rhine, 239f, 277
- —, Severn, 310f
- —, Somme, 322-4
- —, Thames, 268, 282f, 305f
- Rudelsburger int., 273, 330
- Rügen int., 273, 330
- Saale-Riss gl., 246-8, 273, 280, 301
- Sabatino tuffs, 249
- sea-level, changes in, 251f, 266f, 282f, 310, 321-2, 325-6, 332
- sedimentation, breaks in, 152, 159, 185, 192, 205f, 213-4, 221, 224, 227, 278, 326, 332, 336f
- rate and sampling interval, 137-8, 201, 212, 220, 226-7, 338-9
- sediments, mixing by organisms, 128, 140, 153, 188, 220, 338
- Severn terraces, 237, 310f
- shore-lines, 251f, 266f, 282f, 321-2, 325, 332, [374-88, 404]
- Sicilian levels, 249, 266-7, 269, 281, 288, 325
- Somme terraces, 322-4
- Southern Ocean, 128f, 141, 153f, 231-2
- Sterksel formation, 243, 277, 280
- Swanscombe skull, 293, 295
- Swedish Deep-Sea Expedition, 163, 185f, 217f, 229, 336-8
- Tables of cycles, 182, 194, 222, 232, 248, 252, 255, 269, 272, 280-1, 289, 297, 300, 303, 320, 324-5, 338-9
- — dates, 143, 182, 194, 232, 236-7, 240, 247-8, 252, 255, 277, 279-81, 300, 323-4, 338-9
- Thames terraces, 268, 282f, 305f
- titanium oxide, 217, 221
- tree rings, 233
- Treene int., 273, 280, 330
- tuff with black pumices, 249, 253, 327, [403]
- Tyrrhenian, 253, 266, 269, 280, 292, 325
- Upton Warren int., 170, 235, 237, 248, 280, 313, 319-20
- Vejlby I & II int., 273, 280, 330
- Waalian formation, 264, 277, 281
- Warthe (Saale II), 248, 273, 280, 301
- Weichsel-Würm, 170, 235f, 248, 255, 271, 280, 319-20, 330
- Zeuner's nomenclature, 183, 279-81
- zones, Banner & Blow's foraminiferal, 155, 159, 161
- , Ericson's, 194-5, 197f, 202f, 216, 226, 272, 275
- , radiolarian, 153f, 160, 231