

# Index

- adsorption 15–16
- adsorption chromatography 152, 153
- Age anticline 243
- Alabama *see* Mexican Gulf Coast
- Alberta 218
- Alpine foreland
  - maturation
    - temperature 240–1
    - timing 238–40
  - regional setting 227–9
  - regional studies
    - Clergeon anticline 232–5
    - see also* Sub-Alpine Chains
  - stratigraphy 230–1
  - structure 229
  - subsidence history 231–2
  - thrust timing 231
- alteration *v.* degradation 197
- Alwyn kitchen 91
- Andrade formula 107
- Ancecy 227, 241, 246
- aqueous fractionation 200, 201–2
- aquifer properties 128, 130
- Arbuckle Formation 201
- Åre Formation 273
- Arkansas 52
  - see also* Mexican Gulf Coast
- asphalt 227, 241, 246
- Athabasca tar sands 208, 216
- Australia case study 24–7
  
- Bakken Shale Formation 51–2
- Balder field 178
- Balder Sandstone 183
- Banff Group 209
- Basin of Domes model 116–19
- Beaverhill Lake Group 209, 212
- Belloy Formation 209, 219
- Belly River Formation 124, 209, 216
- Bingham formula 107
- biodegradation 197
  - processes 181–2
  - results 179–81
  - stages 183–6
- biomarker migration index 155, 157
- biostratigraphy and palaeobathymetry 70–2
- bitumen deposits 232, 241, 246
- Blairmore Formation 124, 209, 210, 216
- Bornes massif 229, 235, 237
- bound water 12–13
- Brae complex 176
- Brae Formation 175
- Brent Formation 91, 93
- Brora oil shale 168
- Buchan kitchen 171, 173
- bulk mass equation 9
- buoyancy drive 132
- burial modelling
  - Clergeon anticline 232–4
  - Sub-Alpine Chains 236
- Caithness Flags 168
- Canada *see* Nova Scotia Basin *also* Western Canada Sedimentary Basin
- carbon dioxide and migration 156
- carbon isotope ratios 193, 195
- carbon mass balance 11
- Carboniferous
  - reservoirs 35, 41, 42, 218
  - source rocks 210
- Cardium Formation 124, 209, 216
- cataclasis *v.* diffusive mass transfer 256
- Central Graben (North Sea)
  - compaction studies 70–2, 76–9
  - migration studies 52, 175, 177
- Charlie Lake Formation 209, 210
- Chinchaga–Contact Rapids Formation 212
- chromatography
  - fractionation 144, 145
  - process applications 152–4
    - gas–liquid 156–7
    - gas–solid 156
    - liquid–liquid 155–6
    - liquid–solid 154–5
    - quantification 157–9
  - results 198
  - techniques 151–2
  - theory 150–1
- clay minerals
  - adsorption 15–16
  - permeability 12–13
- Clergeon anticline 229, 232
  - burial history 232–4
  - thermal history 234–5
- coal
  - oleophilicity 16
  - source potential 23–4
- coal-bed methane 16
- Cold Lake tar sands 208, 216
- Colorado Formation 124, 209
- compaction 93
  - modelling fluid pressure effects 66–7
    - factors affecting 67–74
    - model testing 74–9
- composition, factors affecting 149, 178
- consolidation law 107
- Cooking Lake Platform Formation 212
- Cretaceous
  - reservoirs
    - Alpine foreland 227
    - Canada 124–5, 216–18
    - Mexican Gulf Coast 193
    - source rocks 167, 169–70, 210
- Cynthia Formation 212
  
- Daiber Group 219
- Debolt Formation 219
- degradation
  - processes 181–2
  - results 179–81
  - stages 183–6

- density, role in migration of 131–2  
 Denver Basin 37  
 Devonian  
   reservoirs 214–16  
   source rocks 210  
 diffusion 176  
 diffusive mass transfer v. cataclasis 256  
 dismigration 197  
 displacement chromatography 152, 154  
 Doig Formation 209, 210, 212, 216, 219  
 Douala Basin 22  
 Draupne Formation 91, 92, 93  
   *see also* Kimmeridge Clay  
 Duchesne River Formation 123, 124  
 Dunlin Formation 91, 93  
 Duvernay Formation 209, 210, 212
- Eagle Ford Formation 192, 193  
 Ekofisk Formation 175  
 Ekofisk kitchen 171, 173  
 Elk Point Group 209, 212  
 elution chromatography 152, 154  
 evaporative fractionation 44, 197  
 expulsion (primary migration)  
   efficiency (PEE) 9–10, 138  
   case study 24–7  
   modelling 11–12, 19–24, 115  
   factors affecting  
     kerogen 16–19, 47–8, 49–51  
     microfractures 14, 51–3  
     permeability 12–14  
     pore geometry 53–5  
     Posidonia Shale case study 55–61  
   fluid flow model 66–7  
   data inputs 67–74  
   results 74–9  
   solubility fractionation 33–7  
     numerical simulation 37–40  
 Exshaw Group 209, 210, 212, 216, 219, 221, 223
- faulting and fluid migration 245–6  
   Sub-Alpine Chains case study 246  
     basal deformation 250–6  
     fold/fault timing 258–9  
     internal deformation 248–50  
     microstructures 256–8  
     thrust sheet layout 247–8  
 FD/FE schemes 111–12  
 Fernere thrust 248  
 Fernie Group 209  
 Firkanten Formation 34, 35, 43  
 Fisher Bank kitchen 171, 173  
 flow regimes in primary migration 158  
 fluid flow 172–8  
   factors affecting 128–32  
   results 132–5  
 fluid pressure simulation model 66–7  
   data inputs  
     palaeobathymetry 70–2  
     permeability 72–4  
     porosity 68–70  
   results 74–9  
 fluid properties and water drive 128, 131
- foreland thrust belt studies *see* Alpine foreland  
 Forties Formation 175, 182, 183, 184  
 fractionation 137–9  
   numerical simulation 160  
     gaseous solution 37–40  
     pressure–temperature effects  
       experiments 139–40  
       results 140–6  
 fractures, effects of 14, 51–3  
 France *see* Alpine foreland *also* Sub-Alpine Chains  
 Frigg Formation 175, 183, 185  
 frontal chromatography 152, 154  
 Fulmar Sands 175
- gach-i-turush* 270  
 gas chromatography 144  
 gas–oil ratio 59, 138  
 gas–liquid chromatography 151, 156–7  
 gas–solid chromatography 156  
 gaseous solution  
   effects on expulsion 33–7  
     numerical simulation 37–40  
   significance 43–5  
 generation studies  
   curve plotting 196, 197  
   Western Canada Basin 210–12  
 geochromatography  
   application to migration 154–7  
   development 154  
   interactions 153–4  
   phases 152–3  
   processes 149–50  
   quantification 157–9
- Germany  
   Rhinegraben 123  
   Ruhr Basin 36, 41  
   Saxony Basin 47, 49, 52, 55–61  
 Gilwood Formation 212, 215  
 Golata Formation 219  
 gouge fabric and fluid flow 256–8  
 Granite Wash Sands 209, 212, 215  
 Green River oil shales 16, 23  
 Grosmont Formation 209, 212
- Halfway Formation 209  
 Haltenbanken gas province 273  
 heat capacity 107  
 heat equation 107  
 heat flow modelling 93  
 Heather Formation 91, 93, 177  
 heptane value 195, 199, 200  
 Hils syncline 52  
 Horda platform 91  
 hydrocarbon viscosity 107  
 hydrodynamic analysis 127–8  
   factors affecting 128–32  
   results 132–5  
 hydrogen index 19, 21, 23–4  
 hydrophobic interaction chromatography 152, 154
- independent particulate flow 256  
 intrinsic permeability 107

- ion exchange chromatography 152, 153  
 Ireton Shale Formation 212  
 isoheptane value 196, 199, 200  
 isolyse 42  
 isotope studies, carbon 193, 195
- Jet Rock 168  
 Joli Fou Formation 209, 216  
 Jura Mountains *see* Alpine foreland  
 Jurassic  
   reservoirs 91, 193  
   source rocks  
     Canada 210  
     Germany 55–61  
     Mexican Gulf Coast 192  
     North Sea 167, 169–70
- Keg River Formation 209, 210, 212, 215  
 kerogen 15, 16–19, 59  
 Kimmeridge Clay 14, 52, 91  
   productivity 169–70  
   source characteristics 167–9  
 kinetic generation scheme 107  
 Kiskatinaw Formation 209, 218, 219  
 K kelsumer Heide, 35, 41  
 Kozeny–Carman formula 93, 107
- La Luna Formation 13, 52  
 Lagunillas field 184  
 Lea Park Formation 124, 209, 210  
 leakage  
   case study 273  
   classification 265–6, 267  
   conditions 271  
   definition 267  
   description  
     altered 268–70  
     unaltered 267–8  
   flow rates  
     gas 268  
     oil 270
- Leduc Formation 209, 212, 214  
 liquid–liquid chromatography 155–6  
 liquid–solid chromatography 151, 154–5  
 Lobstick Platform Formation 212  
 loss assessment 113–15  
 Lotsberg–Cold Lake Formation 212  
 Louan Salt 192  
 Louisiana *see* Mexican Gulf Coast
- Mahakam Delta 24  
 Majeau Lake Formation 212, 215  
 Mannville Group 209, 216  
 Maracaibo Basin 13, 52  
 marine source characters 196  
 mass balance calculations 57  
 mass chromatography 145  
 maturation modelling  
   heat flow calibration 93  
   temperature 240–1  
   timing 238–40
- maturity index 195–7, 198–201  
 Maureen Formation 182–3  
 methane 16, 37, 156  
 methylphenanthrene index 196–7, 199, 200, 201  
 Mexican Gulf Coast  
   petroleum system  
     alteration 197  
     aqueous fractionation 201–2  
     chromatographic data 198  
     compaction modelling 79  
     intraformational migration 193–5  
     maturity 195–7, 198–201  
     stratigraphy 191–3  
 microfracturing 47, 51–3, 176  
 microseepage 269  
 microstructures and migration 245–6, 256–8  
 migration  
   case studies  
     Mexican Gulf Coast 193–5  
     Western Canada Basin 214–24  
   effects of  
     chromatographic processes 154–7  
     geochemistry 34–7  
     molecular fractionation 137–9  
   factors affecting  
     deformation sequence 258–9  
     faulting 245–6  
     hydrodynamics 127–8, 132–5  
     microstructure 245–6, 256–8  
   mechanisms  
     primary 176  
     secondary 176–8  
     *see also* expulsion *also* secondary migration  
 Mississippi Basin *see* Mexican Gulf Coast  
 molecular fractionation 137–9  
 numerical simulation 160  
 pressure–temperature effects  
   experiments 139–40  
   results 140–6  
 molecular weight distributions 198  
 Monterey Formation 21  
 Montney Group 209, 210  
 Montrose kitchen 171, 173  
 Muskeg Formation 212  
 Muskwa Formation 212
- naphthenic/paraffinic gasolines 196  
 Nikanassin Group 209  
 Nisku Formation 209, 212, 214  
 Nordegg Formation 209, 210, 212, 216, 219  
 North Sea petroleum provinces 90, 91  
   composition 178–82  
   degradation 183–6  
   generation timing 170–4  
   migration studies 174–8  
   modelling  
     compaction 70–2, 76–9  
     secondary migration 101–4  
   permeability 14, 15  
   productivity 169–70  
   reservoir rocks 168  
   source rocks 167–9  
   Tertiary sands 182–3

- Norway  
 Haltenbanken 273  
 Svalbard 34, 35, 43  
 Nova Scotia Basin 68, 74–5
- oil density 59  
 Oklahoma 52  
 oleophilicity 16  
 organic matter  
 role in expulsion 47–8  
 volume expansion 49–51  
 organic network concept 47  
 overpressure 65  
 generation model 66–7  
 permeability effects 93–6  
 Oseberg kitchen 91
- palaeobathymetry 70–2  
 Pancake kitchen 91  
 paraffinic/naphthenic gasolines 196  
 partition chromatography 152, 153  
 Peace River tar sands 208, 216  
 Peclet Number variation 124  
 permeability  
 basin-scale estimation 123–5  
 factors affecting 12–13  
 quantification problems 14  
 relation to  
 fluid flow modelling 72–4, 245–6  
 migration 12  
 overpressure 93–6  
 petroleum expulsion efficiency (PEE) 9–10  
 factors affecting 12–16  
 role of kerogen 16–19  
 prediction and modelling 11–12, 115  
 case study 24–7  
 equation development 19–21  
 equation testing 22–24  
 petroleum saturation 15  
 phenanthrene concentrations 196–7  
 Piper Sands 175  
 pore systems  
 geometry 53–4  
 permeability effects 12–14  
 porosity and fluid flow 68–70, 245–6  
 Posidonia Shale 49, 52  
 case study in expulsion modelling 55–61  
 potentiometric surface mapping 128  
 Prairie Formation 212  
 Predrilling Intelligence (PDI) Basin Modelling System 49, 57  
 pressure  
 capillary threshold 132  
 fractionation effects  
 experiments 139–40  
 results 140–7  
 temperature relations 41–3, 48  
*see also* fluid pressure  
 primary migration 176  
*see also* expulsion
- Quaternary reservoirs 195
- Ratner Formation 210, 212  
 ray tracing 111–12  
 Reindalen 35  
 relative permeability 12–14, 99  
 Rencurel thrust 247–8  
 basal deformation 250–6  
 fold/fault timing 258–9  
 internal deformation 248–50  
 microstructure 256–8  
 reservoir rocks  
 Carboniferous 35, 41, 42, 218  
 Cretaceous 124–5, 193, 216–18, 227  
 Devonian 214–15  
 Jurassic 91, 193  
 residue compositions 34  
 Revard thrust 235, 238  
 reverse phase chromatography 151, 153  
 Rhinegraben 123  
 Rock Creek Formation 212  
 Ruhr Basin 36, 41  
 Rundle Group 209, 218, 219
- Saxony Basin 47, 49, 52, 55–61  
 Schooler Creek Group 209  
 Scotian Basin 68, 74–5  
 Second White Specks-Base Fish Scale zone 209, 210, 218  
 secondary cracking 59  
 secondary migration  
 hydrodynamic effects 127–8  
 factors affecting 128–32  
 results 132–5  
 SEMI model 111–12  
 loss adjustment 113–15  
 model testing 115–21  
 simulation discussed 121  
 TEMISPACK model 92, 106–8  
 calibrations 92–6  
 migration simulation 96–100  
 results 101–4  
 simulation discussed 105–6  
 seepage  
 case study 273  
 classification 265–6, 267  
 conditions 271  
 definition 267  
 description  
 altered 268–79  
 unaltered 267–8  
 flow rates  
 gas 268  
 oil 270  
 seismic chimneys 273  
 SEMI modelling 111–12  
 loss adjustment 113–15  
 model testing 115–21  
 simulation discussed 121  
 Semnoz anticline 235, 236, 237, 238  
 size exclusion chromatography 152, 153  
 Skjold reservoir 14  
 Slave Point Formation 209, 212, 215  
 Smackover Formation 193, 194  
 solubility simulation model 37–40  
 solvent extraction methods 15

- source characterization 196
- source rocks
- expulsion prediction 22–4
  - stratigraphy
    - Carboniferous 210
    - Cretaceous 167, 169–70, 210
    - Devonian 210
    - Jurassic 55–61, 167, 169–70, 192, 210
    - Triassic 192, 210
- spectral gamma-ray log 219–20
- Spindle oil field 39
- Statfjord Formation 91, 93
- Stoddart Group 209, 218, 219
- structured water and permeability 12–13
- Sub-Alpine Chains
- burial history 236–8
  - deformation studies
    - basal deformation 250–6
    - fold/fault timing 258–9
    - internal deformation 248–50
    - microstructures 256–8
    - thrust sheet layout 247–8
  - regional setting 235–6, 246
- sulphur rings 270
- supercritical fluid chromatography (SFC) 151, 152
- Sussex Sandstone 37
- Svalbard 34, 35, 43
- Swan Hills Formation 212, 215
- Tampen Spur 91
- tar sands 216
- Taylor Flat Formation 219
- TEMISPACK model 92, 106–8
- calibrations 92–6
  - migration simulation 96–100
  - results 101–4
  - simulation discussed 105–6
- temperature effects
- fractionation
    - experiments 139–40
    - results 140–7
  - pressure relations 41–3, 48
- temperature profile reconstruction 58
- terrestrial source characters 196
- Tertiary reservoirs
- Alpine foreland 227, 246
  - Mexican Gulf Coast 191–2, 195
  - North Sea 70–2, 75
  - Norway 35, 41
  - Scotian Basin 74
- Texas *see* Mexican Gulf Coast
- thermal conductivity 107
- thermal field analysis 123–5
- thermal modelling
- Clergeon anticline 234–5
  - Sub-Alpine Chains 238
- threshold capillary pressure 132
- thrust belt study
- maturation
    - temperature 240–1
    - timing 238–40
  - regional setting 227–9
  - regional studies
    - Clergeon anticline 232–5
    - see also* Sub-Alpine Chains
  - stratigraphy 230–1
  - structure 229
  - subsidence history 231–2
  - thrust timing 231
  - time–temperature indices (TTI) 234–5, 238
- Toad–Grayling Formation 219
- Tor Formation 175
- transmissivity 129
- transport modelling 54–5, 107
- Triassic source rocks 192, 210
- Troll gas field 91, 92
- Tuscaloosa Formation 192
- Uinta Basin 123
- Ula Sands 175
- Urgonian limestone 247, 248
- deformation study 251, 252, 253, 254, 255
- USA
- Mexican Gulf Coast petroleum province 191–3
    - alteration 197
    - aqueous fractionation 201–2
    - chromatographic data 198
    - compaction modelling 79
    - intraformational migration 193–5
    - maturity 195–7, 198–201
  - Uinta Basin 123
- Venezuela 184
- Venture field 68, 74–5
- Vercors 246
- deformation study
    - basal deformation 250–6
    - fold/fault timing 258–9
    - internal deformation 248–50
    - microstructures 256–8
    - thrust sheet layout 247–8
- Veyrier thrust 229, 235, 236
- Viking Formation 124, 209, 216
- Viking Graben
- geological setting 90, 91
  - migration studies 175, 176, 177
  - oil composition 178
  - oil reserves 171
- TEMISPACK model 92, 106–8
- calibrations 92–6
  - migration simulation 96–100
  - results 101–4
  - simulation discussed 105–6
- void space classification 12–14
- Wabamum Group 209, 212
- water
- effect on permeability 12–13
  - role in geochromatography 154–5
- water drive analysis 128–32
- water table oil 268–9
- water viscosity 107
- water washing 197, 200, 201
- Waterways Formation 212
- Watt Mountain Formation 212

Western Canada Sedimentary Basin  
  geochemical characteristics 210–13  
  geological setting 207–10  
  migration studies 214–24  
  palaeotemperatures 124  
Williston Basin 51–2, 207  
Winnepegosis Formation 210, 212  
Winterburn Group 209, 212

Woodbend Group 209, 212  
Woodbine Formation 192  
Woodford Formation 52  
Wytch Ground Graben 171, 173

Zagros fold belt 271