

Upwelling Systems:
Evolution Since the Early Miocene

Geological Society Special Publications
Series Editor J. BROOKS

GEOLOGICAL SOCIETY SPECIAL PUBLICATION NO 64

Upwelling Systems: Evolution Since the Early Miocene

EDITED BY

C. P. SUMMERHAYES
Institute of Oceanographic Sciences
UK

W. L. PRELL
Brown University
USA

K. C. EMEIS
Universität Kiel
Germany

1992

Published by
The Geological Society
London

THE GEOLOGICAL SOCIETY

The Society was founded in 1807 as the Geological Society of London and is the oldest geological society in the world. It received its Royal Charter in 1825 for the purpose of 'investigating the mineral structure of the Earth'. The Society is Britain's national learned society for geology with a Fellowship of 7000.

Fellowship is open to those holding a recognized honours degree in geology or cognate subject and who have at least two years relevant postgraduate experience, or have not less than six years relevant experience in geology or a cognate subject. A Fellow who has not less than five years relevant postgraduate experience in the practice of geology may apply for validation and subject to approval will be able to use the designatory letters C. Geol. (Chartered Geologist). Further information about the Society is available from the Membership Manager, Geological Society, Burlington House, London, United Kingdom W1V 0JU.

Published by the Geological Society from:
The Geological Society Publishing House
Unit 7
Brassmill Enterprise Centre
Brassmill Lane
Bath
Avon BA1 3JN
UK
(Orders: Tel. 0225 445046)

First published 1992

© The Geological Society 1992. All rights reserved. No reproduction, copy or transmission of this publication may be made without written permission. No paragraph of this publication may be reproduced, copied or transmitted save with the written permission or in accordance with the provisions of the Copyright Act 1956 (as amended) or under the terms of any licence permitting limited copying issued by the Copyright Licensing Agency 90 Tottenham Court Road, London W1P 9HE, UK. Users registered with Copyright Clearance Center 27 Congress St., Salem, MA 01970, USA: the item-fee code for this publication is 0305-8719/92 \$03.50

Distributors

USA
AAPG Bookstore
PO Box 979
Tulsa
Oklahoma 74101-0979
USA
(Orders: Tel: (918)584-2555)

Australia
Australian Mineral Foundation
63 Conyngham St
Glenside
South Australia 5065
Australia
(Orders: Tel: (08)379-0444)

British Library Cataloguing in Publication Data

A catalogue record for this book is available from the British Library

ISBN 0-903317-78-8

Contents

SUMMERHAYES, C. P., PRELL, W. L. & EMEIS, K. C. Evolution of upwelling systems since the Early Miocene	1
Modern upwelling systems and palaeo-upwelling criteria	
SMITH, R. L. Coastal upwelling in the modern ocean	9
SHIMMIELD, G. B. Can sediment geochemistry record changes in coastal upwelling palaeo-productivity? Evidence from northwest Africa and the Arabian Sea	29
THIEDE, J. & JUNGER, B. Faunal and floral indicators of coastal upwelling (NW African and Peruvian Continental Margins)	47
THUNELL, R. & SAUTTER, L. R. Planktonic foraminiferal faunal and stable isotopic indices of upwelling: a sediment trap study in the San Pedro Basin, Southern California Bight	77
CURRY, W. B., OSTERMANN, D. R., GUPTHA, M. V. S. & ITTEKKOT, V. Foraminiferal production and monsoonal upwelling in the Arabian Sea: evidence from sediment traps	93
STEENS, T. N. F., GANSSSEN, G. & KROON, D. Oxygen and carbon isotopes in planktonic foraminifera as indicators of upwelling intensity and upwelling-induced high productivity in sediments from the northwestern Arabian Sea	107
ANDERSON, D. M., BROCK, J. C. & PRELL, W. L. Physical upwelling processes, upper ocean environment and the sediment record of the southwest monsoon	121
APLIN, A. C., BISHOP, A. N. CLAYTON, C. J., KEARSLEY, A. T., MOSSMAN, J. R., PATIENCE, R. L., REES, A. W. G. & ROWLAND, S. J. A lamina-scale geochemical and sedimentological study of sediments from the Peru Margin (Site 680, ODP Leg 112)	131
HERMELIN, J. O. R. Variations in the benthic foraminiferal fauna of the Arabian Sea: a response to changes in upwelling intensity?	151
ITTEKKOT, V., HAAKE, B., BARTSCH, M., NAIR, R. R. & RAMASWAMY, V. Organic carbon removal in the sea: the continental connection	167
WELLING, L. A., PISIAS, N. G. & ROELOFS, A. K. Radiolarian microfauna in the northern California Current System: indicators of multiple processes controlling productivity	177
ORTIZ, J. D. & MIX, A. C. The spatial distribution and seasonal succession of planktonic foraminifera in the California Current off Oregon, September 1987–September 1988	197
POWELL, A. J., LEWIS, J. & DODGE, J. D. The palynological expressions of post-Palaeogene upwelling: a review	215
Diagenetic conditions	
TEN HAVEN, H. L., EGLINTON, G., FARRIMOND, P., KOHNEN, M. E. L., POYNTER, J. G., RULLKÖTTER, J. & WELTE, D. H. Variations in the content and composition of organic matter in sediments underlying active upwelling regimes: a study from ODP Legs 108, 112 and 117	229
MORSE, J. W. & EMEIS, K. C. Carbon/sulphur/iron relationships in upwelling sediments	247
REPETA, D. J., MCCAFFREY, M. A. & FARRINGTON, J. W. Organic geochemistry as a tool to study upwelling systems: recent results from the Peru and Namibian shelves	257
VON BREYMAN, M. T., EMEIS, K.-C. & SUESS, E. Water depth and diagenetic constraints on the use of barium as a palaeoproductivity indicator	273
SCHNEIDER, R., DAHMKE, A., KOLLING, A., MULLER, P., SCHULZ, H. D. & WEFER, G. Strong deglacial minimum in the $\delta^{13}\text{C}$ record from planktonic foraminifera in the Benguela upwelling region: palaeoceanographic signal or early diagenetic imprint?	285

The geological record of upwelling evolution

MURRAY, D. W. & PRELL, W. L. Late Pliocene and Pleistocene climatic oscillations and monsoon upwelling recorded in sediments from the Owen Ridge, northwestern Arabian Sea	301
MEYERS, P. A. Organic matter variations in sediments from DSDP sites 362 and 532: evidence of upwelling changes in the Benguela Current upwelling system	323
DIESTER-HAASS, L., MEYERS, P. A. & ROTHE, P. The Benguela Current and associated upwelling on the southwest African Margin: A synthesis of the Neogene–Quaternary sedimentary record at DSDP sites 362 and 532	331
PUJOS, A. Calcareous nannofossils of Plio-Pleistocene sediments from the northwestern margin of tropical Africa	343
KRISSEK, L. A. & CLEMENS, S. C. Evidence for aridity-driven dust flux to the northwest Arabian Sea and for decoupling of the dust and upwelling systems	359
CAULET, J. P., VÉNEC-PEYRÉ, M.-T., VERGNAUD-GRAZZINI, C. & NIGRINI, C. Variation of South Somalian upwelling during the last 160 ka: radiolarian and foraminifera records in core MD 85674	379
SCHRADER, H. Peruvian coastal primary palaeo-productivity during the last 200 000 years.	391
SARNTHEIN, M. PFLAUMANN, U., ROSS, R., TIEDEMANN, R. & WINN, K. Transfer functions to reconstruct ocean palaeoproductivity: a comparison	411
WHITE, L. D., GARRISON, R. E. & BARRON, J. A. Miocene intensification of upwelling along the California margin as recorded in siliceous facies of the Monterey Formation and offshore DSDP sites	429
IBARAKI, M. Planktonic foraminifera of the coastal upwelling area off Peru since the Pleistocene	443
HEINZE, P. M. & WEFER, G. The history of coastal upwelling off Peru (11°S, ODP Leg 112, Site 680B) over the past 650 000 years	451
HAY, W. W. & BROCK, J. C. Temporal variation in intensity of upwelling off southwest Africa	463
ABRANTES, F. Palaeoproductivity oscillations during the last 130 ka along the Portuguese and NW African margins	499
Index	511