

Index

- Aalenian, Whitby, 124
abandonment deposits, 103, 108, 150, 269, 298
ablation events, 69
Absaroka thrust plate, 322–4
accretionary palaeosols, 24
adhesion ripples, 263, 295
aggradation
 sandurs, 62–3, 66, 71
 Willwood Formation, 24, 26
aggradation rates, 38, 46–7
algal limestones, 206, 210–11
Algeria, earthquakes, 16
Algodones, 173
alluvial fans
 footwalls, 13
 formation of, 11
 hangingwalls, 14
 Iceland, 53
 Rotliegend, 302, 315
 Rough Gas Field, 266
alluvial plains, 47
alluvial ridges, 46
anhydrites, 182, 276, 286, 298, 303
anisotropy, fluvial reservoirs, 2
ankerite, 287, 346
Ann Field, 303
Anschutz East Ranch Field, 321–38
antecedent drainage, 16
Arabian Gulf, 286
attenuation, 424
Auk Field, 377–97
autocycles, 162, 199
avalanche facies, 169–70, 234, 294
axial channels, 15
axial drainage, 11–12, 15
Aztec Sandstone, 200
- backswamps, 100, 106, 113
Bagnold surfaces, 171–2
bajadas, 13–14
bank erosion potential, 37
bankfull depth, 34–5, 37–8, 47, 80
bankfull discharge, 9, 33, 41, 44
barchan dunes, 170, 255, 263, 299–301
Barremian Stage, Texas, 98
Barren Red Measures, 19–20
barite, 352, 357
Basalt Gravel Sheet, 63
base-level changes, 137, 163
basin subsidence, 27, 163, 302–3
basin types, 7–8
Baton Rouge, 39, 42
Beara peninsula, 161
bed roughness, 40
bed thicknesses, sandurs, 71
bedforms, 299
bedload transport, 12, 39, 41–2, 47, 109–10
Bighorn Basin, 23, 27
- bioturbation
 deltaic deposits, 86
 Kayenta Formation, 205
 palaeosols, 24
 Rotliegend, 298–9
 Tumblagooda Sandstone, 220
bitumen, 324, 331
bivalves, 146
black mudrocks, 106, 134, 149
black shales, 108
Bootle Fault, 247
borehole spacing, 3
boundary shear stress, 61
bounding surfaces
 aeolian, 2, 167
 erosional, 17
 Kayenta Formation, 201, 216
 Page sandstone, 368
 recognition, 80–1, 304–6
Brahmaputra River, 37
braid-plains
 Pennant Sandstone, 143, 151
 Texas, 112
 Tumblagooda Sandstone, 226
braided rivers, 37, 55, 73
break-up features, 224, 227
Brent Group, 126, 138, 436
Bridgnorth Sandstone, 300
Brithdir Beds, 146
Broad Fourteens Basin, 315
Brownstones Group, 112
Buchan Field, 154
buckle folds, Hercynian, 19
bulk porosity, 361
Bunter Sandstone, 154, 175
Burghead, 340–1, 344
Burghead Beds, 339–41, 344, 346
burrows, 204, 206, 219
- Cadomin Formation, 154
Calamus River, 254
calcite, 126, 280, 283, 285, 287, 412
calcium carbonate nodules, 24–5
calcrete, 286, 401, 412
caliche, 346
Cape Basin, Spain, 54
carbonate palaeosols, 85–7
Carboniferous, southern North Sea, 19
Carnian, Crawford Field, 418
Carson River basin, 18
Castilian Meseta, 83
Cedar Mesa Sandstone, 173, 177
Cefn Glas, 144
cementation, 182, 188
 Hopeman Sandstone, 352, 355, 357, 360
Central North Sea, 379
channel avulsion, 16–17, 35, 46, 85
 autocycles, 162

- and palaeosols, 15, 26, 28–9
 Rough Gas Field, 272
 tectonics, 8
 Travis Peak, 113
 channel bars, 127
 channel bends, 37
 channel confluences, 37
 channel facies
 fluvial, 146
 high sinuosity channels, 100–3
 channel incision, 137–8
 channel migration, 15–17
 channel morphology, 2
 channel sandbodies, 27, 29
 channel sandstones, 106
 porosity, 117
 channel stacking, 103, 108–9
 channel storeys, 126
 channel styles, Travis Peak Formation, 99–100
 channel thalwegs, 85
 channel types, 8
 channel-fill deposits, 85–6, 89, 92, 297
 chaotic sandstone, 131
 chemical remanent magnetization, 399, 403
 Cherokee Group, permeability, 139
 Cheshire Basin, 232, 247, 251, 260
 Chester Pebble Beds, 252, 260
 chlorite, 283, 287, 326, 412
 Chloritic Sandstone Formation, 158, 161–2
 Chocolate Mountains, 173
 chromite, 410
 clastic wedge development, Travis Peak Formation, 99
 clay enrichment, Willwood Formation, 25
 clay minerals, Sherwood Sandstone Group, 283, 287
 clay plugs, 81
 Cleveland Basin, 126, 131, 137
 climatic change, 39, 83, 163–4, 306
 climbing bedforms, 167, 173
 climbing ripples, 131, 138, 208, 222, 298
 coal seams, 144, 146–7
 coals, Westphalian, 19
 cobble-gravel sheets, 63
 coefficient of variation, 436
 Colorado Plateau, 200
 common mid-point determination, 423, 427
 compactive deformation, 330
 compartmental faults, 332–3
 composite bedforms, 85
 composite palaeosols, 28, 30
 conditional simulation, 367, 369, 371–2
 conductivity, electrical, 424
 Congaree River, 254
 conglomerates, Rotliegend, 296, 315
 constricted flow, 36
 continental settings, 1
 control points, 36–8
 Cordilleran thrustbelt, 321
 cornstones, 280
 Corrie Sandstone, 347
 Covesea, 341, 360
 Crawford Field, 399–419
 crescentic dunes, 202, 207, 300
 crevasse-splay deposits, 35, 86–7
 location, 2
 porosity, 117
 Travis Peak, 100, 103, 107
 Willwood Formation, 23–4, 26
 Crosh Vista Fault, 247
 cross-bed lamination, 222–4
 cross-bedded sandstone, permeability, 139
 cross-bedding
 meander-loop deposits, 84
 scale, 160
 Whitby West, 127
 cross-lamination, 436
 Cummingstown, 344, 349, 351
 cumulative distribution functions, 88–9
 Curie point, 402–3
 Cutback Sandstone, 153
 cycles, Rotliegend, 303–4
 cyclicity
 Kayenta Formation, 211
 Munster Basin, 159–62
 Daqing Oil Field, 83
 Darcy-Weisbach equation, 40, 61
 debris flow deposits, 297, 303
 decementation, 188
 Deemster Basin, 249
 Deemster Fault, 247
 deflation surfaces, 203, 222–3, 255, 295
 deformation bands, Hopeman Sandstone, 347–8, 364
 deformed zones, permeability and porosity, 334
 Delamere Member, 252
 delta foresets, 14
 deltaic deposits, 86–7
 desiccation cracks, 204, 206, 214, 256, 298
 destratification, 112, 119
 destratified beds, 108
 dewatering, 112, 268, 297, 302
 Deweyville Terrace, 43
 diagenesis
 Sherwood Sandstone Group, 286
 Travis Peak Formation, 116–21
 dickite, in pores, 126
 dielectric permittivity, 424
 differential subsidence, 28, 314
 diffusion coefficients, 11
 dinosaur trampling, 206, 212
 dip-slip faults, North Sea, 293
Diplocraterion, 219, 222
 Dirk Hartog Formation, 228
 discharge variations, Munster Basin, 160–1
 dish and pillar structures, 268, 297, 302
 distal facies, 297–8
 Dogger Formation, 124, 126, 135, 138
 dolocrete, 286
 dolomites
 Crawford Field, 412
 Minnelusa Formation, 181–2
 Rotliegend, 268
 Sherwood Sandstone, 280, 283, 285–7
 dolomitization, 271
 domino tectonics, 10
 Doulous Conglomerate, 162
 down-lapping, 87
 Dowsing Fault Zone, 268, 293, 301, 303, 311, 314–15

- draas, 167–8, 171, 299
 Kayenta Formation, 201, 212, 214–15
Rotliegend, 306
- drainage basins, 9–11, 13
- drainage density, 10
- dune apron facies, 2, 379
- dune complexes, 168
- dune flank slumping, 344
- dune grainflow deposits, 2
- dune height, 159–60
- dune liquefaction, 206
- dune migration, 127, 268
- dune slipface facies, 379
- dunes
- compound, 168
 - Rotliegend, 293
- earthquakes, El Asnam, 16
- East Anglian granite, 293, 314
- East Irish Sea Basin, 231, 247–64, 249, 252, 255–6, 260, 263, 280
- East Midlands Pediment, 293, 310, 314–15
- Echo Cliffs, 200, 210
- effective permeability to gas, 117, 119
- electrical properties, geological materials, 424
- Eller Beck Formation, 124
- Entrada Sandstone, 171, 199, 348
- Eocene, Wyoming, 23
- eogenesis, 242
- ephemeral channels, 236, 238
- ephemeral deposits, 206, 254, 268, 303
- ephemeral streams, 38
- Equisetum*, 136
- ergs
- contraction, 168, 177
 - facies changes, 199
 - flooded, 182
 - growth, 168
 - margins, 199, 299, 314
 - migration, 177, 306
 - Navajo Sandstone, 200, 210–12, 214–16
 - termination, 177
- erosion coefficient, 41, 46
- erosion surfaces, 81, 306
- erosional cycles, 9
- eruptions, subglacial, 58
- Esmond Complex, 154
- Etive Formation, 433, 436, 438
- eurypterids, 226
- eustatic processes, 39, 43, 54, 60
- evaporites, 203, 265, 268, 286, 298, 303–4
- extensional provinces, Greece, 11
- extensional terranes, 10
- extreme scour, 38
- facies analysis, Pennant Measures, 146–7
- facies architecture, Pennant Measures, 149–51
- facies migration, 163
- facies modelling, 53
- facies stacking, 173
- Fammenian, Munster Basin, 161
- fan deltas, 11, 13, 298, 304
- fan progradation, 14
- feldspars, 280–1, 285
- ferroan dolomite, 283, 287, 412
- fine-grained floodplain deposits, 208
- finite element modelling, 367–75
- fission-track dating, 280
- Flamborough Head Fault Zone, 293
- flash flooding, 302
- flood cycles, 54
- flood events, 38, 55
- Iceland, 53–4
- flood plain deposits, 23, 26, 100, 109, 113, 146
- flood scour, 9
- flood surfaces, 173
- flood surge deposits, 55
- flooded interdunes, 203, 206
- flooding, Tumblagooda Sandstone, 226
- flow barriers, 152–3, 216, 347
- flow magnitude, sandurs, 71–2
- flow modelling, 367–75
- flow profiles, Rough Gas Field, 276
- flow variability, 54
- fluid flow simulation, 371, 373
- fluorite, 352, 355, 357
- fluvial architecture, 7
- fluvial channel deposits, 23, 83–4
- fluvial channels, 100
- Sherwood Sandstone, 252–4
- fluvial fans, Loranca Basin, 83
- fluvial-aeolian interaction, 199–217
- fold spacing, 9
- fold-segment boundaries, 333
- folding, Anschutz East Ranch Field, 328–9
- Fontainebleau Sandstones, 286
- footprints, theropods, 201
- footwall fans, 13
- footwall incision, 13
- footwall slopes, 10–11
- Formby Point Fault, 247, 249
- Four Corners, 200
- fractal models, 10, 372–3
- fracture inter-connection, 334–5
- fractures, Anschutz East Ranch Field, 329
- Frodsham Member, 232, 252
- gas basin, southern North Sea, 19
- Gas Research Institute Database, 97
- gas slippage effects, 97
- gas storage, 265
- geochemical well-logs, 27
- geological characterization, 79
- geomagnetic field direction, 403–5
- geomorphic oil traps, 181
- Geopseudos, 394
- Gija River, 58
- glacial advances, 57
- glacial cycles, 54
- glaciation, Wisconsin, 42–3
- Glen Canyon, 367
- Glen Canyon Group, 200
- Gobi Desert, 205
- Godred Croven Fault Zone, 247
- goethite, 25, 412, 417

- Gow's Castle, 360
 gradient changes, 44
 Graenalon, 67
 grainfall deposits, 238
 grainfall facies, 169–70, 377, 379
 grainfall surfaces, 201
 grainflow facies, 368, 377, 379, 381
 granites
 East Anglian, 293, 314
 Market Weighton, 293, 315
 Newark, 293
 granule ripples, 171
 Great Glen Fault, 339
 Great Sand Dunes, Colorado, 173, 228
 Grimsvötn, 58, 67, 69
 ground penetrating radar, 421–32
 groundwater, aeolian deposits, 2
 Grovesend Beds, 146
 growth faults, accumulation at, 36
 growth fold drainage, 15–16
 growth folds, 13
 growth surfaces, 170–8
 growth-fold plays, Upper Carboniferous, 7
 Gudaool Field, 83
 Guerrero Negro, 173
 Gulf Coastal Plain, 46
 Gulf of Corinth, 11
 Gulf of Mexico, 2, 98
 gypsum, 83, 286
 gyromagnetic remanent magnetization, 408
- halite, 251, 256, 286–7, 298, 303–4, 307
 Hambleton Mudstones, 280, 286
 Handil Field, 143, 154
 hangingwall basins, 137
 hangingwall channels, 135
 hangingwall damming, 16
 hangingwall fans, 14
 hangingwall ramps, 322, 324
 hangingwall sedimentation, 163
 hangingwall slopes, 10–11
 Hardegsen unconformity, 232
 Haverigg Fault, 247
 headward extension, drainage basins, 11
 Hebgen Lake, 427
Heimdallia, 222, 226, 228
 Helgoland, 175
 helicoidal flow, 37, 80
 Helsby Sandstone, 251, 280
 hematite, 25, 286, 410, 412, 415–16, 418
 Hercynian front, 19
 Hewett Fault, 314
 high sinuosity channels, 100–10
 Holar flood deposit, 63, 66
 Holocene
 braid-plains, 53
 Iceland, 55
 Hopeman Sandstone, 300, 339–65
 Huete, 83
 Hughes Beds, 146, 151–3
 humid-glacial braid-plains, 53
 hummocky cross stratification, 436
 hydraulic fracture stimulation, 107
- hydrocarbons, leaching by, 286
 hydrographs, 8, 17, 45
- Iberian Chain, 83
 ice retreat rates, 69
 ice-margin variations, 64–6, 68–9
 ice-sheet wastage, Iceland, 56
 Iceland, sandurs, 53
 illite, 244, 283, 287, 326
 ilmenohematite, 410, 412, 415
 incised terraces, 64
 incision, 33–4, 39, 60–1
 models, 39–46
 sandurs, 71, 73
 incision/aggradation cycles, 16–17
 Inde Erg, 315
 Inde Pediment, 293, 309, 314
 injection behaviour, Anschutz East Ranch Field, 327
 interdune facies, 2, 202–3, 379
 interdunes, Rotliegend, 294–5
 intertonguing, 200, 210, 212
 intrachannel muds, 109
 intrinsic scour, 34, 38
 invasion percolation, 11
 Irish Sea, 231, 247, 260, 280, 287
 iron oxides, Willwood Formation, 24
 iso-porosity mapping, 273
 isostasy, 68
 isothermal remanent magnetization, 410
 Iveragh peninsula, 161
- jokulhaups, 53–5, 58, 60, 62–3, 66, 68, 70–3
 Jokulsa terrace sequence, 63
- Kalbarri Group, 219
 kaolinite, 283, 286–7, 412
 in pores, 126
 Katla, 58, 63
 Kayenta Formation, 199–217
 Kern River, 83
 Keuper Sandstone, 232
 Keuper Waterstones, 252
 Keys Basin, 249
 Keys Fault, 247, 249, 260
 Kirkham borehole, 280, 286–7
 knickpoints, 13, 44
 Kupferschiefer, 268, 299, 307
- lacustrine deposits, 137
 Texas, 99
 lacustrine facies, 298
 lacustrine-palustrine limestones, 87
 Ladinian, Crawford Field, 418
 lag deposits, 71, 84, 296
 Lagman Fault, 247, 249, 260
 Lake Bonneville, 69
 Lake District Boundary Fault, 247
 lateral accretion, meander-loop deposits, 85
 lateral stacking, 36
 Laurentide ice-sheet, 43
 layer-parallel flow, 334

- layer-parallel slip, 331–2
 Lees ferry, 200
 Leman Sandstone Formation, 265, 268, 303, 339
 levee deposits, 35, 80
 lignite, 154
 limestones
 algal, 206, 210–11
 lacustrine-palustrine, 87
 liquefaction, 299
 Little Ice Age, 57, 63, 66, 69, 71, 73
 Llynfi Beds, 146, 149
 Lochaline Sandstone, 441
 log casts, 146
 London-Brabant Massif, 268, 293, 314–15
 The Loop, 222
 Loranca Basin, 82–3, 85
 Lossiemouth, 340
 Lossiemouth Fault, 339, 341, 344, 349, 351–2
 Louann Salt, 99
 low sinuosity channels, 108–15, 150–1
 Lower Basalt Sandur, 63
 Lower Keuper Sandstone, 251
 Lower Pumice Gravels, 63–4, 66
- Madison Limestone, 323
 Madison River, 421, 426–7, 431
 Madrid Basin, 83
 magnetite, 408, 410, 412, 416–18
 magnetization components, 407
 magnetostratigraphy, Crawford Field, 413–15
 Malbaie Formation, 208
 manganese oxide, 25
 Manx-Furness Basin, 280
 marine flooding, aeolian deposits, 173
 marine transgressions, Rotliegend, 303
 Market Weighton granite, 293, 315
 mass-flow deposits, 301
 Mauritania, 177
 meander development, 103
 meander scars, 43
 meander-loop deposits, 80–2, 84–5, 89, 92, 101, 103
 meandering channels, Travis Peak Formation, 99
 meltwater, 43, 55, 57, 67
 Mercia Mudstone Group, 251, 280, 286–7
 Messarit Field, 143
 microfaults, 347–52, 358
 Mid-North Sea High, 268, 293
 Milankovitch theory, 163–4
 millet-seed grains, 222
 Minnelusa Formation, 168, 178, 180, 182
 minor channels, 107
 miospores, Skagerrak Formation, 401
 mire facies, 147
 Mississippi River, 16, 39, 42–4
 Moab, 213
 Moenave Formation, 303
 Moenkopi, 199–200, 210
 Mojave River wash, 228
 Monument Uplift, 212
 Moray Firth, 300, 339–65
 Morecambe Fields, 231–45, 247, 251–2, 260, 286–7
 mud cracks, 206
 mud drapes, 110, 205, 212, 238
 high sinuosity channels, 101, 103, 107
 mudrocks, 99–100
 in correlation, 113
 flood basins, 106
 Willwood Formation, 24–5
 multi-storey sandbodies, 254, 256, 296
 multiple reflections, ground penetrating radar, 425
 Munster Basin, 157–65
 Murchison Gorge, 221
 Murchison River, 219
 Murdoch Anticline, 20
 Myrdalsjökull, 63
 Myrdalssandur, 58

 Namib Sand Sea, 206, 212–13
 natural remanent magnetization, 401–2
 Navajo erg, 211, 214
 Navajo Sandstone, 199–200, 202, 213, 215, 348, 367
 neck cut-off, 45
 Needwood Basin, 247
 Neoglacial, Iceland, 66, 71
 Ness Formation, 123, 138
 New Madrid, 16
 New Mountain Sandstone, 228
 Newark granite, 293
 North Sea, 339, 379
 Ness Formation, 123, 138
 northern, 7
 Rotliegend, 291–319
 southern, 2, 19
 North Viking Field, 303
 Nugget Sandstone Formation, 200, 216, 321, 323–5,
 328, 331, 336

 offset stacking, 36
 Oficina Formation, 83
 Ogham Platform, 249
 oil production, Minnelusa Formation, 181–92
 oncolites, 87
 Opeche siltstone, 181, 188
 open fractures, 334–5
 Orinoco Heavy Oil belt, 83
 Ormskirk Sandstone Formation, 232, 251–2, 254–7,
 260, 263
 Ouachita River, 43
 outwash, 63
 outwash sediments, sandurs, 58
 overbank deposits
 floodplains, 80, 113, 211, 273
 grain size, 47, 84
 porosity, 117
 Willwood Formation, 23–4, 29–30
 overbank facies, 103
 overturned cross-bedding, 131
 oxbow cutoffs, 15

 Page Sandstone, 367, 372, 377
 palaeocurrent directions, 82
 palaeocurrents
 Kayenta Formation, 210–11, 213
 Sherwood Sandstone, 236

- palaeomagnetism, Triassic, 399–419
 palaeoslope sands, 2
 palaeosols, 85
 development, 15, 47
 maturity, 24–5, 28
 Saltwick Formation, 134
 Willwood Formation, 24
 palaeovalleys, 35, 39, 46
 paludal deposits, Texas, 99
 parabolic dunes, 255, 263
 paragenesis, Sherwood Sandstone Group, 285, 287
 paralic deposits, Texas, 99
 parallel lamination, 206–8, 211, 238, 298
 parasequence boundaries, 177–8, 182
 Paris Basin, 286
 partial thermal remanent magnetization, 399, 403, 417
 peak flow hydrographs, 63
 Peak Trough, 126
 pedofacies, 25–8, 30
 pedogenesis
 Sherwood Sandstone Group, 286
 Willwood Formation, 24
 Pennant Sandstone, 143–55
 Pennine Axis, 293
 Pennine Uplift, 268
 permeability
 aeolian deposits, 2, 244
 anisotropy, 2
 Auk Field, 377–97
 Brent Group, 438, 440–2
 Page Sandstone, 368, 372
 Rough Gas Field, 272–3
 Travis Peak Formation, 97
 Whitby West sandstone, 138–9
 permeability barriers, fluvial reservoirs, 2
 petrology, Sherwood Sandstone Group, 280–7
 pin-stripe lamination, 169, 188, 234, 379, 381, 388, 390
 Pinedale, 427
 planar cross-bedding, 108, 131
 planar laminated sandstone, 131, 134
 plane-bedded bars, 112
 plant fragments, 146, 150
 playa deposits, 238, 254, 256, 263, 302
 playas, 213–14, 298
 point-bars
 cut-offs, 45
 Kayenta Formation, 211
 ripple cross-lamination, 85
 transverse, 37
 Travis Peak, 100, 103, 106–7
 pore tortuosity, 124
 pore waters, Sherwood Sandstone Group, 287
 porosity
 aeolian deposits, 2, 234, 242, 257
 Hopeman Sandstone, 344
 Rotliegendes, 268
 Sherwood Sandstone Group, 281, 283, 285
 sinuous channels, 117
 straight channels, 119
 Travis Peak Formation, 97
 porosity-depth relations, 116
 post-depositional remanent magnetization, 415
 Powder River Basin, 181
 Pre-palagonite Gravels, 63, 66
 predictive tools, 1–2
 pressure decline, 188
 Preston, 279–89
 Preuss Formation, 322
 primary bounding surfaces, 169, 188
 primary current lineation, 146, 254
 probability density functions, 88
 probe permeameter, 433–42
 productivity, aeolian reservoirs, 242
 proglacial channels, 55
 progradation, 60, 99, 163
 proximal facies, 295–7, 303
 Prudhoe Bay, 143
 pull-apart basins, 7
 Purple Sandstone Formation, 158, 163
 pyrite, 283, 286, 410, 412, 417
 pyrrhotite, 410
 radar facies, 426, 429–31
 radar sequence boundaries, 425, 428–31
 radiocarbon dating, Iceland, 56
 raindrop impressions, 201, 298
 Rannoch Formation, 433, 436, 438, 440
 Raven Creek Oil Field, 181
 Ravenscar, 137
 Ravenspurn Anticline, 20
 reactivation surfaces, 170–1, 215, 223–4
 recovery efficiency, 1
 Red Bluff, 219
 Red Canyon Fault, 427
 Reelfoot Uplift, 16
 reflector terminations, 425
 regional bounding surface, 216
 reservoir heterogeneity, 152
 reservoir modelling, 3
 reservoir potential, 14–15
 reservoir simulation, 107, 114
 resolution, ground penetrating radar, 431
 reworked deposits, 299
 rhizoliths, 201–2, 204, 206, 210
 Rhondda Beds, 146, 150
 ribbon sandbodies, 27, 29, 85
 ridge and swale morphology, 84
 Riedel shear, 334, 347, 352
 rills, 10
 Ringkøbing-Fyn High, 268
 Rio Mayor, 83
 ripple bedding, 108
 ripple cross-lamination, 84–6, 131
 ripple foresets, 169
 ripple lamination, 297, 436, 440
 ripple strata, 169
 river base-levels, 39, 44–5, 47
 river terraces, 63
 river widths, 43–4
 Rocky Mountains, 153
 Rocky Ridge Field, 83
 rotational remanent magnetization, 408
 Rotliegend, 2, 265–6, 307
 Auk Field, 379
 Southern North Sea, 291–319, 339
 Rough Gas Field, 265, 269, 310, 315
 Rourke Gap Oil Field, 182

- runoff events, duration, 62
 runoff hydrographs, 58
 rutile, 410
- Saalian Unconformity, 292
 Sabkha Matti, 177
 sabkhas, 167
 bounding surfaces, 168, 170
 Kayenta Formation, 210–11
 Minnelusa Formation, 182
 Rotliegend, 295, 298, 303–4, 314
 Sherwood Sandstone, 238, 286
- Sahara, 216
 Sahelian Zone, 177
 St Aethans, 344
 St Bees Sandstone Formation, 232, 251–2, 260
 St Bees Shale, 251
 saltation, 238
 Saltwick Formation, 124, 126–7, 137
 sample spacing, permeability tests, 393–4
 sand dispersal points, 10
 sand sheet facies, 379, 386
 sand sheets, 167–8, 170, 222, 238, 255
 Tumblagooda, 228
 sand-drift surfaces, 175
 sandbodies
 connections, 46, 87, 114–15
 dimensions, 80–1
 sandbody density, 160
 sandbody thickness, and bankfull depth, 38
 sandflats, 163
 sandflows, 201, 205
 SANDSIM model, 58–74
 sandstone complexes, 80
 sandurs, 53, 55, 58
 modelling, 59–74
 sediment input, 58, 60, 62, 70
 Saskatchewan River, 26, 112, 254
 scale effects, basin architecture, 7–8
 scour, 17, 33, 63
 scour and fill deposits, 38, 207
 scour pools, 35, 37
 scoured bases, 35
 scours, interlocking, 207
 Scythian
 Cheshire, 280
 Sherwood Sandstone Group, 249
 sea-level changes, 39, 45
 Cleveland Basin, 137
 Gulf Coast, 46
 Iceland, 55, 71
 Wisconsin glaciation, 42–3
 Seascale Fault, 247
 seatearths, 150, 153
 secondary circulation, 37
 sediment continuity equation, 12
 sediment discharge functions, 11
 sediment flux, Gulf of Corinth, 11
 sediment input, sandurs, 58, 60, 62, 70
 sediment loads, 8
 sediment transport rates, 73
 sediment volume, 39
 sediment yield, 10
- sedimentary architecture, 81
 sedimentary basins, 9
 sedimentological logs, 87
 sedimentology, sandurs, 70
 seif dunes, 272, 300
 seismic deformation, 131
 seismic facies, Sherwood Sandstone Group, 257, 260
 seismic pumping, 348
 seismic resolution, 3
Selechnites, 222
 Selima Sand Sheet, 242
 semivariograms, 388–90
 sequence boundaries, 178
 sequence stratigraphy, 47
 shale-clast conglomerates, 109
 Sharp Field, 182
 shear stress, channel beds, 36
 sheet deposits, 86
 sheet floods, 297, 303, 315
 sheet sandbodies, 30
 sheet-flood deposits, 254
 Kayenta Formation, 211
 Rotliegend, 298
 Rough Gas Field, 266, 269
 Sherwood Sandstone, 238, 240
 Travis Peak, 106
 sheet-flow deposits, 302
 sheet-flood deposits, Ormskirk Sandstone, 255
 Sherkin Sandstone Formation, 158, 161, 163
 Sherwood Sandstone Group, 154, 231, 236, 245, 247, 279–89
 Shields coefficient, 61
 siderite, 126, 346
 Sierra de Altomira, 83
 Sigurd Fault, 247, 249, 260
 siltstones, Saltwick Formation, 134
 silty mudstone, 134, 208
 Silverpit Anticline, 20
 Silverpit Formation, 265, 303, 307
 Silverpit Shale, 268
 Singleton Mudstones, 287
 sinuosity, 42
 sinuosity changes, 45, 99
 sinuous channels, 16
 Skagerrak Formation, 399–419, 413, 418
 Skeidara River, 58
 Skeidarárjökull, 67–8
 Skeidarársandur, 58, 67–74
 Skoga Pumice Fan, 63–4, 66–7
 Skogasandur, 63
Skolithos, 219, 228
 Sligo (Pettet) Formation, 99
 smectite, 283, 287, 412
 Sole Pit, 293
 Sole Pit Basin, 292, 307, 314–16
 Sole Pit Erg, 300–1, 307, 314–15
 Solheimajökull, 57, 63
 Solheimasandur, 58, 63, 66
 Solway Basin, 247, 260
 source rocks, Travis Peak Formation, 99
 South Fork Madison, 19
 South Hewett Basin, 315
 South Hewett Erg, 315
 South Hewett Fault, 293

South Hewett Pediments, 314
 South Morecambe Field, 240, 242, 244
 South Platte River, 236
 South Wales Coalfield, 143–4
 Southern North Sea Basin, 265, 269
 Spain, Cape Basin, 54
 spatial variation, and channel types, 116
 splay fault, 344, 348
 Squamish River, 254
 stabilization surfaces, 177
 stacked channel deposits, 251, 436
 stacked channels, 114, 149
 stacked cross-sets, 202
 stacked palaeosol profiles, 26, 28
 stacked sandbodies, 268
 stacked sequences, 68, 236
 stacking surfaces, 173
 Stafford Basin, 247
 star dunes, 301
 Stafjord Field, 441
 Stokes surfaces, 167, 177, 203, 255
 straight channels, Travis Peak Formation, 99
 Stranger Shale, 27
 stream power, 12
 strike-slip faults, 293, 303
 subglacial lakes, 58
 submarine fans, 14
 subsidence rates, 8, 28–9
 subsiding basins, 302–3
 super surfaces, 177, 216, 306
 suspended loads, 47, 109
 swales, 109
 swaley cross-stratification, 436
 Swansea, 144
 Swansea Beds, 146
 Swarte Bank Hinge, 293, 301, 314–15
 talus cones, 13
 Tarbert Formation, 400
 Taylor Group, 228
 terminal fan systems, 158–9, 162
 terminal lobes, 303, 314
 terrace aggradation, 67
 Tertiary, Spain, 82
 thalwegs, 34, 37
 thermal demagnetization, 407
 thermal sagging, 8
 thermal subsidence, 417
 theropods, 201, 212
 thrust-related basins, 7
 Thurstan Member, 232, 252
 tight gas sandstones, 95
 titanium oxide, 410, 412
 Toe Head Formation, 161
 Top Terrace Gravels, 63, 66
 topsets, 127, 131
 Tórtola deposits, 82–3
 trace fossils, 219–20, 226–8
 transverse drainage, 12–14
 transverse fans, 11
 Transverse Ranges, California, 16
 Travis Peak Formation, 95–121
 tributaries, 38

trough cross-bedding, 84–6, 110–11, 127, 206–8, 219, 221–2, 236
 truncated dunes, 211
 trunk streams, 98
 Tumblagooda Sandstone, 219–30
 Twin Creek Limestone, 324, 336
 Tynwald Basin, 249
 Tynwald Fault, 249
 unblocking temperatures, 402, 404, 408, 415, 417
 uplift, 10
 Valanginian Stage, Texas, 98
 variability, laminated sediments, 433–42
 Variscan Orogeny, 144, 158, 292
 Vatnajökull, 57, 68
 vertical stacking, 36, 108–9, 114
 Viking Field, 303
 Viking Graben, 399, 417
 Villalba de la Sierra, 83
 volcanogenic deposits, 63–4
 wadis, 268–9, 272, 276
 Walther's law of facies, 27
 washload, 12
 washouts, 207
 water injection, 153
 water table effects, 173, 226–7, 294–5
 Weber Sandstone, 171, 213
 Weeton Camp borehole, 280, 286–7
 Weichselian, 55
 Weissliegend, 293, 298–9
 Welton oilfield, 154
 Westphalian, North Sea, 19–20
 Whitby fault, 126, 137–8
 Whitby West sandstone body, 123–41
 White Sands, 170, 173, 223–4
 whole-reservoir conditions, 8
 Widge field, 188
 Willwood Formation, 23, 26–8, 30
 wind direction, Rotliegend, 300
 wind ripple deposits, 379, 381
 wind ripple lamination, 202
 wind ripples, 201, 205, 255, 294, 301, 368, 377
 wind scour, 167, 171
 Wingate Sandstone, 303, 306, 348, 360
 wireline logs, 100, 104–5, 256
 Wisconsin glaciation, 42–3
 within-reservoir conditions, 8
 Wolfcampian, Wyoming, 181
 Worcester Graben, 247
 Wyoming–Idaho–Utah thrustbelt, 321, 323
 Wytch Farm Oilfield, 154
 XRF analyses, 27
 Yellow River, 12
 Yellow Sands, 300, 315
 Zechstein Sea, 271, 299, 315, 379
 Zechstein Supergroup, 268
 zibar, 222
 Zuni lineament, 211, 213