

Index

References to figures and tables are printed in *italics*.

- acoustic impedance analysis 95–7
- Aegir Ridge 272, 278
- aegirine 190
- Amazon Cone 200, 201, 203
- amphibole 189, 190
- amplitude of seismic signal
 - Galicia margin studies 76–8, 97–9
- analogue modelling
 - lithospheric stretching 86–7
- Antarctic Bottom Water (AABW) 208–12
- Antarctissa whitei* 220
- Anton Dohrn Seamount 161, 272
- apparent uplift/erosion 262
- Arctic Bottom Current 154–5, 155
- Argo Formation 5, 7
- Ascension Fracture Zone 200, 201
- aseismic ridges 281
- Atlantic Ocean (Equatorial)
 - bathymetry 201
 - palaeoceanography
 - Cretaceous 207–8
 - Jurassic–Cretaceous 199–201
 - Tertiary 208–12
 - plate reconstructions 203–7
 - seismic stratigraphy 201–3
- Atlantic Ocean (North)
 - continent–ocean boundary 273–7
 - palaeobathymetric reconstruction 271–2
 - backstripping methods
 - isostasy effects 288–9
 - removal of sediment 284
 - sea level effects 288
 - sediment decompaction 285
 - thermal subsidence effects 286–7
 - boundary conditions used
 - lithosphere thermal age 272–3
 - plate boundaries 273–7
 - plate reconstruction 277–9
 - sea level 273
 - stratigraphy and lithology 272
 - lithosphere age reconstruction 281–4
 - lithosphere subsidence effects 280–1
 - previous research methods 279–80
 - results of reconstruction 289–97
 - plate setting 277–9
- Avalon Formation 6, 7, 19, 20

- backstripping 271, 280, 284
 - application to N Atlantic reconstruction 284–9
- Balder event 65
- Balder Formation 191, 193
- Balder Tuffs 65
- Banff fault 250, 254
- Banquereau Formation 7
- Barra Fan 161, 163
- basalt volcanism 275
 - Faeroe Islands 125, 134
 - Faeroe–Rockall Plateau 145–6
 - basaltic tuff
 - Faeroe Island Shelf 182, 184–5, 189, 192–3
 - correlation with North Sea 193–4
 - Bear Island Trough Mouth Fan 173
 - Ben Nevis Formation 6, 7, 19
 - Bill Bailey Bank
 - basement 126–9
 - sediment deformation 133–4
 - seismic stratigraphy 129–32
 - setting 125, 272
 - subsidence history 134–7
 - biostratigraphy
 - Atlantic Ocean (North) radiolaria 217–20
 - Faeroe Island Shelf sediments 186, 187–8, 189, 190, 192
 - St Kilda Basin 232–3
 - biotite 190
 - bioturbation 16, 192
 - Biscay, Bay of 274
 - Bjorn Drift 272
 - Blosseville Group 191
 - Bonnition basin 4
 - break-up unconformity 1, 2, 78
 - burial depth studies 258–61

 - ¹⁴C dating uncertainties 227, 241–3
 - cap rocks, Faeroe–Shetland basin 67
 - Catalina Formation 7
 - Ceara Abyssal Plain 200, 201
 - Ceara Rise 200, 201
 - Central Ridge 54
 - Chain Fracture Zone 200, 201
 - Chalk Group 255
 - Charlie Gibbs Fracture Zone 276
 - Chemehuevi detachment 98
 - CIPW norm 237
 - Clair basin 53
 - Clair Ridge 53
 - clinopyroxene 182, 189, 192
 - coal, Faeroe–Shetland basin 65
 - collophane 189
 - compaction analysis, Moray Firth (Inner) 253–8
 - compression
 - events in Eocene
 - Faeroes 153, 155
 - Norwegian Sea 195
 - in lithosphere 265–6
 - structures in Faeroe–Rockall 142, 215–16
 - continent–ocean boundary
 - Galicia margin
 - segmentation 72–6
 - structural analysis
 - methods 76–8
 - results
 - lower layers 79–82
 - seismic Moho 82–5

- upper layers 78–9
 - results discussed 85–8
- GIN Sea 273–7, 287
- Cretaceous
 - Atlantic Ocean (Equatorial)
 - circulation 207–8
 - reconstruction 204, 205
 - sediments 202
 - Atlantic Ocean (North) extension 277
 - Jeanne d'Arc basin 6, 7, 33, 45–7
 - deformation 11–12
 - unconformities 14–19
 - lithosphere rifting 72
 - Porcupine basin 33, 45–7
 - seafloor spreading 4, 23–5
- Cretaceous rifting model
 - North Atlantic/GIN Sea reconstruction 298–97
- Cromer Knoll Group 256
- crustal studies
 - Galicia margin
 - ocean–continent boundary segmentation 72–6
 - structural analysis
 - methods 76–8
 - results
 - lower layers 79–82
 - seismic Moho 82–5
 - upper layers 78–9
 - results discussed 85–8
 - GIN Sea 287
 - continent–ocean boundary recognition 273–7
 - see also* lithosphere
- Cuillin Package 64
- currents, Faeroe–Rockall area 141–3
- Cyclodophora davisiana* 219

- Dawson Canyon Formation 7
- Dead Mountains detachment fault 98
- decompaction effects 271, 280, 284, 285
- Demerara Abyssal Plain 200, 201
- Demerara Plateau 200, 201
- Denmark Strait 272, 289, 296, 297
- detachment faults 93, 104–5
- Devensian
 - NW Britain slope-aprons 163, 165
- diatoms, Palaeocene 60
- dinoflagellates
 - Faeroe Island Shelf dredge haul 186, 187–8, 189, 190, 192
- St Kilda Basin 232–3
 - Vøring Plateau 194
- domino fault block model 103
- Downing Formation 7
- dredge haul studies
 - Faeroe Island Shelf
 - methods of sampling 179–80
 - results of analysis 181–4
 - sample ages 184–92
 - results discussed 192–5
- Dunrobin Group 256

- East Faeroe High 147, 149
- Eastern Shoals Formation 7

- Edoras Bank 272
- Eirik Drift 272
- Eocene
 - Atlantic Ocean (Equatorial)
 - circulation 209
 - reconstruction 206
 - sediments 202
 - Atlantic Ocean (North) reconstruction 293, 294, 297
 - Bill Bailey/Lousy Banks subsidence 134, 137
 - Faeroe Bank Channel 155
 - Faeroe Island Shelf dredge 189, 189–90
 - regression evidence 195
 - transgression evidence 194–5
 - Faeroe Plateau and Channel sediments 149–50, 153
 - Faeroe–Rockall Plateau compression 215
 - Faeroe–Shetland basin, stratigraphy 65–6
 - GIN Sea reconstruction 293, 294, 297
- Eocene–Oligocene boundary
 - Lousy/Bill Bailey Bank subsidence 135, 137
 - unconformity 132–3
- Eriador Seamount 272
- erosion studies
 - Moray Firth (Inner)
 - compaction analysis 253–8
 - driving mechanisms 264–6
 - uplift analysis 261–4
 - vitrite reflectance data 258–61
- Eurydice Formation 5, 7

- facies analysis
 - Jeanne d'Arc basin 36–41
 - Porcupine basin 44–5
- Faeroe Bank 125, 272
- Faeroe Bank Channel 142, 145, 148, 161, 272, 289
 - Eocene 149–50, 153, 155
 - Miocene 151
 - Oligocene 150
 - Recent 153
- Faeroe Block
 - continental crust thickness 276, 287
 - Palaeocene–Eocene boundary 191
 - reflector sequence 194
 - see also* Faeroe Island Shelf
- Faeroe Channel Knoll 147, 148, 153, 155
- Faeroe Channel Knoll Escarpment 147, 148
- Faeroe Channel Knoll Plateau 149
- Faeroe Drift 272
- Faeroe Islands
 - basalt lavas 125, 134, 146–8, 215
 - seismic study of basalt 112–22
 - setting 111–12
- Faeroe Islands Platform
 - basaltic basement 146–8
 - sediment stratigraphy
 - Eocene 149–50
 - Miocene 151
 - Oligocene 150–1
 - Pliocene 151
 - Recent 153
 - sediment thickness 148–9
 - setting 145–6
 - Tertiary evolutionary history 153–7
- Faeroe Islands Shelf 160, 272

- dredge haul study 179–95
 - setting 179
 - see also* Faeroe Block
- Faeroe Ridge 289
- Faeroe–Rockall Plateau 142, 215–16
- Faeroe–Shetland Basin
 - correlation with North Sea 66–7
 - hydrocarbon prospectivity 51, 67–8
 - plate tectonic environment 54–5
 - seismic mapping 56–7
 - sequence stratigraphy 55–6, 58–66
 - setting 52–4
 - structure 57–8
- Faeroe–Shetland Channel 142, 145, 148, 155, 160, 161, 272, 289
 - dredge haul 184
 - evolution
 - Cretaceous 125
 - Eocene 149–50
 - Miocene 151
 - Oligocene 150
 - Pliocene 151, 165
 - Recent 153
 - palaeobathymetric reconstruction 289, 295, 296, 297
- Faeroe–Shetland Escarpment 147, 148, 153, 272
 - seaward dipping reflector 275
- fans *see* slope-aprons
- feldspathic sandstone 182, 190–2
- Fladen Group 256
- Flett Ridge 54
- flood basalts 275
- foraminifera
 - Atlantic Ocean (Equatorial) 207
 - Faeroe Island Shelf 182, 192
 - Faeroe–Shetland Basin 58, 61, 65
 - St Kilda Basin 232–3
- Fortune Bay Formation 7
- Foula Wedge 161–2, 163, 172
- Four North Fracture Zone 200, 201
- Fugloy Ridge 147, 149, 150
- Fur Formation 193

- Galicia margin
 - crustal structure
- enigmatic terrane (ET) 79
 - method of analysis 76–8
 - results 78–85
 - results discussed 85–6
 - summary of characteristics 88–9
- modelling formation 86–8
- OCB segmentation 72–6
- S reflector study
 - amplitude 97–9
 - analysis of polarity and waveform 95–7
 - relationships with faults 99
 - results 101–5
 - relationships with peridotite ridge 105–7
 - significance of 94–5
 - summary of features 107–8
- Gambia Abyssal Plain 200, 201
- gamma ray logs
 - Jeanne d'Arc basin 40
 - Moray Firth (Inner) 256
- Porcupine basin 43
- Gardar Drift 272
- gas, Faeroe Islands 112
- Geikie Escarpment 161, 162, 163, 164
- geochemistry
 - Faeroe Island Shelf dredge haul 183–4, 185, 189
 - St Kilda Basin tephrochronology study
 - methods 229–30
 - results 233–5, 244–6
- George Bligh Bank 272
- GIN (Greenland–Iceland–Norwegian) Sea 271
 - palaeobathymetric reconstruction 271–2
 - backstripping effects 284–9
 - boundary conditions used 272–9
 - lithosphere age reconstruction 281–4
 - lithosphere subsidence effects 280–1
 - previous research methods 277–9
 - results of reconstruction 289–97
 - see also* Greenland Sea; Iceland Sea; Norwegian Sea
- glacigenic sedimentation *see* ice-sheet sedimentation
- glauconite 182, 192
- Gloria Drift 272
- Goban Spur 274
- Grand Banks–Iberia seafloor spreading 4
- Great Glen fault 250, 251, 253, 254
- Greenland (East)
 - continent–ocean boundary 276
 - marginal fans 173
 - Palaeocene–Eocene boundary 191
- Greenland Sea 271
 - see* GIN Sea
- Greenland–Norway Sea *see* Nordic Seas
- Greenland–Scotland Ridge 276–7, 278, 297
- Grimsvötn 241
- Guinea Fracture Zone 201, 202
- Guinea Plateau 200, 201

- Halibut Horst 250
- Hatton Bank 272, 287, 289, 295, 296, 297
- Hatton Drift 272
- Hatton–Rockall Basin 277
- Heather Formation 256
- heavy mineralogy, Faeroe–Shetland basin 63–4
- Hebrides Shelf 160, 161, 163
- Hebrides slope-apron
 - lithology 168–71
 - setting 160–2
 - time of formation 162–3
- Hebrides Terrace Seamount 161, 272
- Helmsdale fault 250, 251, 253, 254
- Hibernia Formation 6, 7
- Hidra Formation 255, 256
- Hod Formation 255, 256, 257
- hot spots 54–5, 62, 65, 265, 275, 281
- hydrocarbons, Faeroe Islands 112

- Iberia Abyssal Plain 72
- Iberia–Grand Banks, seafloor spreading 4
- ice-rafting 159, 184, 236
- ice-sheet sedimentation
 - slope-aprons 159
 - NE Atlantic 173–4

- NW Atlantic 174
 NW Britain 160–5, 168–72
 Iceland, tephra formation in 238–9, 240–1
 Iceland Hotspot 265
 Iceland Plateau 272
 Iceland Sea 271
 radiolarian abundance 220
 see also GIN Sea
 Iceland–Faeroe Ridge 272, 276, 277, 281, 287, 295, 296
 ichnofacies 16
 ilmenite 182, 189
 inertinite 189
 Inner Moray Firth *see* Moray Firth (Inner)
 intraplate stress 265
 Irmingier Basin 272, 295, 296, 297
 Iroquois Formation 7
 Isengard Drift 272
 Isfjorden Fan 173
 isopach map, Jeanne d'Arc basin 22, 32
 Ivory Coast Rise 200, 210
- Jan Mayen microplate 277–8
 Jan Mayen Ridge 272, 289, 295, 296, 297
 Jeanne d'Arc basin
 correlation with Porcupine basin 45–7
 deformational history 12–14
 extension 23
 facies analysis 36–41
 initiation 30
 lithostratigraphy 7, 31
 sedimentary thicknesses 21–2
 sequence and lithology correlation 14–19
 sequence stratigraphy 8–12
 setting 4–6
 subsidence history 19–21, 33–6
 Jeanne d'Arc Formation 6, 7
 Judd fault 54
 Jurassic
 Atlantic Ocean (Equatorial), sediments 202
 Jeanne d'Arc basin sedimentation 6, 7
 Scotian basin 4
- Kane Gap 200, 201, 208, 211
 Kap Dalton Formation 191
 Katla 241
 kerogen, Faeroe–Shetland basin 64, 65
 Kimmeridge Clay Formation 255, 256, 257
 Kintail Package 64
 Kolbeinsey Ridge 272 278, 295, 296, 297
- Labrador Slope 174, 175
 last glacial maximum (LGM) 228
 lithic volcanic sandstone, Faeroe Island Shelf 182, 190–2
 lithosphere
 age calculation 281–4
 compression 265–6
 extension modelling 93–4
 stretching 86–7
 subsidence 280–1, 286–7
 thermal age 272–3
 thickening, role in uplift/erosion of 264
 Lopra-1 well 112
 Lossiemouth fault 250, 254
 Lousy Bank (Outer Bill Bailey Bank) 272, 297
 basement 126–9
 sediment deformation 133–4
 seismic stratigraphy 129–32
 setting 125
 subsidence history 134–7
 low angle detachment faults 93, 104–5
- magmatism, Porcupine basin 33
 mantle lithosphere compression 265–6
 Marl Formation 255
 Mascarene Plateau 281
 Mercury border fault 5, 9
 Mexico, Gulf of 280
 microflora, Faeroe–Shetland basin 58, 61–2, 64, 65
 Miocene
 Arctic Bottom Current 155
 Atlantic Ocean (Equatorial), sediments 202
 Faeroe Bank Channel 142, 155
 Faeroe Plateau and Channel sediments 142–3, 151, 154
 Faeroe–Rockall Plateau compression 216
 GIN Sea/N Atlantic reconstruction 290, 291, 295–6
 Lousy/Bill Bailey Bank unconformity 133, 135, 137
 slope-apron sediments 161
 Wyville–Thomson Ridge 142, 155
 Ymir Ridge 142
 modelling
 Cretaceous rifting model
 North Atlantic/GIN Sea reconstructions 289–97
 lithosphere extension 93–4
 lithosphere stretching 86–7
 Palaeocene reheating model
 North Atlantic/GIN Sea reconstructions 289–97
 seismic 118–20
 Moho
 scattering reflective 85
 seismic 82–5
 molluscs, St Kilda Basin 232, 233
 Montrose group 256
 Moray Firth (Inner)
 basin inversion 249–50
 erosion history
 driving mechanisms 264–6
 Sediment compaction data 253–8
 uplift analysis 261–4
 vitrinite reflectance data 258–61
 extensional reactivation 250–1
 regional tilting 252
 strike-slip reactivation 251–2
 Munkegrunnur Ridge 147, 149, 150, 215
 Murre border fault 5, 9
- Nautilus fault 34
 Nautilus Formation 7
 Newfoundland offshore 274
 Newfoundland Basin 88
 Newfoundland Slope 174, 175
 see also Jeanne d'Arc basin

- Niger Cone 203
 nontronite 182
 Nordic Seas currents 141–2
 North Atlantic *see* Atlantic Ocean (North)
 North Atlantic Ash Zone 237–8
 North Minch tephra 239
 North Sea
 Palaeocene–Eocene boundary 191
 rift system 265
 tuff correlations 193–4
 Norway Basin 272
 Norwegian Sea 153, 154, 271
 Eocene plate setting 195
 Miocene 151
 Oligocene 150, 154
 Plio-Pleistocene radiolaria 218, 219
 see also GIN Sea
 Norwegian–Greenland Sea 173–4
- ocean–continent boundary
 Galicia margin study
 crustal structure
 methods of analysis 76–8
 results 78–85
 results discussed 85–6
 modelling formation 86–8
 segmentation 72–6
 summary of characters 88–9
 GIN Sea 273–7, 287
- oceanography
 Atlantic Ocean (Equatorial)
 Cretaceous 207–8
 Tertiary 208–12
- oil in Faeroe Islands 112
- Oligocene
 Atlantic Ocean (Equatorial)
 circulation 211
 reconstruction 206, 207
 Atlantic Ocean (North) 292, 296
 Bill Bailey/Lousy Banks 137
 Faeroe Bank Channel 155
 Faeroe Island Shelf dredge 190–2, 195
 Faeroe Plateau and Channel sediments 150–1, 154
 Faeroe–Rockall Plateau compression 215
 GIN Sea 292, 296
 NW Britain
 erosion features 161
 slope-apron sediments 161
- Orphan basin 4
- ostracods, St Kilda Basin 232–3
- Outer Bill Bailey Bank *see* Lousy Bank
- P waves**
 Faeroe basalt study
 reflected 117–18
 transmitted 116–17
- Pacific Ocean lithosphere 281
- palaeobathymetry of GIN Sea and North Atlantic
 reconstruction methods 271–2
 backstripping processes 284–9
 boundary conditions used 272–9
 lithosphere age effects 281–4
 lithosphere subsidence effects 280–1
 previous research methods 279–80
 reconstruction results 289–97
- Palaeocene
 Atlantic Ocean (Equatorial)
 reconstruction 206
 sediments 202
 Atlantic Ocean (North) volcanism 289
 Bill Bailey/Lousy Banks basalt lavas 134
 Faeroe Islands
 coastline 148
 shelf dredge haul 189
 volcanism 153
 Faeroe–Shetland basin
 hydrocarbon prospectivity 51
 plate setting 54
 sequence interpretation 58–65
 stratigraphy 55–6
 Rockall–Faeroe–Greenland breakup 125
- Palaeocene reheating model
 North Atlantic/GIN Sea reconstruction 289–97
- Palaeocene–Eocene boundary 191
- palaeoenvironment analysis
 Jeanne d'Arc Formation 14–19
- Palaeophycus tubularis* 192
- palagonite 182, 185, 190
- passive margins
 characteristics 1–2, 71
 see Galicia margin
- Peridotite Ridge 94, 105–7
- Pernambuco Abyssal Plain 200, 201
- phosphoritic pelletstone 182, 189, 190
- plagioclase 182, 185, 190, 192
- plant fossils 189, 190
- plate tectonics
 characteristics of plate margins 93
 Eocene plate reorganization 195
 reconstructions for North Atlantic
 gridding technique 281–4
 past 277–8
 present 278–9
- Pleistocene
 radiolaria 223
 see also Quaternary
- Plenus Formation 255
- Plio-Pleistocene
 NW Britain slope-aprons 161, 162, 163–5
 radiolarian zones 218, 219–20
- Pliocene
 Faeroe Bank Channel 155
 Faeroe Plateau and Channel sediments 151–2
 unconformity 133
- polarity analysis 95–7
- pollen analysis 189, 190
- Porcupine Abyssal Plain 272
- Porcupine basin
 correlation with Jeanne d'Arc basin 45–7
 facies analysis 44–5
 initiation 30
 lithostratigraphy 31
 subsidence 42–4
- porosity 285
- pre-stack depth migration
 method 100–1
 results 101–5

- pyroclastics 275
- Q factor 77
- Quaternary
 climatic fluctuations 227, 228, 242
 Devensian slope-aprons 163, 165
 Faeroe Island Shelf sediments 179
 St Kilda tephrochronology 233–5
 correlation 236–41
 transport 235–6
 Younger Dryas 228–9, 239, 240, 242
- radiolaria
 Faeroe–Shetland basin 60
 latitude effects on 217–19
 North Atlantic zones 219–20
 palaeoceanography 220–2
- Rankin fault 34
- Rankin Formation 6, 7
- reflectivity, seismic 77
- reflector sequence, Faeroe Island Shelf 149, 153, 194
- reheating model, Palaeocene 289–97
- reservoir character, Faeroe–Shetland basin 67
- Reykjanes Ridge 272, 295, 296
- ridge push 216
- rifted margins 93
- rifting
 Cimmerian
 Jeanne d'Arc basin 33
 Porcupine basin 33
 Palaeocene–Eocene
 North Atlantic 264–5
 Triassic
 Jeanne d'Arc basin 30
 Porcupine basin 30
- rifting model, Cretaceous 289–97
- Rio Grande Rise 281
- Rockall Bank 272, 276, 287, 289, 295, 296, 297
- Rockall Plateau 125, 160, 272
 Palaeocene–Eocene boundary 191
 reflector sequence 194
 seaward dipping reflector 275–6
- Rockall Trough 125, 160, 161, 272, 277, 287, 295, 296, 297
- Rockall–Faeroe microcontinent 125
- Romanche Fracture Zone 200, 201
- Romanche Transform 200, 201
- Rona Ridge 53
- Rona Wedge 161–2, 163, 172
- Rosemary Bank 272
- rutile 190
- S reflector
 analysis of
 amplitude analysis 97–9
 polarity waveform analysis 95–7
 relationships with
 faults 99
 peridotite ridge 105–7
 significance of 94–5
 summary of features 107–8
- S waves
 Faeroe basalt study
 reflected 117–18
 transmitted 116–17
- St Kilda Basin
 core sample analysis 231
 biostratigraphy 232–3
 lithostratigraphy 231–2
 tephrochronology 233–5
 core sample dating 241–3
 core sample interpretation
 tephra correlation 236–41
 tephra transport 235–6
 setting 230–1
- St Paul Fracture Zone 200, 201
- Salar basin 4
- scattering reflective Moho (SRM) 85
- Scoresby Fan 173
- Scoresby Sund 272
- Scottian Slope 174
- sea level curves, reconstruction of 273, 288
- seafloor spreading
 Grand Banks–Iberia 4, 23–5
 relation to unconformities 3
 seal rocks, Faeroe–Shetland basin 67
 seaward dipping reflectors 274–6
 Faeroe Island Shelf 149, 153, 194
- segmentation, OCB 72–6, 88
- seismic methods
 Faeroe basalt study
 data acquisition 112–15
 data processing 115–16
 interpretation 116–18
 modelling 118–20
 results discussed 121–2
- seismic Moho 82–5
- seismic refraction 76
- seismic reflectors (S reflectors)
 Galicia margin 79–82, 85–6
- seismic sections
 Bill Bailey Bank 127, 128
 Faeroe Bank Channel 155, 156, 157
 Faeroe Bank–Bill Bailey Bank 141
 Faeroe Island Shelf 181
 Faeroe Plateau 151, 152
 Faeroe–Shetland Channel 154
 Galicia margin 75, 80, 82, 83, 84
 Jeanne d'Arc basin 8, 10, 11, 13, 39
 Lousy Bank 127
 Moray Firth (Inner) 250, 251, 252, 253, 254
 Porcupine basin 43
- seismic signal amplitude analysis 76–8, 97–9
- seismic velocities 76, 77
- sequence stratigraphy
 Faeroe–Shetland basin 58–66
 Jeanne d'Arc basin 8–12, 14–19, 36–41
 Porcupine basin 44–5
- sideromelane 182
- Sierra Leone Abyssal Plain 200, 201
- Sierra Leone Rise 200, 201
- Sigmundur Seamount 142, 143
- similarity coefficients 236–7
- Sinclair Horst 250
- Skógar tephra 238–9

- slope-aprons
 introduction 159
 NE Atlantic 173–4
 NW Atlantic 174
 NW Britain 160–5, 168–72
 smectite 182, 192
 Snorri Drift 272
 solidity 284, 285
 sonic logs
 Jeanne d'Arc basin 40
 Moray Firth (Inner) 256
 Porcupine basin 43
 South Iceland Basin 272, 295, 296, 297
 Spain *see* Galicia margin
Sphaeropyle langii 220
Stichocorys peregrina 220
 Strakhov Fracture Zone 200, 201
Stylatractus universus 219
 Sula Sgeir Fan 161, 162, 163, 166, 167, 168, 175
 surface seismic profile 112, 115
 Sutherland Terrace 251–2
- tachylite 182, 185
 tephrochronology
 applications in St Kilda Basin 233–5
 tephra correlation 236–41
 tephra transport 235–6
 principles 227–8, 229
 terrane analysis 79
 Tertiary
 Faeroe channels 148–51
 Faeroe–Rockall Plateau
 basalts 145–6
 sediments 145–6
 Great Glen fault 251
 Jeanne d'Arc basin 7
 Moray Forth (Inner)
 erosion 253–61
 structures 250
 Porcupine basin 33
 Tertiary Igneous Province 275
 thanatocenoses, radiolarian 220–2
 thermal age 272–3
 thermal uplift, role in erosion of 264
 titanite 189
 Tor Formation 255, 256, 257
 Torfadalsvatn tephra 239
 trace element analysis
 Faeroe Island Shelf dredge haul 183–4, 185, 189
 trace fossils 16, 192
 Triassic
 Jeanne d'Arc basin 5, 7, 30
 tuff, basaltic
 Faeroe Island Shelf 182, 184–5, 189, 192–3
 correlation with North Sea 193–4
 tuffaceous limestone, Faeroe Island Shelf 182, 189–90
 turbidites 78
- recognition at passive margins 1–2
 Jeanne d'Arc basin studies
 Albian 18–19
 Alptian 16–18
 Barremian 14–16
 Tertiary
 East Greenland 195
 Faeroe Plateau 155, 195
 Faeroe–Rockall 141
 uplift studies, Moray Firth (Inner) 261–4
 Upwelling Radiolarian Index (URI) 222
 upwelling zones 222
- Vedde ash 238–9
 Veidivötn 240–1
 Vema Fracture Zone 200, 201, 209
 vertical seismic profile (VSP) 112, 115, 116
 Victory basin 53
 Victory Ridge 53
 Vigo seamounts 73
 vitrinite reflectance 252, 258–61
 volcanoclastics
 Faeroe Island Shelf dredge study
 basaltic tuffs 184–9, 192–3
 lithic volcanic sandstones 190–2
 tuffaceous limestones 189–90
 volcanism, basaltic 275
 Faeroe Islands 125, 134
 Faeroe Island Shelf 182, 184–5, 189, 192–3
 Faeroe–Rockall Plateau 145–6
 Vøring Plateau 275
 Palaeocene–Eocene boundary 191
 reflector sequence 194
 Voyager Formation 7
- walk-away vertical seismic profile 112, 114, 116
 Walvis Ridge 281
 waveform analysis, Galicia margin 95–7
 West Galicia margin *see* Galicia margin
 West Lewis Basin 216
 West Shetland basin 53
 West Shetland Shelf 160 161
 West Shetland slope-apron
 lithology 171–2
 setting 160–2
 time of formation 163–5
 Westray Ridge 54
 Whipple Mountain detachment 103
 Whiterose Formation 6, 7
 Wick fault 250, 254
 Wyville–Thomson Ridge 147, 160, 161, 272, 289
 formation 142, 155, 215, 216
- Ymir Ridge 142, 147, 215, 216
 Younger Dryas 228–9, 239, 240, 242
- zeolite 182, 185, 192
- unconformities
 defined 1