

Index

Page numbers in italics refer to Figures and Tables

- A. autissiodorensis* 5, 6
 see also *Autissiodorensis* MFS
- A. eudoxus* 5, 6
 see also *Eudoxus* MFS
- A. glosense* 5, 6
 see also *Glosense* MFS
- A. mutabilis* 5, 6
- A. neptunii* 6
- A. regulare* 5, 6
- A. rosenkrantzi* 5, 6
 see also *Rosenkrantzi* MFS
- A. serratum* 5, 6
 see also *Serratum* MFS
- Acorn Field 300
- Aire Member 31, 32, 33
- Alba Field 67, 73, 77, 78
- Alness Spiculite Member 95, 112, 121
- Ammobaculites deceptorius* 9, 11, 36
- ammonite biostratigraphy 5
 Moray Firth 116
- Amoeboceras* (*Prionodoeras*) cf. *freboldi* 9
- Anconichnus* 36, 37 38, 164–5, 174
 ichnofabric analysis 169
- Anguiformis* MFS 3, 30, 32, 34
- Angus Embayment 186
- ankerite in diagenesis 258–9, 273
- apatite in provenance studies 133, 134
- Arbroath Field 56
- Ardassie Limestone 112, 121
- Argyll Embayment 186
- Arkwright Field 300
- Asterosoma* 190
- Auk Formation 300, 331
- Auk Ridge 186
- Austrian Orogeny 237
- Autissiodorensis* MFS 3
- B. radiculatum* 6
- Balintore Field 90
- Balintore section 155
- Balmoral Field 72, 77, 78
- Banff Fault 49, 146
- Banff Field 300
- Banff Sub Basin 49, 111, 146
- barite in diagenesis 260–1, 278
- basinal sand plays 72, 74
- Baylei* MFS 3, 30, 32, 33, 39, 116, 124
- beach sandstone mineralogy 133
- Beatrice Field 56, 73, 77, 111, 117, 128, 150, 288
 stratigraphy 89, 90
- Beatrice Formation 112
- Beechnut Field 300
- Beryl Embayment 150
- biomarker studies
 methods 288
 results 296–7
 cooling and uplift 294–5
 inversion estimates 295–6
 relation to depth 288–91
 relation to temperature 291–4
- biostratigraphy 116, 332
 problems of correlation 5–9
- bivalve tubes 174
 ichnofabric analysis 171–3
- Blair Field 77, 78
- Blenheim Field 77, 78
- Bordeaux Field 77, 78, 79
- Brent Field 56
- Britannia Field 56, 72, 77, 78
- Brora Arenaceous Formation 112, 120
- Brora Coal Formation 93, 95, 111, 112
- Brora Field 90
- Buchan Field 56, 72, 77, 78
- Buchan Formation 140
- Buchan Horst 146
- Buchan–Glen Ridge 111
- burial history, Lowlander Prospect 275
- Burns Sandstone Member 40, 84, 112, 120
- C. cordatum* 5, 6
- C. densiplicatum* 5, 6
- C. polonicum* 6
- C. tenuiserratum* 5, 6
- Caithness Ridge 49, 111, 146
- calcite in diagenesis 256–7, 259–60
- Calloviense* MFS 3, 116, 118
- Canningia compta* 34
- Captain Field 72, 77, 78
- carbonate cement studies 256–7, 259–60, 273
- Carboniferous strata 331
 Lowlander 254
 Moray Firth reservoirs 73–4, 77
- Carrack Formation 301
- cementation studies
 carbonate 256–7, 259–60, 273
 quartz 257–8, 273–5
- Central Graben
 facies distribution 4
 stratigraphy 114, 115, 187
 see also Puffin Field
- Central Ridge 146
- Chalk Group 237, 238, 301
- channel sandstones 314, 318
- Chanter Field 77, 78, 79, 111, 123, 125
 stratigraphy 84
- Chanter Member 84
- Chondrites* 165, 174, 190, 205, 218, 228, 229
 ichnofabric analysis 167–9
- chrome spinel in provenance studies 133
- chronostratigraphic surfaces 82
- Cicatricosisporites abacus* 22
- Claymore Field 56, 72, 77, 78, 79, 111, 121, 122, 123, 125, 126, 254
 stratigraphy 84

- Claymore Sandstone Member 40, 84, 112, 133
 heavy mineralogy 140–3
 Lowlander Field 252, 253
 Coal Marker Member 84
 compactional porosity loss (CPL) 253
Coranatum MFS 3
 Cretaceous strata 301
Criboperidinium spp. 34
C. gigas 5
 Cromer Knoll Group 112, 153, 237, 238, 301
Cruziana 164
Ctenidodinium chondrum 33, 333
 Curlew Field 300
 Curlew Member 4–5
- deltaic sandstone 136, 338
Densiplicatum MFS 3, 116, 118
Densoisparites velatus 332, 333
 depositional modelling, Upper Jurassic 148–51
 depth effects on biomarkers 288–91
 Derwent Member 31, 32, 33, 40
 Devils Hole Formation 152
 Devonian strata 300
 Moray Firth reservoirs 73–4, 77
 diagenesis study in Lowlander Prospect 256–61, 263–5, 275–7
 dioflagellate cyst correlation 5–7
Diplocraterion habidii 164
 ichnofabric analysis 175–7
Discus MFS 3
 Dogger High 186
 Donan Field 72, 77, 78
 drilling studies 75
 Puffin Field 302–3
 Dunrobin Bay Group 112
 Dutch Bank Basin 49, 111, 146
- E. coronatum* 5
 East Central Graben 111, 186
 East Orkney Basin 49, 111, 146
 East Shetland Platform 146
Egmontodinium expiratum 34
 Ekofisk Field 56
 Elgin Field 299, 300
Ellipsoidictyum cinctum 332, 333
 environmental analysis 166
see also ichnofabric analysis
 Eocene strata 73, 77
Eoguttulina liassica 8
 Erskine Field 300
 Ettrick Field 41, 77, 78, 79, 111, 122, 125, 126
Eudoxus MFS 3, 30, 32, 33, 34, 39, 116, 124, 236, 239, 244
- facies analysis
 channel 314, 318
 deltaic 136, 338
 fan 138
 floodplain 319
 sheetflood 314, 319
 shelf 200–1
 shoreface 195–9, 240–5, 339
 facies description 210–13
 fan facies 138
 faults, role in diagenesis 280–1
 Feda Graben 186
 Firth Coal Formation 136
 fiscal regime, impacts on industry of 67–70
 Fisher Bank Basin 49, 186
Fittoni MFS 3
 Fladen Ground Spur 49, 111, 146
 facies analysis 240–5
 lithostratigraphy 237
 reservoir quality 245–6
 sandstone distribution 237–40
 structural setting 235–7
 summary evolution 246–8
 Fladen Group 4, 112, 237, 254, 301, 331
 flood plain sandstones 317–18, 319
 flooding surfaces
 Moray Firth 116
 Witch Ground Graben 113
 fluid inclusion analysis 262, 263–5, 279–80
 foraminifera in correlation 7, 8, 33, 333
 Forth Approaches Platform 38
 Forth Formation 331
 Forties Field 56
 Forties–Montrose High 49, 111, 146, 186
 Franklin Field 23, 24, 299, 300
 Freshney Member 31, 38
Fronicularia franconia 7
 Fulmar Formation 2, 4, 9, 10, 39, 301, 320
 depositional models 201–9
 gamma ray log 168
 geological setting 186–94
 grain size and reservoir quality 226–7
 ichnofabric analysis
 introduction 164–5
 systematic description 167–77
 use in depositional modelling 177–81
 lithofacies analysis 215–18
 lithofacies–reservoir interrelationship 219–22
 reservoir properties 19–20
 reservoir quality 218–19
 reservoir zonation 227–33
 sedimentary facies 194
 facies associations 194–201
 sequence stratigraphy 15–19
 well data 9–15
 wire line log correlation 20–4
- G. dimorphum* 6
G. glaucolithus 5, 6
G. jurassica MFS 9, 11, 13, 15, 21, 22
G. (K.) kerberus 5, 6
G. okusensis 5, 6
 galena in diagenesis 260–1
 Galley Field 77, 78, 79, 111, 125, 126, 128
 Galley Formation 237
 Gamma East Field 77, 78, 79
 gamma ray logs 10, 12, 14, 16, 195, 196, 198
 Moray Firth 86, 88, 89, 135, 155, 156
 Puffin Field 305, 308, 317, 319
 Rob Roy Field 336, 339
 Gannet Field 35, 300
 garnet, use in provenance studies 133, 136, 141
 Glamis Field 72, 77, 78, 79, 111, 127, 128

- Glamis Formation 112, 237
 depositional environment 244
 facies analysis 241–2
- Glen Horst 146
- Glenn Field 77, 78, 79, 111, 122, 123, 128
- Glosense MFS 3, 30, 32, 33, 116, 118
- Glossifungites 18, 164
- Glossodinium dimorphum 5
- Gonyaulacysta jurassica 5, 6, 332
see also G. jurassica MFS
- Gorse Member 84, 121, 122
- grain size analysis, effect on reservoir quality 226–7
- Grampian Spur 49, 111
- Great Glen Fault 146
- Great Glen Sub Basin 111, 146
- Grensen Nose 186
- Guillemot A Field 9
- H. kochi* 6
- Halibut Bank Formation 237, 254
- Halibut Carbonate 300
- Halibut Horst 49, 111, 131, 146, 331
- Halibut Platform 146
 stratigraphy 94, 95
 Upper Jurassic correlation 156
- Halibut Shelf 49, 111
- Hamish Field 77, 78, 79, 111, 123
 discovery 329
 location 329, 330
 reservoir description 331, 337–40
 reservoir model 333–7
 stratigraphy 84, 331–3
 tectonic framework 331
- Haplophragmoides canui* 8
- Haplophragmoides infracallovienensis* 34
- Haplophragmoides latidorsatus* 8
- Haugesund Formation 148
- Heather Formation 2, 4, 10, 13–14, 31, 32, 33, 35, 39,
 84, 112, 121, 122, 187, 301
- Heather Sandstone Member 3–4
- heavy mineralogy, Outer Moray Firth 133–44
- Helminthopsis* 218, 229
- Helminthopsis horizontalis* 11, 190, 205
- Helmsdale Fault 146, 288
- Helmsdale Formation 112
- Heron Field 300
- Heron Group 112, 301
- Hidra High 186
- Highlander Field 77, 78, 79, 111, 123
 stratigraphy 84
- hopane biomarkers 288–9
- Hot Sands 84
- Hudlestoni* MFS 3, 30, 32, 33
- Hugin Formation 31, 33, 148
- Humber Group 109, 112, 254, 301
 genetic units 115–18
 pre-rift 118–25
 syn-rift 125–9
see also named Formations
- I Shale 31, 84, 112, 255, 331, 338
- ichnofabric analysis 9
 defined 164
 use in depositional modelling 177–81
- use in environment analysis 166–77
 well 29/10–2 11
- illite in diagenesis 20, 260
- Inner Moray Firth
 biomarker study
 methods 288
 results 296–7
 cooling and uplift 294–5
 inversion estimates 295–6
 relation to depth 288–91
 relation to temperature 291–4
 stratigraphy 50
 Upper Jurassic correlation 155
see also Moray Firth
- inversion, estimates from biomarkers 295–6
- isochore 269
- isotope analysis 265, 266
- Ivanhoe Field 75, 77, 78, 79, 111, 122, 123, 135
 discovery 329
 location 329, 330
 reservoir description 331, 337–40
 reservoir model 333–7
 stratigraphy 84, 331–3
 structure 329
 tectonic framework 331
- Ivanhoe/Rob Roy Terrace 131
- J62 unit 2
- Jaeren High 146
- Joanne Field 300
- Josephine Ridge 186
- Judy Field 300
- Julia Field 300
- Jurassic strata 301, 331
 Lowlander 254–6
 Moray Firth reservoirs 71–2, 77
- kaolin in diagenesis 19–20, 258
- Kellaways Formation 150
- Kimmeridge Clay Formation 2, 4, 10, 31, 40, 84, 112,
 113, 122, 187, 301
 as source rock 329
 Fladen Ground Spur 236, 237, 238, 239
 heavy mineralogy 138–43
 Lowlander Prospect 252, 256
 Moray Firth 132, 151
 Rob Roy Field 340
- Kimmeridge Sandstone Member 3, 4
- Kintradwell Boulder Beds 120, 123
- Kittiwake Field 14, 20, 21, 22
 ichnofabric study
 introduction 164–5
 systematic description 167–77
 use in depositional modelling 177–81
- Kochi* MFS 3, 30
- Lamberti* MFS 3, 116, 118
- Laver Member 31
- Lenticulina muensteri* 7, 8
- licensing rounds 48
 first 51, 52
 second 51, 53
 third 51, 54, 56
 fourth 55, 56

- fifth 56, 57
- sixth 56, 58
- seventh 56, 59
- eighth 56, 60
- ninth 56, 61
- tenth 56, 62
- eleventh 63, 67
- twelfth 64, 67
- fourteenth 65, 67
- fifteenth 66, 67
- lithofacies analysis
 - Fulmar Formation 215–18
 - effect on reservoir quality 218–26
- lithostratigraphy
 - Fladen Ground Spur 237
 - problems of correlation 2–5
- Lomond Field 300
- Lossiemouth Fault 49, 146, 288
- Lossiemouth Sub Basin 146
- Lowlander Field 77, 78, 79, 111, 123
- Lowlander Prospect
 - cementation 273–5
 - diagenesis, constraints on 263–5
 - diagenetic evolution 275–7
 - diagenetic mineralogy 256–61
 - porosity fabric 261–3
 - reservoir evolution 277–82
 - reservoir properties 265–73
 - setting 252–3
 - stratigraphy 254–6
- Macaronichnus* 203, 229
- Macaronichnus segregatis* 190
- MacCulloch Field 73, 77, 78, 80
- Machar Field 300
- Mandal Formation 149
- Mandal High 186
- Mandal Member 31, 32, 33
- Marmion Field 77, 78, 79
- Marmion Ridge 131
- Marnock Field 300
- maturity measurement *see* biomarker studies
- maximum flooding events 30
- maximum flooding surfaces 3
 - described 82, 83
- Medan Field 300
- microfossils, in correlation 7–9
- micropalaeontology 7–9
- microstylolites 279
- Mid Cimmerian Unconformity 87, 116, 150–1
- mineralogy
 - diagenetic 256–61, 263–5, 275–7
 - heavy 133–44
- monazite in provenance studies 133
- Montrose Group 301 305
- Moray Firth
 - early exploration 47–8
 - fiscal impacts on 67–70
 - Humber Group genetic units 115–18
 - pre-rift 118–25
 - syn-rift 125–9
 - Humber Group lithologies 109
 - licensing rounds 48, 51–67
 - play types 70–4
 - reserve estimates 79–80
 - sedimentation 153–6
 - stratigraphy 50, 111–13
 - structure 109, 146
 - technical development 74–9
 - tectonic setting 48, 49, 113–15
 - tectonostratigraphic modelling 156–60
 - see also* Inner Moray Firth; Outer Moray Firth
 - Moray Firth Rift System
 - palaeogeography 96–9
 - sequence stratigraphic analysis
 - methods 82–7
 - transect correlations 87–96
 - Moray Group 301
 - Muderongia* sp. 5, 6, 34
- Nevis Member 148
- North Buchan Graben 49, 111, 146
- North Halibut Graben 131, 136, 142
- North Sea, Jurassic sedimentation characters 146–8
- North Sea Rift System 82
- O. balios* 6
- O. complex* 6
- oil price, impacts on industry 67–70
- Okusensis* MFS 3
- Oligosphaeridium diluculum* 34
- Oligosphaeridium patulum* 5, 6, 34
- Ophiomorpha* 18, 36, 37, 38, 165, 203, 230
- Ophiomorpha irregulaire* 173
- Ophiomorpha nodosa* 173–5, 176, 190
- Oppressus* MFS 116
- Orkney–Shetland Platform 49
- ostracodes in correlation 7
- Ouse Member 31, 32, 33
- Outer Moray Firth
 - heavy mineralogy 133–44
 - stratigraphy 50, 84, 132–3
 - structure 131
 - see also* Moray Firth
- P. (A.) huddlestoni* 5, 6
- P. albani* 5, 6
- P. albidum* 6
- P. athleta* 5
- P. baylei* 5, 6
 - see also* Baylei MFS
- P. (P.) pectinatus* 5, 6
 - see also* Pectinatus MFS
- P. pallasioides* 5, 6
- P. pannosum* MFS 9, 11, 13, 15, 21
- P. rotunda* 5, 6
- P. (V.) elegans* 5, 6
- P. (V.) scitulus* 5, 6
- P. (V.) wheatleyensis* 5, 6
- Palaeocene strata, Moray Firth reservoirs 73, 77
- palaeogeography, Moray Firth Rift System 96–9
- Palaeophycus* 190, 230
- Palaeophycus herbertii* 228
- palaeosalinity 265, 279
- palynofacies analysis 7
- palynological biostratigraphy 5–7
- palynomorphs
 - use compared with ammonites

- MFS characterisation 2
- range conflicts 6
- Pandora Field 300
- Parliament Field 77, 78
- Parry Formation 112
- Parvicingula jonesi* 34
- Pectinatus* MFS 3, 116, 124
- Pentland Coal Formation 95
- Pentland Formation 4, 21–2, 111, 112, 113, 121, 122, 150, 187, 237, 238, 254
- Pentland Group 301, 319
- Perisseiasphaeridium pannosum* 5, 6
see also *P. pannosum* MFS
- permeability
 - Fladen Ground Spur Jurassic sandstone 241 245
 - Fulmar Formation 20, 218, 219, 220, 221, 223, 224, 225, 229, 230, 231, 232, 322
 - Pentland Formation 320
 - Rob Roy Field 339
 - Skagerrak Formation 318
- Permian strata 254, 300, 331
- Perth Field 72, 77, 78, 79, 111, 125, 126
- Peterhead Fault 146
- Peterhead Ridge 49, 111
- Peterhead Sub Basin 111
- Petronella Field 77, 78, 79, 84
- Phoebichnus* 190, 228
- Phoenix Field 72, 77, 78, 79
- Pibroch Member 84, 122
- Pierce Field 300
- Piper Field 56, 72, 77, 78, 79, 111, 121, 123
stratigraphy 84, 88
- Piper Formation 31, 84, 112, 113, 120, 122, 132, 150, 237, 252, 331, 333
 - diagenesis 255–6
 - heavy mineralogy 133–8
 - Rob Roy reservoir 331, 333
see also Lowlander Prospect
- Piper Shelf 49, 111
- Planolites* 229
 - Fulmar Formation 190, 203
- play types 72
- porosity
 - Fladen Ground Spur Jurassic sandstone 241 245
 - Fulmar Formation 19–20, 218, 219, 220, 221, 223, 224, 225, 229, 230, 231, 232, 322
 - Lowlander Prospect 253–4, 261–3
 - Pentland Formation 320
 - Rob Roy Field 339
 - Skagerrak Formation 318
- Praeconocaryomma hispida* 34
- Preplicomphalus* MFS 3, 30, 32, 33, 34
- provenance studies, Outer Moray Firth 133–44
- Pterospermella* spp. 34
- Puffin Field 23, 24, 35
 - appraisal phases 303–8, 311–14
 - discovery 299, 301–2
 - initial drimming 302–3
 - modelling 308–11
 - reservoir facies associations
 - Fulmar 320
 - Pentland 319
 - Skagerrak 314–19
 - reservoir fluid analysis 322–4
 - setting 300
 - stratigraphy 300–1
 - structural evolution 324–6
 - wireline logging 303
- Puffin Formation 31, 35–7
- Puffin Horst 300
- Puffin Terrace 186
- pyrite in diagenesis 256, 260–1
- Q. (L.) lamberti* 5
- Q. mariae* 5, 6
- quartz in diagenesis 257–8, 273–5
- R. aemula* 6
- R. cladophora* 6
- R. cymodoce* 5, 6
- R. runctoni* 6
- R. thula* 6
- radiolaria in correlation 7, 33
- Rattray Formation 95, 122, 187, 237, 238, 254, 331
- Renée Field 77, 78, 79, 111
- Renée Ridge 49, 111, 131, 146
- reservoir studies
 - Fladen Ground Spur 245–6
 - Fulmar Formation 19–20, 320
 - grain size effect 226–7
 - lithofacies effect 218–26
 - zonation 227–33
 - Hamish Field 331, 333–40
 - Ivanhoe 331, 333–40
 - Lowlander Field 265–73, 277–82
 - Moray Firth 71–4
 - Pentland Formation 319
 - Puffin Field 372–4
 - fluid analysis 322–4
 - Rob Roy 331, 333–40
 - Skagerrak Formation 314–19
- resistivity logs, Puffin Field 305, 308
- Rhaxella* 20, 189, 205
- Rhynchodiniopsis cladophora* 33, 333, 3332
- rifting, Witch Ground Graben 252
- Rob Roy Field 75, 77, 78, 79, 111, 123
 - discovery 329
 - location 329, 330
 - reservoir description 331, 337–40
 - reservoir model 333–7
 - stratigraphy 84, 331–3
 - structure 329
 - tectonic framework 331
- Rødby Formation 301
- Rogaland Group 305
- Rosenkrantzi* MFS 3, 9–11, 30, 32, 33
- Ross Field 77, 78, 79, 111, 119, 121, 122, 128
- Ross Formation 112
- Ross Member 121
- Rotliegend Group 300
- Ruby Field 77, 78
- rutile in provenance studies 133
- Ryton Member 31, 39
- S. (B.) stenomphalus* 6
see also *Stenomphalus* MFS
- S. (L.) icenii* 6
- S. lamplughii* 5, 6

- S. preplicomphalus* 5, 6
 see also *Prelicomphalus* MFS
S. primitivus 5, 6
 Saltire Field 72, 77, 78, 79, 111, 123, 125
 stratigraphy 84
 Saltire Member 113, 122, 254
 Scapa Field 56, 72, 77, 78, 128
 Scapa Sandstone Member 151, 237, 252
 Scott Field 77, 78, 79, 80, 111, 122, 123, 128
 stratigraphy 84, 88, 89
 Scott Member 113, 122, 132, 254, 331
 heavy mineralogy 133–6
Scrinioicassis dictyotus 333
Scriniodium crystallinum 332, 333
Scriniodium luridum 332, 333
 seismic sections
 Moray Firth 147, 152, 153, 157
 Puffin Field 303, 307, 313
 Rob Roy Field 335
 Sele Formation 305, 306
 sequence boundaries
 controls on 1–2
 described 82
 sequence stratigraphic schemes 1, 3
 models for Kimmeridgian time slice 16–18
Serratium MFS 3
 Sgiath Field 72
 Sgiath Formation 31, 33, 84, 112, 113, 121, 122, 132,
 150, 237, 254–5, 267, 331, 333
 Shearwater Field 299, 300
 Shearwater Salt Formation 300
 sheet flood sandstones 314, 319
 shelf facies
 Fulmar Formation 200–1
 Moray Firth 72, 74
 shoreface facies 339
 Fladen Ground Spur 240–2
 Fulmar Formation 195–9
 mineralogy 133, 136
Siphonichnus 190
 Skagerrak Formation 111, 112, 122, 187, 301, 314–19
 Skene Member 33, 84, 93, 113, 121, 122, 254
 Skiff Sandstone 237
Skolithos 164, 190, 203, 228
 Skua Field 300
 Smith Bank Fault 49, 146
 Smith Bank Formation 111, 112, 113, 122, 187, 237,
 238, 254, 301, 305, 309
 Smith Bank Graben 49, 111, 146, 288
 Smith Bank High 49, 111, 146, 288
 Sgne Basin 186
 source rocks 149, 329
 South Buchan Graben 49, 111
 South Halibut Basin 32, 40, 49, 111
 South Halibut Graben 131, 135, 142
 South Halibut Trough stratigraphy 84
 South Piper Field 77, 111, 123
 South Viking Graben 49, 111, 146
 sphalerite in diagenesis 260–1
 sponge spicules in correlation 7
Stenomphalus MFS 3, 30, 32, 33, 34, 116
 sterane biomarkers 288–9
Stichocapsa devorata 34
 Stirling Field 77, 78
 stratigraphy
 Beatrice Field 89, 90
 Central Graben 114, 115, 187
 Chanter Field 84
 Claymore Field 84
 Halibut Platform 94, 95
 Hamish Field 84, 331–3
 Highlander Field 84
 Moray Firth 50, 84, 111–13, 132–3
 Ivanhoe Field 84, 331–3
 Lowlander Field 254–6
 Piper Field 84, 88
 Puffin Field 300–1
 Rob Roy 84, 331–3
 Saltire Field 84
 Scott Field 84, 88, 89
 Stroma Member 84, 121, 122
 sulphide mineralization 260–1, 278–9
 Swale Member 31, 32, 33, 40
Systematophora cf. *areolata* 333
 systems tract relationships 35, 36, 38

T. anguiformis 5, 6
T. (P.) oppressus 5, 6
 Tartan Field 56, 72, 77, 78, 79, 111, 123, 254
 stratigraphy 84
 Tartan Hot Sandstone 132, 136–8
 Tartan Ridge 131, 136, 141
 taxation regime, impacts on industry 67–70
 Tayport Formation 136
 tectonically enhanced maximum flooding surfaces
 (TEMFS) 30
 tectonostratigraphic units 30
Teichichnus 36, 37, 38, 218, 229
Teichichnus rectus 174, 190, 228
Teichichnus zigzag 11, 165, 171, 176, 190, 205
 Telford Field 77, 78, 79, 80, 111, 123
 temperature effects on biomarkers 291–4
Terebellina 190
 Tertiary strata 73, 77, 301
Texularia jurassica 33
Thalassinoides 18, 36, 37, 38, 164, 229, 232
 ichnofabric analysis 177
Thalassinoides cf. *suevicus* 190
 thermal degradation in micropalaeontology 7
 Theta Graben 132, 136, 140, 141, 331
 Tor Formation 301
 tourmaline in provenance studies 133
 trace fossils
 environmental significance 166
 importance of 164–5
 see also ichnofabric analysis
 transgressive/regressive surfaces 82
 trap types 71, 72, 73
 Trent Member 31, 32, 33
 Triassic strata 254, 301
Tricolocapsa sp. 34
Trochammina cf. *nitida* 8
Trochammina globigeriniformis 8
Trochammina gryci 8
Trochammina rosacea 8
Trocolocapsa sp. 34
 turbidite mineralogy 140
 turbidite plays

- genetic sequence 33–4
sequence stratigraphic context 34–43
Turbot Anhydrite 300
- Ula Formation 148
uplift estimates from biomarkers 294–5
- Vaginulina* sp. 7
V. fittoni 5, 6
Valhall Formation 112, 151, 252, 301
Vestland Arch 186
Viking Graben stratigraphy 114, 115
- W. fimbriata* 6
Walls Boundary Fault 146
well 3/25A-3 288, 290, 293
well 11/30-1 78
well 11/30-2 89, 90, 91, 118, 128, 292, 296
well 11/30-4 289, 292, 296
well 11/30-5 292, 293, 296
well 11/30a-B2 292, 297
well 12/14-1 94
well 12/21-1 290, 291, 292, 294, 295, 297
well 12/22-1 292, 297
well 12/24-1 290, 291, 292, 294, 295, 297
well 12/24-2 118, 124, 128
well 12/24-4 289
well 12/26-1 47, 291, 292, 295, 297
well 12/27-1 77, 289, 290, 291, 292, 294, 295, 297
well 12/28-1 290, 292, 294, 295, 297
well 12/29-1 290, 292, 293, 294, 295, 297
well 12/30-1 292, 295, 297
well 13/11-1 94
well 13/14-1 94
well 13/22-1 77, 78
well 13/22b-4 77, 78, 79
well 13/27-1 124
well 13/27-3 120
well 13/28-3 118, 122
well 13/29-1 77, 78, 79, 118, 122, 124, 128
well 13/30-3 77
well 14/9-9 77
well 14/11-1 94
well 14/13-1 122
well 14/18-1 77, 78, 79
well 14/18-3 94
well 14/18b-7 77
well 14/19-1 77
well 14/19-2 77
well 14/19-4 94, 122, 124
well 14/19-6A 77, 78
well 14/19-9 78
well 14/19-15 128
well 14/19-23 77, 78, 79
well 14/20-1 77, 78, 79
well 14/20-3A 136, 138, 142
well 14/20-5 77, 78
well 14/20-11 136, 138
well 14/20b-12 77, 78, 79
well 14/20b-17 252, 254, 268
well 14/20b-18 77
well 14/20b-20 252, 268
well 14/20b-22 77, 78, 79, 268
well 14/20b-23 252, 268
well 14/20b-25A 252, 254
well 14/20b-27 268
well 14/25b-2A 135
well 14/29-1 124, 128
well 15/4-1 47
well 15/13-2 238, 239
well 15/13b-3 238
well 15/15-1 238
well 15/16-1 77, 78, 79
well 15/16-5 77, 78, 79
well 15/16-16 136
well 15/17-1A 77, 78, 79, 238
well 15/17-4 88, 124
well 15/17-6 120
well 15/17-9 77, 78, 79
well 15/17-13 77, 78, 79
well 15/17-16 77, 78, 79, 124
well 15/17-24ST 77
well 15/18-1 239
well 15/18-6 77
well 15/19-4 239
well 15/20-3 77
well 15/20-11 77
well 15/20a-3 238
well 15/20a-4 77, 78
well 15/21-3 77, 78, 79, 122
well 15/21-5 136, 140
well 15/21a-3 329
well 15/21a-11 77, 78, 79, 329
well 15/21a-15 77, 78, 79, 89, 122, 124, 128
well 15/21a-33 135
well 15/21a-44 77, 78, 79
well 15/21a-46 77, 78, 79
well 15/21a-A1 88
well 15/21b-21 77, 78, 79, 329, 331
well 15/21b-45 77
well 15/21b-47z 77, 78, 79
well 15/22-4 77, 78, 79
well 15/22-11 77, 78, 79
well 15/23-1 77, 78, 79
well 15/23-2 77, 78, 79, 128
well 15/24-2 128
well 15/24a-4 77
well 15/24b-3 77, 78
well 15/25b-1A 238
well 15/25b-3 77
well 15/26b-5 77
well 15/27-1 77, 78, 79
well 15/27-24ST 78, 79
well 15/28b-4 77, 78
well 15/29a-3 75
well 15/30-1 77, 78
well 16/8a-4 8
well 16/11-1 238
well 16/21-1 77, 78
well 16/21-2 77
well 16/21-6 128
well 16/21a-2 78
well 16/21a-6 77, 78, 79
well 16/21a-13 77, 78
well 16/21a-18 77
well 16/21b-21 77, 78
well 16/26-5 77
well 16/26-25 77, 78

- well 20/2-1 77, 78, 79
- well 20/2-2 122, 124
- well 20/5-2 122
- well 20/5b-2 90
- well 21/1a-1 77, 78
- well 21/2-1 77, 78, 79
- well 21/2-5 122, 128
- well 21/17-3 21, 22
- well 21/18-2 178, 218
- well 21/18-2A 216
- well 21/18-2AS1 14–18, 21
- well 21/18-3 21, 38, 172, 178
- well 21/18-4 21, 178
- well 21/18-6 8, 21–2, 178
- well 21/19-1 38, 178, 218
- well 21/19-1A 38, 216
- well 21/20-2 178
- well 21/20-a2 218
- well 21/20a-2 38, 216
- well 21/25-2 216, 218
- well 21/30-3 8, 9, 216, 218
- well 29/3b-4 13–14
- well 29/4a-1 308, 315
- well 29/4a-1A 35, 36, 37
- well 29/4a-2 23, 24, 312–13, 314, 323
- well 29/5a-1 299, 303, 308, 309, 310
- well 29/5a-3 306–7, 308, 309, 310
- well 29/5a-5 312
- well 29/5a-7 313–14
- well 29/5b-4 23, 24
- well 29/9a-5 313, 315
- well 29/10-2 9–13, 23, 24, 35, 36, 37, 165
- well 29/10-3ST1 307, 308, 309, 310
- well 29/12-1 37
- well 29/19a-1 305, 308
- well 29/24-23 8
- well 30/6-3 35, 37
- well 30/6-5 288
- well 31/26-4 8
- West Bank High 49, 111, 146, 288
- West Blair Field 77, 78
- West Central Graben 111, 186
- West Claymore Field 77, 78, 79
- West Fair Isle Basin 146
- West Forties Basin 38, 49
- West Forties High 49
- West Shetland Platform 146
- Westray Field 77, 78, 79
- Wharfe Member 31, 32, 33, 34, 40, 42, 43
- Wick Fault 49
- Wick Sandstone Formation 73
- Wick Sub Basin 94, 111, 146
- wireline logs
 - Fulmar Formation 20
 - Puffin Field 303
- Witch Ground Graben 49, 95–6, 99–101, 111, 146, 150
 - origin 236–7
 - stratigraphy 84, 113
 - see also* Lowlander Prospect
- Zechstein Group 300, 309
- zircon in provenance studies 133
- Zoophycos* 190