

# Index

- Alaysia*, distribution 212–13  
AMAR segments, MAR 174–6  
amphibole veins, gabbros 189–92  
andesitic volcanoes 246, 248–9  
ANGUS camera 78  
Antarctic plate  
  Australian–Antarctic Discordance 1–13  
  South Tasman Rise 2  
*Aquifex pyrophilus* 246  
Archaea 241–51  
  phylogenetic tree 242  
Archaeon ecology 246–7  
Atlantic Ocean  
  connections to Pacific Ocean 229–30  
  North Atlantic, trace element and isotope ratios, and depth 110  
  spreading corridors, map 105  
Atlantis Fracture Zone, location map 30  
Australian–Antarctic Discordance, Southeast Indian Ridge 1–13  
axial magma lens 120  
axial segmentation, hydrothermal circulation at fast spreading ridges, EPR 185–98  
axial summit caldera (ASC) 161–2  
axial summit graben (ASG) 161–2  
axial valley-wall faulting, MAR 51–4, 59  
axial volcanic ridges (AVRs) 58, 69–93, 177–82  
Azores Triple Junction  
  location maps 18, 30  
  ridge orientations and plate tectonic motions schema 172  
  see also Mid-Atlantic Ridge, 35°N–38°N, Azores region
- bacteria 242–51  
bacterial heat-shock proteins 241–4  
basaltic glass  
  compositions, correlation with ridge segmentation 88–90  
  East Pacific Rise, composition of pyroxenes 149–51  
  fraction-corrected Na<sub>2</sub>O, (Na<sub>8</sub>) 89–90, 109, 112, 138–9  
  fractionation effects 138–9  
  MgO method 131–41  
    cross-sectional area and axial depth 122  
  Southwest Indian Ridge 131–41  
  chemical analyses 133–7  
basalts  
  geochemistry  
    Australian–Antarctic Discordance 11  
    plagioclase megacrysts 87–90  
    trace elements 90–4  
  mid-ocean ridge basaltic (MORB) melts  
    deep water formation 200–1  
  E, T and N MORBs 113–14  
  East Pacific Rise (EPR) 143–56  
    glass compositions, correlation with segmentation 88–90  
*Bathymodiolus* (amphipod) 212  
biological origins see origins of life
- black smoker chimneys  
  fragments, Sibay, Urals 202, 207  
  heat budget of Earth 241  
boundary-wall faults  
  initiation and evolution 29–48  
  large-scale morphology 32–3  
  small-scale morphology 33–42  
  spreading axis, fault growth window concept 42–4  
Broken Spur site, MAR 165, 177
- Calypptogena* 208  
carbonatite volcano, Oldoinyo Lengai 248  
Cascadia Subduction Zone 228  
cherty iron-formations, Urals 199–210  
  chemical compositions 209  
Chile Ridge 113  
Chile Rise 229, 235  
cobalt, enrichment in sulphide bodies 208  
Cocos–Nazca spreading axis 187–8, 228  
  Pacific–Cocos–Nazca triple junction 186  
  ridge propagation, magmatism 191  
conductivity–temperature–depth (CTD)  
  nephelometer transmissometer sampling stations 172–4, 176  
copper, role in life 244  
correlation (CORR), GLCM textural analysis 20  
cracking-front model of fast-spreading segmentation 186  
cratered cones 73  
crustal sections, exposure 187  
CTD–nephelometer transmissometer sampling stations 172–4, 176  
cyanobacteria 244, 246
- Desulphovibrio*, hydrogenases 244  
DNA sequencing 220  
DUPAL anomaly, MAR 109  
dyke injection 159
- Earth  
  Archaeon v. modern 240  
  heat budget 240  
  heat loss 240  
  total heat loss 240  
East Pacific Rise (EPR)  
2°14'N–101°33'W  
  harzburgites 143–56  
  location maps 144  
9°N–10°N  
  petrogenetic model 121  
  volcanic–hydrothermal cycle 161–2  
  evolution of hydrothermal fluid 163  
  formation 228  
  fourth-order segments 161–2  
  Hess Deep, hydrothermal circulation at fast spreading ridges, EPR 185–98  
  hydrothermal settings, two types 165, 182  
  K/Ti, long wavelength gradient 111  
  lateral magma transport 123–5  
  magmatic segmentation  
    model 109

- North 112  
 South 113  
 MgO v. cross-sectional area and axial depth,  
   northern EPR 122  
 ridge segmentation between transform faults 158  
 similarity of SEIR 10  
 tectonic segmentation 103–7  
 tube-worms 213  
 Eifelian–Givetian ocean complex 200  
 entropy (ENR), GLCM textural analysis 20  
 Escanaba Trough 233  
*Escarpia*, distribution 212–14, 235  
 Eucarya 242–51  
   heat-shock proteins analogues 243  
 Explorer Plate 213  
 Explorer Ridge, tube-worms 214–15  
  
 FAMOUS area 23  
   faulting and volcano collapse 86  
   new sites, hydrothermal activity 174–6  
   syntectic haystacks 87  
   tectonized terrain 75  
   *see also* Mid-Atlantic Ridge  
 Farallon Plate 228  
 FAZAR project 174  
 Formation Microscanner (FMS) microresistivity  
   images 189, 192–4  
 Fourier Transform Infra-Red (FTIR) spectroscopy  
   88  
 fraction-corrected sodium oxide ( $\text{Na}_2\text{O}$ ,  $\text{Na}_8$ ),  
   mantle melting 89–90  
 fractionation effects, basalt geochemistry 138–9  
 French–American Ridge Atlantic (FARA)  
   programme 174  
  
 gabbros, EPR  
   amphibole veins 189–92  
   cooling and metamorphic history 188–93  
   summary of vein types and temperatures 190  
 Galapagos microplate  
   Pacific–Cocos–Nazca triple junction,  
   morphotectonic map 186  
   propagating rift 9, 228  
   vent-mouth fauna 234  
 Garrett Deep, East Pacific Rise, harzburgites  
   143–56  
 gastropods, Neomphalid 236  
 gene flow in tube-worms 217–18  
 George V Fracture Zone, propagating rifts 12  
 glass *see* basaltic glass  
 GLORIA sidescan sonar 78  
 Gorda Plate, location map 213  
 Gorda Ridge 200, 214–15  
 gossanites 208  
 GPS (global positioning system), and sampling 110  
 grey-level co-occurrence matrices (GLCMs),  
   textural analysis 17–27  
 Guaymas Basin 214, 233, 234  
  
*Halobacterium*, function of light 246  
 harzburgites  
   composition of melts 149–54  
   olivine 149  
   pyroxenes 149–51  
   spinel 148–9  
 East Pacific Rise  
   Hess Deep and Garrett Deep 143–56  
   mineral chemistry 147–50  
   sampling 145–7  
 Hawaii, rifts, lateral dyke injection 124  
 haystacks, FAMOUS area 87  
 heat budget, Earth 241  
 heat loss, Earth 240  
 heat-shock proteins 241–4  
 Hess Deep, East Pacific Rise 185–98  
   harzburgites 143–56  
   morphotectonic map 186  
   ocean drilling 188  
 homogeneity (HOMOG), GLCM textural analysis  
   20  
 hot vent biogeography  
   heat-shock proteins, origins of life 239–51  
   and plate tectonics 225–38  
   *see also* vent-mouth fauna  
 hot vents, Archaean 240  
 hummocky domes, Reykjanes Ridge and Mid-  
   Atlantic Ridge 72  
 hummocky neovolcanism 69  
 hummocky ridges 69–72  
   Thatcher's Nose 72, 83, 93, 94  
 hydrothermal deposits  
   karst 202  
   palaeohydrothermal activity 199–210  
 hydrothermal systems of MORs  
   activity, and ridge segmentation, key  
   characteristics 173  
   biological influences 239–51  
   biological possibilities 247  
   circulation at fast spreading ridges, EPR,  
   influence of axial segmentation 185–98  
   crests 157–68  
   hydrothermal geometry, schema 162  
   hydrothermal plumes, multi-segment scale  
   observations 163–4  
 hydrothermal segmentation paradigm 159–60  
   incorporation of magma supply elements 164–5  
   pre-segmentation paradigm 157–9  
   testing and development 160–4  
   *see also* magmatic segmentation  
 locations  
   Lucky Strike field 174–5  
   Magnitogorsk–West Mugodjarian synclinorium  
   199–211  
   Mid-Atlantic Ridge 169–84  
   Rainbow field 174–5  
   Reykjanes Ridge 169–84  
   types (magma-rich and magma-starved) 165,  
   182  
 hydrothermal veins  
   and FMS microresistivity images 189, 192–4  
   orientation 192  
 hydrothermal-first hypothesis, origins of life  
   240–1  
 hyperthermophiles  
   *Aquifex pyrophilus* 246  
   and origins of life 240–1  
  
 Iceland

- geochemical signature, extent 176  
 hummocky domes 72  
 rifts, lateral dyke injection 123–4  
 volcanism, comparison with MAR processes 95–6
- Indian Ocean  
 segmentation 106  
*see also* Southeast Indian Ridge; Southwest Indian Ridge
- Indo–Australian–Antarctic plate boundary 1, 2  
 inertia (INR), GLCM textural analysis 19  
 information (INFO, INFOC), GLCM textural analysis 20
- IOSDL now Southampton Oceanography Centre, instruments 63
- iron, role in life 244  
 iron-bearing formations, Urals 199–210  
 isotope ratios 93–4  
 isozyme electrophoresis 215–16
- Jaccard Similarity Index 233
- jasperites, cherty iron-formations, Urals 199–210
- Juan de Fuca Ridge 113  
 Blanco Fracture Zone 213, 222  
 CoAxial segment, tube-worm colonization 221  
 hydrothermal segmentation 160–1  
 lateral magma transport 123  
 location map, tube-worm distributions 213  
 tube-worms, new 215  
 vent-mouth fauna 234  
 volcanic eruptions, bacterial growth 164  
*see also* East Pacific Rise (EPR)
- Kane Fracture Zone, location map 30
- komatite plume volcanoes 247–9  
 and urease 246
- Kula plate 228
- Kula–North New Guinea Ridge 228, 229
- Lamellibranchia* 212–20  
*L. barhami*, distribution 213–14
- Lau Basin 213
- life *see* origins of life
- location maps  
 East Pacific Rise 144  
 Gorda Plate 213  
 Juan de Fuca Ridge 213  
 Kane Fracture Zone 30  
 Magnitogorsk–West Mugodjarian (MWM) synclinorium 205–6  
 MAR, Atlantis–Kane FZ region of MAR 18, 30, 63  
 Mid-Atlantic Ridge (MAR) 18, 30, 63, 175  
 Pacific Ocean 144, 213  
 Reykjanes Ridge 173  
 Urals palaeo-ocean 200  
 vent-mouth fauna and whales 226  
 world, spreading centres 226  
 Zharly–Asha deposit 205
- Lucky Strike field, hydrothermal system 174–6
- magma supply  
 control of hydrothermal flux 164–5  
 and ridge segmentation, model 104
- magmatic segmentation  
 first-order ( $1^{\circ}$ – $2^{\circ}$ ) 109–20  
 second-order  $3^{\circ}$ – $4^{\circ}$  (non-transform) offset 61, 120  
 Mid-Atlantic Ridge (MAR) v. Reykjanes Ridge 172  
 third-order non-transform offset (NTO) 79  
 fourth-order segments, EPR 161–2  
 lower order ( $3^{\circ}$ – $4^{\circ}$ ) 120–2  
 hydrothermal segmentation paradigm 159–65  
*see also* hydrothermal  
 large-scale 109  
 lateral magma transport 122–5  
 magma mixing, megacrysts 95  
 Magnitogorsk–West Mugodjarian (MWM) synclinorium 199–211  
 MAR Azores region 17–27  
 mid-ocean ridges, review 103–30  
 model, spreading segments 94–8  
 possible causes 104–7  
 pre-1982 paradigm 157–9  
 relationship to tectonic segmentation 103–7, 125  
 response of ridge-crest hydrothermal systems 157–68  
 Southeast Indian Ridge 1–15  
 ‘transform fault effect’ 62  
 magnesium, role in life 244  
 magnesium oxide method for basaltic glass 122  
 131–41
- Magnetic Quiet Zone 228
- Magnitogorsk–West Mugodjarian (MWM) synclinorium  
 hydrothermal deposits 203–9  
 chemical compositions of volcanic rocks 204  
 Dzhiland and Limmannoe, location map and geology 205–6  
 sulphide deposits 207–8  
 segmentation 202–3
- manganese, role in life 244
- manganese oxide deposits, MWM, Urals 208
- manganiferous cherts, Urals 203
- Mantel test, matrix comparison 234
- mantle Bouguer anomaly (MBA), plots 107, 108
- mantle melting  
 below MORs 150–4  
 buoyancy-driven diapiric upwelling 153  
 melt extraction 152–3  
 plate-driven sheets 153  
 focused melt migration 62  
 fraction-corrected sodium oxide ( $\text{Na}_2\text{O}$ ,  $\text{Na}_8$ ) 89–90  
 melt fraction, and ridge depth 132  
 melt inclusions, plagioclase megacrysts 88–90, 94–8
- Manus Basin 213
- MARFLUX/ATJ project, Azores region of MAR 17–27
- Mediterranean, connections to Pacific and Atlantic Oceans 229
- Mendocino Fracture Zone 213, 222
- metalloproteins 244–5  
 setting for evolution 249
- MgO method for basaltic glass 131–41  
 cross-sectional area and axial depth 122
- Mid-Atlantic Ridge (MAR)  
 $24^{\circ}\text{N}$ ,  $46^{\circ}20'\text{W}$ , MARNOK area 61–102

- along-axis variations in median valley floor geology 79–83
- bathymetry, TOBI 63–5
- crustal formation, petrogenetic model 94
- geological map and summary of terrains 83, 84
- gross morphology 66–9
- petrography and geochemistry of dredged samples 87–94
- photoanalysis, WASP 65, 83–7
- pillow lava flows, age scale 85–7
- sidescan terrains 69–79
- summary and discussion 94–8
- Thatcher's Nose 72, 83, 93, 94
- 24°N–24°40'N, of Kane FZ 49–60
- axial valley-wall faulting 51–4
- strain measurements 55
- 25°N–29°N, Atlantis–Kane FZ region 29–48
- boundary-wall fault growth sequence 37–42
- window concept 42–6
- propagation, linkage and growth rate 43–5
- 26°S, petrogenetic model 121
- 35°N–38°N, Azores region 17–27
- FAMOUS segment 23, 175
- segmentation 23–5
- TOBI data, acoustic classification by GLCM 20–3
- 36°N–38°N, hydrothermal activity 169–84
- bathymetric compilation 171
- comparison with Reykjanes Ridge 170–82
- salinity, temperature and nephelometry 176
- seven new sites, schema 175
- TOBI sonograph and interpretation 180–1
- AMAR segments 174–6
- Broken Spur site 165, 177
- fine-scale characteristics of ocean floor 177–80
- general characteristics 29
- geochemical signature, extent 176
- hummocky domes 72
- hydrothermal activity *see above*
- initial continental rifting 105
- location maps 18, 30, 63, 175
- second-order ridge segmentation 172
- similarity of Australian–Antarctic Discordance 10
- Snake Pit site 177
- transfer faults 37
- vent-mouth faunas, colonisation 235
- see also* FAMOUS and other named areas; mid-ocean ridges; volcanism
- mid-ocean ridges
  - fault generation process in MAR 29–48
  - general characteristics 29–30
  - global, total length 103
  - magma supply, model 104
  - magmatic segmentation review 103–30
  - mantle melting 150–4
  - mantle processes and melt extraction 152–3
  - photosynthesis, origins 245–6
  - ridge-crest hydrothermal systems 157–68
  - slow-spreading, inferred structure 107
  - spreading rates
    - melt–peridotite reaction 153–4
    - variable v. constant 11
  - very slow-spreading 131–41
  - world location map 226
- see also* basalts, mid-ocean ridge (MORB) melts; named ridges; spreading centres
- molecular phylogeny, origins of life 241
- molecular techniques, tube-worms 214–20
- MWM (Magnitogorsk–West Mugodjarian) synclinorium 199–211
- Na<sub>2</sub>O (Na<sub>8</sub>) *see* sodium oxide
- Nazca, Pacific–Cocos–Nazca triple junction 186
- Neomphalid gastropods 236
- neovolcanic zones (NVZs) 62, 67–87
- nephelometer transmissometer (CTD) sampling stations 172–4, 176
- nephelometry, depth profile, MAR 176
- nickel, role in life 244
- non-transform discontinuities (NTDs) 172
- non-transform offset (NTO) third-order segmentation 79
- North New Guinea Plate 229
- NUVEL model 170
- Oasisia*, distribution 212, 213
- Oceanographer fracture zone, MAR 177
- Okinawa Basin, tube-worms 213
- Oldoinyo Lengai, carbonatite volcano 248
- olivine, East Pacific Rise 149
- Oman, ophiolites, lateral magma transport 122
- ophiolites
  - emplacement-related deformation 187
  - hydrothermal alteration 158
  - ophiolitic melange 200
- Oregon Subduction Zone, tube-worms 214–15
- origins of life
  - heat-shock proteins 241–5
  - hydrothermal-first hypothesis 240–1
  - molecular phylogeny 241
  - photosynthesis 245–6
  - possible settings 248–9
  - summary and conclusions 247–50
- overlapping spreading centres (OSCs) 186–7
- Pacific Ocean
  - location maps 144, 213
  - mid-ocean ridges 228
    - palaeomagnetic data maps 227–9
  - N, Eocene plate boundaries 228
  - NE, tube-worm distribution 213
  - plate history 227–30
    - Cross-Pacific 228–9
    - Eastern Pacific 228
    - Pacific–Atlantic connection 229–30
  - SE, MOR and subduction positions 229
  - segmentation 106
  - see also* East Pacific Rise (EPR); other named areas
- Pacific–Antarctic Ridge, spreading corridors, map 105
- Pacific–Cocos–Nazca triple junction, morphotectonic map 186
- Pacific–Kula Ridge 228, 235
- Pacific–North New Guinea Ridge 228
- palaeo-oceanic structural units, south Urals 199–210
- Panama 229, 235
- Paralvinella grasslei* 217

- peridotites, melt–peridotite reaction 151–2
- ph Rubisco, in photosynthesis 242
- Philippine Plate and subduction zone 229
- Phillippine Sea 228–9
- photosynthesis  
origins 245–6  
Rubisco 242
- plagioclase megacrysts 87–90, 94–8  
melt inclusions 88–90
- plagioclase–plagioclase grain boundaries, gabbros 189
- plate tectonics  
and hot vent biogeography 225–38  
plate reconstruction, oceans 226–30
- polychaetes, vents 217
- Principal Transform Displacement Zone, ridge–transform intersections (RTIs) 82
- probability (MAXPROB), GLCM textural analysis 20
- prokaryotes, Archaea and Bacteria 242
- propagating rifts, Southeast Indian Ridge 1–15
- pyroxenes  
East Pacific Rise 149–50, 188–90  
compositions 151
- Rainbow field, hydrothermal system 174–5
- Rayleigh–Taylor instabilities 106
- restriction enzyme fragment length polymorphism, tube-worms 218–20
- Reykjanes Ridge  
absence of second-order ridge segmentation 172  
along-axis segmentation 107  
bathymetric compilation 171  
comparison with Mid-Atlantic Ridge, 36°N–38°N, Azores region 170–82  
conductivity–temperature–depth (CTD) nephelometer transmissometer sampling stations 172–4  
location map 173  
fine-scale characteristics of ocean floor 177–80  
geochemical signature, extent 176  
hummocky domes 72  
hydrothermal activity  
hotspot influence 176–7  
incidence 172–6  
regional tectonics 170–2  
ridge orientations and plate tectonic motions schema 172  
Steinahl hydrothermal field, bathymetric map 177  
TOBI sonograph and interpretation 178–9
- ridge segmentation  
fast-spreading ridges  
axial discontinuities, implications for hydrothermal circulation 194–5  
hydrothermal circulation 185–98  
key characteristics 173  
second-order, lower crust and hydrothermal systems 186  
spreading segments  
Garrett Deep, East Pacific Rise 143–56  
Hess Deep, East Pacific Rise 143–56, 185–98  
magmatic model 94–8  
*see also* magmatic segmentation
- ridge-crest hydrothermal systems 157–68
- ridge–transform intersections (RTIs)  
Kane area 62, 65–72, 79  
Principal Transform Displacement Zone 82  
terrain 82–3
- Ridgeia phaeophiale* 213–14
- Ridgeia piscesae*  
allele frequencies 216  
distribution 212–14  
gene flow 217–18  
isozyme electrophoresis 215–16  
morphology 214  
restriction enzyme fragment length polymorphism 218–20  
S limit 222
- rift valleys  
evolution 96  
*see also* Australian–Antarctic Discordance; Mid-Atlantic Ridge
- Riftia pachyptila*, distribution 208, 212, 213, 217
- RNA, 16S RNA phylogenetic tree, Archaea 242
- salinity, depth profile, MAR 176
- San Andreas Fault, formation 228
- Scotia Sea 229, 235
- Sea Beam sonar bathymetry 65, 78
- seafloor vents *see* hydrothermal systems
- SeaMARC II sidescan sonar bathymetry 3–15
- seamounts  
composite 72  
flat-topped, MAR 72–3
- seeps  
shared taxa 232  
tube-worms, numbers of taxa from specific sites 230  
and whales, origins of tube-worm fauna 231–2  
*see also* vent-mouth fauna
- segmentation *see* magmatic segmentation
- SEIR *see* Southeast Indian Ridge
- Sibay, Urals palaeo-ocean  
cross-section of sulphide deposits 207  
MWM synclinorium 199–210
- Snake Pit site, MAR 177
- sodium oxide (Na<sub>2</sub>O, Na<sub>8</sub>)  
fraction-corrected  
basaltic glass 138–9  
different ocean basins 112  
large-scale segmentation 109  
mantle melting 89–90
- sonar bathymetry  
Sea Beam 65, 78  
SeaMARC II 3–15  
TOBI 17–27
- SOPITA anomaly, MAR 109
- South America–Antarctic Ridge 229
- South Tasman Rise 2
- Southampton Oceanography Centre, instruments 63
- Southeast Indian Ridge  
Australian–Antarctic Discordance 1–13  
segmentation characteristics 1–15  
V-shape structures 11–13
- Southwest Indian Ridge  
chemical analyses 133–7  
summary and conclusions 138–40

- schematic map 132  
 very slow-spreading, restricted melting 131–41  
 spinel, East Pacific Rise 148–9  
 spreading centres  
   fast-spreading ridges, cracking-front model 186  
   intermediate-spreading, Southeast Indian Ridge 1–15  
   overlapping (OSCs) 186–7  
   spreading rates  
     control on segmentation 107  
     variable v. constant 11  
   very slow-spreading, Southwest Indian Ridge 131–41  
   world location map 226  
   *see also* mid-ocean ridges  
 Steinahll hydrothermal field *see* Reykjanes Ridge  
 sulphide bodies  
   cobalt enrichment 208  
   Cyprus type 203  
   Urals type 201–9  
 sulphides  
   as energy source for tube-worms 212  
   provision by whale skeletons 226, 232  
 sulphur, role in life 244  
 SWIR *see* Southwest Indian Ridge  
*Synechococcus*, reaction centre 244  
  
 talus fans 78  
 tectonic segmentation  
   causes 62, 104–7  
   relationship to magmatic segmentation 103–7, 125  
   tectonic terrains 75–8  
 temperature, depth profile, MAR 176  
 Tethys, origins 229  
*Tevnia*, distribution 212, 213  
 textural analysis  
   GLCMs 17–21  
   indices, list 19  
   measurement–space guided (MSG) clustering 22  
 Thatcher's Nose, MARNOK 72, 83, 93, 94  
 thermophiles, and origins of life 240–1  
 TOBI sidescan sonar imagery  
   Atlantis–Kane FZ region of MAR 29–48, 65  
   Azores region of MAR 17–27  
     classification of imagery 20–3  
     imagery artefacts 23–4  
   method description 31–2  
 Tonga Trench 228  
 Towed Ocean Bottom Instrument *see* TOBI  
 trace elements  
   and origins of life 244  
   rare earth elements (REE) 90–3  
   spidergrams 90–1  
 'transform fault effect' (TFE) 62–3, 143  
 transform faults, edge effects 157  
 tube-worms  
   cladogram of generic similarities 233  
   dispersal and colonization 220–2  
   fossils, Urals 207–8  
   gene flow models 217  
   molecular techniques 214–20  
   numbers of taxa from specific sites 230  
   overlap of species recorded, vents, seeps, whales 231–2  
   restriction enzyme fragment length polymorphism 218–20  
   vestmentiferans 212–13  
     new collections 215  
     world distribution 212  
     *see also* vent-mouth faunas  
   umbrates 208  
   uniformity (UNF), GLCM textural analysis 19–20  
 Urals palaeo-ocean  
   location map 200  
   Magnitogorsk–West Mugodjarian (MWM) synclinorium, hydrothermal activity and segmentation 199–211  
  
 V-shape structures, Southeast Indian Ridge 11–13  
 vent-mouth faunas  
   biogeographic patterns and spreading history 234–5  
   cladogram of generic similarities 233  
   distance between sites 234  
   endemism of fauna 231–2  
   extinctions 235–6  
   matrix of similarity coefficients 235  
   NE Pacific Ocean 211–24  
   numbers of taxa from specific sites 230  
   Pacific–Atlantic connection 235  
   shared taxa 232  
   Sibay, Urals 202  
   *see also* tube-worms  
*Ventiella sulfur* (amphipod) 212  
 vestimentiferans *see* tube-worms  
 volcanism  
   axial volcanic ridges (AVRs) 69–93  
   brittle–ductile transition 97–8  
   cratered cones 73  
   episodicity and degree of focusing 96–8  
   fractionation and crustal residence time 96–7  
   Iceland 95–6  
   magma mixing, plagioclase megacrysts 95  
   mass flows 79  
   neovolcanic terrains, smoother 73–5  
   sedimentation of volcanic terrains 78–9  
   tectonic terrains 75–8  
   *see also* magmatic segmentation  
  
 WASP *see* Wide Angle Survey photography  
 whale skeletons, provision of sulphides 226, 232  
 whales  
   location map 226  
   and numbers of tube-worm taxa from specific sites 230  
 Wide Angle Survey photography (WASP), deep-towed camera 56, 63  
   analysis 83–7  
  
 zeolite, gabbros, EPR 190  
 Zharly–Asha deposit 203  
   location map 205  
 zinc, role in life 244