

Index

- Abbotsbury Cornbrash Formation 128, 130, 131, 151, 152
 biozonation 89, 94, 97
Abbotsbury Fault 34, 71, 76, 77, 79, 80, 81, 83
Abbotsbury–Ridgeway Fault 250, 251, 252, 253, 254, 255, 256, 257, 258, 262
acritarchs, spine lengths, conditions and 175, 178
aeolian deposits, Sherwood Sandstone Group 401–2
Albian unconformity 7, 246, 251, 252
alkanes, degradation 375–85, 390, 392, 393, 394, 395
allochthonous organic matter 169, 172, 174, 176, 177, 178, 179, 180, 182
Alpine Plate sequence 47, 61–3, 65
ammonite biostratigraphic schemes 167, 331, 337, 346
Amphill Clay 153, 336
Amphill Clay Equivalent 133, 136–7, 138, 139, 159
biozonation 90, 94, 99
angular stratal relationships, Mupe Bay 349, 351–2
apatite fission track analysis (AFTA),
 palaeotemperature estimation by 194–6, 197, 200–12
Apoderoceras Bed 148
Aptian
 depositional sequences 332–46
 unconformities 7, 215, 217, 220, 223, 224, 232, 237, 280, 333
Apto-Albian unconformities 215, 220, 229, 230, 232–3, 234
Armorican Massif 224, 233
Ashdown Anticline 40–1
Ashdown Sands 59
Atlantic plate sequence 44, 45, 47–56, 64
autochthonous organic matter 169, 172, 174, 175, 178, 180
Aylesbeare Mudstone Group 5, 11, 69–71, 72, 83, 410

bank collapse 349, 351–3
Bargate Beds 336, 338, 339
basement-linked faults 243, 245–50, 262, 263, 265
Basin definition 1–3
Basin structure 285
Bay of Biscay 232–3, 234, 235, 237
Belemnite Marls 109, 112–13, 148, 168, 179
 biozonation 88, 93, 96
Belemnite Stone 148, 179, 182, 183, 184
Bencliff Grit 7, 11, 355–61, 368–70
 ichnology 358, 359, 361–5, 369
 oil seeps 373, 375
 palynofacies and micropalaeontology 364, 365–8, 369
Bencliff Grit Member 134, 135–6, 159, 355
Berriasian unconformity 220, 221, 222, 223, 224, 226, 227, 229, 230, 231, 232, 233, 234
 hydrocarbon prospectivity and 237, 238
Berry Member 89, 94, 97, 130, 152
bioremediation 374
biostratigraphic schemes 87–100, 106, 167, 331, 337, 346
 see also ichnology, palynofacies
Birchi Tabular Bed 148
Biscay plate sequence 45, 56–61, 65
bituminous shales 142

Black Ven Marls 88, 92, 96, 109, 112, 148
Blackstone 140
Blue Lias 87, 92, 95, 96, 110, 111, 148, 168
Blue Lias Formation 109–10
Boueti Bed 128, 129, 151
Bournemouth Bay 15, 16, 69, 76, 211
 basement-linked fault zone 243, 245–50, 263
Bovey Basin 326, 327
Brendon Hills 315, 316, 324, 327, 328
Bridport Sands 7, 11, 12, 14, 16, 64–5, 117, 118, 119, 206, 287
 biozonation 88, 89, 93, 97
 geological history 148, 150, 151
 reservoir 15, 16, 41, 42, 49, 63–4, 103, 148, 409, 411
 oil degradation 384
Bridport Sandstone Formation 10, 28, 51, 52
 oil reserves/reservoir 19, 22, 24, 25, 30, 34, 35, 399
 uplift/erosion 192, 194, 195, 196, 197
Bristol Channel 322–3, 326, 327, 328
Bristol Channel Basin 220, 314, 321, 328
Brittany Basin 228, 229
Budleigh Salterton Pebble Beds 5, 69, 71, 72, 75, 256
burial histories, reconstruction 205, 207

Calcareous Subgroup 136–7
Celtic Sea Basins 215, 217–19, 237
Central Bristol Channel 325, 326
Central Bristol Channel Fault 312, 313, 314, 322
Central Channel Basin 203, 283, 285, 288, 289, 290, 291
Central Channel Fault 271, 288, 291, 294, 295, 297
Central Channel High 3, 9, 130, 141, 143, 145, 146, 150
 Lias Group 111, 113, 115, 116, 120
 structure 283–4, 285–97
Central Somerset Basin 244, 322, 323, 324
Cerne–Winterbourne–Christchurch Trough 69, 76, 79, 81, 83
Chale Bay 340, 341, 342
Chalk 7, 14, 60, 61, 69, 217, 229, 270, 288, 321
Chalk Group 219, 224, 286, 287
Channel Basin 3, 9, 15, 118, 217, 219, 220, 284, 333, 336
 oil generation 14, 212, 235, 237
 salt tectonics 243, 244–5, 254, 260–5
 structure 243, 248, 254
 see also Central Channel Basin; English Channel
channel-fill deposits, Sherwood Sandstone Group 401
Chief Shell Beds Member 137, 138
Cimmerian unconformity 45, 222, 230
Cinder Bed 144, 158, 159
climatic changes, effects of 148, 157, 159, 403, 405
Clophill 336, 338, 341, 345
Coinstone Horizon 148, 175, 178, 179, 184
Compton Valence 83, 244
Corallian Group 11, 133–9, 153, 154, 157, 355
Corallian limestones 148, 334, 342
Corallian Sandstone 55, 65
Cornbrash 11, 25, 40, 41, 77, 288, 409
Cornbrash Limestone 63, 408, 410, 411, 413
Cornubia 104, 114
Cornubian Platform 216, 224, 231, 232, 233, 235, 237
 stratigraphic gap 220

- Cornwall granites, thermal history 203
 Cotham Member 107, 109
 Cothelstone Fault 313
 Cranborne–Fordingbridge High 3, 105, 136, 155, 157, 314
 Corallian Group 137, 139
 Kimmeridge Clay Formation 141
 Lias Group 114, 119
 Nothe Grit Formation 133
 Oolite groups 122, 124, 126, 129
 Portland Group 144
 Purbeck Group 145, 146
 Crediton Trough 4, 5, 316, 321, 324, 326, 327, 328
 Cretaceous
 biozonation 87–100
 lithostratigraphy 105–59
 megasequences 5, 7, 15
 sedimentation controls 79–81
 sequence boundaries 331–46
 thermal history 202–3, 211
 unconformities 215, 216, 217, 219–25, 231, 267, 269
 uplift *see* uplift
 Day's Shell Bed 179, 182, 184
 depositional sequences 332, 336, 340, 344–5
 tectonic influence 333–6, 343–4, 345, 346
 detachment faulting 254–6
 Digona Bed 128, 129
 dinocyst zonal scheme, English Channel 95–100
 Dorset 67, 71, 83, 212, 243, 261, 274
 geological history 147, 151, 153, 155, 156
 inversion tectonics 269, 274, 280
 stratigraphy 128, 220, 267–9
 Dorset Basin 104, 105, 150, 151, 153, 155, 203
 stratigraphy 113, 114, 115, 116, 118, 122, 133, 135, 137, 138, 139, 159
 Dorset Coast 112, 114, 120, 122, 142, 167, 300
 hydrocarbon seepages 40, 155, 166–8, 178, 211, 385, 387
 palynofacies analysis 175
 stratigraphy 112, 114, 120, 122, 133, 142
 Jurassic sequences 166–8, 173, 175–84
 Dorset Halite 244, 245, 252, 272, 273, 280
 Dorset High 124, 126, 129
 Down Cliff Clay 115, 116, 117–19, 120, 121, 122, 179
 biozonation 88, 93, 97, 174
 sedimentation 148, 150
 Down Cliff Sands 114, 117, 182, 287
 Early Albian Carstone 157
 en echelon structures 314, 326, 327
 English Channel 103–7, 187, 188–97, 270
 biozonation 87–100
 lithostratigraphy 107–59
 see also Central Channel High; Channel Basin
 English Channel Basin *see* Channel Basin
 erosion, uplift and 190–7, 200, 205–10, 212
 Exeter Volcanics 316, 321, 328
 Eype Clays 88, 115, 117, 182
 Eypemouth Fault 253, 260, 261, 262
 Faringdon Sponge Gravels 334, 342
 Faringdon–Baulking, stratigraphy 342, 343, 345
 Fastnet Basin 220, 228, 230
 fault block/horst plays 63
 faults
 geometry 260–5, 290, 294–7, 299–309, 311
 history 311–28
 propagation 301, 302
 reverse faulting 83, 85, 252, 260, 262, 265, 278, 285
 types, WCHF 319, 320, 321, 325, 326
 see also inversion tectonics; salt tectonics; strike-slip faults
 field-scale faults 302, 303, 307
 firm-linked faulting 262, 263
 Fleet Member 97, 130, 151, 152
 flower structures 260, 273, 319, 325
 folds, formation 277, 278, 280
 Folkestone Formation 339, 340, 342
 foraminiferid zonal scheme, English Channel 92
 Forest Marble 53, 89, 94, 97, 128, 129, 130, 141, 151, 152
 oil exploration 408, 409, 410
 reservoirs 41, 49
 Frome Clay 25, 53, 124, 126, 127, 128, 151, 159
 biozonation 89, 94, 97
 Frome Clay Limestone Member 11, 15, 399
 Fuller's Earth 11, 53, 64, 80, 129, 346
 Fuller's Earth Clay 14, 89, 97, 121, 123–5, 126, 127, 151
 Fuller's Earth Formation 29
 as top seal 22, 30, 34
 uplift/erosion 187, 188, 189, 190, 191, 193, 196
 fuller's earth pits, stratigraphy 338
 Fuller's Earth Rock 15, 89, 94, 97, 123, 125, 126, 151
 gas 5, 55, 237, 412
 fields 40, 41, 199, 216
 seeps and shows 40–1, 56, 210, 211, 373
 see also hydrocarbons
 Gault Clay 56, 60, 80, 81, 83, 287
 geological history 67–86
 Goban Spur Basin 220, 227, 228, 235
 gravity anomalies, Channel Basin 269–71, 273, 275
 Great Oolite 63, 64, 89, 94, 97, 148
 Great Oolite carbonate platform 49, 54
 Great Oolite Formation 127–8
 Great Oolite Group 123–46, 151–2, 159
 Great Oolite Limestone 65
 Green Ammonite Beds 76, 109, 112, 113, 115, 182
 biozonation 88, 93, 96
 Greensand Group 217, 219, 224
 Grey Ledge 175, 178
 halite 76, 80
 see also salt tectonics
 Hampshire Basin 2, 3, 5, 40, 61, 62, 63, 203, 205
 Hampshire–Dieppe High 3, 105, 150, 155, 157
 Corallian Group 139
 Kellaways Formation 131
 Kimmeridge Clay Formation 141
 Lias Group 110, 111, 113, 115, 118, 120
 Lower Corallian subgroup 135, 136
 Oolite Groups 122, 124, 125, 128, 129, 130
 Penarth Group 107, 109
 Portland Group 144
 Purbeck Group 145, 146
 hanging-wall anticline, development 275

- hard-linked faulting 263
 hebridica lumachelle unit 129
 Hesters Copse Member 125, 151
 Humbly Grove oilfield 42, 103, 125, 127, 151, 152
 Hummocky Limestone Bed 175, 179, 183
 hydrocarbons 39–42, 61, 63–4, 119, 130, 142, 238
 accumulation 10, 14, 15, 25, 199, 210–11
 degradation 373–85, 387, 388, 391–6
 exploration 39–42, 64, 408, 409, 410
 generation 14, 199, 205, 210, 211, 212, 216
 kitchen areas 12, 14, 31, 32, 34, 399
 switched off 16, 35
 maturity 10, 12, 13, 14, 15, 16, 34–5, 116, 210–11, 235, 237
 migration 13, 15, 16, 34–5, 63, 211, 275
 prospectivity 63–4, 235–7, 238, 293
 source rocks 10, 15, 30, 31, 34, 65, 235–7, 238
 traps 10, 11–12, 30, 34, 35, 63, 64, 65, 85
 see also gas; oil; petroleum; reservoirs
 Hythe Formation 336, 339, 340, 343
- ichnology, Bencliff Grit 361–5, 369
 Inferior Oolite 11, 51, 76, 79, 89, 93, 97, 272, 275, 276, 287, 288
 as reservoir seal 34
 Inferior Oolite Bed 148
 Inferior Oolite Group 121–3, 148, 150, 151, 273
 intrabed-scale faults 302–3, 305, 306, 307
 inversion tectonics 63, 64, 69, 81–5, 269–71, 285
 Channel Basin 263, 264, 265
 Lyme Bay 271–9, 280
 see also salt tectonics
 Isle of Purbeck 143, 145
 Isle of Wight 7, 51, 63–4, 67, 71, 76, 81, 83, 149, 243, 251, 328, 338
 stratigraphy 110, 113, 125, 333, 341–2, 343, 345
 seismic data 75, 80, 84, 85
 Isle of Wight High 75, 76, 80, 81
 Isle of Wight Monocline 85, 270, 341
 Isle of Wight–Purbeck area 280
- Junction Bed 111, 115–16, 117, 179, 182, 272
 biozonation 88, 93, 96, 97
 deposition 147, 148, 149, 150, 159
 Jurassic
 palaeotemperatures 201–2, 211
 sedimentation controls 76–81
 stratigraphy 169–84
 uplift *see* uplift
- Kellaways Beds, oil exploration 408, 409, 410
 Kellaways Clay Member 130–1, 152, 159
 Kellaways Formation 89, 94, 97, 130–1, 152
 Kellaways Sand Member 131, 152, 153, 159
 Kellaways Sandstone, reservoirs 41
 Keuper Evaporites 321, 322
 Kimmeridge 63
 oilfield 2, 11, 12, 15, 24, 25, 130, 373, 378, 407–13
 reservoir 41, 384–5
 Kimmeridge Anticline 40, 41, 61
 Kimmeridge Bay 299–309, 407–13
 Kimmeridge Clay 11, 80, 217, 251, 287, 288
 hydrocarbon resources 30, 31, 103
 Kimmeridge Clay Formation 15, 55, 61, 139, 140–2, 155, 156, 157, 300
 uplift/erosion 187, 188, 189, 190, 193, 196
 Kimmeridge Oil Shale 11
 kitchen areas 12, 14, 16, 31, 32, 34, 399
 switched off 16, 35
- lacustrine deposits, Sherwood Sandstone Group 401
 Langport Member 92, 107, 109
 Lias Clay 61, 64
 Lias Group 15, 49, 61, 109–21, 148
 Lias mudstones, hydrocarbon resources 30, 31, 103
 Lilstock Formation 95, 107
 Litton Cheney Fault 76, 77, 79, 83, 251, 252, 253, 254, 258, 261
 London Basin 62, 63
 London Platform 81, 104, 105, 147, 152, 284, 338
 Great Oolite Group 125, 128
 Lias Group 114, 121, 149
 Penarth Group 107
 Lopen Fault Belt 312, 313, 314, 320, 321, 322, 325, 326
 Lower Calcareous Member 140
 Lower Corallian Subgroup 134–6
 Lower Fuller's Earth Clay 89, 93, 97, 123, 125, 151
 Lower Greensand Group 7, 56, 60, 61, 80, 81, 287, 333, 336, 340, 341, 342
 Lower Inferior Oolite 89, 93, 96, 97, 119, 121, 122, 151
 Lower Kimmeridge Clay 90, 94, 95, 99, 140
 Lower Lias 34, 109, 110, 111, 112, 148, 166, 308
 Lower Purbeck Beds 91, 100, 157
 Lulworth 24, 81, 203, 207, 373
 Lulworth Banks Anticline 41
 Lustleigh–Sticklepath Fault 284, 311
 Lyme Bay 69, 114, 203, 211, 262, 263, 267–9
 tectonics 243, 244, 245, 256–60, 271–9, 280
 Lyme–Portland Faults 271, 280
 Lynton Anticline 315, 317, 323
- Maidstone 333, 338, 340, 341, 343, 345
 Mangerton Fault 68, 69, 260, 261, 262, 273
 map-scale faults 302, 303, 307
margaritatus Clay 182
margaritatus Clay Bed 114
margaritatus Stone 114, 179, 182, 184
margaritatus zone 182
 Marlstone Rock Bed 115, 116, 117, 119, 148, 149, 150
 biozonation 88, 93, 96
martinioides zone 332, 336, 339, 340, 341, 342, 343, 345
 maximum flooding surfaces 166, 170, 174, 183, 184
 Mercia Halite 79, 80
 Mercia Mudstone 75, 76, 80, 85, 316, 325
 Mercia Mudstone Group 5, 11, 72, 78, 269, 313, 314, 317, 318, 319, 320, 322, 327, 402, 403
 palaeogeography 27
 as regional seal 22, 30, 31, 287
 reservoirs 25, 30, 48, 404–5
 tectonics 35, 244, 245, 252, 279
 microfossil biozonation, English Channel 87–100, 106
 micropalaeontology, Bencliff Grit 364, 365–8, 369
 Mid Dorset High 76, 80, 167
 Mid Dorset Platform 69, 72, 76, 77, 79, 80, 81, 85
 Middle Inferior Oolite 89, 97, 121, 122, 151
 Middle Lias 110, 114, 148–9, 166
 Middle Lias Clays 88, 93, 96, 114, 115

- Middle Lias Sands 114, 115, 159
 Middle Purbeck Beds, biozonation 91, 92
 Mongrel Horizon 175
 Monksilver Fault 274, 313, 315, 317, 322, 326, 327
 Moray Firth 307, 308, 309
 Mupe Bay 349–51, 388–96
 angular stratal relationships 349, 351–2
 oil seeps 12, 14, 373–388
 biodegradation 291–6, 387, 388, 394, 396
 palaeo 349, 350, 351, 352

 Nash Point 299, 300, 308
 Needles fault 246, 247, 248, 249
 normal compaction relationship 191–4
 Normandy, geological history 150, 151, 152, 153
 North Celtic Sea Basin 221, 222, 226, 227–8, 237
 North Curry Sandstone 317, 318, 324
 Nothe Clay, palynofacies 365, 366–7, 369
 Nothe Clay Member 134, 135
 Nothe Clay–Benclyff Grit boundary 356, 368
 Nothe Grit Formation 90, 94, 98, 133
 Nutfield Beds 338, 339
nutfieldensis zone 332, 336, 338, 339, 340, 341, 342, 343, 345, 346

 oil 5, 41, 103
 accumulation 199, 399
 analysis 389–91
 degradation 373–85, 387, 388, 391–6
 failed wells 35
 generation 61, 235, 237, 351, 373, 387, 399
 maturity 12, 15, 65, 85, 235–9, 373, 396
 migration 10, 12, 14, 15, 210, 211, 237, 351, 352, 387, 413
 source rocks 10, 11, 15, 47, 49, 55, 65, 85, 399, 410
 see also hydrocarbons; petroleum; reservoirs
 oil seeps 12, 56, 211, 373, 387
 biodegradation 373–85, 387, 388, 391–6
 Mupe Bay 349, 350, 351, 352, 387, 388
 Purbeck–Isle of Wight Fault Zone 210
 oil shales 142, 156
 oil spills, biodegradation 374, 375
 oil staining 373, 378, 387, 391, 396, 410
 Osmington Mills 11, 356, 357, 368, 376
 oil seeps 373, 375, 378, 379, 382, 384, 385
 Osmington Mills Ironstone Member 138
 Osmington Oolite Formation 90, 94, 98, 133, 136, 356, 368
 ostracod zonal scheme, English Channel 87–92
 Otter Sandstone 72, 75, 76, 85, 317, 318, 319, 320, 323, 324
 Otter Sandstone Formation 403
 Oxford Clay 49, 64, 203, 334, 410
 hydrocarbons 30, 31, 103
 oil 15, 49, 55, 61, 408, 409, 410, 412
 Oxford Clay Formation 90, 94, 98, 131–3, 153
 uplift/erosion 187, 188, 189, 190, 193, 196

 palaeo-oilseep, Mupe Bay 349, 350, 351, 352
 palaeocurrent analysis, Benclyff Grit 360, 361, 369
 palaeotemperatures
 estimation by AFTA and VR 200
 uplift and erosion related to 205–10

 palaeothermal episodes 201–5, 211–12
 palynofacies
 Benclyff Grit 361, 364, 365–8, 369
 and sequence stratigraphy 165–6, 168–84
 Paper Shales 115–16
 particulate organic matter (POM) 165, 169, 172–84
 Pavior Bed 175, 178
 Pavior horizon 184
 Pays de Bray Fault 284, 285, 288, 327, 328
 Penarth Group 5, 67, 76, 78, 111, 287, 317, 318, 319
 stratigraphy 107–9
 Permian Breccias, thermal history 201–2
 Permian–Lower Cretaceous megasequence 5–7, 15
 Permian–Triassic rift model 327
 Peterborough Member 90, 94, 98, 131, 132, 133, 153
 Petrockstow Basin 326, 327
 petroleum
 exploration 22, 24–5, 39–42
 geology, Kimmeridge oilfield 410–13
 see also hydrocarbons; oil
 play types 63–4
 Pliensbachian succession, Dorset Coast 167, 168, 173, 179–82, 183, 184
 Porlock Basin 313, 326
 Portland Beds 41, 157, 159, 287, 288, 292, 293
 Portland Group 58, 140, 142–4, 155, 157, 158, 217
 Portland Limestone Formation 11, 91, 100, 142, 144, 157
 Portland Sand Formation 91, 95, 100, 142, 144, 157
 Portland Sandstone 55, 58, 65, 342
 Portland–Isle of Wight Fault Zone 210
 Portland–Kimmeridge Fault System 56
 Portland–South Wight Basin 56, 64
 Portland–South Wight Trough 76, 77, 79, 80, 83
 Portland–Wight, tectonics 203, 284, 291
 Portland–Wight Basin 9, 19, 21, 30, 31, 33, 35, 103, 104, 105, 130, 203
 biozonation 91, 94
 bottom water conditions 111, 112
 Corallian Group 135, 137, 138, 139
 geological history 150, 153, 155, 157, 159
 hydrocarbons 14, 24
 Kellaways Formation 131
 Lias deposition 148, 149
 Lias Group 110, 112, 113, 115, 116, 118, 119, 120
 Nothe Grit Formation 133
 Oolite groups 122, 123, 126, 128, 129
 Portland Group 143
 Purbeck Group 145, 146
 stratigraphy 22, 23, 106, 107, 108
 thermal history 203
 Portland–Wight Fault System 24, 29, 31, 32, 34, 285, 297
 Portland–Wight Graben 245, 248
 Portland–Wight Thrust 284, 297
 Portsdown 3, 40, 81
 Portsdown Fault Zone 141
 power law 299
 Poxwell Pericline 256, 265
 Poyntington Fault 68, 69, 83
 pre-Planorbis Beds 109, 110, 316
 Preston Grit Member 134–5
 prospect failure, reasons for 63–4
 Purbeck Anhydrite, as reservoir seal 55

- Purbeck Beds 55, 144–7, 157, 158, 159, 287, 288
 reservoirs 41
 Purbeck Disturbance 63, 77, 79, 81, 83, 85, 410
 Purbeck Fault 150, 245, 246, 247, 248, 249, 250, 254,
 256, 258
 Purbeck Fault Zone 150
 Purbeck Group 143, 144–7, 155, 217
 Purbeck Limestones, oil seeps 373
 Purbeck Monocline 250, 300
 Purbeck–Isle of Wight Disturbance 3, 14, 85
 Purbeck–Isle of Wight Fault System 7–8, 9, 12, 14, 15,
 269
 Purbeck–Isle of Wight Fault Zone 64, 153, 245, 246
 Corallian Group 137
 gas and oil seepages 210
 Kimmeridge Clay Formation 141
 Lias Group 110, 116
 Lower Corallian subgroup 136
 Oolite groups 122, 124, 126, 129, 130
 Portland Group 143
 Purbeck Group 145, 146
 uplift/erosion 196
 Purbeck–Isle of Wight monocline 203
- Quantock Anticline 315, 323
 Quantock High 326
 Quantock Hills 313, 315, 316, 318, 325, 327
 Quantock Massif 316, 319, 322–3, 326
 Quantock–Exmoor Upper Palaeozoic succession 313
- Red Beds Member 137, 138
 Redcliff Formation 133, 134, 355
 Redcliff Oolite Formations, biozonation 90, 94, 98
 Redhill 336–40, 342, 343, 344, 345
 Redhill Sands 338, 339, 340, 341
 regional uplift
 quantification 187, 188–97
 see also uplift
 reservoirs 5, 7, 10–11, 15, 25, 30, 40, 41, 49, 55, 63–4,
 119, 148, 412
 oils, biodegradation 374, 375, 376, 378, 379, 382,
 384, 385, 391
 seals 10, 19, 22, 30, 31, 34, 49, 55, 208, 287, 410
 Sherwood Sandstone Group 15, 16, 19, 22, 24, 25,
 42, 47, 63, 64, 103, 293
 architecture 399, 400–5
 Wytch Farm 64, 119, 287, 404
 Ridgeway Fault 72, 83
 Ringstead Formation 90, 94, 99, 133, 137, 138–9
 Ringstead relay zone 254–6, 262
 rotational bank collapse 349, 351–3
- salt rollers 261
 salt swells 252, 261
 salt tectonics 30, 260–5, 274–9
 detachment 35, 250–60, 262, 275–7
 Triassic sequences 243–65
 salt welds 253, 254, 256
 sandflat deposits, Sherwood Sandstone Group 401
 Sandgate Formation 336, 339, 340
 Sandsfoot Clay Member 138
 Sandsfoot Formation 90, 94, 99, 133, 137, 138, 139
 Sandsfoot Grit Member 138, 159
- sea-level changes
 effects of 147, 149, 151, 152, 153, 155, 156, 157, 159,
 217, 232, 237
 on palynofacies 165, 169–72, 175, 178, 182, 183
 on sedimentation 166, 168, 403
 seals 10, 19, 22, 30, 31, 34, 49, 55, 208, 287, 410
 Second Mongrel Horizon 175
 section restoration Central Channel High 288–97
 sedimentary sequence analysis *see* depositional
 sequences
 sedimentation controls 79–81, 148–50, 152, 153, 155,
 156, 157, 168
 sedimentological history 218
 seep oils
 biodegradation 373–85, 388
 see also oil seeps
 sequence boundaries, tectonic accentuation 331–46
 sequence palynology 165–6, 169–84, 339–46
 Shales with Beef 87, 92, 96, 109, 111, 148
 sheetflood deposits, Sherwood Sandstone Group 401
 Sherwood Sandstone Group 5, 10, 11, 12, 14, 16, 71–6,
 85, 256, 269, 287, 316, 319, 323
 controls on 30–4
 hydrocarbons 19, 30, 275, 379, 380, 384, 385, 410
 palaeogeography 26, 27
 reservoirs 15, 16, 19, 22, 24, 25, 42, 47, 63, 64, 103,
 293
 architecture 399, 404–5
 stratigraphy 47, 400–4
 tectonics 46, 195, 196, 197, 252
 thermal history 201–2
 Sinemurian succession, Dorset Coast 167, 173, 175,
 176, 177, 178, 179, 183, 184
 soft-linked faulting 262, 263
 Somerset, tectonic structure 318–22
 Somerton Anticline 315, 317
 sonic velocity quantification of uplift 188–97
 South Celtic Sea Basin 220, 222, 227, 228, 234, 328
 Stair Hole, oil seeps 373, 375, 376, 378, 380, 382, 383,
 385
 Starfish Bed 115, 182
 Stewartby Member 90, 94, 98, 131–2, 133, 153
 Sticklepath Fault 326, 327, 328
 Stoborough 8, 25
 stratigraphic framework 5–7, 268
 stratigraphic gap 220, 221, 238
 stratigraphic sequences *see* sequence palynology
 strike-section geometries 9–10
 strike-slip faults 83, 259–60, 262, 264, 311, 312, 313,
 314, 315, 318, 321, 327, 328
 Lyme Bay 274, 276, 278, 279, 280
 structure, Wessex Basin 3–5, 7–9, 67–9, 86, 218
 subsidence analysis 225–33, 237
- Table Ledge 148
 tectonics 43–5
 controls on depositional sequences 76–86, 333–6,
 343–4, 345, 346
 controls on sedimentation 148, 149, 150, 151, 152,
 153, 155, 156, 157, 159
 see also inversion tectonics; salt tectonics; uplift
 tectono-stratigraphic development 43–5, 47–63,
 64–5
 Terrestrial/Marine index (T/M index) 172, 173

- Tertiary
 megasequence 7
 tectonics 63, 64, 67, 69, 81–5, 211, 212, 226, 237, 285
 thermal history 203–5, 211
 thermal history 200, 201–12
 thermal uplifting 235, 237
 Thorncombe Sands 10, 88, 96, 114, 117, 174, 182
 Timberscombe Fault 274, 313, 315, 317, 322, 327, 328
 Tiverton Trough 312, 316, 321, 324, 326, 327, 328
 Top Hythe Cherts 334
 Top Hythe Pebble Beds 334, 339
 traps 10, 11–12, 30, 34, 35, 63, 64, 65, 85
 Triassic
 biozonation 87–100
 lithostratigraphy 105–59
 palaeotemperatures 201–2
 salt sequences 243–65
 Trigonía clavellata Formation 94, 99, 133, 136, 137–8, 155
- unconformities 71, 72, 80, 85, 227, 228, 229
 Albian 7, 246, 251, 252
 Aptian 7, 217, 220, 223, 224, 232, 237
 Apto-Albian 220, 229, 230, 232–3, 234
 Berriasian 220, 221, 222, 223, 224, 226, 227, 229, 230, 231, 232, 233, 234, 237, 238
 Cimmerian 45, 230, 232
 Cretaceous 215, 217, 219–25, 231, 267, 269
 Tertiary 226
- uplift 187, 188–97, 224
 latest Jurassic–earliest Cretaceous 215–17, 224, 232–5, 237–8
 evolution of Wessex Basin during 236
 hydrocarbon prospectivity 235–7
 subsidence curves 227–32
 quantification 200, 205–10, 212
 Upper Calcareous Member 140, 159
 Upper Fuller's Earth Clay 89, 94, 97, 123–5, 126, 127, 151
 Upper Greensand 80, 81, 287
 Upper Inferior Oolite 89, 93, 121, 122, 151
 Upper Kimmeridge Clay 91, 95, 99, 100, 140, 307
 Upper Lias 115, 166
 Upper Purbeck Beds 92, 146–7
 Upton Member–Benciliff Grit boundary 356, 368
 Upton Syncline 251
 Upwey Syncline 251, 256
- Vale of Pewsey Fault 284, 285, 297
- Variscan
 basement structure, southern England 283–5
 inheritance 42–3
 sedimentation controls 68, 69
 tectonics 285, 294, 297, 315, 316, 321, 326
 Variscan Front Thrust 284
 vitrinite reflectance analysis (VR), palaeotemperature estimation by 194–6, 200, 201, 205–12
- Wardour Fault System 3
 Wardour–Portsdown Fault System 284, 285, 297
 Wareham oilfield 2, 8, 12, 14, 15, 25, 42, 72, 373
 washover sands 369
 Watchet Fault 273, 313, 314
 Watchet–Cothelstone Fault 68, 69, 83, 284
 Watchet–Cothelstone–Hatch Fault System (WCHF) 3, 311, 312, 313, 314–18, 323–5
 water washing, of oils 374, 375, 378, 391, 392, 396
 Wattonensis Beds 89, 94, 124, 125, 126, 127, 151
 Weald Basin 1, 2, 63, 64, 81, 104, 105, 233, 284, 333, 338, 351
 Corallian Group 135, 137, 139
 geological history 147, 150, 153, 155, 157, 159
 geological setting 42–7
 Great Oolite Group 124, 125, 127, 129
 Kellaways Formation 131
 Lias Group 110, 113, 114, 115, 116, 118, 120
 oil reserves 42
 plate sequences 47–63
 Portland Group 143, 144
 Purbeck Group 146
 sedimentary thicknesses 79
 stratigraphy 336
 Wealden 83, 290, 295, 296
 Wealden Beds 80, 81, 203, 288, 292, 293
 Wealden deposits 217, 220, 223, 232
 Wealden Group 7, 11, 217, 219, 220, 224, 232, 237, 286, 349
 Wealden Sands, oil seeps 382
 Westbury Formation 95, 107
 Western Approaches Basin 224, 234, 274
 Western Approaches Trough 215, 217, 225, 228, 229, 232, 237
 Western Permian–Triassic Basin 316, 321, 324, 326
 Weymouth 263, 356
 Weymouth Anticline 77, 80, 203, 244, 251, 252–4, 265
 hydrocarbons 211, 408
 Weymouth Bay 41, 79, 250, 260
 Weymouth Member 90, 94, 98, 132, 133, 153
 White Stone Bands 140, 141, 301, 302, 307
 Wight–Bray Fault 122
 Winterborne Trough 324, 328
 Winterborne–Kingston Graben 244, 246
 Winterborne–Kingston Trough 3, 126
 Winterbourne–Kingston 51, 53, 212
 Wiveliscombe Sandstones 313, 316, 317, 319
 Wytch Farm 10, 11, 51, 69, 71, 72, 76, 81, 83, 149, 197, 402
 Kellaways Formation 131
 Kimmeridge Clay Formation 141
 Lias Group 111, 112, 119
 oil 42, 199, 210, 211, 410
 degradation 380, 385
 oilfield 2, 8, 11, 13, 14, 15, 19, 24, 25, 30, 48, 49, 103, 216, 237, 373, 399–400, 409
 reservoirs 64, 119, 287, 404
 trap type 34
 Oolite groups 122, 124, 126, 128
 thermal history 201, 202, 203, 209, 210, 211, 212
 Wytch Farm area, uplift/erosion 193–4, 195, 196–7