

Index

- Aegean Sea, North, map 77
Africa, SE, Gondwana break-up 203–14
Agulhas Plateau 210, 211
Alps, Central, tectonic map 4
Altai, Jargalant and Sutai Domains 75
Mongolia 75
Alterosa Suture Zone 232, 235
analogue modelling
 brittle–ductile regimes, SE Africa 209–10
 comparison with natural examples 74–7
 faulting in transpression/transtension zones 59–80
 materials and scaling 60–1
 summary and discussion 69–4
 transpression experiments 64–6
 transtension experiments 66–9
Andes, slip vector ENE 5
Andorra, Mont Louis–Andorra pluton, map 269
anisotropy of magnetic susceptibility (AMS) 267–73
Antarctica
 Ellsworth Mountains, kinematic partitioning,
 dextral transpression zone 289–306
 and Gondwana breakup 211–12
Apennines *see* Pollino Ridge, Calabria–Lucania
 boundary
40Ar/39Ar dating 320–1
Asia, East, Tertiary extensional basins, contrasting
 models 220
Atacama Fault System 127–142
 Cenozoic/Mesozoic 129
Avalon Zone, NE Newfoundland Appalachians,
 ductile transpressional structures 8, 42
- Baja–British Columbia terrane, Canadian Cordillera
 28
Baltica and Laurentia, transtension and oblique plate
 divergence 176–7
Baltoro granites, Karakoram Fault Zone 308–9,
 314–15
blueschist belts, exhumation, terrane collision 30
Bocono Fault, dextral faulting 76
Bohai Basin, N China, transtensional deformation
 215–29
 initial Tertiary deformation 219–21
 kinematics of Tertiary transtension 224–7
 Mesozoic compressional structures, map 221
 Middle Eocene to Oligocene deformation 221–3
 other Tertiary extensional basins 216
 pre-Tertiary structure and stratigraphy 218–19
 regional setting 217–18
 Tertiary structures 217
Bohemian Massif, Germany
 3D retro-modelling of transpression 281
 deep continental borehole (KTB) 275, 277–81
 geological setting 275–80
 Mesozoic and Cenozoic crustal movements 279–80
 Upper Cretaceous deformation event 280–1
 Variscan units, map 276
 Zone of Erbenhof–Vohenstrauß (ZEV) 277, 283
Bolsa Point Syncline 110, 115
bounding faults and shear zones 27
Bozhong depression 222–3
Brasilia Plate, map 235
Brazil, Precambrian transpression, strain partitioning
 231–52
 Campo de Meio strike-slip shear belt (CMSB)
 231–6, 238–40
 map 233
 evolution of regional strain regime 247
 Guaxupé Syntaxis 233, 241, 248
 physical experiments 244–7
 regional geological structural map 233
 regional strain regime 242–3
 regional tectonic maps 232, 234
 Rio Paraíba do Sul shear belt (RPSSB) 231–48
 map 232
 structural framework 234–42
 tectonic setting of plutonism 243
British Variscides, SW, transpression rotation in
 external orogenic zones 253–66
- California
 Confidence Hills, Death Valley 74–5
 Eastern California shear zone (ECSZ) 185, 188
 Franciscan Complex 30
 W, kinetic deformation model 116
 see also San Andreas Fault; Sierra Nevada
 batholith; Trans Mojave–Sierran shear zone
Campania–Lucania Apennines *see* Pollino Ridge,
 Calabria–Lucania boundary
Campo de Meio strike-slip shear belt (CMSB), Brazil
 231–6, 238–40
Canadian Appalachians
 Avalon Zone 8
 Cape Breton Island, map 42
 Roper Lake shear zone 41–57
Canadian Cordillera
 Baja–BC terrane 28–9
 Coast shear zone 28
Cape Breton Island, Canadian Appalachians 41–57
 map 42
carbonate structures, Campania–Lucania Apennines
 341–54
Carpathians, Western, transpression rotation in
 external orogenic zones 255–6, 262–4
 regional geological maps 255, 256
 summary and discussion 262–4
Castrovillari basin, Italy, map 352
Cauchy–Green tensor 49
Cauterets–Panticosa, Pyrenees, plutonic complex 269
 map 270
Cerro Chuculay Fault 135, 136
Chile *see* Salar Grande
China
 Tertiary extensional basins 216
 see also Bohai Basin
cluster analysis, stress tensors calculated from fault
 groups 261
coal-bearing foreland basins, Variscan northern
 margin in SW Britain 259
computerized tomography (CT), in analogue
 modelling 63
Confidence Hills, Death Valley 74–5

- Conglomerate Ridge Formation, Ellsworth Mountains, Antarctica 292–300
- Cordillera de la Costa, Chile 127–9
- Cordillera, Southern *see* Trans Mojave–Sierran shear zone
- Cretaceous
- deformation event, West Bohemian Massif, transpression retro-modelling 275–88
 - Salar Grande pull-apart basin, Atacama Fault System 138
 - Sierra Nevada batholith 328–40
- Dead Sea Transform, Lebanon, restraining bend 81–106
- Hasbaya and Rachaiya Faults, maps 93–4
 - Homs Basalt, K–Ar ages 92
 - kinematic evolution 102
 - linking evolution to plate tectonics 103–4
 - Niha syncline area, map 100
 - rotation pole 82
 - search for transcurrent faulting 92–5
 - seismicity 87–8
 - tectonic setting 83–7
 - tectonics and landscape evolution 95–9
 - Tyre–Nabatiyé plateau 88, 94–5, 98
 - Yammouneh Fault 89–92
 - maps 88, 97–8
- Death Valley, Confidence Hills 74–5
- dextral faulting
- Bocono Fault 76
 - Nazca Plate subduction 137
- dextral shear
- Hercynian orogeny, Pyrenees 268–9
 - Conglomerate Ridge Formation, Ellsworth Mountains, Antarctica 293–300
 - rates, cooling and exhumation, Karakoram Fault Zone, North Ladakh 322–3
- dextral transpression
- coalescence pattern 74
 - kinematic partitioning, Antarctica 289–306
 - Pyrenees 267–74
- Early Miocene collapse, Trans-Mojave-Sierran shear zone, North America 183–202
- Eastern California, shear zone, Pacific-North America plate boundary, map 185
- Einardsdalen Décollement Zone (EDZ) 175
- Ellsworth Mountains, Antarctica
- Conglomerate Ridge Formation 292–3
 - dextral shear domains 293–300
 - Drake Icefall Formation 292–3
 - geological setting 289–92
 - Heritage Range 290–2, 303–4
 - progressive strain partitioning within domains of distributed shear 300–1
 - Sentinel Range 289
 - Southern Soholt Peaks
 - kinematic partitioning 292–300
 - map 294
 - transpressional model for Heritage Range 301–3
 - Union glacier Formation 292–3
 - Watlack Hills and Mount Dolence Faults, map 290
- Erbendorf Lineament 276–7
- Europe, W, Variscan northern margin, coal-bearing foreland basins, map 258
- exhumation of deep crustal rocks
- by transtension, Western Gneiss Region, Scandinavian Caledonides 159–82
 - mechanism, oblique plate interactions 177
 - migmatites and leucogranites, Karakoram Fault Zone, North Ladakh 323
 - Sierra Nevada batholith 328–30
 - terrane accretion 29–30
- Falklands–Agulhas Fracture Zone 210–11
- Fichtelnaab Fault 277–8
- finite strain 19–22
- finite strain ellipsoid
 - principal axes, stereonet 39
 - shapes 52
 - finite strain geometry 19–22
 - finite strain-related lineations 50–1
- Fitzgerald Marine Reserve 111, 113
- Flinn space and diagram 20, 37–8, 52
- flow apophyses 22
- foreland basins, Sandersonian strain computation 259–64
- Franciscan Complex, California 30
- Frankonian Lineament 276–85
- Garlock fault, junction with San Andreas Fault 75, 120, 122, 152, 186
- Gastre–Agulhas Fault Zone, Triassic–Jurassic 210–11
- German Continental Deep Drilling Project (KTB) 277–81
- Germany *see* Bohemian Massif
- gneiss, Western Gneiss Region 159–81
- Gondwana break-up
- Antarctica–Africa fit 210
 - fold belts of southern continents 290
 - transtension in SE Africa 203–14
 - Karoo Supergroup 206
- Gondwana break-up
- transtension in SE Africa (continued)
 - KwaZulu–Natal coastal faulting 206–9
 - Lebombo monocline 205–6
 - map 204, 211
 - Margate and Mzumbe terranes, analogue model 208–10
 - palaeogeology at time of faulting 210–12
 - Renken Fault 207, 209
- Guaxupé Syntaxis, Brazil Precambrian transpression 233, 241, 248
- Gulf of California, opening 119, 121
- Har Us Naar Fault 75
- Hasteinen Basin, Standal Fault (NSD) 165–8
- Hercynian orogeny, Pyrenees 267–73
- evidence for compression during D2 269–71
 - evidence for dextral shear component of D2 268–9
 - map 268
 - syntectonic origin of granitoids 268
- Heritage Range, Ellsworth Mountains, Antarctica 290–2, 303–4
- Highland Boundary Fault Zone, Scotland 304
- Hoepfener plot, Gondwana thrust faults 292

- Hornelen Detachment, Standal Fault (NSD) 169–70, 175
- hydrocarbons, Tertiary basins, China 215–16
- India–Asia collision
Tibetan plateau 322
see also Karakoram Fault Zone, North Ladakh
- infinitesimal stretching axes (ISAs) 18–19
- Italy *see* Pollino Ridge, Calabria–Lucania boundary
- Jargalant structural domain 75
- Jizhong and Liaohe Depressions, China, maps 222
- Juan de Fuca and North American plates, subduction angle 331
- Kaapvaal Craton 204
Rooi Rand dyke swarm 206
- Karakoram Fault Zone, North Ladakh 307–26
⁴⁰Ar/³⁹Ar dating 320–1
Baltoro granites 308–10, 313–15
cross-sections 312
Darbuk–Tangste area 322
exhumation of migmatites and leucogranites 323
geological offsets and timing of initiation 321–2
K2–Gasherbrum range 309
maps 308, 310, 311
offset Karakoram granites 313–15
Pangong Injection complex 315
Pangong Range 311–13, 323
- Karakoram Fault Zone, North Ladakh (continued)
Pliocene–Quaternary transpression 323
rates of dextral shear, cooling and exhumation 322–3
Tangste granite, U–Pb dating 315–20
Tashkurgan graben 309
Tibetan extrusion 323–4
transpression and transtension 309–13
U–Pb SHRIMP dating 316–20
- Karoo Supergroup, SE Africa 206–7, 211
- kinematic partitioning, dextral transpression zone, South Ellsworth Mountains, Antarctica 289–306
- kinematic vorticity 18, 47–8
- kinematics, transpressional *see* transpressional kinematics
- KTB (German Continental Deep Drilling Project) 277–81
- Kvamhesten Basin, Standal Fault (NSD) 171
- KwaZulu–Natal coastal faulting 206–9
- La Negra Formation, Salar Grande 129–31
- Ladakh batholith 309
- Laurentia and Baltica, transtension and oblique plate divergence 176–7
- Lebanon *see* Dead Sea Transform
- Lebombo monocline, SE Africa 205–6
- Liaohe depression, structural map 222
- London Brabant Massif 256–7
- Luhe Lineament 276–85
- magma overpressuring, buoyancy and tectonic forces 331–3
- magma-facilitated strike–slip partitioning 330–1
Sumatra 330, 337
- magmatic arcs
3D geometry 336
interactions between tectonic and magmatic forces 333
and transpressional kinematics 327–40
- Mercure Basin, S Italy 344, 349
- Merida Andes, Venezuela, structural map and block diagram 76
- Meso–Cenozoic platform carbonates, Campania–Lucania Apennines 341–54
- migmatites, and leucogranites, Karakoram Fault Zone, North Ladakh 323
- modelling *see* analogue modelling;
transpression/transtension models
- Mojave Desert
Eastern California shear zone (ECSZ) 185, 188
Kramer Hills, multiple vertical axis rotations 194
see also Trans Mojave–Sierran shear zone (TMSSZ)
- Mojave Extensional Belt 187
- Moldanubian Zone, Bohemian Massif 275–87
- Mongolia, Altai, Jargalant and Sutai Domains, maps 75
- Mono Creek granite, Sierra Nevada batholith 334–5
- Mont Louis–Andorra pluton 270
map 269
- Montara Mountains
La Honda Block 110–14
maps 113
- More–Trondelag Fault Zone (MFTZ) 160–1, 168, 171, 173–7
- Moro Calabro Basin, S Italy 350
- Mount Lebanon
uplift, Lakkouk, Qartaba horst, map 99–103
Yammounah Fault and Homs Basalt relationship, map 90
- Nazca Plate
and South American Plate, ENE slip vector 5
subduction, dextral faulting 137
- New Zealand, transpression/transtension 26
- Newfoundland Appalachians, Avalon Zone, ductile transpressional structures 8
- Nordfjord–Sogn Detachment (NSD) *see* Scandinavian Caledonides
- North America, Trans-Mojave-Sierran shear zone, Early Miocene collapse 183–202
- North American plate
and Juan de Fuca plate, subduction angle 331
see also Pacific–North America plate boundary
- North Salinian *see* Salinian Block, Northern Norway, W, tectonigraphic map 160
- oblique plate interactions
convergence
basal boundary condition, transpressional kinematics 148–50
five reference models 17, 24
partitioning 5–6
divergence, as exhumation mechanism 177
flow apophyses and angle of convergence 17
simple shear, transpression zones 35–40
transpression/transtension models 15–33
- Orogenic collapse, 159–77, 183–212.

- orogenic zones, transpression rotation, British Variscides 253–66
- Ox Mountain igneous complex 329
- Pacific Ocean (proto), subduction beneath Patagonia Block 210–12
- Pacific–Asia plate boundary, Tertiary reconstruction 226
- Pacific–North America plate boundary 152
California, USA, map 197
- Salinian Block, tectonic significance of Palaeogene to Recent shortening 115–16
strike-slip partitioning 115–16
Trans Mojave–Sierran shear zone 183–202
- palaeostress determination and analysis 254–6
- Patagonia Block, subduction of proto-Pacific Ocean 210–12
- Pigeon Point Block, California, map 110
- Pilarcitos Fault 113
- pluton emplacement, magma overpressuring, buoyancy and tectonic forces 332–3
- Point Reyes Peninsula, California, map 114
- Pollino Ridge, Calabria–Lucania boundary 341–54
Bifurto Formation 345, 346
Castrovillari basin 350–2
cross-section 346
density diagrams of fracture systems 348
geological framework of Calabria–Lucania boundary 343–4
geological setting of S Apennines 342–3
Lauria Mountains 342, 345
maps 342, 344, 345
Mercure Basin 342, 344, 349
Morano Calabro Basin 342, 350–1
Mt Bulgheria 345
stereograms of fault systems 347, 350
tectonic maps 345, 346
- polydimethylsiloxane (PDMS), analogue modelling 60–3
- Precambrian transpressional tectonics, SE Brazil 231–52
- Precordillera Fault System 136
- Pyrenees
dextral transpression 267–74
Hercynian plutons, map 268
see also Cauterets–Panticosa; Trois Seigneurs
- Quaternary tectonics, Pollino Ridge, Calabria–Lucania boundary 341–54
- restraining bends
Dead Sea Transform, Lebanon 81–106
San Andreas Fault Big Bend 119–26
- Rio Paraíba do Sul shear belt (RPSSB), Brazil 231–48
- Rio Seco Fault 135, 137
- Roper Lake shear zone, Canadian Appalachians 41–57
strain geometry 53–6
theoretical modelling 46–9
- Ross diagram, San Andreas Fault 124
- Roum and Yammounéh Faults, Lebanon, map 88
- Salar Grande Fault 133, 135
- Salar Grande pull-apart basin, Atacama Fault System 127–142
maps 128, 131, 133
reconstruction, Early Cretaceous 138
regional geology and structure 127–35
structural evolution 139
summary and discussion 135–8
- Salinian Block, Northern
Bodega Head Peninsula 114
Bolsa Point Syncline 110, 115
- Salinian Block, Northern (continued)
geological setting and structure 107–10
La Honda Block 110–15
map 108
Pigeon Point Block 110
Point Reyes Peninsula 114
tectonic significance of Palaeogene to Recent shortening 115–16
- San Andreas Fault
contractional and extensional structures (Big Bend) 119–126
transpressional tectonics 119–20
cross-section and schema 154–5
geological setting 107–8
junction with Garlock fault 75, 120, 122, 152, 186
maps 108, 113, 120–1, 184
Northern Salinian Block 107–18
Point Arena 115
Ross diagram 124
San Andreas discrepancy 143, 151–2
strike-slip partitioning 143–158
application of model to central California 150–5
simulation 144–50
see also strain partitioning and oblique plate interactions
- San Gregorio Fault 110
- Sandersonian strain computation 259–64
- Sao Paulo Plate, map 235
- Scandinavian Caledonides, Western Gneiss Region 159–81
Caledonian P – T – t evolution 163–4
Devonian basins 161
east–west trending folds 168–71
geological setting 159–62
late orogenic extension 164–5
Standal Fault (NSD) 165–8
strain estimation 171
Vestranden Gneiss Complex 175
- Scotland, Highland Boundary Fault Zone 304
- Sensitive High-Resolution Microprobe (SHRIMP)
dating
 $^{40}\text{Ar}/^{39}\text{Ar}$ 316–20
U–Pb 316–20
- Sentinel Range, Ellsworth Mountains, Antarctica 289
- shear
strain analysis 35–9
see also dextral shear
- Sierra Crest shear system 334
- Sierra Nevada batholith
emplacement model, Mono Creek granite 334–5
interactions between tectonic and magmatic forces 333–5
Kern canyon 334

- magma overpressuring, buoyancy and tectonic forces 331–3
- magma-facilitated strike–slip partitioning 330–1
 - map 328
 - transpression and exhumation 328–30
 - see also* Salinian Block, Northern
- Silurian, Laurentia and Baltica, oblique plate divergence 176–7
- sinistral transpression, coalescence pattern 74
- sinistral transtension, strain and displacement indicators 172–4
- Soledad Formation 129–31
- South America
 - Andes, slip vector ENE 5
 - Merida Andes, Venezuela, structural map and block diagram 76
 - proto-Pacific Ocean, subduction beneath Patagonia Block 210–12
 - see also* Salar Grande
- South American Plate, and Nazca Plate, ENE slip vector 5
- South Wales coalfield 257
 - stress tensors calculated from fault groups 261
- Southern Soholt Peaks, Ellsworth Mountains, Antarctica 292–300
- Standal, Western Gneiss Region, Scandinavian Caledonides, map 166
- stereonet, principal axes, finite strain ellipsoid 39
- strain
 - analysis, simple shear 35–40
 - and displacement indicators, sinistral transtension 172–4
 - ellipsoid
 - principal axes of stereonet 39
 - variation in shape 21, 36–8, 52
 - finite 19–22
 - geometry 48–53
 - finite strain-related lineations 50–1
 - infinitesimal stretching axes (ISAs) 18–19
 - patterns 2–5
- strain partitioning 5–6
 - Precambrian transpression, Brazil 231–52
- stress, palaeostress determination and analysis 254–6
- stress tensors, calculated from fault groups, S Wales coalfield 261
- strike–slip basins *see* Salar Grande
- strike–slip deformations *see*
 - transpression/transtension zones
- strike–slip partitioning
 - bulk kinematics simulation, San Andreas Fault 143–158
 - calculation 47
 - magma-facilitated 327–40, 330, 337
- Sumatra, magmatic arc system 330, 337
- terrane accretion 27–30
 - Baja–British Columbia terrane 28–9
 - exhumation of deep crustal rocks 29–30
 - speeds 28–9
- terrane collision
 - exhumation of blueschist belts 30
 - India–Asia 322
- Tertiary
 - extensional basins, China 215–16, 219–27
 - Pacific–Asia plate boundary, map 226
 - Tibet *see* Karakoram Fault Zone, N Ladakh 307–26
 - Trans Mojave–Sierran shear zone (TMSSZ) 183–202
 - Early Miocene markers 189–90
 - Early Miocene palinspastic reconstruction 185–7, 191, 195
 - maps 186, 189–91
 - Pacific-N America transform boundary, maps 184, 185
 - shear strain profile 193
 - structure 187–96
 - summary and discussion 196–200
 - transform fault-bounded continental fragment (Salinian Block), Palaeogene to Recent shortening 107–18
 - transpression
 - analogue modelling experiments 61–6
 - basic definitions 2, 15
 - dextral 74, 267–74, 289–306
 - four plane strain components 37
 - general model 54
 - non-partitioned 6
 - passive planar markers 22–3
 - rotation, external orogenic zones, British Variscides 253–66
 - sinistral, coalescence pattern 74
 - various boundary wall orientations 9
 - see also* exhumation
 - transpression/transtension models 15–33
 - analogue modelling 59–80
 - five reference models 17, 24
 - movement and slip rates 25–6
 - retro-modelling, West Bohemian Massif, Late Cretaceous deformation 275–88
 - tectonic applications 24–7
 - transpression/transtension zone properties 1–14
 - basic definitions 2, 15
 - constant-volume, with vertical stretch 3, 4
 - deformations, spectrum 16
 - fabric patterns and structural style 6
 - lateral stretch, extrusion and escape 10
 - modelling 16–33
 - oblique simple shear 35–40
 - partitioning styles 7
 - strain partitioning 5–6, 231–52
 - strain patterns 2–5, 12
 - termination modes 11
 - triclinic symmetry
 - Roper Lake shear zone 42–6
 - theoretical modelling 46–53
 - transpressional kinematics
 - basal boundary condition, oblique convergence 148–50
 - Central California 150–5
 - horizontal extension 146–8
 - magmatic arcs 327–40
 - mantle and crustal relationship 153
 - rotation, W Carpathians and SW British Variscides 253–66
 - transpressional tectonics
 - Baja–British Columbia terrane 28–9
 - North America terrane accretion 27
 - Precambrian, Brazil 231–52
 - Pyrenees, Hercynian 267–73

- transtension
 analogue modelling experiments 63, 66–9
 examples 59
 sinistral, strain and displacement indicators 172–4
 Trois Seigneurs, Pyrenees, maps 268, 271
 Tyre–Nabatiyé plateau, Miocene marine terrace 88

 U–Pb SHRIMP dating 316–20
 UHP rocks, exhumation by transtension,
 Scandinavian Caledonides, Western Gneiss
 Region 159–81

 Variscan northern margin in SW Britain 256–64
 coal-bearing foreland basins, maps 259
 Variscan tectonometamorphic unit, Zone of
 Erbendorf-Vohenstrauß (ZEV) 275–87

 Venezuela, structural map and block diagram 76
 Vestranden Gneiss Complex 175
 Vitória Plate, map 235
 vorticity-normal section (VNS) 47–9

 Wales, S Wales coalfield, stress tensors 257, 261
 Weddell Sea, Antarctica, and Gondwana breakup
 211–12
 Western Gneiss Region, Scandinavian Caledonides
 159–81

 Zone of Erbendorf-Vohenstrauß (ZEV)
 Bohemian Massif, Germany, map 277, 283
 NW–SE section 284
 tectonic thickening and uplift 284–5