

Index

Page numbers in *italics* refer to Tables or Figures

- Aare Formation *191*
- absolute permeability 47
 - relation to fluid flow 78
- adsorption 46, 47
- anhydrite/gypsum reactions 31
- apatite fission track analysis (AFTA) 120–1
 - North Alpine Foreland Basin study
 - method 142
 - results 146–7
 - results discussed 147–51
 - North Sea study
 - uplift estimation 127–30
 - well data interpretation 130, 131, 132, 133, 134
- aragonite/calcite transformation 31
- argillaceous rocks consolidation testing
 - effect on permeability 87–9
 - effect on porosity/permeability relation 85–6, 89–92
 - experimental method 83–6
- Bacton Group velocity plot *123, 124*
- basement effects on heat flow 161
- basin modelling
 - evolution of 209–10
 - parameter definition 210–11
 - dynamical 211–13
 - thermal 213
 - probabilistic evaluation 213–17
 - risk evaluation 217–20
 - see also* Institute for Energy 3-D basin simulator
- Bazhenov Formation
 - expulsion model 164–7
 - geochemistry 158–60
 - thermal maturity model 161–4
- British Columbia
 - Imperial Island River well 227
 - heat flow history model 231–3
 - stratigraphic data 238
 - vitritine reflectance data 238
- bulk shortening 15
- burial history
 - Halten Terrace *191*
 - North Sea (Southern) 118–21
 - well studies *131, 133, 135*
 - role in IFE simulator 110, *112*
- buoyancy and expulsion 48
- calcite/aragonite transformation 31
- Canada
 - Imperial Island River well 227
 - heat flow history model 231–3
 - stratigraphic data 238
 - vitritine reflectance data 238
- capillary pressure and expulsion 48
- carbonate and porosity/depth relation *18*
- cementation
 - dating of 182–4
 - relation to volume change 31
- Central Graben
 - geological setting 95, 170–1
 - maturation history 172
 - modelling overpressure
 - method 96–8
 - 1-D 98–100
 - 2-D 101–2
 - results
 - 1-D 100–1
 - 2-D 102
 - results discussed 102–5
 - permeability/migration models 174–8
 - pressure elevation 79
 - reservoir simulation 171–2
 - application of model results 181–4
 - cross-section flow model 178–81
- clays
 - content and irreducible water saturation 55, *57, 58*
 - mineral dehydration reactions 30–1
 - see also* argillaceous rocks
- Cleveland Basin 125
- coalification in North Alpine Foreland Basin 146–7
- compaction
 - defined 15
 - effect on permeability 87–9
 - effect on porosity/permeability relation 85–6, 89–92
 - effect on porosity
 - time dependency 32–8
 - volume change 30–2
 - experimental generation 83–6
 - mathematical relation to porosity 15–17
 - mechanics of 76–7
 - modelling 38, 211–12
 - see also* porosity reduction effects
- computer technology in modelling 12, 45
- consolidation *see* compaction
- cracking of hydrocarbons 7
- creep 37
- data management problems 11
- decompaction 16, 33
- dehydration reactions 30–1
- diapirism in North Sea 118, *122, 1221*

- dimensions of modelling compared
 - introduction 109–10
 - set-up 110–11
 - simulation results
 - pressure 113, *115*
 - temperature 113–15, *116*
 - water flow 111–13
- dissolution 35, 36
 - and volume loss 31
- drainage in fine-grained rock 50–1
- Draupne Formation 65
- East Forties Basin 95, 96, 101
- effective pore area and irreducible water saturation 55, 58
- effective stress
 - experimental evidence 24–5
 - mathematical description 39–40
 - practical consideration 29–30
 - relation to porosity 77–9
 - theory 25–9
- elastic deformation 35
- erosional events
 - North Alpine Foreland Basin study
 - introduction 139–41
 - method 142–3
 - results 143–7
 - results discussed 147–51
- expulsion
 - defined 46
 - efficiency testing 60–2
 - history of research 46–8
 - modelling 48–50, 164–7
 - role in modelling 3, 7–8
 - role in overpressure 75–6
- faults
 - effect on fluid flow 33–4
 - hydrogeological behaviour *104*
 - problems of modelling 10
- feldspar and transformation volume loss 31
- fluid flow
 - modelling (2-D and 3-D) 1
 - problems encountered 9–13
 - successful application 9
 - role in overpressure 33, 75–6
- fluid pressure and effective stress 29
- Forties–Montrose High 95, 96, 101
- Fulmar Formation 95
 - reservoir simulation 171–2
- geochemistry
 - Bazhenov Formation 158–60
 - Central Graben hydrocarbons 184
 - Halten Terrace well cuttings 191
- geothermal gradient interpretation
 - North Alpine Foreland Basin 139
 - introduction 139–41
 - method 142–3
 - results 143–7
 - results discussed 147–51
- grain boundary relations in compaction 35–7
- grain response in porosity reduction 74–5
- grain size and irreducible water saturation 55, 57, 58
- gypsum dehydration reaction 31
- Halten Terrace
 - exploration history 189–90
 - geochemistry of well cuttings 191
 - geological setting 190
 - maturation model
 - application 193–8
 - testing 198–202
 - tests discussed 202–5
 - theory 191–3
 - thermal conductivity parameters 190–1
- heat flow
 - importance of 2
 - effect of basement 161
 - problems of estimation 5–6
 - role in basin modelling 213
 - see also* thermal conductivity *also* thermal history
- Heather Formation 65, 103
- Heidrun Field 190
- Hercynian uplift 125, 126
- hydrocarbons
 - compositional effect on expulsion 47
 - compositional kinetics 7
 - molecular size classification 2–3
- hydrogen index (HI) 160
- illite
 - dating 182–4
 - dehydration volume loss 31
- imbibition in fine grained rock 50–1
- Imperial Island River well 227
 - heat flow history model 231–3
 - stratigraphic data 238
 - vitrinite reflectance data 238
- Institute for Energy (IFE) 3-D basin simulator
 - introduction 109–10
 - set-up 110–11
 - simulation results
 - pressure 113, *115*
 - temperature 113–15, *116*
 - water flow 111–13
- inversion events
 - North Alpine Foreland Basin study
 - introduction 139–41
 - method 142–3
 - results 143–7
 - results discussed 147–51
- irreducible water saturation (Swirr) 49
 - factors affecting 55, 56–60
- K feldspar and transformation volume loss 31
- K–Ar dating 182–4
- kaolinite
 - consolidation test 84, 85
 - dehydration volume loss 31
- Kasuzo Group consolidation test 84, 85
- kerogens 47, 48
 - decomposition 2–3
 - kinetic parameters 6–7
 - transformation and volume loss 31
- Kimmeridge Clay Formation 47, 95, 101, 103, *105*
- Kiwada Formation consolidation test 84, 85

- Laramide Event 119–20
- Liard Basin
 Pan Am Beaver River well 227
 heat flow history model 227–31
 stratigraphic data 237
 vitrinite reflectance data 237
- Mahakam Delta 47
- maturation history 172
 modelling
 application 193–8
 testing 198–202
 tests discussed 202–5
 theory 191–3
- maturity (1-D) modelling
 defined 1
 development 1–2
 problems encountered 4–9
 successful application 1–4
- Midgard Field 190
- migration *see* primary migration *also* secondary migration
- mineralogy, relation to permeability 47–8
- molecular diffusion and gas expulsion 48
- Monte Carlo simulation 214
- Niigata Basin 47, 62–3
- North Alpine Foreland Basin (NAFB)
 setting 139
 stratigraphic history reconstruction
 introduction 139–41
 method 142–3
 results 143–7
 results discussed 147–51
- North Sea
 Central Graben
 geological setting 95, 170–1
 maturation history 172
 modelling overpressure
 method 96–8
 1-D 98–100
 2-D 101–2
 results
 1-D 100–1
 2-D 102
 results discussed 102–5
 permeability/migration models 174–8
 pressure elevation 79
 reservoir simulation 171–2
 application of model results 181–4
 cross-section flow model 178–81
- Northern 63–7
- Southern
 burial history 118–21
 stratigraphy 118, 119
 uplift determination methods
 apatite fission track analysis 127–30
 sonic velocity 121–4
 vitrinite reflectance 124–7
 well data interpretation 130–3
- Norwegian Continental Shelf *see* Halten Terrace
- Norwegian North Sea 63–7
- one-dimensional (maturity) modelling
 Central Graben studies
 overpressures 96–8
 methods 98–100
 results 100–1
 thermal analysis 172, 173
 comparison with 1- or 3-D modelling 109, 110
 expulsion 60–2
 pressure 113
 temperature 113–15, 116
 water flow 111–13
 defined 1
 development 1–2
 problems encountered 4–9
 successful application 1–4
 optimization, role of 3, 8–9, 11–12
 overflow model 50
 overpressure
 and compaction 32–3
 controls on 73, 74–6
 rate of generation 33
 role in modelling 11
 simulation results 113, 115
- overpressure modelling
 method 96–8
 1-D 98–100
 2-D 101–2
 results
 1-D 100–1
 2-D 102
 results discussed 102–5
- oxygen index (OI) 160
- P wave velocity in porosity calculation 29–30
- Pan Am Beaver River well 227
 heat flow history model 227–31
 stratigraphic data 237
 vitrinite reflectance data 237
- permeability
 effect of consolidation 87–9
 effect of mineralogy 47
 relation to porosity during consolidation 89–92
 role in fluid flow retardation 78
 role in modelling 10–11
 role in overpressure 33
see also absolute permeability *also* relative permeability
- permeability/migration model, North Sea 174–8
- permeability/porosity, role in compaction modelling 211–12
- plastic deformation 35, 36
- porosity
 compaction effect
 mathematical relations 15–17
 modelling 38
 time dependency 32–8
 volume change 30–2
 methods of measurement 19–20
 reduction effects 73–6
 relation to compaction 76–7
 relation to effective stress 77–9
 relation to depth 17–19
 construction of curves 20

- porosity
 relation to depth (*cont.*)
 use of relationship 20–4
 relation to effective stress
 experimental 24–5
 mathematical 39–40
 practical 29–30
 theoretical 25–9
 relation to permeability during consolidation 89–92
 role in compaction modelling 211–12
 pressure simulation results 113, 115
 role in modelling 11
see also overpressure
 pressure solution 35, 36–7
 primary migration
 defined 46
 history of research 46–8
 modelling 48–50
see also expulsion
 probabilistic evaluation 213–17
 pyrolysis study 158–60
- relative permeability 48–9
 studies in fine grained rock
 drainage and imbibition 50–1
 history of research 51–2
 model generation 53–60
 model testing
 1-D 60–2
 2-D 62–7
 problems of measurement 53
 relation to saturation threshold 67–9
 theory 52–3
 wettability 50
see also permeability
- reservoir modelling 12–13
 reservoir rocks in North Sea 170
 residual oil saturation (Sor) 49
 risk evaluation 217–20
 Rochester shale consolidation test 84, 85
- Sable Basin (Nova Scotia) 98, 101
 salt diapirism in North Sea 118, 122, 1221
 sandstone
 compaction modelling 37, 211
 porosity/depth relation 17, 18
 saturation threshold 50, 67–9, 164–5
 seal rocks in North Sea 170
 secondary migration/permeability model, North Sea 174–8
 sedimentation rate and overpressure 33, 74
 seismic velocity 190–1
 relation to porosity 29–30
 use in thermal conductivity modelling
 application 193–8
 testing 198–202
 tests discussed 202–5
 theory 191–3
- sensitivity analysis 4, 9
 shale
 porosity/depth relation 18
 relative permeability study
 drainage and imbibition 50–1
 history of research 51–2
 model generation 53–60
 model testing
 1-D 60–2
 2-D 62–7
 problems of measurement 53
 relation to saturation threshold 67–9
 theory 52–3
 wettability 50
see also argillaceous rocks
- Siberia 158
 Bazhenov Formation studies
 expulsion model 164–7
 geochemistry 158–60
 thermal maturity model 161–4
 Simpson's rule 215, 216
 simulation *see* Institute for Energy (IFE) 3–D basin simulator
 simulation speed 12
 software development 2
 Sole Pit Trough
 burial history 119, 120
 uplift 125
 sonic velocity log 104, 190–1
 use in porosity calculation 29–30
 use in uplift determination 121–4
 well data interpretation 131
 sorting and irreducible water saturation 55
 source rocks
 Bazhenov Formation
 expulsion model 164–7
 geochemistry 158–60
 thermal maturity model 161–4
 behaviour during expulsion 47
 efficiency model 56–60
 North Sea 65, 173
 saturation threshold 67–9
 Spekk Formation 191
 surface area and irreducible water saturation 55
 Switzerland *see* North Alpine Foreland Basin (NAFB)
- tectonics and problems of modelling 10
 temperature
 role in overpressure 33
 simulation results 113–15, 116
 surface and subsurface
 problems of estimation 4–5
 thermal conductivity 190–1
 importance of 2
 modelling from seismic velocity
 application 193–8
 testing 198–202
 tests discussed 202–5
 theory 191–3
 problems of estimation 5
 thermal history
 application to basin modelling 213
 inversion methodology
 application
 method 226–7
 results 227–33
 results discussed 233–5
 theory 224–6
 modelling principles 223
 North Alpine Foreland Basin study 139

- introduction 139–41
- method 142–3
- results 143–7
- results discussed 147–51
- thermal indicators
 - problems of estimation 6–7
 - role in modelling 3–4
- thermal maturity modelling 161–4
- three-dimensional (basin) modelling see Institute for Energy 3-D basin simulator
- time, effects on compaction of 32–8
- time–temperature index (TTI) model 2
- total organic carbon (TOC) 47, 160, 164
- training in modelling 9
- traps in North Sea 170, 183–4
- two-dimensional (fluid-flow) modelling 1
 - Central Graben studies
 - overpressure 101–2
 - permeability analysis 174–8
 - comparison with 1- or 3-D modelling 109, 110
 - expulsion 62–7
 - pressure 113, 115
 - temperature 113–15, 116
 - water flow 111–13, 114
 - problems encountered 9–13
 - successful application 9
- Tyrhans Field 190
- Umegase Formation consolidation test 85
- uncertainty evaluation 213–17
- undercompaction 33, 104
- uplift estimation
 - North Alpine Foreland Basin study
 - introduction 139–41
 - method 142–3
 - results 143–7
 - results discussed 147–51
 - North Sea study
 - apatite fission track analysis 127–30
 - sonic velocity evidence 121–4
 - vitrite reflectance data 124–7
 - well data interpretation 130–3
 - Viking Graben 65
 - visco-elastic and plastic models in compaction 38
 - vitrite reflectance 120
 - North Alpine Foreland Basin study
 - method 142
 - results 146–7
 - results discussed 147–51
 - role in basin modelling 213
 - use in thermal history modelling
 - results evaluated 233–5
 - wells studied
 - Imperial Island River 231–3, 238
 - Pan Am Beaver River 227–31, 237
 - use in uplift studies 124–7
 - well data interpretation 130, 131, 132
 - volume changes in compaction 30–2
- water flow simulation results 111–13
- wettability 50
- Williston Basin 47
- Yukon Territory
 - Pan Am Beaver River well 227
 - heat flow history model 227–31
 - stratigraphic data 237
 - vitrite reflectance data 237