

Index

Page numbers in *italics* refer to Figures and page numbers in **bold** refer to Tables

- acid gases
 - critical loading 116
 - Hekla output 114–115
 - sulphur dioxide 167–169
- acid rain, volcanogenic 34, 41
- Açores, Furnas volcano study
 - environmental impacts 198–201
 - eruption history 194–198
 - socio-economic impacts 203–204
- Aegean Arc, Nisyros study 69–71
 - EDS analysis
 - methods 78–79
 - results 79–84
 - results discussed 84–86
 - pumice fall isopachs 77
 - stratigraphy 71–77
 - tephrostratigraphy 77–78
- aeromagnetic data, Auckland volcanic field 4, 5, 8–9
- aerosols 167
 - see also* acid gases
- Akira Pumice Formation 50, 51
- albedo, volcanic effect on 167
- alkali basalt 3
- Angat Kitet Formation 51, 52
- anhysteretic remanent magnetization **131**
- archaeological applications of tephra
 - Bronze Age volcanism 110, 119–120
- Ash Hill 2, **6**
- Auckland volcanic field 2–4, 29
 - eruption timing 7–8
 - geophysical data 4
 - structural style 4–7
 - volcanic hazards 29–30, 33–34
- back-field ratio **131**, 132
- basalt 3, 212
- basanite 3, 212
- bog oak, impact of Hekla on 118–119
- British tephra sites 156–157
- Bronze Age
 - Hekla eruption 119–120
 - Scotland 110
- ¹⁴C, Kaharoa tephra **16**
- Canary Islands 209
 - Negra Mt study
 - 1706 eruption 210–212
 - risk assessments 212–215
- charcoal 20
- chemistry *see* geochemistry
- Chinyero 209
- Chironomidae 111
- climate change
 - effect of Hekla 110–111, 114–115, 118–120
 - effect of Laki 112, 113, 161–162
 - scientific measures 164–165
 - sulphur dioxide effect 166–169
 - written accounts 162–165
 - effect of Pinatubo 113
 - effect of Tambora 112, 113–114
- Coromandel Volcanic Zone 28
- Corylus* pollen record 111
- Crater Hill 2, 4–5, **6**, 7, 8, 9
- critical load concept 116
- Curie temperature **131**, 132
- discriminant function analysis (DFA) 149
 - British tephra sites 156–157
 - data handling 149–150
 - Icelandic tephtras 150–153, 154–156
- earthquakes *see* seismicity
- Egmont, Mt 11, 12, 28, 32–33
- Emurangogolak 63
- energy dispersive spectrometry (EDS)
 - methods 78–79
 - results 79–84
 - results discussed 84–86
- Enkorika Formation 52
- Esinoni Formation 51, 52
- Etna, 1977–1991 survey
 - eruptive phases 96–102
 - magnitude/frequency analysis 102–105
 - results discussed 105–106
 - seismic events 90–96
- fire fountains 3
- frequency dependent susceptibility **131**

- Furnas volcano
 environmental impacts 198–201
 eruption history 194–198
 socio-economic impacts 203–204
- gases *see* acid gases
- geochemistry of tephra 52–55
 DFA study 150–153
 sodium problem 153–154
 eruption correlation 55–61
 Nisyros tephra **80, 81**
- geomagnetism *see* magnetic analysis
- geophysics 4, 5, 8–9
- Greece, Nisyros study 69–71
 EDS analysis
 methods 78–79
 results 79–84
 results discussed 84–86
 pumice fall isopachs 77
 stratigraphy 71–77
 tephrostratigraphy 77–78
- Green Hill 2, **6, 8**
- Gregory Rift, Longonot/Suswa study 47, 48
 caldera collapse 49–52
 tectonic setting 61–65
 tephrochronology 55–61
 methods 52–54
 results 54–55
- Grímsvötn tephra **150, 150–153**
- Hampton Park 2, **6, 7, 8**
- Haroharo 28
- hazard assessment and management
 Auckland volcanic field 3–4, 29–30, 33–34
 Açores 194–204
 dominant approach 190–192
 radial approach 192–194
- Hekla
 tephra analysis by DFA **150, 150–153, 154–156**
 tephra impacts 110–111, 114–115
 Ireland 118–119
 Scotland 119–120
- high field strength elements 54–55
- Iceland
 Hekla
 tephra analysis by DFA **150, 150–153, 154–156**
 tephra impacts 110–111, 114–115
 Ireland 118–119
 Scotland 119–120
- Laki fissure volcano
 eruption dynamics 174
 impact in Europe 111, 175, 176
 air quality 162–163, 177–179
 climate change links 112, 113, 161–162, 166–169
 social responses 183–185
 storminess 176, 180–183
 impact in Iceland 34, 174–175
- Storalda moraine complex
 stratigraphy 126–130
 tephra magnetic analysis
 methods 130–132
 results 132–140
 results discussed 140–144
- ignimbrite 51
- Indonesia 193
 Tambora 112, 113–114
- Ireland
 bog oak case study 118–119
 tephra sites 156–157
- isothermal remanent magnetization **131**
- Italy, volcanic emergency planning 193
 Etna 1977–1991 survey
 eruptive phases 96–102
 magnitude/frequency analysis 102–105
 results discussed 105–106
 seismic events 90–96
- Kaharoa tephra 12, 36
 analysis **15**
¹⁴C dating **16**
 environmental impact 17–21, 21–23
 stratigraphy 15
- Kaipō bog 28, 32
- Kapenga 28
- Kawakawa tephra 36
- Kedong Valley Tuff Formation 50, 51
- Kenya Rift Valley, Longonot/Suswa study
 47, 48
 caldera collapse 49–52
 tectonic setting 61–65
 tephrochronology 55–61
 methods 52–54
 results 54–55
- Kildonan, Strath of 111
- Kilombe 63
- Kohouora 2, **6**
- Kohouora Crater 39, 40
- Kos Plateau Tuff 69
- Laki fissure volcano

- eruption dynamics 174
- impact in Europe 111, 175, 176
 - air quality 162–163, 177–179
 - climate change links 112, 113, 161–162, 166–169
 - social responses 183–185
 - storminess 176, 180–183
- impact in Iceland 34, 174–175
- lapilli pumice 74, 75, 76
- lava flow hazard management **191**
- Longonot 47, 48
 - caldera collapse 49–51, 52
 - tectonic setting 61–65
 - tephrochronology
 - eruption correlation 55–61
 - methods 52–54
 - results 54–55
- McLaughlins Hill 2, **6**, 8
- McLennan Hills 2, **6**, 8
- magnetic analysis
 - basalts 7–8
 - tephra
 - methods 130–132
 - results 132–140
 - results discussed 140–144
- magnetic susceptibility **131**
- major element analysis **80**, **81**
 - see also* geochemistry
- Mamaku tephra 36
- Mangakino 28
- Mangere, Mt 2, **6**, 8
- Mangere 2, **6**, 37, 38, 40
- Maroa 11, 12, 28
- Matakana Island 13–15
 - pollen analysis 17–21
 - stratigraphy 15–17
 - tephra impact 21–23
- Maungarei tephra 40
- Maungataketake 2, **6**
- Mayor Island 11
- Menengai 63
- natural hazards *see* hazard assessment and management
- Nb geochemistry 54–55
- Negra Mt
 - 1706 eruption 210–212
 - risk assessments 212–215
- nephelinite 3
- New Zealand
 - Auckland volcanic field 2–4, 29
 - eruption timing 7–8
 - geophysical data 4
 - structural style 4–7
 - volcanic hazards 29–30, 33–34
- Matakana Island 13–15
 - pollen analysis 17–21
 - stratigraphy 15–17
 - tephra impact 21–23
- North Island
 - tephra depth survey 36
 - volcanic centres 28, 30–33
- Ngauruhoe, Mt 28, 32
- Nikia Rhyolite 69
- Nisyros 69–71
 - EDS analysis
 - methods 78–79
 - results 79–84
 - results discussed 84–86
 - pumice fall isopachs 77
 - pyroclastic stratigraphy 71–77
 - tephrostratigraphy 77–78
- Okataina Volcanic Centre 11, 12, 15, 28, 31
- Olgumi Formation 51, 52, 54
- Olongonot Volcanic Formation 51
- Oloolwa Formation 51, 52
- Omapere, Lake 36
- Otara Hill 2, **6**, 7, 8
- Otuataua 2, **6**
- palynology 17–21, 111
- Patiki Road section 38, 40
- phonolite 212
- phreatomagmatism 51
 - Auckland 3
- Pinatubo, Mt 113–114, 167
- Pinus sylvestris* pollen record 111
- pollen analysis 17–21, 111
- Pukaki Crater 2, 4, 5, **6**, 7
- Pukeiti 2, **6**
- Pukekiwiriki 2, **6**, 7
- Puketutu 2, **6**, 7, 8, 9
- pumice 51
- radiocarbon dating **16**
- Rangitoto 3
- Reporoa 28
- Richmond, Mt 2, **6**
- risk assessment 212–215
- Robertson Hill 2, **6**, 7
- Rotoehu Ash 36
- Rotorua 28

- Rototuna, Lake 36
 Ruapehu, Mt 28, 32, 40
- Saksunarvatn tephra **150**, 153
 San Juan 209
 São Miguel, Furnas volcano study
 environmental impacts 198–201
 eruption history 194–198
 socio-economic impacts 203–204
 saturation isothermal remanent magnetization **131**
 Scotland, Bronze Age study 110
 impact of Hekla 119–120
 seismicity and volcanic eruption, Etna 90–96
 Sicily, Etna 1977–1991 survey
 eruptive phases 96–102
 magnitude/frequency analysis 102–105
 results discussed 105–106
 seismic events 90–96
 Silali 63
 Skaelingisvatn 111
 sodium problem in geochemical analysis
 153–154
 statistical techniques in DFA 149–150
 Storalda moraine complex
 stratigraphy 126–130
 tephra magnetic analysis
 methods 130–132
 results 132–140
 results discussed 140–144
 Styaks Swamp 2, **6**, 8
 sulphur dioxide 167–169
 Suswa 47, 48
 caldera collapse 51–52
 tectonic setting 61–65
 tephrochronology
 eruption correlation 55–61
 methods 52–54
 results 54–55
 Svinavatn tephra **150**, 150–153
- Tambora (Indonesia) 112, 113–114
 Tarawera 12, 15, 28
 Taupo 11, 12, 28, 31–32, 36
 temperature *see* climate change
 Teneguia 209
 Tenerife 209
 Negra Mt
 1706 eruption 210–212
 risk assessments 212–215
 tephra 125
 climatic impact 110, 118–120, 175, 176
 air quality 162–163, 177–179
 climate change links 112, 113, 161–162,
 166–169
 social responses 183–185
 storminess 176, 180–183
 discriminant function analysis (DFA)
 149–150
 British tephra sites 156–157
 Icelandic tephtras 150–153, 154–156
 energy dispersive spectrometry (EDS)
 methods 78–79
 results 79–84
 results discussed 84–86
 geochemistry 52–55
 eruption correlation 55–61
 magnetic analysis
 methods 130–132
 results 132–140
 results discussed 140–144
 tephrochronology 125
 Kenya Rift 55–61
 methods 52–54
 results 54–55
 New Zealand **16**, 21–23, 36
 tholeiite 3
 Timanfaya 209, **210**
 Tongariro 11, 12, 28, 32
 trace elements analysis **59**, **60**
 see also geochemistry
 trachybasaltic ash 51
 trachyte agglutinate 51
 trachyte globule ignimbrite 51
 trachyte pumice lapilli 51
 tsunami 30
 Tuhua 11, 12, 28, 31
 Tutira, Lake 32
- volcanic gases *see* acid gases
 vulnerability analysis 194
- Waiatarua, Lake 39–40
 Waikato lakes 28, 36
 Waitomokia 2, **6**, 7
 weather *see* climate change
 Wellington, Mt 40
 Whakamaru 28
 Wiri 2, **6**, 7, 8, 9
- Zr geochemistry 54–55