

## Contents

|   |     |
|---|-----|
| SMITH, B. J., WHALLEY, W. B., WARKE, P. A. & RUFFELL, A. Introduction and background: interpretations of landscape change   | vii |
| <b>The British Isles</b>  |     |
| JONES, D. K. C. Evolving models of the Tertiary evolutionary geomorphology of southern England, with special reference to the Chalklands  | 1   |
| JONES, D. K. C. On the uplift and denudation of the Weald   | 25  |
| WALSH, P., BOULTER, M. & MORAWIECKA, I. Chattian and Miocene elements in the modern landscape of western Britain and Ireland  | 45  |
| BATTIAU-QUENEY, Y. Crustal anisotropy and differential uplift: their role in long-term landform development   | 65  |
| <b>Mainland Europe and Scandinavia</b>  |     |
| PUURA, V., VAHER, R. & TUULING, I. Pre-Devonian landscape of the Baltic Oil-Shale Basin, NW of the Russian platform   | 75  |
| LIDMAR-BERGSTRÖM, K. Uplift histories revealed by landforms of the Scandinavian domes   | 85  |
| MIGON, P. Inherited landscapes of the Sudetic Foreland (SW Poland) and implications for reconstructing uplift and erosional histories of upland terrains in Central Europe                              | 93  |
| BASILI, R., GALADINI, F. & MESSINA, P. The application of palaeo-landsurface analysis to the study of recent tectonics in central Italy   | 109 |
| BARTOLINI, C. An overview of Pliocene to present-day uplift and denudation rates in the Northern Apennine   | 119 |
| <b>Africa and The Middle East</b>   |     |
| BAIRD, A. W. & RUSSELL, A. J. Structural and stratigraphic perspectives on the uplift and erosional history of Djebel Cherichira and Oued Grigema, a segment of the Tunisian Atlas thrust fault         | 127 |
| BUTLER, R. W. H. & SPENCER, S. Landscape evolution and the preservation of tectonic landforms along the northern Yammouneh Fault, Lebanon   | 143 |
| ERIKSSON, M. G. Influence of crustal movements on landforms, erosion and sediment deposition in the Irangi Hills, central Tanzania  | 157 |
| <b>Asia</b>   |     |
| PETLEY, D. N. & REID, S. Uplift and landscape stability at Taroko, eastern Taiwan   | 169 |
| FOTHERGILL, P. A. & MA, H. Preliminary observations on the geomorphic evolution of the Guide Basin, Qinghai Province, China: implications for the uplift of the northeast margin of the Tibetan Plateau | 183 |
| OWEN, L. A., CUNNINGHAM, W. D., WINDLEY B. F., BADAMGAROV, J. & DORJNAMJAA, D. The landscape evolution of Nemeht Uul: a late Cenozoic transpressional uplift in the Gobi Altai, southern Mongolia       | 201 |
| <b>The Americas</b>   |     |
| CONRAD, C. T. & SAUNDERSON, H. C. Temporal and spatial variation in suspended sediment yields from eastern North America  | 219 |

|  |     |
|--|-----|
| COSTA, C. H., GIACCARDI, A. D. & GONZÁLEZ DÍAZ, E. F. Palaeo-landsurfaces and neotectonic analysis in the southern Sierras Pampeanas, Argentina  | 229 |
| COLTORTI, M. & OLLIER, C. D. The significance of high planation surfaces in the Andes of Ecuador   | 239 |
| <b>Antarctica</b>  |     |
| SUMMERFIELD, M. A., SUGDEN, D. E., MARCHANT, D. R., COCKBURN, H. A. P., STUART, F. M. & DENTON, G. H. Cosmogenic isotope data support previous evidence of extremely low rates of denudation in the Dry Valleys region, southern Victoria Land, Antarctica | 255 |
| Index  | 269 |