

Index

Page numbers in *italics* refer to Figures and page numbers in **bold** refer to Tables

- abandoned channels 9–10
- accretion 7, 8, 76–80
- acoustic Doppler velocimeter (ADV) 16, 17
- active floodplain 2, 3
- aggradation *see* sedimentation rates
- aggregates 10
- Adige River (Italy) 261
- Adur River (UK) **57**
- alluvial architecture model 11, 270–271
 - applied to Mississippi River 272–277
- alluvial fans 261
- alluvial plain 4
- Anopheles* 6
- Ant River (UK) 148
- anthropogenic impacts on floodplains 1, 10, 179
- apatite 318–319
- Arun River (UK) 46, 52–55, **57**
- Avon River (Bristol, UK) **57**, **249**, 250, 251, 252, 253
- Avon River (Warwickshire, UK) **57**
- avulsion 5, 8, 9, 274
- Axe River (UK) 44, **45**, **57**
 - phosphate distribution 44, 45

- barite in palaeosol 305
- bars 5–6, 8
- bedform relations to CM pattern 263–264
- beetles in floodplain deposits 181–189
- Blackwater Estuary (UK) 201, 205–206
- Blythe River (UK) 148
- Brahmaputra-Jamuna River (Bangladesh) 153–159
- braids and CM pattern 267
- Bronze Age 179
- Burdekin River (Australia) 9, 30–39
- Bure River (UK) 148

- caesium 10, 42–66
- carbonates, palustrine 281
- catenas 280–285
- Cenomanian *see* Dunvegan Formation
- channel behaviour 4–6, 27
 - migration of Cosumnes River 104
 - modelling for Mississippi River 273–274
 - modification and channelization 89
- channel management 7, 30–39
- channel sediment 36–39, 164–171, 261, 264, 292–299
- char 153
- Chernobyl-derived radiocaesium 61–66
 - use in floodplain chronology 46–51
 - use in overbank sedimentation study 51
- Chilton Chine (Isle of Wight, UK) 283, 285
- chronology in floodplain deposits 46–51, 181–189
- classification of floodplains 2–4, 5, 259

- classification of rivers 123
- clay behaviour
 - exchangeable cation effect 199–200
 - geotechnical analysis 202–212
 - illuviation 301–303
- CM diagrams 261–263
 - definition 260
 - application of technique 263–267
- Cole River (UK) 91
- Colorado River (USA) 91
- computer modelling 11, 114–115, 270–277
- common reed study 145–150
- conveyance loss 51
- Cosumnes River (USA) restoration 99–107
- Cotswold Water Parks 10
- cottonwood forests 99
- Cretaceous *see* Dunvegan Formation
- Crouch Estuary (UK) 201, 206–208
- Culm River (UK) 16, 19–25, **57**
- Cumbria *see* Irthing River

- Daming palaeochannel *see* North China Plain
- Danube River 91
- deltas 111, 112–113, 267
- depositional environments 38–39, 295–297
- desiccation 199, 281–283
- design flood 2
- discharge patterns 32–33, 101, 103, 113
- Dnieper Basin (Russia) **218**
- Don Basin (Russia) **218**
 - Khoper River 220–222, 224–228
- Donjek River (USA) CM pattern 261
- Dunvegan Formation (Canada) 291–292
 - depositional environment
 - floodplains 295–297
 - fluvial channels 292–295
 - palaeosol morphology
 - biological features 299–301
 - ferruginous features 303–305
 - microfabric 297–299
 - microstructure 297
 - palaeoenvironmental significance 305–307
 - textural features 301–303

- East Anglia (UK) reedbeds 145–150
- East European Plain Late Valdai fluvial setting 217–228
- ecosystem restoration and ecological value 142–143
 - Cosumnes River 99–109
 - Irthing River 163–174
 - Rhine River 111–136
 - Trent River 190–192
- Eden River (UK) 9

- energy of flow, relation to CM pattern 263–264, 267
 Enoree River (USA) CM pattern 261
 environmental value concept 142–143
 Environmentally Sensitive Area (ESA) 141–143
 erosion 7–8, 105–106
 Eshowe Formation (South Africa) 311, 313, **314**, 315
 Essex (UK) saltmarsh alluvium 202–212
 estuarine floodplains and Holocene sea level 197–199
 geotechnical evidence 202–212
 exchangeable cations in clays 199–200
 Exe River (UK) **57**
 exposure index 280
- facies analysis 11, 267
 fallout *see* Chernobyl-derived radiocaesium
 ferrolysis 283
 ferruginous oxides in palaeosol 303–304
 fertilizer pollution 6, 44, 45, 46
 fingerprinting technique 241–243
 River Severn (UK) study 243–256
 flood hazard 6, 109
 flood risk 6–7
 flood wave 32–33
 floodplain definitions 2–3
 floodplain forests 99, 179
 floodplain restoration 107–109, 142–143
 see also ecosystem restoration
 flow measurement 6, 16–25, 32–33
 flow modelling 16–25
 fluvial placer deposits 10, 311–324
 forests, riparian 99, 179
 fossils in floodplains and palaeochannels 236
 insects 181–182, 187, 188, 189
 plant macrofossils 165–168, 171–174
 pollen 180–181, 182–190
- Galena River (USA) CM pattern 262
 garnet 317
 genetic floodplain 3
 geochemistry and fingerprinting on River Severn (UK)
 confluence study 247–248
 historical analysis 248–249
 identification of sources 244–247
 geomorphology of (Russian) floodplains
 macromeander evidence for Late Glacial 218–220
 Khoher River 220–222
 Protva River 224
 Vychedga River 222–224
 geomorphology of palaeochannels 218–220, 237–239
 geotechnical analysis *see* clay behaviour
 GIS use in Brahmaputra River study 155–159
 gley features 283
 goethite 283, 284
 groundwater storage 9–10, 231–237
- habitat restoration *see* ecosystem restoration
 heavy minerals 316–320
 hematite 283, 284, 320
 Hibberdene Formation (South Africa) 312, 313
 Holocene 32, 69, 163, 164, 168, 198, 219, 220
 floodplain aggradation evidence 111, 180–190
 evolution of Irthing River floodplain 174–175
 inherited floodplain features 224–228
 sea level evidence 197–199, 202–212
- hornblende 319
 human impact 1, 10, 179
 hydraulic modelling 2, 19–25, 103
 hydrodynamics 6, 10
 hydrology 32–33, 101–103, 113, 237, 281
 hydrological properties of palaeochannels 237
 hydromorphism 283
 hydroperiod 280
- IJssel River (Netherlands) **125**, 129, 132, 134, 135
 illite 61, 65
 illuviation 301–303
 ilmenite 317–318
 Inanda Formation (South Africa) 312, 313, **314**, 315
 inundation 33–36, 42, 43, 46, 56, 107, 109, 280
 iron oxides in palaeosol 303–304
 Irthing River (UK) 164–165
 modelling Holocene evolution 174–175
 palaeoecological studies 165–166, 167–168, 171–174
 palaeohydrological studies 165, 166, 170–171
 sedimentology of channels 166
 terrace development 166, 168–170
- Jamuna River *see* Brahmaputra–Jamuna River
 Jingxian palaeochannel *see* North China Plain
- Kaapvaal Craton (South Africa) 320
 Ken River (India) 7
 Khoher River (Russia) 220–222, 224–228
 Kissimmee River (USA) 91
- Late Glacial *see* Valdai
 lead isotopes in overbank sediments 42–44
 legislative aspects of UK floodplain management 95
 Lek River (Netherlands) **125**, 129, 130, 131, 132, 135
 Littleton Warth (UK) core 203–205, 210
- magnetite 316–317
 marshland 199, 200
 see also Essex saltmarsh
 meanders 267
 see also palaeomeanders
 Medway River (UK) **57**
 Meuse River *see* Rhine–Meuse delta
 microfabric in estuarine alluvium 204
 microfabric in palaeosols 297–299
 milk contamination 64–65, 66
 mineralogy
 Natal Group 316–320
 soils 283, 284
 misfit stream 9
 Mississippi River (USA) 30, 261, 272–277
 Mkunya Formation (South Africa) 311, 313
 Mlazi Formation (South Africa) 311–312, 313, **314**
 modelling
 Culm River flow hydraulics 16–25

- Irthing River evolution 174–175
 Mississippi River alluvial architecture 272–276
 Rhine River sedimentation 114–115
 mottling in soils 283
- Natal Group (South Africa) 311–324
 Nidd River (UK) **53**
 Nile River (Egypt) 7
 Niobrara River (USA) CM pattern 261
 Norfolk Broads (UK) 10
 North China Plain
 palaeochannels for groundwater storage 231–234
 distribution 234
 geomorphology 237–239
 hydrology 237
 sediment analysis 234–237
 North Farnbridge (UK) core 201, 206–208
 Northey Island (UK) core 201, 206, 207
 nutrient pollution 44, 45, 46
- oak woodland restoration *see* Cosumnes River
 Old Hall Marsh (UK) core 201, 205–206
 Ordovician *see* Natal Group
 Ouse *see* Yorkshire Ouse
 outwash plain and CM pattern 267
 overbank sedimentation 1, 8, 38–39, 41–42, 179–190,
 261–267
 Burdekin River 38–39
 Rhine-Meuse delta 112–113
 study by geochemistry 244–256
 study with radionuclides 42–57
 overconsolidation 197–199
 analysis of alluvium 202–208
- palaeochannels 9–11, 35, 218–224, 264
 Dunvegan Formation 292–295
 Irthing River 164–171
 use in groundwater storage in China 231–239
 palaeomeanders 218–220
 Khopor River 220–222
 Protva River 224
 Vycheгда River 222–224
 palaeosols 11, 279, 280, 281–283, 285, 289–291
 Dunvegan Formation 295–307
 Palaeocene 261, 262
 papules 301
 peak flow 102
 peat 10
 peloidal fabric 281
 Perry River (UK) **249**, 250, 251, 252, 253
 phosphate distribution 44, 45, 46
Phragmites australis study 145–150
 placer deposits 10, 311–324
 planform classification 123
 pollen in floodplain history study 180–190
 pollution by fertilizers and run-off 6, 44, 45, 46
 polyphase floodplain 3
 Protva River (Russia) 224–228
 provenance by geochemical fingerprinting *see*
 geochemistry
 pseudo-anticlines 281
- Qinghe palaeochannel *see* North China Plain
 Qingxian palaeochannel *see* North China Plain
- radiocaesium 42
 floodplain redistribution 61–66
 use in floodplain chronology 46–51
 use in overbank sedimentation study 42–44
 reed beds in East Anglian study 145–150
 rehabilitation *see* ecosystem restoration
 remote sensing 5, 155–159
 restoration of floodplain environment 7
 approaches
 channel 90
 floodplain 90–95
 definition 90
 philosophy 89
 see also ecosystem restoration
 Rhine River (Netherlands)
 ecological rehabilitation potential 135, 136
 flood event 31
 history of flow 129–133
 morphodynamics 133–136
 river branch classification 123–124
 Rhine-Meuse delta (Netherlands)
 Holocene flood sedimentation rates 111
 overbank sedimentation studies 112–113
 discharge 113, **114**
 sediment behaviour
 computer modelling 114–115
 rehabilitation 111–112
 modelling effects on sedimentation 116–121
 Rhone River (France) CM patterns 262–263
 river bed conditions 36–39
 river sediment *see* channel sediment
 Rother River (UK) **57**
 Russia *see* East European Plain
 rutile 316
- saline water table effect 6, 199–200
 saltation 259, 260
 saltmarsh
 alluvium geotechnical study 202–212
 reclamation 199, 200
 satellite imagery in Brahmaputra River study 155–159
 sea-level effects 4, 106–107
 sea-level rise in Holocene 197–199, 202–212
 sediment budgeting 80–83
 sediment character 27, 234–237
 sediment sinks 1, 83–84
 sedimentary facies 38, 70, 267
 sedimentation rates 15, 46–55, 76–80, 111, 179–190
 sediment size and environment relationship 38
 Seine River (France) 45
 sequestration of floodplains in Waipaoa Basin
 accretion rates 76–80
 core stratigraphy 74–76
 sediment budget 80–83
 sediment sinks 83–84
 variations in sedimentation 80
 Severn Estuary (UK) 200–202
 alluvium geotechnical study 202–212
 Holocene sea level evidence 197–198

- Severn River (UK) 243
 floodplain CM pattern 262
 overbank sediment fingerprinting 244–256
 phosphate concentration 46
 sediment loss 51
 sedimentation rates 46–51, **57**
 shear stress 109
 siderite 283, 284, 299, 305
 Site of Special Scientific Interest (SSSI) 139, 141, 142–143
 Slimbridge Warth (UK) core 201, 205
 slope wash 1
 Sluč River *see* Ukraine floodplains
 smectite 281
 soils 10
 see also palaeosols
 Somerset Levels and Moors (UK) 139, 140, 141–143
 sorting and CM pattern 260
 sphaerosiderite 299, 305
 SSSI 139, 141, 142–143
 Start River (UK) **57**
 statutory bodies for UK floodplain management 94–95
 Stour River (Dorset, UK) **57**
 Stour River (Severn catchment, UK) **249**, 250, 251, 252, 253
 suspended sediment 36, 42, 44, 46, 48, 51, **53**, 57, 83, 113, 241–243, 246, 253
 suspension, graded and uniform 260, 264, 265
 Swale River (UK) **53**
- Taw River (UK) **57**
 Teme River **249**, 250, 251, 252, 253
 Tern River (UK) **249**, 250, 251, 252, 253
 terraces and fluvial history 164, 166, 168–70
 thalweg profile 105, 106
 Thames Estuary (UK) 197, 198
 Thames River (UK) 10, **57**
 Thurne River (UK) 148
 thatching reeds 10, 145–150
 titanite 319
 Tollesbury Marsh (UK) core 201, 206
 Tone River (UK) 52–55, **57**
 Tongue River Formation (USA) 262
 Torridge River (UK) 46, **57**
 traction 279
- transport of sediment 61, 65, 69, 72, 80, 82, 84, 241–243, 248, 250, 256, 259
 Trent River (UK)
 anthropogenic impacts 179
 floodplain restoration potential 190–192
 Holocene aggradation 179–190
 turbulent kinetic energy 23
- Ukraine floodplains radiocaesium study 61–66
 Ure River (UK) **53**
 Usk River (UK) 46, **57**
- Valdai, Late
 fluvial setting 217–218
 geomorphological evidence 224–228
 Khoher River study 220–222
 Protva River study 224
 Vycheгда River study 222–224
 macromeander legacy 218–220
 vertisols 281–283, 284, 285
 Volga Basin (Russia) **218**, 224
 Vycheгда River (Russia) 222–224
 meander system compared 224–228
 Vymwy River (UK) **57**, **249**, 250, 251, 252, 253
- Waal River (Netherlands) 113, **115**, **125**, 126, 127, 129, 132, 135
 Waipaoa Basin (New Zealand) 71–80
 water storage 9–10, 231–237
 water surface profiles 103, 106, 107
 Waveney River (UK) 148
 Wealden palaeosol 283, 285
 Weichselian *see* Valdai
 West Sedgemoor (UK) SSSI 139
 wetland management in Britain 145
 wetting-drying fabric 281–283
 Wharfe River (UK) 51, 52, 53
 Wye River (UK) **57**
- Yorkshire Ouse (UK) 51, 52, 53 **57**
- zircon 318